
016.598 451

286051


reference collection book



kansas city public library kansas city, missouri







INDEX

TO THE

BULLETIN

OF THE

NUTTALL ORNITHOLOGICAL CLUB

VOLUMES I-VIII-1876-1883

AND TO ITS CONTINUATION

THE AUK


VOLUMES I-XVII-1884-1900

COMPILED BY A COMMITTEE OF THE

AMERICAN ORNITHOLOGISTS' UNION

EDITED BY

JONATHAN DWIGHT, Jr., M.D.



NEW YORK
PUBLISHED BY THE AMERICAN ORNITHOLOGISTS' UNION
1907

Press of The New Era Printing Company Lancaster Pa

INTRODUCTION.

The entire eight volumes (1876–1883) of the 'Bulletin' and seventeen volumes (1884–1900) of its continuation, 'The Auk,' published by the Nuttall Ornithological Club and the American Ornithologists' Union respectively, are here indexed. The material was gathered by a committee and elaborated by the editor, who has introduced features which, it is hoped, will add to the simplicity and general usefulness of an index that, in a measure, is a guide to a large part of the ornithological literature of the last quarter of the nineteenth century. Primarily, authors, localities, genera, synonyms and miscellaneous items are combined in a strictly alphabetical index; secondarily, all references are discriminated, classified and arranged under the primary headings and each indicated by the year and the page of the volume containing it. A fuller explanation of the details of arrangement is as follows:

- I. AUTHORS. Titles of papers are in chronological order and in condensed form. Reviews and notices are indicated by the abbreviation '(rev.),' which is used alone when the author is reviewed, and by the additional word 'see' prefacing the paragraph when the author is reviewer. Authors' names occurring in 'Minor Ornithological Publications' are indexed only under localities.
- 2. Localities. Names of authors in alphabetical order are placed under each.
- 3. Genera. Species in alphabetical order are indexed under their respective genera, subspecies or races being, for indexing convenience, treated like species and the middle term of the trinomial dropped. Under species, the page references are arranged by states and countries in alphabetical order, and, set off by a dash, at the end of the localities are additional categories in which are put references to matters other than distribution. In the endeavor to bring all references to the same genus, species or subspecies under one name, a simple system of key lettering has been devised to obviate possible confusion. Each key letter corresponds to a name in parenthesis after the genus or species, and this name is the one which will be found on the page cited. Other names in parenthesis, without a

key letter, are the current vernacular or popular names of North American species. The scientific names adopted are those of the A. O. U. Check-List of 1895 with approved corrections to the end of 1900, and for foreign species, as a rule, partly those of Sharpe's 'Hand List' and partly those of Ridgway's 'Birds of Middle and North America' to date of 1902. An asterisk indicates an original description or a new name and an interrogation point a reference doubtfully placed.

- 4. SYNONYMS or CROSS REFERENCES. Each refers directly to the name with which it is synonymised in this index and some are merely cross references rather than actual synonyms. Vernacular names in modern foreign languages have been discarded.
- 5. MISCELLANEOUS ITEMS. Everything not provided for in the other primary divisions is included in these items, such as notices of journals and the classified subject matter of body articles under various headings such as 'Distribution,' 'Migration,' 'New Species,' 'Nidification' and many others.

Uniformity and clearness have been sought in the use of type, punctuation, capitals and other details and a word of praise is due the printer and the compositor for their share in the work. In spelling, in adjective endings and in variants absolute uniformity has not been possible; nor will the information found in a single item always seem adequate, but every reference will, it is hoped, show the way to further knowledge.

The Council of the American Ornithologists' Union on November 13. 1899, appointed Dr. Jonathan Dwight, Jr., Chairman of the Index Committee, which was organized and began work the following winter, but many causes have contributed to delay the earlier completion of the index. The composition of the committee was as follows, the actual indexers being marked with an asterisk:—an editorial subcommittee consisting of the Chairman,* Dr. J. A. Allen, Mr. Chas. F. Batchelder and Dr. C. Hart Merriam, the other members being Mr. Wm. L. Baily,* Mr. Chester Barlow (since deceased), Mr. Paul Bartsch,* Mr. Arthur C. Bent.* Dr. Louis B. Bishop,* Dr. Wm. C. Braislin,* Mr. Wm. Brewster. Prof. Lawrence Bruner, Mr. M. Chamberlain,* Mr. Walter Deane,* Mr. Wm. Dutcher,* Dr. Walter Faxon, Dr. A. K. Fisher,* Mr. L. S. Foster* (since deceased), Mr. Ralph Hoffmann,* Mr. Arthur H. Howell,* Prof. Lynds Jones,* Mr. Gerrit S. Miller, Jr.,* Mr. Richard C. McGregor,* Mr. W. H. Osgood, Dr. Theo. S. Palmer, Mr. Chas. J. Pennock,* Dr. Chas. W. Richmond,* Mr. Robt. Ridgway (resigned), Dr. Wm. C. Rives,* Dr. Thos. S. Roberts,* Mr. Jno. H. Sage,* Mr. B. A. Scudder,* Mr. J. D. Sornborger (resigned), Mr. Witmer Stone,* Mr. W. E. C. Todd* and Mr. Francis B. White.*

Each volume was indexed by two persons independently, the results were compared by a third member of the committee and later verified by the editor. An apt quotation discovered by Mr. Wm. Dutcher is a fitting tribute to the voluntary labors of the Index Committee.

"Ye labour and ye patience, ye judgment and ye penetration which are required to make a good index is only known to those who have gone through with this most necessary and painful but least praised part of a publication."—William Oldys, 1687.

The editor, as chairman of the Index Committee, herewith extends grateful acknowledgments to all who have assisted him, especially to Dr. Chas. W. Richmond for the synonymy of foreign species and valuable assistance in proof-reading; to Dr. A. K. Fisher and Dr. J. A. Allen for proof-reading and for advice; to Mr. Wilfred H. Osgood and Mr. Chas. F. Batchelder for revision and classification of localities; and to Dr. Walter Faxon for help in editing authors' titles. Mr. Ruthven Deane, Mr. Jno. H. Sage, Dr. Theo. S. Palmer and Dr. A. K. Fisher also assisted in obtaining full names of authors, and the arduous labors of the actual indexers is measured by the 33,742 cards and sheets in duplicate returned to the editor for verification and classification.

JONATHAN DWIGHT, JR.,

Chairman of the Index Committee and Editor.

New York, November 1, 1907.

ABBREVIATIONS.

An asterisk (*) denotes an original description or a new name.

Ala.	Alabama.	Hud. B.	Hudson Bay.
Alas.	Alaska	hyb.	hybrid.
alb.	albino.	I.	Island.
Am.	America or American.	Ia.	Iowa.
anat.	anatomy.	Ida.	Idaho.
Arctic R.	Arctic regions.	Ill.	Illinois.
Argent.	Argentina.	illust.	illustration.
Ariz.	Arizona.	Ind.	Indiana.
Ark.	Arkansas.	introd.	introduced.
B. C.	British Columbia.	Is.	lslands.
Boliv.	Bolivia.	I. T.	Indian Territory.
Bras.	Brazil.	Kamt.	Kamtschatka.
Bull.	Bulletin.	Kan.	Kansas.
Cal.	California.	Ky.	Kentucky.
cat.	catalogue.	La.	Louisiana.
Co.	County.	L. Cal.	Lower California.
coll.	collection.	mag.	magazine.
Colo.	Colorado.	Man.	Manitoba.
Colom.	Colombia.	Mass.	Massachusetts.
col. pl.	colored plate.	Md.	Maryland.
Conn.	Connecticut.	Me.	Maine.
corr.	correction.	meas.	measurements.
C. R.	Costa Rica.	mclan.	melanism.
Del.	Delaware.	Mex.	Mexico.
descr.	description.	Mich.	Michigan.
ed.	edition.	mig.	migration.
Engl.	England.	Minn.	Minnesota.
fig.	figure.	misc.	miscellaneous.
Fla.	Florida.	Miss.	Mississippi.
Ga.	Georgia.	mlt.	moult.
Galap. Is.	Galapagos Islands.	Mo.	Missouri.
G. Br.	Great Britain.	Mont.	Montana.
g. dist.	general distribution.	M ts.	Mountains,
geog.	geographical.	N.	North.
Greenl.	Greenland.	nat. hist.	natural history.
Guat.	Guatemala.	N. B.	New Brunswick,
hbt.	habits.	N. $C.$	North Carolina.
Helg.	Heligoland.	N. D.	North Dakota.
H. I .	Hawaiian Islands.	N. $E.$	New England.
Hond.	Honduras.	Neb.	Nebraska.

Nev.Nevada. Que. Quebec. review. N. F.Newfoundland. rev. Revillagigedo Islands. N. H.New Hampshire. Revill. Is. Nicar. Nicaragua. R. I.Rhode Island. N. J.New Jersey. S. Am. South America. N. M.New Mexico. S. C. South Carolina. N. S. Nova Scotia S.D. South Dakota. N. Y.New York. synonymy. svn. N. W. T. Northwest Territory. Tenn. Tennessee. Tex. Texas. 0. Ohio. Urug. Okla. Oklahoma. Uruguay. U. S. Ont. Ontario. United States. Va_{-} Ore. Oregon Virginia. Venez. ornith. ornithological. Venezuela Pa. Pennsylvania 701. volume. Vt. P. E. I. Prince Edward Island. Vermont. P. I. Wash. Washington. Philippine Islands. Wis. pl. Wisconsin. plate. W. Va.West Virginia. plm. plumage. part. Wyo. Wyoming. pt. Proc.

Proceedings.

CONCORDANCE.

'76 =	= V c	ı. I	Bull. N. O. C.	'89 =	= Vc	1. VI	The Auk.
77	"	II	44	'90	"	VII	44
78	46	III	44	'91	"	VIII	"
'79	"	IV	"	'92	46	IX	44
'80	"	v	"	'93	"	X	44
'8 r	"	VI	44	'94	44	XI	"
'82	"	VII	44	'95	44	$\mathbf{x}\mathbf{n}$	44
'83	"	VIII	44	'96	44	XIII	44
'84	"	I	The Auk.	'97	**	XIV	46
'85	"	\mathbf{II}	"	'98	"	$\mathbf{x}\mathbf{v}$	44
'86	"	III	"	'99	**	XVI	44
'87	"	IV	"	1900	"	XVII	"
'88	"	v	"				

BULLETIN

OF THE

NUTTALL ORNITHOLOGICAL CLUB

AND

THE AUK.

TWENTY-FIVE-YEAR INDEX.

1876-1900.

ABACO.

Abaco Island, West Indies. Cory, C. B., '91, 298, 348. Ridgway, R., '86, 336, 337, '91, 333. abba (Ardea), see A. egretta. Abbot, John.

Drawings of the birds of Georgia (rev.), '96, 204-215.

Abbott, Charles Conrad.

Birds about us (rev.), '95, 67-69. Naturalist's rambles about home (rev.), '85, 86-88.

abbotti (Cinnyris), see Cinnyris.

- (Coccyzus), see Coccyzus.
 (Cyanecula), see Cyanecula.
- ---- (Laniarius), see Laniarius.
- —— (Lybius), see Lybius.
- (Melanobucco), see Lybius.
- (Rougetius), see Rougetius. — (Turtur), see Turtur.

abbreviatus (Buteo), see Buteo. abditivus (Manacus), see Manacus. abeillii (Coccothraustes), see Coccothraustes.

- (Guiraca), see Coccothraustes.
- --- (Hesperophona), see Coccothraustes.

Abelorhina, see Cœreba. aberti (Anas), see Anas.

---- (Pipilo), see Pipilo.

Abia, see Zamelodia.

abieticola (Ceophlœus), see Ceophlœus. Abrornis, '94, 233.

acadica (Muscicapa), see Empidonax virescens.

- (Nyctala), see Nyctala.

acadicus (Empidonax), see E. virescens. Acanthidops, '83, 168.

bairdi, C. R. '83, 168, '85, 291. Acanthis (b Linaria), '84, 145-156, 229^b, 361, '87, 30–35, 63, 144, '88, 444, '96, 73.

ACANTHIS LINARIA.

brewsterii (Brewster's Linnet, ^b Ægiothus), misc. '76, 94b, '81, 225b, '88, 401, '91, 105.

cabaret (b rufescens, c Ægiothus rufescens), Europe, 87, 144; g. dist. '84, 153; '87, 30; G. Br. '77, 51c; Helg. '87, 325b.—meas. '87, 34, 145; plm. '87, 31, 144; syn. '84, 153; '87, 30, 63^b, 144.

cannabina (b Linota), Helg. '95, 326; N. Y. 1900, 388 (cage); Ont. '91, 303^b (cage).

exilipes (Hoary Redpoll, b Ægiothus, c Ægiothus canescens, a pallescens), Alas. '85, 63b, 200b; g. dist. '84, 152, 153d, '87, 30, '93, 124; Helg. '95, 335; Man. '86, 322; Mass. '79, 121b, '87, 163, 164; N. E. '77, 14°, 46°; Ont. '84, 159b; Russia, '77, 51b, '87, 62.—fd. '84, 159b; meas. '84, 154; mig. '85, 63b; plm. '80, 27c (alb); syn. '84, 145, 152, 1534, '87, 30, 63, '88, 413.

flavirostris, Helg. '95, 326.

holbællii (Holbæll's Redpoll, b Ægiothus), Alas. '87, 12; g. dist. '84, 153, '87, 30, '93, 124, 327; Ill. '83, 239b; Me. '97, 219; Mass. '87, 163, 164; Minn. '83, 99b; N. E. '83, 95b; N. Y. '83, 99b, 121b; Russia, '87, 62. -hbt. '83, 96b; meas. '83, 98b, '84, 154,'87, 35; plm.'83, 96^b,'87, 33; syn.'83, 98^b,'84, 145, 153,'87, 30, 63.

hornemannii (Greenland Redpoll), g. dist. '84, 154, '87, 30; Greenl. '89, 294; Helg. '95, 335; Hud. B. '90, 322 .- meas. '84, 154; nst. '89, 329; syn. '84, 145, 152, '87, 30, 63, '88,

linaria (a Lesser Redpoll, b Ægi-

othus, c Linota), Ala. '93, 205; Alas. '85, 200b, 240b; Colo. '81, 90b, '85, 16^b, g. dist. '84, 152, '87, 30, '93, 327; G. Br. '81, 174°; Greenl. '89, 211a, 293a; Helg. '95, 326, Ida. '98, 15; Ill. '90, 239; Ind. '89, 24; Japan, '85, 291b; Ky. '89, 314; Labrador, '85, 369a; Man. 322; Mass. '83, 96a, '87, 163, 164; Md. '97, 219; Mont. '95, 216; N. B. '85, 294^a, N. J.'79, 82^b, N. W. T. 1900, 181; N. Y. 79, 33b, '81, 229b; Ont. '83, 144a, '84, 159b; Ore. '79, 164b, '88, 358; P. E. I. '85, 264a; Que. '82, 235b, 255b; Russia, '87, 62; S. D. '79, 187b, '85, 279b; Va. '94, 333; Wash. '97, 177.-fd. '79, 164b '84, 159b, '89, 293a; hbt. '79, 187b '85, 264a, '89, 293a; meas. '83, 98b '84, 154; nst. '81, 174°, '85, [= Spinus pinus?], 369a, '89, 293a; plm.'76, 21b (alb.),'79, 121b (mlt.), 782, 2555, '83, 975, '89, 293° (mlt.); song, '89, 295°; syn. '81, 2255, '84, 145, 152, '87, 30, 63, misc. '83, 25, 1775, '95, 286°.

rostrata (Greater Redpoll), g. dist. '84, 153, '87, 30, '93, 124, 327; Me. '97, 219; Mass. '87, 163, 164; Minn. '93, 290; Neb. '96, 245; N. Y. '95, 70.meas. '84, 154; syn. '84, 145, 153, '87, 30, 63.

Acanthorhynchus tenuirostris, anat. '94, 142, 144.

Acanthys, see Acanthis.

Accentor alpinus, Helg. '95, 333, Italy, **'80**, 68.

modularis, Helg. '95, 333.

Accentor, Aquatic, see Seiurus noveboracensis.

Golden-crowned, see S. aurocapillus. Large-billed, see Seiurus motacilla. Accentores, '84, 279.

Accipiter (b Nisus), '79, 168, '84, 58, 110, '85, 205, '87, 40, '92, 252, '94, 233, 1900, 167b.

atricapillus (a American Goshawk, b Astur), B. C. 1900, 104; Colo. '81, 141b, '94, 267; Conn. '93, 371a, '95, 265; g. dist. '93, 126; G. Br. '80, 141b; Hud. B. '90, 322; Ida. 97, 352; Ky. '85, 212, '89, 313; Man. '86, 154; Mass. '97, 216; Mich. '93, 223, '95, 191; Minn. '84, 247°; Mont. '94, 302; N. E. '76, 73°, '77, 74*; N. J. '79, 85b, '95, 171; N. Y. '81, 233b, '83, 52ª, '90, 231, '93, 274, '95, 313, 1900, 70, 178; O.'95, 190; Pa.'97, 317; P. E. I.'85, 266"; Que.'82,

237b; Scotland, '77, 107; S D. '85. 284b; Wash. '82, 227b, 231b.—anat. '81, 201b; fd. '85, 266a, '92, 67a, '93, 201a, '95, 191, '96, 73a, '97, 352; hbt. 783, 118^b; nst. '97, 317, 1900, 178;
plm. '82, 231^b, misc. '79, 111^a, '97, 396^a (fig.), 1900, 112^a.
bicolor, Bras. '91, 161; C. R. '92,

328.

cooperi (a Cooper's Hawk), Ala. '79, 11; Alas. '98, 127; Ariz. '83, 30, '86, 422, '90, 53; Cal. '86, 92, '89, 221, Colo. '81, 141, '83, 197, '85, 17, '94, 267; Conn. '95, 263, 265; D. C. '80, 20; Fla. '88, 271, '89, 247, '92, 212. '93, 337,'95, 364; Ga.'83, 41,'96, 212; Ind.'82, 21,'88, 350; Ia.'95, 121, 236, Ky. '89, 313; Mich. '93, 223; Minn. '84, 247; Mo. '79, 146; N. B. '82, 150, '89, 117; N. II. '87, 103; N. J. 79, 84, 94, 136; N. M. '86, 80,'98, 307; N. Y.'81, 233; Orc. '79, 196, '88, 145; Pa. '93, 44, '96, 293; S. C.'79, 216,'90, 36; S. D. '85, 284; Tex. '82, 174, '87, 188, '89, 237, '92, 233, 1900, 342.— anat. '81, 201, '94, 251; fd. '82, 174, '88, 246, 316a, '93, 200a, '96, 73a; hbt. '88, 246, '91, 108a, '92, 288; meas. '83, 30; mig. '95, 121, 128", 236, 263, 265; nst. '78, 41, '82, 174, '83, 30, 41, 235°, '86, 422, '88, 20, 350, '91, 107,'94, 208°; plm.'83, 30; misc. '79, 111°, '83, 174°, 177°, '97, 396° (fig.), 1900, 111a.

fringilloides, W. I. '87, 41, '95, 279.

---meas., plm., syn. 187, 41.

gundlachi, W. I.'87, 40, '92, 272.meas., plm., syn. '87, 40.

nisus, Helg. '95, 329. pallens, Japan, '94, 170.

palumbarius, Helg. '95, 329, striatulus (* Western Goshawk, b Astur atricapillus, c Astur, d Astur henshawi), Alas. '81, 3", 6". '98, 127; Aris. '90, 53; B. C. 1900, 104; Colo. '85, 17°; g. dist. '84, 1664*, '93, 126; N. M. '86, 80, '98, 308; Orc. '79, 196b, '88, 145; Tex. '87, 183", 188; Wash. '82, 227°.—fd. '87, 188; plm. '82, 232°, '84, 252°; syn. '82, 232°, '84, 252°, '85, 205°.

velox (* Sharp-shinned Hawk, b Nisus fuscus, c fuscus), Alas. '98, 127; Aris. '85, 174°, '86, 422, '90, 53; Bahamas, '87, 42; Cal. '86, 92; Colo. '81, 141°, '83, 197", '85, 17°, '94, 267; Conn. '83, 173°, '95, 262, 263, 264, 265; C. R. '92, 328; D. C. '88, 20; Fla. '88, 271, '89, 247, '90, 309, '91, 137, '92,

212, '95, 364; Ida. '97, 352; Ill. '95, 394; Ind '88, 350, Ky. '89, 313; Me. '82, 151°, '96, 177; Man. '86, 154, Mass. '83, 149a, '85, 311a, '92, 74a, '95, 88, Mich. '93, 223, Minn. '84, 247°; Mo. '79, 146°, Mont. '94, 302; N. C. '86, 179; N. B. '87, 264, '89, 117; N. E.'76, 72^b,'77, 14^b; N. F. 1900, 71; N. H.'85, 311°,'87, 103; N. J.'79, 84a, '94, 136; N. M. '86, 80c, '92, 361; N. S.'79, 128°; N. Y.'79, 37°, '81, 233°, '90, 231, Ore. '79, 196°, '86, 164, '88, 145; Pa.'93, 39, 44; Que.'84, 295°; S. C.'79, 216°; S. D.'85, 284°; Tex.'82, 41°, 174°, '87, 188, '92, 233, 1900, 342; Wash. '82, 227°, '92, 43, 354, '97, 173; W. I.'81, 154b.—anat. '81, 161c, 201c, '82, 126c, '94, 251; fd. '87, 188, '90, 388, '92, 74a, '93, 200a, 223, '96, 73a; hbt. '83, 149a, '90, 82a, 112, '94, 208a; mig. '95, 262, 263, 264, 265, 394, 96, 177, nst. 79, 24°, '83, 178°, '85, 99° [= Falco sparverius?], '88, 20; plm. 1900, 10°; syn. '87, 42; misc. '86, 271°, '97, 396° (fig.), 1900, 111a. Accipitres, '78, 77, '81, 77, 83, 161, '82, 47, '95, 176, '97, 396. accipitrina (Strix), see Asio. accipitrinus (Asio), see Asio. Acestrura astreans, Colom, 1900, 184. achrustera (Dendroica), see Dendroica. Acredula (b Ægithalus), '84, 280, '87,

249b.
caudata (a Long-tailed Tit), Helg.
'95, 336; Germany, '96, 308a.—nst.
'97, 335a.

Acridotheres, '93, 182, '94, 233.

Acrocephalus, '94, 233.

agricola, Helg. '95, 333. aquaticus, Helg. '95, 333. dybowskii, Siberia, syn. '84, 82. palustris, Helg. '95, 333. phragmitis, Helg. '95, 333. streperus, Helg. '95, 333. turdoides, Helg. '95, 333.

Actenoides, '94, 234, 235.

Actidurus, see Bartramia. Actitis. '84, 142, '87, 318, '96, 66, '97, 103, 133.

hypoleucus, Borneo, '91, 16; Helg. '95, 339.

macularia (* Spotted Sandpiper, b Tringoides), Ala. '79, 13b; Alas. '87, 12, '98, 126 [not 'Tringa bairdi']; Ariz. '86, 386, '90, 52; Bahamas, '91, 77, 295; Braz. '91, 163; Colom. 1900, 364; Colo. '81, 142b, '83, 198b, '85, 18b, 143b; C. R. '90, 332, '92, 329; D. C.'88, 20; Europe,

'77, 107, '80, 147b, Fla. '88, 270, '89, 158, '90, 308, '91, 137, '92, 212, '95, 364, Ga. '96, 215; Germany, '80, 221b; Gozo I. '77, 70b; Helg. '91, 300, '95, 339; Hud. B.'90, 321; Ida.'97, 351; Ill. '88, 433; Ind. '88, 349; Ia. '95, 122; Jamaica, '92, 14, '94, 123, Ky. '89, 313; La. '82, 165b, '87, 303a, '97, 288, Me. '82, 151b; Malta.'77, 70b: Man. '86, 152, Mass. '81, 127b, '88, 389, '89, 43, 99, '91, 119, Much. '93, 223, Minn. '80, 18b; Miss. 1900, 297; Mont. '82, 63b, '94, 302, '95, 213; Mo, '79, 147b, '98, 27; N. B. '82, 151b, '89, 117; N. C.'86, 102,'89, 120, '99, 246°, N. F. 1900, 71; N. H. '87, 103, '88, 149, 151, '89, 76, 78; N. J. '79, 225b, '90, 328, '94, 136; N. M. '86, 80b, '98, 307; N. S. '87, 16, '91, 166a, '95, 377; N. Y.'81, 234^b,'82, 188^b, '84, 175^b, '89, 128, '91, 394; O. '95, 242, Orc. '88, 145; Pa. '93, 38, '96, 281, 291a, 292; P. E. I. '93, 8; Que. '82, 239b, '89, 147, '98, 52; Revill. Is. '98, 316; R. I.'97, 204; S. C.'79, 217b; S. D. '85, 286b; Tenn. '86, 320, '87, 129; Tex. '87, 186, '89, 237, '92, 232; Venez. '97, 367; Va. '89, 53°, 1952; Wash.'92, 43; W. I.'80, 169b, '81, 154^b, '86, 502, '87, 180, 181, 318, '89, 31, 32, '90, 375, '91, 48; W. Va. '98, 134; Wis. '82, 188b.—fd. '89, 128, '93, 223; hbt. '85, 298b, '87, 340a, '89, 158, '90, 83°, '93, 293, '95, 312°, '98, 52; mig. '84, 175b, '91, 119, '95, 122, 242; nst. '79, 24b, '83, 112b, '89, 128, '93, 8, '97, 204, '98, 329a; plm. '81, 162b, 1900, 370, 371, 372, 374, 375 (mlt.); syn. '87, 318.

Actiturus, see Bartramia. Actodromas, see Tringa. acuflavida (Sterna), see Sterna. acuflavidus (Thalasseus), see Sterna. aculeata (Sitta), see Sitta. aculeatus (Melanerpes), see M. bairdi

or formicivorus.
acuminata (Tringa), see Tringa.

acuminatus (Actodromas), see Tringa. acuta (Anas), see Dafila.

— (Dafila), see Dafila. — (Chætura), see Chætura.

acuticaudatus (Anumbius), see Anumbius.

acuticaudus (Lamprocolius), see Lamprocolius.

acutipennis (Chordeiles), see Chordeiles.

Adams, Charles F., obituary, '93, 385. Adams, C. F., Jr., and Brewster, W.,

see Brewster and Adams. Adams, Edward. Notes on birds of Alaska (rev.), '79, Adams, Zabdiel Boyleston. Obituary of F. C. Browne, 1900, 194-196. adamsı (Colymbus), see Gavia. - (Copsychus), see Copsychus. - (Gavia), see Gavia. – (Urinator), see Gavia. adelaidæ (Dendroica), see Dendroica adelaidæ or delicata. - (Sylvicola), see Dendroica. Adney, E. Tappan. Cardinal Grosbeak breeding Brooklyn, N. Y. '84, 390. Naturalization of Carduelis elegans in N. Y. City. '86, 409. adorabilis (Lophornis), see Lophornis. adoxa (Euetheia), see E. olivacea. - (Phonipara), see Euetheia oliva-- (Spermophila), Euetheia see olivacea. adusta (Melospiza), see Melospiza. – (Otocoris), see Otocoris. Æchmophorus, '93, 105, 130. major, Argent., fd. '84, 316. occidentalis (Western Grebe, b Podiceps, c Podiceps clarkii), B. C. '92, 65 ('clarkii'); Cal. '85, 313b, '86, 87; g. dist. '81, 214b, 214c, '88, 401 ('clarkii'); Ida. '97, 349; Kan. '88, 201, '89, 122, Man. '85, 314b, '86, 147; Mont. '88, 15; Orc. '88, 140, '91, 366 (fossil), '93, 344, Wash.'92, 41, 314b, '88, 201, '89, 123; nst. '89, 122; meas. '81, 215b, 215c, 216b, 216c, '85, 314^b, '88, 210, '89, 123; nst. '89, 122; plm. '81, 214^b, 214^c, '85, 313^b; syn. '81, 214^b, 214^c, '85, 313^b. Æchmoptila, see Leptotila Aëdon familiaris, Helg. '95, 331. aëdon (Troglodytes), see Troglodytes aëdon or aztecus. Ægialeus, see Ægialitis. Ægialitis, '84, 48, '87, 228, '91, 236, '93, 108, 182, '97, 103.

albidipectus, Chili, '84, 83.

(Belted

'95, 338b.—syn. '82, 179.

circumcincta

asiaticus, Helg. '95, 338.

4 Que. '79, 171, '86, 482; S. C. '86, 408; S. D. '85, 285; Va. '88, 147.—meas. alexandrinus (b cantiana), Helg. Piping Plover, b melodus), D. C.'84, 397; Fla. '90, 309; g. dist. '93, 134; Ill. 77, 68°; Ind. '98, 62; La. '97, 289; Me. '86, 482, '89, 70; Man. '86, 152°, '96, 256; Mo. '98, 27; N. J. '86, 482; N. S. '95, 377, 378; N. Y. '78, 94; '93, 124; Hud. B. '90, 321; Ill. '95, 394; Jamaica, '92, 15; La. '97, 289; Me. '81, 60; Man. '86, 152; Mass. '81,

'96, 256, nst. '96, 256; plm '86, 408, 482, syn. '97, 103, 135, '99, 133. collaris, Argent. '84, 313; Bras. '91, 163, Venez. '97, 367. dubia (Little Ring Plover, b minor). Helg. '95, 338b. falklandica, Argent. '84, 313. hiaticula (a Ring Plover), Arctic R. '78, 51, 86, '80, 91, 109, 1900, 310; g. dist. '93, 124; Greenl. '89, 217; g. atst. 93, 124, Greent. 89, 217, '97, 335*. meloda (* Piping Plover), Ra-hamas, '91, 351, 1900, 285; Fla. '81, 18, '89, 159, '92, 212; g. dist. '93, 133; Jamaica, '92, 15, Mass. '79, 63, '92, 306, '93, 370, '97, 402a, '98, 76; N. B. '83, 9; N. J. '79, 224, '90, 328; N. Y. '85, 37, Ont. '85, 335, P. E. I. '93, 8; Que. '89, 147; W. I.'87, 230.—hbt.'79, 224,'93, 293; mig.'92, 306,'93, 370; nst.'79, 24, 224; plm.'79, 44; syn,'87, 230, '97, 103, 135, '99, 133. mongola (Mongolian Plover, b mongolicus, c Charadrius mongolicus), Alas. '84, 78b, '85, 240b; N. Am. '85. 384b; Siberia, '88, 197 .- nst. '91, 100°; syn.'88, 197. montana (Mountain Plover, b Podasocys), Cal. '87, 91; Colo. '83, 197, '85, 18^b, 143^b, '90, 80; g. dist. '93, 134; Mont.'95, 213; N. M.'98, 307; Tex. '82, 41b, '84, 121b, '87, 186, -anat. '84, 184b. nivosa (Snowy Plover, b cantiana), Cal. '86, 92; Fla. '97, 402; g. dist. '93, 134; I. T. '86, 409, '87, 8, 344; Kan. '86, 409, '87, 8; La. '97, 289; Ont. '85, 335b, '97, 412; Tex. '86, 409, '88, 110, 1900, 341; W. I. '87, 229.—meas. '86, 409, '87, 8; nst. '86, 409, '87, 8, '88, 110, '92, 192; plm. 285, 335h, 286, 409; syn. 284, 384, 287, 229. peronii, Borneo, syn. '91, 16. pamirensis, Asia. '96, 331. thoracica, Madagascar.'96, 331. **'**97, 417. semipalmata (* Semipalmated Plover), Alas. '85, 201, 241, '87, 12, '98, 127; Aris.'86, 387; Bahamas, '91, 298, 351, 1900, 286; Cal. '87, 91; D. C. '93, 92; Fla. '81, 18, '87, 219, '89, 159, '90, 309, '92, 212; g. dist.

127, '92, 147; Mo. '98, 27; N. B. '83,

9, N. C. '99, 246a; N. J. '79, 224; N. S. '91, 165, '95, 377, 378; N. Y. '79, 32, '82, 256; Quc. '82, 238, '89, 147, S. D. '85, 285, Tex. '82, 222; Wash. '92, 354; W. I. '80, 169, '86, 502, '87, 229, '89, 32, '90, 374, '91, 48; Wis. '88, 327.—hbt. '93, 293; mig. '88, 327; plm. '81, 162, '91, 190 (alb), 236, 1900, 370, 375 (mlt.); syn. '87, 229.

vocifera (* Killdeer Plover, b Oxyechus), Ala, '79, 12; Arız. '83, 36, '86, 386, '90, 52; Bahamas, '91, 76, 296, 351, '92, 48, Cal '86, 92, '89, 220, 222; Colo.'79, 96, '81, 142, '83, 197, '85, 18⁵, 143⁵, '87, 124, '95, 153^a; C. R. '90, 333, '92, 329, Cuba, '92, 272; D. C. '88, 20, Engl.'77, '92, 272; D. C. '88, 20, 20, 20, 107, '92, 290; Fla. '88, 270, '89, 159, '92, 212, '93, 337, '95, 364; G. Br. '80, 215; Ida. '97, '96, 215; Ida. '97, 352; Ind. '88, 349; Ia. '95, 236; Jamaica, '92, 14; Ky. '89, 313; La. '82, 165°, '92, 204, '97, 289; L. Cal. '95, 136; Me. '89, 69; Man '86, 152; Mass. '83, 148, '89, 274, '90, 295, 390°; Mich. '93, 223; Minn. '80, 18, '84, 248^b; Miss. '82, 94^b; Mont. '94, 302; '95, 213; Mo. '98, 27; N. E. '89, 199, 255-263; N. H.'89, 275°; N. M.'92, 360,'98, 307; N. Y.'81, 341; Va. '89, 195a; Wash. '92, 354, '97, 172, 1900, 243; W. I.'81, 155, '87, 228,'90, 374, 375; Wis.'82, 188. —fd. '89, 260; hbt. '93, 293, 293, '94, 302; mig. '89, 69, 199, 255, '94, 32a, '95, 121, 129a, 236, '99, 198; plm. 1900, 370 (mlt.); nst. '80, 18, '83, 42b, 174, '87, 186; syn. '87, 228; misc. '91, 107a, '99, 198.

wilsonia (a Wilson's Plover, b Octhodromus), Bahamas, '91, 76, 339, 350, 351, '92, 48, 1900, 285; Conn. '82, 59; Fla. '81, 18, '87, 137a, 274a, 276a, '89, 159, '92, 212; Ga. '83, 42b; Jamaica, '92, 15, '94, 123; La. '97, 289; Mass. '78, 139; N. E. '76, 72, '77, 13, 46; N. S. '85, 221b; N. Y. '79, 175, 242, '80, 186, '85, 273b, '86, 438, '89, 196, 331; Tex. '82, 222, 1900, 341; Va. '76, 26, '89, 195; W. I. '87, 228, '90, 374, 375,—nst. '81,

```
18, '83, 42<sup>b</sup>, '87, 276<sup>a</sup>, '89, 159; syn. 87, 228; misc.'82, 114<sup>b</sup> (corr.).
```

Ægiothus see Acanthis.

ægithaloides (Leptasthenura), see L. platensis.

Ægithalus, see Acredula.

Ægithina, '94, 233, 234.

leucoptera, N. Am. '77, 90?

ægyptiacus (Chenalopex), see Chenalo-

ægyptius (Caprimulgus), see Caprimulgus.

- (Pluvianus), see Pluvianus.

ænea (Carpophaga), see Carpophaga.

— (Columba), see Carpophaga. — (Glaucis), see G. hirsuta.

æneus (Callothrus), see Callothrus æneus or robustus.

- (Molothrus), see Callothrus.

— (Quiscalus), see Quiscalus.

æquatorialis (Amaurospiza), see Amaurospiza.

—— (Ceryle), see Ceryle.

--- (Dacnis), see Dacnis.

--- (Dendrornis), see D. erythropygia.

--- (Erismatura), see Erismatura.

--- (Falco), see Falco.

---- (Lybius), see Lybius.

- (Rallus), see Rallus.

--- (Sarcorhamphus), see S. gryphus.

—— (Sittasomus), see Sittasomus.

--- (Spermophila), see Sporophila.

— (Sporophila), see Sporophila. æquinoctialis (Geothlypis), see Geothlypis.

— (Majaqueus), see Majaqueus.

Æpiornis, '96, 61.

Aëronautes, '93, 62, 68, 131.

melanoleucus (a White-throated Swift, b Panyptila saxatilis, c Cypselus saxatilis, d Micropus), Ariz. 32, 211°, 36, 430°, 90, 255°, Cal. 36, 180°, 89, 223°, 90, 297°, Colo. 380, 231°, 381, 143°, 383, 196°, 385, 17°, 94, 268°, g. dust. 93, 134°, L. Cal. 95, 139°, Mex. 99, 359°, Mont. 32, 122°, N. M. 36, 492°, 92, 362°, 94, 186, 98, 308°, Wash. 97, 175.—anat. 36, 404°, 389, 9°, 90, 279°, hbt. 36, 430°, 492°, 487, 170°, 189, 223°, nst. 380, 231°; song. 380, 231°; syn. 93, 62, 68°, msc. 94, 186, 96, 159°.

æruginosus (Circus), see Circus.
—— (Conurus), see Conurus.
æsalon (Falco), see Falco.
æstiva (Dendroica), see D.

iva (Dendroica), see D. æstiva, ruhiginosa, sonorana or petechia.

--- (Motacilla), see Dendroica.

```
Piranga
--- (Phœnicosoma),
                             see
        rubra.
  — (Pyranga), see Piranga rubra.
 --- (Sylvicola), see Dendroica æstiva
        or petechia.
    – (Tanagra), see Pıranga rubra.
æstivalis (Peucæa), see P. æstivalıs or
        bachmanı.
æstivus (Psittacus), see Amazona agılis.
     - (Rhimamphus), see
                                 Dendroica
        æstiva or gundlachi.
Æstrelata, '88, 81, '96, 160.
     brevipes, Japan, syn. '94, 170.
  caribbæa (b jamaicensis), W I. '88, 81b, '91, 355, '94, 119b.—hbt. '91,
   355, meas., plm syn '88, 81b.
     defilippiana, Peru. '81, 96 .- meas.,
   plm. '81, 96, '95, 321; syn. '85, 292,
   '95. 321.
   fisheri (Fisher's Petrel), Alas. 84, 83, 108, 86, 389, 95, 319; N. Am.
  '84, 384.—meas.'95, 320, 321; plm.
  '95, 319 (col. pl.); syn. '85, 292, '86, 390, '95, 322.
     gularis (b Procellaria), plm. '81,
  93^{\overline{b}}; syn. '81, 93^{b}, '86, 389, '87, 335,
  '95, 320.
     hasitata (* Black-capped Petrel),
  Cal '77, 97?; France, '80, 217; G.
  Br. '80, 217; N. Y. '89, 132*, '94,
  162,'95, 70, 179; O.'99, 75; Ont.'94,
  241; Va. '93, 361; W. I. '88, 81, '91,
  62.—anat. '93, 362; mcas. '93, 362,'94, 163; mlt. '93, 362; syn. '88, 81. hypoleuca, syn. '94, 170.
     leucoptera, syn. '94, 170.
     longirostris, Japan. '94, 170.
     mollis, meas. '81, 94; plm. '81, 92,
  96, '86, 390; syn. '95, 320.
     scalaris (Scaled Petrel,
  laris), N. Am. '82, 61b, '84, 384b; N.
  Y. '81, 91b, '84, 83b, '86, 390*.-meas.
  '81, 95<sup>b</sup>, '86, 392; plm. '81, 94<sup>b</sup>; syn. '81, 91<sup>b</sup>, '84, 83<sup>b</sup>, '86, 392, '87, 335.
Æstrelatæ, '86, 390.
æthereus (Phaëthon), see Phaëthon.
     · (Phaeton), see Phaethon.
Æthopyga, '94, 235.
     anomala, Siam, 1900, 305.
Æthyia, see Aythya
Æx or Aex, see Aix.
affinis (Aythya), see Aythya.
    - (Campylorhynchus), see
                                     Heleo-
       dytes.
 --- (Cardinalis), see Cardinalis.
--- (Crithagra), see Crithagra.
— (Cyanocorax), see Cyanocorax.
 --- (Eucometis), see Eucometis.
    - (Euphonia), see Euphonia.
 --- (Fuligula), see Aythya.
```

```
--- (Fulix), see Aythya.
—— (Geococcyx), see Geococcyx.
  - (Heleodytes), see Heleodytes.
  — (Icterus), see Icterus.
—— (Larus), see Larus.
---- (Nyroca), see Aythya.
--- (Pardalotus), see Pardalotus.
--- (Penelopides), see Penelopides.
--- (Phœnicothraupis), see Phœnico-
       thraupis.
--- (Platypsaris) see P. aglaiæ.
—— (Poœcetes), see Poœcetes.
--- (Pyrrhulagra), see Pyrrhulagra.
--- (Scolecophagus),
                          see
                                 Scoleco-
       phagus.
    - (Sterna), see Gelochelidon nilotica.
 --- (Tchitrea), see Terpsiphone.
 — (Terpsiphone), see Terpsiphone.
   - (Thamnophilus), see T. doliatus.
Africa,
  Allen, J. A., 1900, 189-190.
  Biggar, E. B., '81, 113.
Dalgleish, J. J., '84, 97.
  Oberholser, H. C., 1900, 186, 187. Richmond, C. W., '97, 154-164.
africana (Nyroca), see Nyroca,
 — (Parra), see Metopidius.
  - (Sterna), see S. sandwichensis.
africanus (Metopidius), see Metopidius.
Agassiz Journal, '85, 391.
agassizi (Cocornis), see Cocornis.
Agelæus, see Agelaius.
Agelaius, '86, 220, '88, 413, 414, '90,
  123.
    assimilis, W. I .- meas., plm., syn.
  '86, 221.
  bryanti (Bahaman Redwinged
Blackbird, b phoniceus), Bahamas,
  '86, 221<sup>b</sup>, '91, 71, 296, 334, 350, 350,
  352, 1900, 293; Fla. '89, 3.20, '92,
  213; g. dist. 87, 336, 88, 397. syn. 86, 221b.
    californicus (Bicolored, or Red-
```

and-black-shouldered Blackbird. gubernator), Aris. '87, 22"; Cal. '86, 181h, '89, 220h; g. dist. '93, 134h, '97, 59*; Ore. '79, 165b, '86, 167b, '88, 139b; Wash. '81, 128b, '92, 45b, 1900, 354; Wyo.'89, 341b,—meas.'97, 59, 60; syn.'97, 59, 128. flavus (b Xanthosomus), Urug.—

hbt., nst. '83, 134b.

forbesi, misc. '87, 150. grandis, Mex. '97, 57*.

floridanus (* Florida Redwinged Blackbird), Fla. '97, 121 .- syn. '81, 1704, '97, 121.

gubernator, g. dist., syn. '97, 59. humeralis, W. I. '86, 220, '92, 272. -meas., plm., syn. '86, 220.

icterocephalus (b Xanthosomus), Bras. '90, 269b.

longirostris (a Sonoran Redwinged Blackbird, b phæniceus, c sonoriensis), B. C.'93, 237°, 1900, 106; 297^b; g. dist. '87, Cal. '90. '88, 397°, '93, 134°, 1900, 125; Ore. '79, 165b; Tex. '77, 85a.-meas. 1900, 126, plum, '93, 237°; syn. '97, 128; 1900, 125°.

phœniceus (a Redwinged, or Redshouldered Blackbird), Ala. '79, 9; Aris. '82, 200, B. C. 1900, 106; Colo. 79, 94, '80, 230, '83, 192, '85, 16, 142, '87, 124, '95, 153°; Conn. '87, 256; D. C. '88, 22; Engl. '77, 107, '87, 162; Fla. '88, 272, '89, 320, '91, 132*, 138, '95, 365; Ga. '83, 39, '96, 212; g. dist. '93, 133; G. Br. '80, 72; Ia. '84, 85ª ['Redwinged Starling'], 86ª, '88, 207, '95, 121, 236; Ida. '98, 14; Ill. '88, 207, Ind. '82, 18a, '89, 24; Italy, '80, 72; Ky. '89, 314; La. '82, 163, Miss. '82, 92; Mo. '79, 145, '95, 4ª, 221a, '96, 221; Mont. '95, 215; N. B. '85, 266"; N. C. '86, 106, '87, 241"; N. D. '99, 162"; N. H. '88, 150, 152, 294; P. E. I. '85, 266"; Que. '82, 236; S. C. '79, 215, '92, 30°, 35°, 38°, '94, 37°, '99, 197; S. D. '85, 282; Tenn. '86, 318; Tex.'77, 85°, '82, 40, 166, '87, 290, '92, 237, 1900, 345; Va. '76, 25, '81, 118°, '86, 161°; Wash. '82, 227, '93, 17, 291, '97, 177, 1900, 354; Wis. '82, 188; Wyo. '89, 341.fd. '95, 221, '97, 421*, '99, 197, 362*; hbt. '76, 25, '81, 1181, '83, 63, '87, 290; meas. '82, 200; mig. '80, 152*, '82, 166, '85, 249, '88, 207, '89, 141*, 201, '91, 195, '92, 30, 35, 38, '94, 37*, 114^a, '95, 121, 129^a, 236, 242, '98, 14, '99, 144^a ['Swamp B.'], 196^a, 197; nst. '79, 24, '80, 40, 230, '82, 166, '83, 39, '85, 210*, '88, 262, 272, '92, 286; plm. '76, 22 (alb.), '78, 175, '85, 114" (alb.), '88, 315" (alb.), '96, 212 (alb.), 242 (mlt.); song. '84,

AIMOPHILA EREMOECA. 71a, '85, 249, '97, 319a; syn. '86, 221; misc. '85, 8, '90, 200. tricolor (Tricolored Blackbird), Cal. '86, 181; g. dist. '93, 134; Ore. '86, 167, '88, 262.—hbt. '78, 137; syn. '99, 173; misc. '99, 172. richmondi, g. dist. '97, 58.* thilius, Urug. hbt., song, '83, 134. xanthomus, W. I. '86, 221, '92, 229. -meas., plm., syn. '86, 221. Agersborg, Gabriel Smith. Novel nesting-sites of Woodpeckers (C. auratus and M. erythrocephalus), '81, 120. Birds of southeastern Dakota, '85, 276-289. agilis (Amazona), see Amazona. — (Chrysotis), see Amazona. — (Geothlypis), see Geothlypis. —— (Oporornis), see Geothlypis. —— (Parus), see Parus. --- (Psittacus), see Amazona. — (Vireo), see Vireo. aglæus (Quiscalus), see Quiscalus. Aglaia, see Calliste. aglaiæ (Platypsaris), see Platypsaris. - (Pachyramphus), see Platypsaris. agnatus (Furnarius), see Furnarius. (Acrocephalus), agricola see cephalus. - (Colaptes), see Colaptes. Agriocharis, '97, 333. ocellata (a Ocellated Turkey, b meleagris), plin. '97, 275; hbt. '83, 238b, '86, 144ª. Agriornis maritima, Urug '83, 137. agrorum (Linaria), see Acanthis linaria. Agyrtria alleni, Boliv. '88, 263*. chionipectus, Venez. '97, 366. linnæi, N. Am. '82, 242. tobaci (b Amazilia erythronota),

Mass. '92, 377; W. I. '93, 220b.

Aiken, Charles Edward. Seven new birds for Colorado, 1900,

aikeni (Junco), see Junco.

 (Megascops), see Megascops. Aimophila, '98, 226, '99, 80, 119.

cahooni, '88, 93*, see mcleodi. carpalis (Rufous-winged Sparrow,

b Peucæa), Aris. '82, 195b, '87, 203b; g. dist. '93, 135b; Mex. '85, 228b.hbt '83, 234b, '87, 203b; meas. '82, 195b; nst. '83, 234b; plm. '82, 195b; syn. '99, 81, 119.

eremœca (a Rock Sparrow, b Peucæa ruficeps, c Peucæa, d Peucæa boucardi), g. dist. '88, 40d, 41d, 42d; Tex. 78, 188, '82, 26°*, 38°, 122°, 258°, '92, 73°, 338°, 341°.—hbt. '82, 38°; mcas. '88, 42°; nst. '92, 338°; plm. '88, 41d, 42d; song, '82, 38c; syn. '82, 26°, '88, 40ª, 401°, '99, 81, 120.

ferrariperezi (b Amphispiza), Mex. **'86**, 332^b*

mcleodii (b cahooni), Mex. '88, 92*, 93b*, '94, 67.

pallida. Mex., meas. '94, 43*. petenica, syn. '98, 227.

quinquestriata (b Zonotrichia), svn. '84, 386b.

ruficeps (Rufous-crowned Sparrow, b Peucæa), Cal. '79, 47b, '86, 182b, '87, 93b, '88, 40, 41; g. dist. '93, 135b; Tex. 122b [=eremœca].-hbt.'79, 47b; meas. '77, 37b, '88, 41; nst. '77, 37b, '79, 47b; plm. '79, 40b, '82, 26b, '88, 41; syn. '88, 40, '99, 81, 120.

rufescens, Mex., plm. '94, 44. sartorii, g. dist. 98, 227*.

scottii (Boucard's or Mexican (Rufous-crowned Sparrow, b Peucæa boucardi, ° Peucæa), Aris.'80, 89^b,'82, 196^b,'85, 354^b,'86, 83^b,'87, 203b, '90, 48b, '94, 221b; g. dist. '88, 41°*, 42°, 398°; N. M. '80, 89b, '92. 366b.-fd. '87, 203b; hbt. '82, 196b. '86, 83b; meas. '82, 196b, '86, 84b, '88, 42°; nst. '86, 83b; plm. '82, 196, '87, 203b, '88, 42c; syn. '88, 40b, 412c, '99, 81, 120.

sinaloa, Mcx.'99, 254*.

sororia (Laguna Sparrow), L. Cal. '98, 226*, '99, 120.—syn. '99, 81, 120. superciliosa, Mex. '94, 66, '95, 357. Aithurus, '86, 352.

polytmus, W. I.'86, 352,'92, 277, '94, 125.—meas. '86, 352, '92, 277; plm., syn. '86, 352.

Aix (Æx, Aex), '80, 101, '84, 46, 144, '88, 65, '99, 129.

sponsa (a Wood Duck, b Anas), Ala. '79, 13; Cal. '86, 89; Colo. '85, 18; Cuba, '92, 272; Europe, '77, 107, '86, 66°, 213; Fla. '78, 40, '81, 41°, '88, 269, 379, '91, 129°, 131°, 137, '92, 211, '95, 364; Ga. '96, 215; Ida. 350; Ind. '82, 22, '88, Jamaica, '91, 364; Ky. '89, 312; La. '82, 165, '97, 286; Man. '86, 149, 329; Mass. '88, 389, '92, 74ª, '95, 88, '96. 199; Me. '82, 151, 1900, 208ª; Mich. '93, 222; Minn. '80, 19, '84, 249; N. C. '86, 102, 314; N. D. '99, 162°; N. J. '89, 179", '94, 135; N. Y. '81, 234, '93, 54"; Ont. '85, 372; Ore. '79, 198, '86, 163, '88, 142, '91, 367 (fossil), '93, 344 (fossil); S. C. '79, 210, '85, 193; S. D.'85, 288; Tenn.'86, 320;

Tex. '82, 225, '87, 184, '92, 232; Va. '88, 18, Wash.'92, 42,'93, 17, 291, W. I. '88, 65.-hbt. '84, 187, '91, 391, '92, 384, 1900, 213°; nst. '80, 19, '85, Tex. '82, 225, '87, 184, '92, 232, Va. 288, '91, 391°; plm. '81, 162, '99, 321; syn. '80, 101, '88, 65; misc, '85, 301a, '89, 177°, 179°, '90, 390°, '91, 390°, '92, 66, '93, 295.

Ajaja,'87, 322,'93, 107.

ajaja (" Roseate Spoonbill, b Platalea, c rosea), Argent. '84, 272b; Bahamas, '91, 351; Cal. '77, 95b?; Fla. '86, 262, 271a, '87, 137a, 143, 215, 222, 274, 280°, 281°, '88, 269, '89, 14, 275, '92, 211, '97, 99°, g. dist.'93, 132; Ill.'80, 31°, 32°; Jamaica, '92, 9; Kan. 1900, 171a; La. '87, 304; Tex.'82, 222b, 1900, 339; Urug. '84, 272b; W. I. '87, 322.-hbt. '82, 222b, '84, 272b, '87, 280n; syn. '80, 178°, '87, 322; misc. '87, 143, 222, 281ª, '89, 14, 275.

ajaja (Ajaja), see Ajaja.

– (Platalea), sce Ajaja.

Akhurst, John.

Capture of Egyptian Goose on Long Island, '77, 52.

Alabama.

Avery, W. C., '85, 213, '88, 314, '91, 390, 391, 392, '92, 383. Bendire, C. E., '88, 351, 356. Brown, N. C., '78, 168-174, '79, 7-13. Park, F. T., '93, 205. Ridgway, R., '80, 52. Wise, C., '90, 85.

Alaska. Adams, E., '79, 52-53.

Allen, J. A., '77, 82, '80, 89, 91, '83, 231, '86, 122-124, '88, 409-410, '89, 61-63, '99, 340-341, 1900, 184. Bean, T. H., '82, 116, '83, 231. Bendire, C. E., '95, 270-278. Bishop, L. B., 1900, 113-120. Chapman, F. M., 1900, 310. Cantwell, G. G., '98, 49. Coues, E., '84, 76-81. Elliot, D. G., '96, 24-29. Freke, P. E., '88, 373. Grinnell, J., '98, 122-131. Henshaw, H. W., '84, 250-252. Mailliard, J., '98, 230, 233. Murdoch, J., '85, 63, 200-201, '86, 122, '92, 289. Nelson, E. W., '78, 38, '80, 33-36,

'81, 1-6, 131-138, '84, 76-81, 165-166, 218-221, '85, 239-241. Oberholser, H. C., '97, 76-79, 1900.

25-26.

--- (Chen), see C. hyperborea.

```
Palmer, W., '94, 325, '97, 399-401,
     1900, 74-76.
  Ridgway, R., '78, 37, '80, 160-163,
     187-188, '82, 60, '85, 291, '86, 275,
    276-277, 330-331, '87, 255, 256, '94, 169, '95, 319-322, '98, 319, 320, '99, 36, 1900, 29, 30.
  Stejneger, L., '84, 225-228, '88, 306-
     311.
  Stone, W., '98, 269.
  Townsend, C. H., '87, 11-13.
  Turner, L. M., '85, 154-159.
alascanus (Haliæetus), see Haliæetus.
alascensis (Anorthura), see Anorthura.
—— (Calcarius), see Calcarius
--- (Halıæetus), see Haliæetus.
--- (Parus), see Parus.
—— (Picoides), see Picoides.
--- (Pinicola), see Pinicola.
 --- (Troglodytes), see Anorthura.
Alauda arborea (a Woodlark), Helg. '95, 334; N. Y. '80, 120a (cage).
    arvensis (a Skylark), Germany, '96,
  303, 309°; Helg. '95, 325; Mass. '80,
  120°; N. Y. '80, 120°, '88, 180, '89, 177, '90, 388, '95, 390, '99, 191.—
  hbt. '96, 303, '99, 191; nst. '88, 180,
  '95, 390; plm. '76, 61; song, '96, 305".
  309a, '99, 191; misc, '85, 301a.
blakistoni, Kamts. '85, 95. alaudarius (Falco), see F. alaudarius
      or tinnunculus.
Alaudidæ (* Larks), '76, 61, '88, 207,
  '93, 110, '97, 105°, 341, 1900, 189,
  190ª.
alaudinus (Ammodramus), see Ammo-
       dramus.
   - (Passerculus), see Ammodramus.
alba (Ardea), see Ardea.
--- (Chionis), see Chionis.
 - (Ciconia), see Ciconia.
 --- (Gavia), see Pagophila.
 --- (Guara), see Guara.
--- (Ibis), see Guara.
--- (Leucibis), see Guara.
--- (Motacilla), see Motacilla.
—— (Scolopax), see Guara.
   - (Pagophila), see Pagophila.
Albatross, Black-footed, see Diomedea
    nigripes.
  Laysan, see Diomedea immutabilis.
  Short-tailed, see Diomedea albatrus.
  Sooty, see Phœbetria fuliginosa.
  Spectacled, see Diomedea melano-
    phrys.
  Wandering, see Diomedea exulans.
  Yellow-nosed, see Thalassogeron cul-
    minatus.
albatrus (Diomedea), see Diomedea.
albatus (Anser), see Chen hyperborea.
```

```
albellus (Mergellus), see Mergus.
- (Mergus), see Mergus.
albeola (Anas), see Charitonetta.
--- (Bucephala), see Charitonetta.
— (Charitonetta), see Charitonetta.
 - (Clangula), see Charitonetta.
Alberta.
  Fannin, J., '97, 89.
albescens (Certhia), see Certhia.
 --- (Synallaxis), see Synallaxis.
albicapilla (Muscicapa), see Elænia
      martinica?
albicaudatus (Buteo), see B. sennetti.
albiceps (Elænia), see Elænia albiceps
      or modesta.
albicilla (Haliæetus), see Haliæetus.
albicollis (Acanthylis), see Hemiprocne
      zonaris.
   - (Contopus), see Contopus.
- (Dendroica), see D. gundlachi.
--- (Hirundo),
                          Hemiprocne
                   see
      zonaris.
 -- (Legatus), see Legatus.
 - (Motacilla),
                    see
                            Dendroica
      gundlachi.
  - (Nytidromus), see N. albicollis or
      merrilli.
   - (Saltator), see Saltator.
   - (Saxicola), see Saxicola.
 — (Xiphocolaptes), see Xiphocolap-
   - (Zonotrichia), see Zonotrichia.
albicrissus (Formicarius), see Formi-
      carius.
   - (Thamnophilus),
                             Thamno-
                       see
      philus.
albicauda (Lybius), see Lybius.
albidipectus (Ægialitis), see Ægialitis.
albifrons (Æchmoptila), see Leptotila
      brachyptera.
  — (Anser), see A. albifrons or gam-
      beli.
 — (Asturina), see Buteo brachyurus.
 — (Buteo), see B. brachyurus.
 — (Catherpes), see Catherpes.
—— (Certhia), see Cathernes.
—— (Engyptila), see Leptotila brachy-
     ptera.
—— (Falco), see Buteo brachyurus.
—— (Leptoptila), see L. brachyptera.
--- (Manikup), see Manikup.
— (Nyctale), see Nyctala acadica.
 - (Pteroptochos), see Pteroptochos.
 — (Setophaga), see Setophaga.
albigula (Certhiola), see C. martinicana.
 — (Pipilo), see Pipilo.
albigulare (Ninox), see Ninox.
albigularis (Aramides), see Porzana.
--- (Corethrura), see Porzana.
```

```
--- (Creciscus), see Porzana.
 - (Falco), see Falco.
 --- (Laterallus), see Porzana.
—— (Porzana), see Porzana.
  - (Spermophila), see Sporophila.
— (Sporophila), see Sporophila.
albilinea (Columba), see Columba.
    - (Tachycineta), see Tachycineta.
albilora (Dendroica), see Dendroica.
albiloris (Polioptila), see Polioptila.
Albinism (and abnormal coloration).
  Deane, R., '76, 20, '79, 27, '80, 25.
Lawrence, G. N., '89, 47.
Miller, G. S., Jr., '97, 275.
                                   Doli-
albinucha
            (Dolichonyx),
                            see
       chonyx.
   - (Metopidius), see Metopidius.
   - (Pachyramphus),
                                 Pachy-
      ramphus
  — (Parra), see Metopidius.
- (Thryothorus), see Thryothorus.
albisquama (Nasıca), see Dendrornis
       sussurrans.
albitorquis (Spermophila), see Sporo-
      phila.
—— (Sporophila), see Sporophila.
—— (Tityra), see Tityra.
albiventris (Cyclorhis), see Cyclorhis.
  - (Elænia), see Elænia.
 - (Fluvicola), see Fluvicola.
 - (Hirundo), see Progne domini-
      censis.
   - (Margarops), see Allenia montana.
 — (Merula), see Merula.
— (Myrmeciza), see Myrmeciza.
—— (Platypsaris), see Platypsaris.
--- (Polioptila), see Polioptila.
— (Tachycineta), see Tachycineta.
albocaudatus (Buteo), see B. sennetti.
albociliatus (Phalacrocorax), see Phal-
      acrocorax.
albocristatus (Corythaix), see Cory-
      thaix
    - (Euplocamus), see Euplocamus.
albogriseus (Pachyramphus), see Pachy-
      ramphus.
albogularis (Tyrannus), see T. albo-
      gularis or melancholicus.
albolarvatus (Picus), see Xenopicus.
   - (Xenopicus), see Xenopicus.
albonotatus (Buteo), see B. abbreviatus?
albus (Endocimus), see Guara.
—— (Eudocimus), see Guara.
 — (Falco), see F. islandus.
 — (Lagopus), see Lagopus.
   - (Larus), see Pagophila.
Alca, '85, 342, '92, 173.
```

torda (* Razor-billed Auk, b Utamania), g. dist. '93, 125; Helg. '95, 325; N. C. '90, 203, '99, 249; N. E.

'87, 158; N. J. '79, 228b, N. Y. '85, 38^b; Que. '82, 242^b, '88, 134^a, 135^a, 281^a, '89, 145, '95, 289^a; R. I. '89, 184ª; Va. '87, 158.—nst. '79, 23, '88, 134^a, 135^a, '89, 145; plm.'80, 127^b (mlt.), '81, 156; syn.'84, 385; misc. '88, 281^a, 382^a. Alcæ, '92, 174. Alcedinidæ (a Kingfishers), '81, 163, 163a, '93, 68, 110a, '96, 63a, '97, 105a, Alcedinoideæ, '86, 406. Alcedo, '94, 233. ispida, Helg. '95, 336.-plm. '82, 178. meninting, Borneo, syn. '91, 10 Alcidæ (a Auks, Guillemots), '78, 86, '80, 126, 128, '81, 162a, 163, '86, 127, '87, 81^a, 172^a, 342^a, '92, 174, '93, 105, 1900, 309ª. alcyon (Alcedo), see Ceryle. — (Ceryle), see Ceryle. aldabranus (Dryolimnas), see Rougetius. - (Rallus), see Rougetius. — (Rougetius), see Rougetius. aldabrensis (Caprimulgus), see Caprimulgus. (Cinnyris), see Cinnyris.(Zosterops), see Zosterops. Aldrich, Charles. Woodpecker Red-headed cating grasshoppers, '78, 189. A belated bird, '85, 308. Nest of House Wren, '82, 180. aldunati (Emberiza), see Phrygilus. — (Phrygilus), see Phrygilus. Alectorides, '81, 83, '82, 47, '84, 383, '94, 242, Alectoropodes, '94, 171. Alectrurus, '93, 182. guira-yetapa, Urug.—hht.. plm. **'83**, 140. Alectryopelia, '97, 215. aleutica (Sterna), see Sterna. aleuticus (Ptychoramphus), see Ptychoramphus. alexandri (Trochilus), see Trochilus. alexandrinus (Ægialitis), see Ægialitis. alfara (Creciscus), see Porzana cinereiceps. alfari (Porzana), see P. cinereiceps. aliciæ (Amazilia), see Amazilia.

Alle, '79, 244.

alle (a Dovekie, b Mergulus, c nigricans), Arctic R. '78, 86b, 1900,
309a; Greenl.'89, 213; Helg.'95,
327; Mich.'83, 234c; N. J.'79, 228b;
N. Y.'82, 61c,'84, 35c; Pa.'79, 236b;

- (Hylocichla), see Hylocichla.

- (Turdus), see Hylocichla.

Que. '82, 241°; R. I. '89, 183 ['Sea Dove']; Va. '93, 204, 1900, 293; Vt. '85, 211°.—plm. '76, 23° (alb.), '80, 127b (mlt.); syn. '79, 244c, '80, 102c; '84, 115°.

alle (Alle), see Alle.

— (Mergulus), see Alle.

Allen, Charles Andrew.

Albino Anna Hummingbird, '78, 192. Pygmy Owl (Glaucidium californicum), '78, 193.

Habits of Vaux's Swift, '80, 55.

Allen, Charles N.

Songs of Western Meadow Lark (Sturnella neglecta), '81, 145-150.

Allen, Charles Slover.

Breeding habits of Fish Hawk on Plum Island, New York, '92, 313-321, pl. iv and v.

Nesting of Black Duck on Plum Island, '93, 53-59, pl. i and ii. Obituary, '94, 86.

Allen, Francis Henry

Tameness of Pine Siskin, '88, 426.

Summer birds at Bridgewater and Moultonboro'. New Hampshire, '89, 76-79.

Summer birds of Bras d'Or region of Cape Breton I., Nova Scotia, **'91**, 164–166.

Irregular abundance of birds in breeding season, '94, 334.

Notes on Cape Breton summer birds, **'95**, 89.

Summer birds of central Berkshire county, Mass. [see R. Hoffmann], **'95**, 87–89.

see Webber, H. J., 'studies on dissemination' (rev.), '96, 167.

Hudsonian Chickadee breeding in southern Vermont, '96, 345.

Bicknell's Thrush on Mt. Ktaadn, Maine, '98, 60.

Nature's Diary (rev.), '98, 71.

Habits of Maryland Yellow-throat, 98, 75.

Allen, Glover Morrill.

Bird notes from Massachusetts, '97, 326.

Allen, Joel Asaph.

see Lawrence, G. N., 'new species of Cyanocitta, etc' (rev.), '76, 47.

see Lawrence, G. N., 'five new species, etc.' (rev.), '76, 47.

see Snow, F. H., 'birds of Kansas' (rev.), '76, 47.

see Kidder, J. H., 'Kerguelen I.'
(rev.), '76, 48.
see Marsh, O. C., 'extinct birds'

(rev.), '76, 49.

see Gentry, T. G., 'birds of Pennsylvania' (rev.), '76, 49.

Breeding of Canada Goose in trees, '76, 50.

Anser rossii in Oregon, '76, 52.

Decrease of birds in Massachusetts, 76. 53-60.

see 'Field and Forest' (rev.), '76, 71.

see Brewster, W, 'Sterna portlandica' (rev.), '76, 71.

see Brewster, W., 'Ritchie Co., W. Va.' (rev.), '76, 72.

Geographical variation in number and size of eggs of birds, '76, 74.

see Lawrence, G. N., 'southwestern Mex.' (rev.),'76, 93. see Jordan, D. S., 'manual of verte-

brates' (rev), '76, 93.
Occurrence of Wood Ibis in Pennsylvania and New York, '76, 96.

see Garrod, A. H., 'anatomy of Aramus scolopaceus' (rev.), '77, 23.

see Garrod, A. H., 'anatomy of Plotus anhinga' (rev.), '77, 23.
see Garrod, A. H., 'anatomical

passerine birds' characters of (rev.), '77, 23.

see Saunders, H., 'Jager Gulls ' (rev.), '77, 23.

see Saunders, H., 'Terns' (rev.), 77, 24.

see Sclater and Salvin, 'neotropical

Anatidæ' (rev.), '77, 24.
see Hudson, W. H., 'Rails of Argentina' (rev.), '77, 23.
see Ridgway, R., 'American Falcon-

1dæ' (rev.), '77, 70.

Recent ornith. articles in American journals (rev.), '77, 73-76.

see Cooper, J. G., 'new facts, California ornithology' (rev.),'77, 76.

see McCauley, C. A. H., 'Texan or-nithology' (rev.),'77, 76.

Nest and eggs of the Alaskan Wren, 77, 82.

Occurrence of Western Nonpareil and Berlandier's Wren at Fort Brown, Texas, '77, 109.

[Cuckoo laying in nests of other birds], '77, 110.

An inadequate 'Theory of birds nests,' '78, 23-32.

see Landgon, F. W., 'birds of Cincinnati' (rev.), '78, 34.

see Rathbun and Fowler, 'birds of central New York' (rev.), '78, 34. see Harvie-Brown, J. A., 'birds in

north Russia' (rev.), '78, 35.

ALLEN.

see Roosevelt and Minot, 'birds of Adirondacks' (rev.), '78, 36.

see Nelson, E. W., birds of southern Illinois' (rev.),'78, 36. see Gentry, T. G., 'birds of Pennsyl-

vania' (rev.),'78, 36.

[Pipilo erythrophthalmus with spotted scapulars], '78, 42.

[Note on Fish Crow], '78, 47.

Lark Bunting (Calamospiza bicolor), ın Massachusetts, '78, 48.

see British Museum, 'catalogue of birds, vols. i-iii (rev.), '78, 77
see Rowley, G. D., 'Pied Duck'
(rev.), '78, 79.
see Streets, T. H., 'Hawaiian and

Fanning Islands and Lower Califormia' (rev.), '78, 80.

see Bendire, C. E., 'birds of Oregon.' '78. 81.

see Ridgway, R., 'ornithology of 40th parallel' (rev.), 78, 81-83.

see Barrows, W. B., 'Alcidæ' (rev.), **'**78, 86.

see Fielden, H. W., 'birds in Smith Sound' (rev.), '78, 86.

Late capture of Yellow-bellied Flycatcher in Massachusetts, '78, 101. Persistency in nest-building by a pair of city Robins, '78, 103.

Birds of Massachusetts (rev.), '78, 138-140.

see Maynard, C. J., 'birds of Florida' (rev.), '78, 145.

see Jordan, D. S., 'manual of vertebrates,' 2d ed. (rev.), '78, 145.

Occurrence of three species of sea Ducks at St. Louis, Missouri, '78,

The Carolinian fauna, '78, 149. [Note on Glossy Ibis], '78, 152.

see Elliot, D. G., 'Ibidinæ" (rev.), **'78**, 182.

see Ridgway, R., 'American Herodiones' (rev.), '78, 182. see Reichenow, A., 'Herons' (rev.),

'78, 183–185.

see Brewer, T. M., 'supplement to New Engl. Birds' (rev.), '78, 185.

Rufous-headed Sparrow (Peucæa

ruficeps), in Texas, '78, 188. Early nesting of Shore Lark near

Indianapolis, Indiana, '78, 189. The Snow-Bird in summer on Mt. Wachusett [Mass.], '78, 192.

Sabine's Gull in Maine, '78, 195.

Nest and eggs of Cærulean Warbler, '79, 25–27.

see Lawrence, G. N., 'new species from Dominica' (rev.), '79, 48.

see Lawrence, G. N., 'seven new species from St. Vincent' (rev.), '79,

see Lawrence, G. N, 'new species and Dominica' from Grenada (rev.), '79, 49.

see Lawrence, G. N., 'birds of St.

Vincent' (rev.), '79, 49. see Lawrence, G. N., 'birds of Dominica' (rev.), '79, 49. see Coues, E., 'birds along 49th

parallel' (rev.), '79, 49.

see Coues, E., 'birds of Colorado

valley' (rev.), '79, 54-57.
see Aughey, S., 'food of birds of
Nebraska' (rev.), '79, 110-112.

see Dartt, M., 'on the plains, etc.' (rev.), '79, 113.

Rare birds in Michigan, '79, 123. Notes on sea-birds of the Grand

Banks, '79, 127. see Belding and Ridgway, 'birds of

California' (rev.), '79, 167-171. see Cory, C. B., 'naturalist in Mag-

dalen Is.' (rev.), '79, 171. see Roosevelt, T., 'birds of Oyster

Bay, Long Island' (rev.), '79, 171. see Ingersoll, E., 'nests and eggs of Am. birds' (rev.), '79, 172.

see Hallock, C., 'sportsman's gazetteer' (rev.),'79, 175. [Memorial to Coues's Bibliography

of Ornithology], '79, 175. Odd behavior of a Robin and a Yel-

low Warbler, '79, 178-182.

see Lawrence, G. N., 'birds of Antigua and Barbuda' (rev.), '79, 228.

see Lawrence, G. N., 'birds of Grenada' (rev.), '79, 229.

see Lawrence, G. N., 'birds

Martinique' (rev.), '79, 229.
see Lawrence, G. N., 'birds
Guadeloupe' (rev.), '79, 229.
see Lawrence, G. N., 'birds

Lesser Antilles' (rev.), '79, 229.

'Trochilidæ' Elliot, D. G.,

(rev.), '79, 230-232. see Brewer, T. M., 'the eight Empidonaces' (rev.),'79, 232.

Evening Grosbeak in New Mexico, '79, 237.

see Coues, E., 'second instalment of bibliography' (rev.), '80, 40.

see Coues, E., 'status of Passer do-

mesticus' (rev.), '80, 41. see Ridgway, R., 'Atthis ellioti'

(rev.), '80, 41. see Ridgway, R., 'American species of Scops' (rev.), '80, 41.

- see Ridgway, R, 'new species and races' (rev.), '80, 41.
- see Ridgway, R, 'two new species from Costa Rica' (rev.), '80, 41.
- see Ridgway, R., 'new species of birds, and a synopsis of Tyrannus' (rev.), '80, 41.
- see McChesney, C. E., 'birds of Ft. Sisseton, Dak.' (rev.), '80, 42
- see Minor Ornithological Papers (rev.), '80, 43-46, and later.
- Eastward range of Western Meadow Lark, '80, 53.
- King Eider at Buffalo, N. Y. '80, 62. Recent additions to ornithological fauna of North America, '80, 85-
- Obituary of Thomas Mayo Brewer, '80, 102-104.
- see Henshaw, H. W., 'collections in California, Nevada and Oregon' (rev.), '80, 105-107.
- see Cory, C. B., 'birds of Bahamas' (rev.), '80, 107.
 see Brewer, T. M., 'additional notes
- on New England birds' (rev.), **'80**, 108.
- see Kumlien, L, 'Arctic America' (rev.), '80, 109.
- see Gibbs, M., 'birds of Michigan' (rev.), '80, 109.
- see Harvie-Brown, J. A., 'Capercaillie in Scotland' (rev.), '80, 110. see Sennett, G. B., 'further notes on
- birds of Rio Grande of Texas' (rev.), '80, 111.
- see Minot, H. D., 'diary of a bird' (rev.), 80, 112.
- A cross-billed Horned Lark, '80, 115. [Note on Loggerhead Shrike at Canton, New York], '80, 119.
- Capture of escaped cage-birds having appearance of wild birds, '80, 119-121.
- Note on the Little Brown Crane (Grus fraterculus), '80, 123.
- Destruction of birds by light-houses, **'80**, 131–138.
- Origin of instinct of migration in
- birds, '80, 151-154. List of birds of island of Santa
- Lucia, West Indies, '80, 163-169. see Freke, P. E., 'birds found in Europe and North America' (rev.), '80, 1*73*.
- see Brayton, A. W., 'birds of In-
- diana' (rev.), 80, 174. see Mearns, E. A., 'birds of the Hudson highlands' (rev.), '80, 175.

- see Harvie-Brown and Cordeaux, 'mi-
- gration' (rev.),'80, 175-177. see Ridgway, R., 'revisions of no-menclature' (rev.),'80, 177-179.
- see Roberts, T. S., 'convolutions of trachea in Cranes' (rev.), '80, 179.
- First capture of the Blue Grosbeak in Massachusetts, '80, 184.
- see Cooper, J. G., 'migrations of west-coast birds' (rev.), '80, 232. (rev.), '80, 232. see Stearns, W. A., 'field notes' (rev.), '80, 232. see Stearns, W. A., 'birds of Fish-kill, N. Y.' (rev.), '80, 233.
- see Harvie-Brown, J. A., 'ornithological journal, etc.' (rev.), '80, 233.
- see Rathbun, F. R., 'bright feathers' (rev.), '80, 234. see Cory, C. B., 'beautiful birds of
- world,' pt. i (rev.), '80, 236. Capture of a South American Finch
- near Providence, R. I. '80, 240.
- Insectivorous birds in their relation to man, '81, 22-27.
- see Coues, E., 'third instalment of bibliography' (rev.), '81, 44-46. see Coues, E., 'fourth instalment of
- bibliography' (rev.), '81, 46.
- see Harvie-Brown, J. A., 'Capercail-
- lie' (rev.), '81, 46. see Steere, J. B., 'birds of Ann Arbor, Michigan' (rev.), '81, 46.
- [Note on Scott's migration of birds], **'81**, 100.
- see Nehrling, H., 'observations in Texas' (rev.), '81, 109.
- see Nehrling, H., 'the Bluebird' (rev.), '81, 109.
- see Shufeldt, R. W, 'osteology of Spectyto cunicularia var. hypogæa? (rev.), '81, 109.
- see Shufeldt, R W., 'osteology of Eremophila alpestris' (rev.), '81, 110.
- see Forbes, S. A., 'food of birds' (rev.), '81, 110.
- see Reichenow and Schalow, 'zoologisches Jahresbericht fur 1879' (rev.), '81, 111.
- see Reichenow and Schalow, 'Compendium' (rev.), '81, 111.
- The Connecticut Warbler (Oporornis agilis)-a correction, '81, 114 [see '80, 117].
- Supplementary list of birds of island of Santa Lucia, W. I.'81, 128.
- Winter birds of Fort Walla Walla, W. T. '81, 128.
- see Ridgway, R., 'nomenclature of N. Am. birds' (rev.), '81, 164-171.

14

see Ridgway, R., 'revised cat. of birds of Illinois' (rev), '81, 171.

see Mearns, E. A., 'birds of the Hudson highlands' (rev.), '81, 172.

see Rathbun, F. R., 'bright feathers,' pt. ii (rev.), '81, 172.

'western see Holterhoff, G., Jr., birds' (rev.), '81, 173.

see Ridgway, R., 'duck new to North America (rev.), '81, 173.

see Ridgway, R., 'Amazilia yucatanensis, etc.' (rev.), '81, 173.

see Harvie-Brown, J. A., 'second reon Scottish ornithology' port (rev.), 81, 174.

see Godinan and Salvin, 'biologia' pts. i-x (rev.), '81, 174-176.

[Note on Red-bellied Woodpecker in Massachusetts], '81, 183.

[Note on Larus glaucus in Texas], '81, 187.

see Cory, C. B., 'beautiful birds of world,' pt. iii (rev.), '81, 240.

Capture of Plectrophanes lapponicus in Chester, South Carolina, 82, 54. Sharp-tailed Finch in Kansas, 82, 55. Note on exceptions to law of increase in size northward among

North American birds, '83, 80-82. see British Museum, 'cat. of birds,'

vols. iv, v and vi (rev.), '83, 99-105. see Ridgway, R., 'the Tree-creepers

(Certhia)' (rev.), '83, 113. see Ridgway, R., 'genus Centurus' (rev.), '83, 114.

see Lawrence, G. N., 'new Loxigilla' (rev.), '83, 114.

see Lawrence, G. N., 'new Swift, etc., (rev.), '83, 114.

see Lawrence, G. N., 'new birds from Yucatan' (rev.), '83, 114.

see Lawrence, G N., 'new species of

the Cypselidæ' (rev.),'83, 114. see Freke, P. E., 'N. Am. birds crossing Atlantic' (rev.),'83, 114.

see Freke, P. E., 'European birds in N. Am.' (rev.), '83, 114.

Capture of Great Gray Owl Massachusetts, '83, 123.

Baird's Sandpiper on Long Island, N. Y.-A correction, '82, 123.

see Ridgway, R., 'Costa Rican birds' (rev.), '83, 168.

see Ridgway, R., 'new Sandwich I.

birds' (rev.),'83, 168. see Ridgway, R., 'new Owl' (rev.).

'83, 168. see Ridgway, R., 'two new Thrushes' (rev.), '83, 168.

see Ridgway, R., 'two additions by Belding' (rev.), '83, 168.

see Ridgway, R., 'new races' (rev.), **'83**, 168.

see Ridgway, R., 'genera Harpo-Methriopterus, rhvnchus. (rev.), '83, 168.

see Ridgway, R., 'new N. Am. birds' (rev), '83, 168.

see Reichenow and Schalow, 'Compendium' (rev.), '83, 169.

see Reichenow, A., 'Conspectus Psittacorum' (rev.),'83, 169. see Stejneger, L., 'new Myadestes'

(rev.), '83, 170.

see Stejneger, L., 'synopsis of W. I. Myadestes' (rev.), '83, 170.

see Ridgway, R., 'species not in U. S. Nat. Museum ' (rev.), '83, 170.

see Ridgway, R., 'desiderata among N. Am. birds' (rev.),'83, 170.

see Dubois, A., 'variabilité du genre Loxia' (rev.), '83, 170.

Wood Ibis in Masachusetts, '83, 185. see Goss, N. S, 'birds of Kansas' (rev.), '83, 227.

see Beckham, C. W., 'birds of Nelson Co., Ky.' (rev.), '83, 227.

see Nutting and Ridgway, 'collection

from Costa Rica' (rev.), '83, 228. see Harvie-Brown, Cordenux and Kermode, 'report on migration, 1880 ' (rev.), '83, 228.

see Harvie-Brown, Cordeaux and Newton, 'report on migration at lighthouses, etc., 1881 ' (rev.), '83. 228.

see Harvie-Brown and others, 'report on migration, 1881' (rev.), '83, 229.

see Harvie-Brown, J. A., 'migration upon British coasts' (rev.),'83,

see Blasius and others, ' Jahresbericht des Ausschusses für Beobachtungsstationen ' (rev.), '83, 229.

see Cooke, W. W., 'migration in Mississippi valley' (rev.), '83, 230. see Bean, T. H., 'birds collected in

Alaska and Siberia' (rev.), '83,

see Ridgway, R., 'old world hirds in U. S. National Museum' (rev.), '83, 231.

see Stejneger, L., 'Cygninæ' (rev.), '83, 231.

see Turner, L. M., 'Lagopus mutus, etc.' (rev.), '83, 232.

see Reichenow, A., 'Vögel der zoologischen Garten' (rev.), '83, 232.

- see Reichenow, A., 'Entenvogel der ! zool. Garten' (rev), '83, 232. see Linden, C., 'domestication of
- wild ducks' (rev.),'83, 233.
- see Stejneger, L., 'natural history of Commander Islands, No. 1' (rev.), '84, 81.
- see Ridgway, R., 'birds undescribed from Commander Is.' (rev.), '84, 82.
- see Ridgway, R, 'new Warbler from Santa Lucia' (rev.), '84, 83.
- see Ridgway, R., 'new Plover from Chili' (rev.), '84, 83
- see Ridgway, R, 'new Petrel from Alaska' (rev.), '84, 83.
- see Ridgway, R., 'genus Tantalus' (rev.), 84, 83.
- see Belding and Ridgway, 'collection made along coast of Lower California' (rev.), '84, 83.
- see Belding and Ridgway, 'collection made near southern extremity of Lower California' (rev.), '84, 83.
- see Ridgway, R., 'collection made in Costa Rica by Nutting' (rev.), '84,
- see Brewster and Adams, 'birds of Morton's "New English Canaan" (rev.), '84, 84.
- see Gill, T., 'scientific progress for 1881 '(rev.), '84, 84.
- see Morden and Saunders, 'birds of
- Ontario' (rev.), '84, 85. [Necessity of trinomial nomenclature], '84, 102-104, 200-202.
- see Stejneger, 'American Turdidæ' (rev.), '84, 181.
- see Coues, E., 'birds' ears' (rev.), '84, 182.
- see Jeffries, J. A., 'epidermal system of birds' (rev.), '84, 182. see Shufeldt, R. W., 'osteology of
- Podasocys montanus' (rev.), '84,
- see Townsend, C. H., 'birds of Westmoreland Co., Pa.' **'84**, 184.
- see British Museum, 'cat. of birds,' vols. vii and viii (rev.), '84, 278-281.
- see Coues, E., 'key to N. Am. birds,
- 2d ed.' (rev.), '84, 282. see Stearns, W. A., 'notes on Lab-rador' (rev.), '84, 284.
- see Belding, L., 'birds at Guaymas. Sonora' (rev.), '84, 284.
- see Belding and Ridgway, 'second catalogue of collection made near southern extremity of Lower Cal-

- ifornia' (rev.), '84, 284 [see '84, 83].
- see Ridgway, R., 'new birds from Lower California' (rev.), '84, 284.
- see Ridgway, R, 'Anthus cervinus in L. Cal.' (rev.), '84, 284.
- see Cory, C. B., 'birds of Haiti and San Domingo' (rev.), '84, 285.
- [Letter on a proposed system of nomenclature], '84, 298-300.
- [Letter on a lay view of 'ornitho-philologicalities'], '84, 302-304.
- Zoological nomenclature, '84,
- see Brewster, W., 'birds in Gulf of St. Lawrence' (rev.), '84, 379. see Collins, J. W., 'sea-birds on the
- fishing banks off eastern N. Am.' (rev.), '84, 380.
- see Stejneger, L., 'trinomials in American ornith.' (rev), '84, 381.
- see Baird, Brewer and Ridgway, water-birds of North America (rev.), '84, 382-386.
- see Coues and Prentiss, 'Avifauna Columbiana' (rev.), '84, 386. see Ridgway, R., 'rare neotropical
- birds' (rev.), '84, 386. see Ridgway, R., 'Motacilla ocularis,
- etc.' (rev.), '84, 387.
- see Lawrence, G. N., 'new birds'
- (rev.), '84, 387. see Jouy, P. L, 'collections made in Japan' (rev.), '84, 387.
- [The name Troglodytes], '84, 400.
- see Abbott, C. C., 'naturalist's rambles' (rev.), '85, 86-88.
- 'British birds' see Seebohm, H., (rev.), '85, 88-91.
- see Ingersoll, E., 'country cousins' (rev.), '85, 91.
- see Stejneger, L., 'Untergattung
 Anorthura' (rev.), '85, 94.
 see Stejneger, L., 'Lagopodes of
- group Attagen' (rev.), '85, 94. see Stejneger, L., 'new species from
- Kamtschatka, etc.' (rev.), '85, 95.
- see Stejneger, L., 'Publicationen in 1883-84' (rev.), '85, 95. see Merriam, C. H., 'bird new to
- see Merriam, C. H., 'bird new to Bermudas, etc.' (rev.), '85, 95. see Shufeldt, R. W., 'osteology of
- Ceryle alcyon' (rev.), '85, 95.
- Sexual selection and nest-building of birds, '85, 129-139. see Newton, 'ornith. in Encyclopædia
- Brittanica' (rev.), '85, 205.
- see Ridgway, R., 'American Crossbills' (rev.), '85, 206.

see Ridgway, R., 'Anas hyperboreus, etc.' (rev.), '85, 207.

16

see Ridgway, R., 'type specimens of Muscicapa fulvifrons, etc.' (rev.), '85, 207.

see Ridgway, R., 'earliest name for Carpodacus hæmorrhous' (rev.), '85, 207.

see Ridgway, R., 'new North Ameri-

can birds' (rev.), '85, 207. see Ridgway, R., 'new Kingfisher' (rev.), '85, 208. see Ridgway, R, 'Psaltriparus grun-

 $d\alpha$ ' (rev.), '85, 208.

see Ridgway. R., 'generic name Calodromas' (rev.), '85, 208.

see Jordan, D. S., 'manual of vertebrates,' 4th ed. (rev.), '85, 208.

see Shufeldt, R. W., 'osteology of Numenius longirostris' (rev.), '85,

see Rives, W. C., Jr., 'birds of Newport, R. I.' (rev.), '85, 208.

see Bell, R., 'birds of Norway House, etc.' (rev.), '85, 209.

see Willard, S. W., 'birds of Brown and Outagamie Counties, Wisconsin' (rev.), '85, 289. see Lawrence, G. N., 'new species'

(rev.), '85, 290.

see Ridgway, R., 'Japanese birds' (rev.), '85, 290. see Ridgway, R., 'Costa Rican birds'

(rev), '85, 291.

see Ridgway, R., 'Selasphorus torridus' (rev.), '85, 291.

see Ridgway, R, 'Mclanetta fusca in Alaska' (rev.), '85, 291.

see Ridgway, R., 'new Snow Bunting from Alaska' (rev.), '85, 291.

see Ridgway, R, 'collection by Benedict and Nye of steamer Al-

hatross' (rev.), '85, 291. see Ridgway, R., 'new Field Sparrow from New Mexico' (rev.), '85. 291.

see Ridgway, R., 'new Coot from West Indies' (rev.), '85, 292. see Ridgway, R., 'new Red-shoul-

dered Hawk from Florida' (rev.), '85, 292.

see Ridgway, R., 'two unnamed Spar-

rows from Cal.' (rev.), '85, 292.
see Ridgway, R., 'Estrelata fisheri, etc.' (rev.), '85, 292.
see Ridgway, R., 'Icterus cucullatus,

etc.' (rev.), '85, 292.

see Ridgway, R., 'new Contopus' (rev.), '85, 292.

see Ridgway, R., 'Anser leucopareius' (rev.), '85, 292.

see Ridgway, R., 'new Warbler from Yucatan' (rev.), '85, 293.

see Ridgway, R., 'new birds from Costa Rica' (rev) '85, 293.

see Ridgway, R., 'three new Honey Creepers, synopsis, etc.' (rev.), '85, 293.

see Ridgway, R., 'Cathartes burrovianus, etc.' (rev.), '85, 293.

see Ridgway, R., 'Onychotes gruberi' (rev), '85, 293.

see Nutting and Ridgway, 'birds from Nicaragua' (rev.), '85, 293. see Steineger, L., 'genus Cepphus'

(rev), '85, 294.

see Ridgway, R., 'new species from Cozumel I., Yucatan' (rev.), '85,

see Cory, C. B., 'birds of Haiti and San Domingo' (rev.), '85, 295.

[Sharp-shinned Hawk in Cambridge, Mass., in winter], '85, 311.

Capture of escaped cage-birds, '85, 314.

see British Museum, 'cat. of birds,' vol. x (rev.), '85, 365-368. see Turner, L. M., 'birds of Labra-

dor' (rev.), '85, 368.

see Zeledon, J. C., 'birds of Costa Rica' (rev.), '85, 370.

see Ridgway, R., 'new Heron from Central America' (rev.). '85, 370.

see Ridgway, R., 'new Hawk from Cozumel Island' (rev.), '85, 370.

see Ridgway, R., 'golden Warblers' (rev.), '85, 370.

see Ridgway, R., 'type of Buteo oxypterus' (rev.), '85, 371.

see Ridgway, R., 'emended names' (rev.), '85, 371.

Hawk Owl (Surnia ulula caparoch) at Chatham, Mass. '85, 383.

Crested Auk on Massachusetts coast, **'85**, 388.

see Murdoch, J., 'Point Barrow. Alaska, natural history ' (rev.), '86, 122-124.

see Stejneger, I., 'ornithological explorations in Commander Is. and Kamtschatka' (rev.), '86, 126-129, see Torry, B., 'birds in the bush'

(rev.), '86, 129.

see Holder, J. B., 'birds of Lynn,' 2d ed. (rev.), '86, 129. [Note on Turner's 'birds of Lab-

rador'],'86, 141.

[Annotations to Scott's 'avi-fauna of Arizona'],'86, 249, 383-389, 423-432, '87, 16-24, 196-205 pas-

see Beckham, C. W., 'birds of Nelson

Co., Ky.' (rev.), '85, 268. see Beckham, C. W., 'plumage of Regulus calendula' (rev.), '86, 268.

see Lawrence, G. N., 'new Engyptila. etc.' (rev.), '86, 268.

see Lawrence, G. N., 'two new species from Yucatan' (rev.), '86, 269.

see Lawrence, G. N., 'birds new to

Guadeloupe, etc' (rev.), '86, 269. see Stejneger, L., 'preoccupied generic names' (rev.), '86, 269.

see Ridgway, R., 'birds of Cozumel, Yucatan, etc.' (rev.), '86, 269.

Capture of wild hybrid ducks (Mallard + Muscovy) on Long Island [N. Y.], '86, 274.

Masked Bob-white (Colinus ridgwayı) in Arizona, '86, 275.

[Abnormal plumage of Sialia sialis], '86, 282.

[Remarks on A. O. U. Check-List], **'86**, 397.

see Miller, O T., 'bird-ways' (rev.), **'86**, 400.

[Pallid specimens of Ægialıtis nivosa], '86, 401.

see Hoxie, W., 'aptoso-chromatism' (rev.), '86, 413.

see Kingsley, J. S., 'standard natural history, vol. iv' (rev.), '86, 473.

see Brewster, W., 'bird migration' (rev.), '86, 474.

[Index to minor ornithological papers], '86, 475.

see Edson, J. M., 'birds of Chatauqua Co., N. Y.' (rev.), '86, 479.

see Shufeldt, R. W., 'osteology of Conurus carolinensis' (rev.), '86, 479.

see Shufeldt, R. W., 'skeleton in Geococcyx' (rev.), '86, 479.

Ægialitis meloda circumcineta on Atlantic coast, '86, 482.

Type specimen of Colinus ridgwayi, **'86**, 483.

Three interesting birds in American Museum of Natural History. Ammodramus lecontcii, Helinaia swainsoni and Saxicola ananthe, '86, 489.

see Stejneger, L., 'Japanese birds,' pt. i (rev.), '87, 63.
see Stejneger, L., 'British Marsh-Tit'

(rev.), '87, 64.

see Stejneger, L., 'Brachyrhamphus perdix, etc.' (rev.), '87, 65.

see Ferrari-Perez, F., 'birds of Mexico' (rev.), '87, 65.

see Ridgway, R., 'melanistic Broadwinged Hawk' (rev.), '87, 66.

see Ridgway, R., 'new Empidonax from Guatemala' (rev.), '87, 66.

see Ridgway, R., 'Empidochanes furcatus and Empidonax brunneus? (rev.), '87, 66.

see Ridgway, R., 'genus Empidonax'

(rev.), '87, 66. see Cory, C. B., 'birds from little-known W. I. islands' (rev.), '87,

Further note on Colinus ridgwayi, '87, 74.

[Peculiar specimen of Dendroica discolor], '87, 135.

see British Museum, 'cat. of birds,'

vol. xi (rev.), '87, 149.
see Ridgway, R., 'nomenclature of colors' (rev.), '87, 152.
see Bryant, W. E., 'ornithology of

Guadalupe I.' (rev.), '87, 154. see Ralph and Bagg, 'birds of Oneida Co., N. Y.' (rev.), '87, 154.

see Platt, F., 'birds of Meriden, Conn.' (rev.), '87, 154.
see Maynard, C. J., 'five new birds from the Bahamas' (rev.), '87, 155.

see Shufeldt, R. W., 'contributions to science' (rev.), '87, 155.

see Steineger, L., 'Synthliboramphus wumisusume' (rev.), '87, 155.
see Ridgway, R., 'new Myiarchus, etc.' (rev.), '87, 156.

see Ridgway, R., 'new Picolaptes, etc.' (rev.), '87, 156.

see Ridgway, R., 'new Cyclorhis

(rev.), '87, 156.
see Ridgway, R., 'probable hybrid
Dryobates' (rev.), '87, 156.
see Ridgway, R., 'new Plumed Partridge' (rev.), '87, 156.

[Acanthis hornemanni exilipes Massachusetts], '87, 164.

[Evil of antedating papers

books], '87, 176. see Stejneger, L., 'genus Pardalotus' (rev.), '87, 249.

see Stejneger, L., 'Turdus alpestris and T. torquatus' (rev.), '87, 249.

see Stejneger, L., 'Japanese birds,' pts. ii-iii (rev.), '87, 249. see Stejneger, L., 'collection made

in Liu Kiu Islands, Japan, etc.' (rev.), '87, 250.

see Blakiston, J. W., 'water-birds of Japan' (rev.), '87, 250.

- see Wells and Lawrence, 'birds of
- Grenada, W. I.' (rev.), '87, 250. see Lawrence, G. N., 'new Thrush from Grenada, W. I.' (rev.), '87,
- Unusual nesting site of Song Sparrow, '87, 260.
- [Note on specimens of Bachman's Warbler], '87, 263.
- [Dating of publication of 'Proceedings of U. S. National Museum'], '87, 270.
- Pine Finch (Spinus pinus) breeding at Cornwall-on-Hudson, N. Y.'87, 284-286.
- see Ridgway, R., 'manual of North Am. birds' (rev.), '87, 333-336.
- [Withdraws from editorship of 'Auk,' **'87**, 359].
- see Coues, E., 'key to North American birds' (rev.), 88, 101-104. see Townsend, C. H., field notes on
- birds of California' (rev),'88,
- [Alleged 'discovery' in soaring of birds], '88, 126.
- see Seebohm, H., 'geographical distribution of the Charadriidæ' (rev), '88, 189-194.
- see Ridgway, R., 'new Cotinga from Costa Rica' (rev.), '88, 194.
- see Ridgway, R., 'new form of Spin-dalis sena' (rev.), '88, 194. see Ridgway, R., 'Carpodectes an-
- tonia' (rev.), '88, 194. see Ridgway, R., 'new Porsana from Costa Rica' (rev.), '88, 194.
- see Ridgway, R., 'new Plumed Partridge from Sonora' (rev.).'88. 194.
- see Ridgway, R., 'new genus [Berlepschia], etc.' (rev.), '88, 194.
- see Ridgway, R., 'new Phacellodomus' (rev.), '88, 194.
- see Ridgway, R., 'two new forms of Megascops' (rev.), '88, 194.
- see Ridgway, R., 'new Muscisaricola
- from Peru' (rev.), '88, 194.
 Ridoway. R., 'Phrygilus gayi, see Ridgway, R., 'Pl' etc.' (rev.), '88, 194.
- see Ridgway, R., 'genus Dendro-
- see Ridgway, R., 'genus Dendrocincla' (rev.), '88, 195.
 see Ridgway, R., 'Ardea wuerdemanni' (rev.), '88, 195.
 see Ridgway, R., 'Trogon ambiguus
 in Arizona' (rev.), '88, 195.
 see Stejneger, L., 'Japanese birds,'
 pts. iv-vi (rev.), '88, 195.
 see Stejneger, L., 'name of Japanese
 Carrion Crow' (rev.), '88, 196.

- see Stejneger, L., 'further contributions to avifauna of Liu Kiu
- Islands, etc.,' '88, 196
 see Stejneger, L., 'birds of Idzu,
 Japan' (rev.),'88, 196.
- see Stejneger, L., 'birds of Kaui, H. I., etc' (rev.), '88, 196.
- see Stejneger, L., 'Psittiiostia psittacea from Kaui' (rev.), '88, 197.
- see Stejneger, L., 'revised catalogue of birds of Commander Islands' (rev.), '88, 197.
- see Stejneger, L, 'the palæarctic Bullfinches' (rev.), '88, 197. see Lucas, F. A., 'osteology of
- Nothura maculosa' (rev.), '88, 198.
- see Shufeldt, R. W., 'birds' sterna and skulls collected by Streets' (rev.), '88, 198.
- see Chamberlain, M., 'table of Canadian birds' (rev.),'88, 198. see Sclater and Hudson, 'Argentine
- ornithology,' vol. i (rev.), '88, 199. ['Interlocking' of primaries in soaring birds], '88, 223.
- Descriptions of two new subspecies of Seaside Sparrow (Ammodramus maritimus), '88, 284-287.
- Description of a new species of genus Tityra, from Ecuador, '88, 287.
- Notes on Louisiana birds, '88, 324.
- [Statistics of sale of plumes for millinery], '88, 334.
- see Turner, L. M., 'natural history of Alaska' (rev.), '88, 409.
- see British Museum, 'cat. of birds,' vol. xii (rev.), '88, 410-413. see Shufeldt, R. W., 'skeleton in
- Sturnella, etc.' (rev.), '88, 413, see Shufeldt, R. W., 'ostcology of
- Porsana carolina' (rev.), '88, 414.
- Structure of birds in relation to flight with special reference to recent alleged discoveries in the mechanism of the wing (rev.), '88, 419-421.
- Note on correct name of Symphemia inornata Brewst., '88, 423.
- Further notes on Seaside Sparrows, **'88**, 426.
- see Cooke, W. W., 'bird migration in Miss, valley' (rev.), '89, 58-61.
- see Nelson and Henshaw, 'collections made in Alaska' (rev.),'89, 61-63.
- see Jordan, D. S., 'manual of vertebrates,' 5th ed. (rev.), '89, 63.
- see Sharpe, R. B., 'birds in nature' (rev.), '89, 63,
- see American Ornithologists' Union,

'supplement to check-list' (rev.), '89, 168.

see American Ornithologists' Union, 'abridged check-list' (rev.), '89,

see Ridgway, R., 'Catharus berlebschi' (rev.), '89, 171. see Ridgway, R., 'new birds from

middle America' (rev), '89, 171.

see Ridgway, R., 'name Uropsila' (rev.), '89, 171.

see Ridgway, R., 'new birds from lower Amazon' (rev.), '89, 172. see Ridgway, R., 'genus Psittacula'

(rev.), '89, 172.

see Ridgway, R., 'collection by Townsend on islands in Caribbean Sea and Honduras' (rev.), '89, 172.

see Ridgway, R., 'new *Psaltriparus* from Arizona' (rev.), '89, 172. see Ridgway, R., 'type specimens of

American Troglodytidæ' (rev.), '89, 172.

see Bendire, C. E., 'nest of Polioptila californica' (rev.), '89, 173. see Bendire, C. E., 'nests and eggs

from Arizona' (rev.), '89, 173.

see Lawrence, G. N., 'new Catharus

from Ecuador' (rev.), '89, 173. sec Stejneger, L., 'Japanese birds,' pt. vii (rev.), '89, 173.

see Stejneger, L., 'type-specimen of Eurysona euryzonoides ' **'89**, 1*73*.

see Beckham, C. W., 'birds of southwestern Texas' (rev.), '89, 173.

Note on the first plumage of Co-

linus ridgwayi, '89, 189. see Cory, C. B., 'birds of the West Indies' (rev.), '89, 265.

see British Museum, 'cat. of birds,'

vol. xiv (rev.), '89, 266-268.
see Sclater and Hudson, 'Argentine Ornith., vol. ii' (rev.), '89, 268.
see Gould, J., 'birds of New Guinea, etc.' (rev.), '89, 269.

[Breeding of Florida Gallinule in Vermont], '89, 274.

see Barrows, W. B., 'Passer domesticus in North America' (rev.),

'89, 326-328. see Stone, W., 'Muscicapidæ in collection of Philadelphia Academy' (rev.), '89, 330.

see Bergtold, W. H., 'birds of Buffalo, N. Y.' (rev.), '89, 331.

see Keyes and Williams, 'birds of Iowa' (rev.), '89, 332.

see Taylor, W. E., 'birds of Nebraska' (rev.), '89, 332.

see Shufeldt, R. W, 'osteology of Arctic water-birds' (rev.), '89, 333.

see Shufeldt, R. W., 'osteology of Anseres' (rev.),'89, 333. see Shufeldt, R. W., 'osteology of

Steganopodes' Tubinares and (rev.), '89, 333.

see Shufeldt, R. W, 'osteological studies of Ardeinæ' (rev.),'89,

see Gould, J., 'supplement to Trochilidæ' (rev.), '89, 334.

To what extent is it profitable to geographical recognize among North American birds? '90, 1-9.

see Waterhouse, F. H., 'index generum avium' (rev.),'90, 71-73.

see Blanchard, R., 'nomenclature des êtres organizés' (rev.), '90, 73.

see Menzbier, M. A., 'ornithologie du Turkestan' (rev.), '90, 77.

see Saunders, H., 'manual of British Birds' (rev.), '90, 195.

see Rudolph (Crown Prince), 'notes on sport and ornithology, (rev.), '90, 196.

see Ridgway, R, 'genus Xiphocolap-

tcs' (rev.), '90, 271. see Ridgway, R., 'genus Sclerurus' (rev.), '90, 272.

see Ridgway, R., 'birds collected on Galapagos Is.' (rev), '90, 273.

see Ridgway, R., birds collected on Santa Lucia, Abrolhos I., etc. (rev.), '90, 274.

see Chapman, F. M., 'genus Xiphorhynchus' (rev.), '90, 274.

rhynchus' (rev.), '90, 274.

see Berlepsch, H. von, 'some neotropical birds' (rev.), '90, 275.

see Stejneger, L., 'European Marsh-Tits' (rev.), '90, 275.

see Stejneger, L., 'European Crested Titmice' (rev.), '90, 275.

see Stejneger, L., 'further contributions to the Hawaiian avifauna' (rev.) '200, 275. (rev.), '90, 275.

see Stejneger, L., 'third collection made in Kaui I.' (rev.), '90, 275. see Stejneger, L., 'Japanese birds,'

see Stejneger, L., Japanese birds, pts. viii-ix (rev.), '90, 276. see Stejneger and Lucas, 'Pallas' Cormorant' (rev.), '90, 276. see Lucas, F. A., 'osteology of

Thrushes and Wrens' (rev.), '90, 277.

see Shufeldt, R. W., 'osteological studies of the Ardeinæ' (rev.), '90, 277.

- see Shufeldt, R. W., 'position of
- Chamaa' (rev.), '90, 278.
 see Shufeldt, R. W., 'studies of
 Macrochires' (rev.), '90, 278.
 see Shufeldt, R. W., 'osteology of
- N. Am. Passeres' (rev.), '90, 278. see Shufeldt, R. W., 'anatomy of
- Speotyto cunicularia hypogæa? (rev.), '90, 280.
- see Maynard, C. J., 'eggs of North American birds' (rev.), '90, 280. see Anthony, A. W., 'new birds from Lower California' (rev.), '90, 281.
- see Sennett, G. B., 'bird legislation' (rev), '90, 282.
- Description of a new species of Icterus from Andros Island, Bahamas, '90, 343-346.
- see British Museum, 'cat. of birds,' vol xv (rev.), '90, 379.
- Notes on a collection of birds from Quito, Ecuador (rev.), '90, 380.
- List of birds collected in Bolivia by Dr. H. H. Rusby, with field notes by the collector (rev.), '90, 381.
- On Cyclorhis viridis (Vieill.) and its allies, with remarks on other species of the genus Cyclorhis (rev.), **'**90, 383.
- Descriptions of new species of South American birds with remarks on various other little known species (rev.), '90, 384.
- Remarks on individual and seasonal variation in a large series of Elainea from Chapada, Matto Grosso, Brazil, with a revision of the species of the restricted genus Elainea (rev.), '90, 385.
- Maximillian types of South American birds in American Museum of Natural History (rev.), '90, 386.
- see British Museum, 'cat. of birds,' vol. xiii (rev.), '91, 90-92; vol. xviii, '91, 92-95.
- see Merriam, C. H., 'biological survey of San Francisco Mountain, Arizona' (rev.), '91, 95-98.
- Description of a new species of Mimocichla from the island of Dominica, West Indies, '91, 217.
- see Century Dictionary, ornithology of (rev.), '91, 222-224.
- see Sundevall, C. J., 'Tentamen' (Nicholson's translation, 1889) (rev.), '91, 227.
- see Goss, N. S., 'birds of Kansas' (rev.), '91, 228-230.
- [Foreign trade in birds for millinery]. '91, 247.

- see Gatke, H., 'Helgoland' (rev.), **'9**1, 299.
- see Cory, C. B., 'birds of Bahamas' (rev.), '91, 300.
- see Grant, J. B., 'our common birds' (rev.), '91, 301.
- see Thompson, E S., 'birds of Manitoba' (rev.), '91, 301.
- see Stone, W., 'birds collected in Yucatan and Mexico' (rev.), '91, 303.
- see Stone, W., 'Owls in collection of Phila. Acad.' (rev.), '91, 303.
- see Stone, W., 'genus Psilorhinus' (rev.), '91, 304.
- see Townsend, C. H., 'birds from coasts of western North America? (rev.), '91, 305.
- see Palmer, W., 'birds observed during cruise of schooner "Grampus "' (rev.), '91, 305.
- see Lucas, F. A., 'Funk Island, with history and anatomy of Great Auk' (rev), '91, 306.
- Capture of Geothlypis poliocephala palpebralis in Cameron County, Texas, '91, 316.
- Note on Mimocichla verrillorum, '91. 317.
- see Sharpe, R. B., 'recent attempts to classify birds' (rev.), '91, 379-381.
- see Hornaday, W. T., 'taxidermy' (rev.), '91, 381-383. see Butler, A. W., 'birds of Indiana'
- (rev.), '91, 383.
- see Colburn and Morris, 'birds of Connecticut valley in Massachusetts' (rev.),'91, 384.
- see Merriam, C. II., 'birds observed in Idaho' (rev.), '91, 385.
- see Maynard, C. J., 'contributions to science' (rev.),'91, 385-387.
- see Chamberlain, M., 'handbook of ornith. of U. S. and Canada (Nuttall) (rev.), '92, 59-61.
- see Shufeldt, R. W., 'myology of Raven' (rev.), '92, 62
- see Bolles, F., 'land of the lingering snow' (rev.), '92, 62.
- see Keyser, L. S., 'bird-dom' (rev.), '92, 63.
- see Packard, A. S., 'Labrador coast' (rev.), '92, 171.
- see Lucas, F. A., osteology of Paridæ, etc.' (rev.), '92, 172.
- see Lucas, F. A., 'the tongue in Hummingbirds' (rev.), '92, 172.
- see Lucas, F. A., 'skeletons collected

21

- at Abrolhos Is., Brazil, etc.' (rev.), '92, 172.
- see Cherrie, G. K., 'new birds from
- Costa kica' (rev.), '92, 173. see Shufeldt, R. W., 'osteology of Arctic water-birds' (rev.), '92, 173.
- see Shufeldt, R. W., 'osteology of Columbidæ' (rev.), '92, 174. see Shufeldt, R. W., 'classification of
- Pigeons' (rev.), '92, 174.
- see Shufeldt, R. W., 'osteological notes on N. Am. Kites' (rev), '92, 174.
- see Shufeldt, R. W., 'saurognathism of Pici, etc.' (rev.), '92, 174.
- see Ridgway, R., 'new Whippoorwill from Costa Rica' (rev.), '92, 174.
- see Ridgway, R., 'birds from Honduras' (rev.), '92, 175.
- see Ridgway, R., two new forms of Thamnophilus' (rev.), '92, 175.
- see Ridgway, R., 'further notes on genus Xiphocolaptes' (rev.), '92, 175.
- see Ridgway, R., 'Pachyrhamphus albinucha' (rev.), '92, 175.
- see Ridgway, R., 'some Costa Rican birds' (rev.),'92, 175.
- see Ridgway, R., 'genus Sittasomus' (rev.), '92, 175.
- 'Farralon Rail' see Ridgway, R., (rev.), '92, 175.
- see Ridgway, R., 'new Sharp-tailed Sparrow from California' (rev.), '92, 175.
- see Ridgway, R., 'directions for collecting birds' (rev.), '92, 176.
- see Bendire, C. E., 'directions for collecting birds' eggs' (rev.), '92,
- see Stejneger, L., 'Japanese birds in Science College museum' (rev.), '92, 176.
- see Stejneger, L., 'cubital coverts in Birds of Paradise and Bower Birds' (rev.), '92, 176. see Stone, W., 'summer birds of
- Harvey's Lake, Pa.' (rev.), '92, 176.
- North American species of genus Colaptes considered with special reference to the relationship of C. auratus and C. cafer (rev), '92, 177-179.
- see Chapman, F. M., 'origin of avifauna of Bahamas' (rev.), '92, 179. see Newton, A., 'fossil birds' (rev.), **'92**, 183.
- see Sclater, P. L., 'geographical distribution of birds' (rev.), '92, 183.

- see British Museum, 'cat. of birds,' vol. xix (rev.), '92, 184.
- see Hartert, E., 'cat. of birds in Senckenberg Museum' (rev.), '92,
- see Leverkühn, P., 'fremde Eier im Nest' (rev.), '92, 185. see Jackel and Blasius, 'Vogel Bay-
- erns' (rev.), '92, 186.
- see British Museum, 'cat of birds,'
- vol. xx (rev.), '92, 277-279. see Oustalet, E., 'oiseaux du Cap Horn' (rev.), '92, 281. see Stone, W., 'cat. of Crows, etc.,
- in Phila. Acad.' (rev.), '92, 282.
- see Stone, W, 'birds collected by west Greenland expedition' (rev.), '92, 282.
- see Bendire, C. E., 'life histories of N. Am. birds' (rev.), '92, 375.
- see Ridgway, R., 'Humming Birds' (rev.), '92, 376.
- see Merriam, C H., 'geog. dist. of life in N. Am.' (rev.), '92, 377-382. see Suchetet, A., 'oiseaux hybrides' (rev.) '92 382
- (rev.), '92, 382.
- see British Museum, 'cat. of birds,' vols. xvi and xvii (rev.), '93, 66-68. see Cory, C. B., 'cat. of West Indian birds' (rev.), '93, 69
- see Dixon, C., 'migration' (rev.), '93, 70-73.
- [Note on a neglected branch of Ornithology], '93, 94.
- Geographical origin and distribution of N. Am. birds, etc., '93, 97-150, pl. iii, iv (i. e., 2 maps).
- see Keeler, C. A., 'evolution of colors' (rev.), '93, 189-195. see Beddard, F. E., 'animal colora-

- tion' (rev.), '93, 195-199.
 see Fisher, A. K., 'Hawks and Owls
 of U. S.' (rev.), '93, 199-201.
 see Bolles, F., 'at the north of
 Bearcamp Water' (rev.), '93, 201.
 see Foster, L. S., 'ornith. writings
- of G. N. Lawrence' (rev.), '93, 202.
- see Fisher, A. K., 'Death Valley expedition' (rev.), '93, 285-288.
- [Note on faunal position of Lower California], '93, 306.
- see Shufeldt, R. W., 'fossil avifauna of Oregon desert' (rev.), '93, 343-345.
- see Shufeldt, R. W., 'osteological notes on Icthyornis' (rev.), '93,
- see Shufeldt, R. W., 'classification of Longipennes' (rev.), '93, 345.

see Shufeldt, R. W, 'Ridgway's anatomy of Hummingbirds Swifts' (rev.), '93, 345.

see Shufeldt, R. W., 'Ridgway's anatomy of Hummingbirds, etc -a rejoinder' (rev.),'93, 345.

- see Shufeldt, R. W., 'notes on Swifts Hummingbirds' (rev.),'93, and 345.
- see Ridgway, R., 'Shufeldt's anatomy of Hummingbirds and Swifts' (rev), '93, 345.
- see Lucas, F. A., 'Swifts and Hummingbirds' (rev.),'93, 345. see Ridgway, R., 'two new forms of
- Basileuterus rufifrons from Mex-1co' (rev.), '93, 346.
- see Ridgway, R., 'new Odontophorus from Mexico' (rev.), '93, 346.
- see Ridgway, R., 'two new Swifts' (rev.), '93, 346.
- see Stejneger, L., 'two additions to Japanese avifauna, etc.' (rev.), '93, 346.
- see Stejneger, L., 'status of Gray Shrike of Japan' (rev.), '93, 346.
- see Merriam, C. H., 'report of ornithologist and mammalogist for 1892' (rev.), '93, 347. e Barrows, W. B., 'economic or-
- see Barrows, W. B., 'economic or-nithology' (rev.), '93, 347. see Beal, F. E. L., food habits of
- Cedarbird' (rev), '93, 347.
- see Hasbrouck, E. M., 'evolution and dichromatism in Megascops' (rev.), 93, 347-351.
- see Cook, A. J., 'birds of Michigan' (rev.), '93, 351.
- see Averill, C. K., Jr., 'birds of Bridgeport, Conn.' (rev.), '93, 352. see Jacobs, J. W., 'summer birds of Greene Co., Pa.' (rev.), '93, 353. see Nutting, C. C., 'zoological ex-
- plorations on Saskatchewan river? (rev.), '93, 353.
- see Newton, A., 'dictionary of birds' (rev.), '93, 357-360.
- Careba versus Certhiola, '93, 369. [Reply to Keeler's letter defending his 'evolution of colors'], '93, 377-380.
- see Newton, A., 'dictionary of birds,' pt. ii (rev.), '94, 56-60.
- see British Museum, 'cat. of birds,' vol. xxi (rev.), '94, 60-62.
- see Elliot, D. G., 'monograph of Pittidæ,' pt. i (rev.), '94, 62.
- see Sharpe, R. B., 'zoögeographical areas' (rev.), '94, 63-65.

- Venezuelan birds, collected by Mrs. H. H. Smith (rev.), '94, 66.
- Mammals and birds collected in Mexico, etc., on Lumholtz expedition (rev.), '94, 66.
- [Albinistic eggs], '94, 81.

22

- First plumages, '94, 91-93 (col. pl.). see Anthony, A. W., 'birds of San Pedro Martir, L. California ' (rev.), '94, 167.
- see Short, E. H., 'birds of western New York' (rev.), '94, 168.
- see Ridgway, R., 'genus Myiarchus' (rev.), '94, 168.
- see Ridgway, R., 'birds from Costa Rica' (rev.), '94, 169.
- see Ridgway, R., 'collection of birds made in Alaska' (rev.), '94, 169.
- see Ridgway, R., 'new Storm Petrel from Mex.' (rev.), '94, 169.
- see Ridgway, R., 'genus Formicarius' (rev.), '94, 169.
- see Stejneger, L., 'Japanese birds in Science College museum' (rev.), '94, 170.
- see Richmond, C. W, 'birds from Nicaragua and Costa Rica' (rev.), '94, 170.
- see British Museum, 'cat, of birds,' vol_xxii (rev.), '94, 171-173.
- see Elliot, D. G., 'monograph of Pittidæ' (rev.), pt. ii, '94, 173, pt. iii, '94, 243.
- see McIlwraith, T., 'birds of Ontario,' 2d ed. (rev.), '94, 240.
- see British Museum, 'cat. of birds,' vol. xxiii (rev.), '94, 242.
- see Wright, M. O., 'friendship of nature' (rev.), '94, 314.
- see Shufeldt, R. W., 'comparative oölogy of N. Am. birds' (rev.), **'94**, 314.
- see Shufeldt, R. W., 'scientific taxidermy for museums' (rev.),'94,
- see Stone, W., 'genus Anous' (rev.), '94, 317.
- see Stone, W., 'old world Rallinæ' (rev.), '94, 317.
- see Wallace, A. R., 'palæarctic and nearctic regions compared' (rev.), **'94**, 318.
- [Birds in use for millinery], '94, 342. see Elliot, D. G., 'monograph of Pit-
- tidæ,' pt. iv (rev.), '95, 65. see Keyser, L. S., 'in bird land' (rev.), '95, 66.
- see Keyser, L. S., 'bird-dom' (rev.), '95, 66.

23

- see Parkhurst, H. E., 'birds' calendar' (rev.), '95, 67.
- see Ridgway, R., 'twenty-two new species from Galapagos Is.' (rev.), '95. 70.
- see Ridgway, R, 'new birds from Aldabra, Assumption, and Gloriosa Is.' (rev.), '95, 71.
- see Lucas, F. A, 'anatomy and affinities of Cœrebidæ' (rev.), '95,
- see Rhoads, 'reprint of Ord's N. Am. zoology' (rev.),'95, 72.
- see Reichenow, A., 'Vogel Deutsch-Ost-Africas' (rev.), '95, 73.
 see Newton, A., 'dictionary of birds,'
 pt. iii (rev.), '95, 169.
- see Shufeldt, R. W., 'osteology of certain Cranes, Rails and their allies' (rev.), '95, 172.
- see Grundtvig, F. L., 'birds of Shiocton, Wis.' (rev.), '95, 173.
- see Bourns and Worcester, 'preliminary notes on birds of Philippine Is' (rev.),'95, 173.
- see Merriam, C. H., 'laws of temperature control of geographical distribution, etc.' (rev),'95, 174. see Minot, H. D., 'land-birds and
- game-birds of New England,' 2d ed.
- [Brewster's] (rev.), '95, 284-286. see Clark, H. L., 'pterylography of certain N. Am. Goatsuckers and Owls' (rev.), '95, 287.
- see Sharpe and Wyatt, 'monograph of Hirundinidæ' (rev.), '95, 373-
- see Beal, F. E. L., 'preliminary report on food of Woodpeckers'
- (rev.), '95, 380. see Lucas, F. A., 'tongues of Wood-peckers' (rev.), '95, 380.
- see Barrows and Schwarz, 'Common Crow of United States' (rev), '95, 381-383.
- see Forbush, E. H., 'birds as protectors of orchards' (rev.),'95,
- see Merriam, C. H., 'geographic distribution of animals and plants in N. Am.' (rev.), '95, 384.
- see Suchetet, A., 'oiseaux hybrides.'
- pt. v (rev.), '95, 384. see Chapman, F. M., 'handbook of birds of eastern N. Am.,' 2d ed. (rev.), '95, 385.
- see Elliot, D. G., 'monograph of Pittidæ,' pt. v (rev.),'96, 60.
- see American Ornithologists' Union, 'check-list,' 2d ed. (rev.), '96, 69.

- see Bendire, C. E., 'Cowbirds' (rev.), '96, 71.
- see Lucas, F. A., 'weapons and wings
- of birds' (rev.), '96, 72. see Fisher, A. K., 'Hawks and Owls from standpoint of farmer' (rev.), **'**96, 73.
- see Beddard, F. E., 'text-book of zoogeography' (rev.),'96, 73-75. [Note on Lucas's 'tongues of birds'], **'96**, 114.
- Gatke's 'Helgoland,' '96, 137-153.
- see Lydekker and Sclater 'royal natural history' [Birds] (rev.), '96, 156-160, 252.
- see British Museum, 'cat of birds,' vol. xxv (rev.), '96, 160-162; vol. xxvii (rev.), '96, 162-164.
- Alleged changes of color in feathers without molting (rev.), '96, 166.
- see Loomis, L. M., 'California water birds, No. II' (rev.), '96, 168.
- [Some questions of nomenclature], 96, 187-190.
- [A question of nomenclature], '96, 191.
- see Stone, W., 'birds collected in north Greenland by Peary expeditions' (rev.), '96, 243.
- see Schalow, H, 'Vogelsammlung aus Westgronland' (rev.), '96, 243.
- see Rhoads, S. M., 'zoology of Tennessee, No. 2, Birds' (rev.),'96, 244.
- see Rotzell, W. E., 'birds of Nar-berth, Pa.' (rev.), '96, 244. see Short, E. H., 'Birds of western
 - New York' (rev.), '96, 245.
- see Cory, C. B., 'hunting and fishing in Florida including key to water birds' (rev.),'96, 246. see Howe, R. H., Jr., 'every bird'
- (rev.), '96, 247.
- see Witchell, C. A., 'evolution of bird song' (rev.), '96, 249.
- see Harvie-Brown and Buckley, 'vertebrate fauna of Moray Basin' (rev.), '96, 251.
- [Remarks on zoological nomencla-
- ture], '96, 269. see Sclater, P. L., 'divergencies be-tween "Rules for naming animals" and the Stricklandian code' (rev.), '96, 325-328.
- see Swann, H. K., 'handbook of British birds' (rev.), '96, 328.
- see Lucas, F. A., 'osteological and pterylographical characters of the Procniatidæ' (rev.),'96, 334. see Ridgway, R., 'characters of a

new American family of passerine birds' (rev.), '96, 334.

ALLEN.

- see Montgomery, T. H., Jr., 'extensive migration in birds as a check upon varieties' (rev.), '96, 335.
- see Judd, S. D., 'four common birds' (rev.), '96, 335.
- see Beal, F. E. L., 'Meadowlark and Baltimore Oriole' (rev.), '96, 336.
- see Forbush and Fernald, 'Gypsy Moth' (rev.),'96, 336.
- see Forbush, E. H., 'the Crow in Massachusetts (rev.), '96, 337.
- see Merriam, F. A., 'how birds affect the farm and garden' (rev.), '96, 337.
- see British Museum, 'cat. of birds,' vol. xxiv (rev.), '97, 102-104.
- see Bendire, C. E., 'life histories of N. Am. birds,' vol. ii (rev.), '97, 104-106.
- see Merriam, F. A., 'a-birding on a broncho' (rev.), 97, 107.
- see Rood and Coues, 'papers presented to World's Congress' (rev.), **'9**7, 108.
- see Chamberlain, M., 'handbook of ornith. of eastern U. S.' (Nuttall), 2d ed. (rev.), '97, 109.
- see Oberholser, H. C., 'birds of
- Wayne Co., Ohio' (rev.),'97, 112.
 see Wintle, E. D., 'birds of Montreal' (rev.),'97, 112.
- see Ridgway, R., 'manual of N. Am. birds,' 2d ed. (rev.), '97, 232.
- see Goode, G. B., 'published writings of P. L. Sclater' (rev.), '97, 233. see Bates, F., A., 'game birds of N. Am.' (rev.), '97, 244. see Butler, A. W., 'Indiana: a century of changes' (rev.), '97, 245. see Elliot, D. G., 'birds obtained by expedition into Somali-land' (rev.)
- expedition into Somali-land' (rev.), **'9**7, 245.
- see Anderson, R. M., 'birds of Winnehago and Hancock Counties,
- Iowa' (rev.),'97, 246. see Ricker, E. W., 'birds of Hull, Massachusetts' (rev.), '97, 246.
- see Howe, R. H., Jr., 'birds of Brook-line, Mass.' (rev.), '97, 246.
- see Tegetmeier, W. B., 'Pheasants' (rev.), '97, 246.
- see Cory, C. B., 'birds of eastern N. Am.' (rev.), '97, 248.
- see Schalow, H., 'Anton Reichenow's writings' (rev.),'97, 248.
- Proper generic name of the Loons, '97, 312.

- see Ridgway, R., 'birds of the Galapagos archipelago' (rev.), '97, 329.
- see Cooke, W. W., 'birds of Colorado' (rev.), '97, 331.
- see Miller, W., 'scientific names' (rev.),'97, 332.
 see Cory, C. B, 'how to know the
- shore birds of N. Am.' (rev.), '97, 418.
- see Hartert, E., 'Podargidæ, etc.' (rev.), '97, 419.
- see Chapman, F. M., 'handbook of birds of eastern N. Am,' 4th ed.
- (rev.), '97, 419. see Mearns, E. A., 'ornith. vocabulary of Moki Indians' (rev),'97, 420.
- see Judd, S. D., 'methods in economic ornithology' (rev.), '97, 420.
- see Beal, F. E. L, 'the Blue Jay and its food' (rev.), '97, 421.
- see Beal, F. E. L., 'some common birds in their relation to agricul-
- ture' (rev.), '97, 421. see Palmer, T. S., 'extermination of noxious animals by bounties'
- (rev.), '97, 422. see Whitlock, F. B., 'migration'
- (rev.), '97, 422-424. see Suchetet, A., 'hybrides' (rev.), '97、424.
- see Dixon, C., 'migration' (rev.), '98, 67-70.
- see Marsh, O. C., 'affinities of Hesperornis' (rev.), '98, 70.
- see Stone, W., 'genus Sturnella' (rev.), 98, 70.
- see Stone, W., 'proper name for Western Horned Owl' (rev.), '98,
- see Allen, F. H., 'nature's diary' (rev.), '98, 71.
- see Baskett, J. N., 'story of the birds' (rev.), '98, 71.
- see Chapman, F. M., 'bird life,' colored ed. (rev.), '98, 72.
- see Montgomery, T. II., Jr., 'birds of West Chester, Pa.' (rev.), '98, 72.
- see Grinnell, J., 'birds of Santa Barbara Is., etc.' (rev.), '98, 73.
- see Audubon, M. R., and Coues, 'Audubon and his journals' (rev.), '98, 198-205.
- see Merriam, F. A., 'birds of village and field' (rev.), '98, 206.
- see Kingsley, J. S., 'hair and feathers' (rev.), '98, 207.
- see Baur, G., 'birds of Galapagos archipelago' (rev.), '98, 207. see Scott, W. E. D., 'bird studies'
- (rev.), '98, 275-277.

- see Apgar, A. C., 'birds of U. S.' (rev.), '98, 277.
- see Cory, C. B., 'how to know the Ducks, Geese and Swans of N. Am.' (rev.), '98, 278.
- see Worcester and Bourns, 'Philippine ornithology '(rev.), '98, 284.
- A defense of canon XL of the A. O. U. code, '98, 298-303.
- see Butler, A. W., 'birds of Indiana' (rev.), '98, 335.
- see Blanford, W. T., 'fauna of British India' (rev.), 98, 336. see Gurney, J. H., 'the economy of
- the Cuckoo' (rev.), '98, 337. see Eastman, C. R., 'remains of
- Struthiolithus chersonensis' (rev.), **'98**, 338.
- see Bangs, O., 'birds from Santa Marta, Colombia' (rev.), '98, 339.
- see Bangs, O., 'birds from Pueblo
- Viejo, Colombia' (rev.), '98, 339. see Nelson, E. W., 'new birds from Mexico' (rev.),'98, 340.
- see Nelson, E. W., 'new birds from Tres Marias Is.' (rev.), '98, 340. 'Truth versus error,' '99, 46-51.
- see Torrey, B., 'a world of green hills' (rev.), '99, 86.
- see Maynard, L. W., 'birds of Washington [D. C.] ' (rev.), '99, 87.
- see Blanchan, N., 'birds that hunt and are hunted' (rev.), '99, 88.
 see Huntington, D. W., 'in brush,
- sedge and stubble' (rev.), '99, 89,
- see Oberholser, H. C., 'Wrens of genus Thryomanes' (rev.), '99, 89.
- see Bangs, O., 'birds from Colombia' (rev.), '99, 90.
- see Indiana Acad. of Science, Proceedings 1897 (rev.), '99, 91.
- see British Museum, 'cat. of birds,' vol. xxvi (rev.), '99, 198-203. see Evans, A. H., 'birds' (rev.), '99,
- 203.
- see Ihering, H. von. 'aves do Sao Paulo [Brazil]' (rev.), '99, 203. see Dearborn, N., 'birds of Belknap
- and Merrimac Counties, N. H.'
- (rev.), '99, 204. see Nash, C. W., 'birds of Ontario' (rev.), '99, 204.
- see Stejneger, L., 'birds of Kurile
- Is.' (rev.), '99, 205. see Clark, H. L., 'feather-tracts of N. Am. Grouse' (rev.), '99, 205.
- see Weed, C. M., 'winter food of Chickadee' (rev.),'99, 206.

- see Weed, C. M., 'feeding-habits of Chipping Sparrow' (rev.), '99, 206.
- see Whitman, C. H., 'birds of old English literature' (rev.), '99, 207.
- see Elliot, D. G., 'wild fowl of U. S.' (rev.), '99, 288.
- see Thompson, E. S., 'wild animals I have known' (rev.),'99, 289.
- see Stone, W., 'type specimens in Philadelphia Acad.' (rev.), '99, 290. see Bangs, O., 'new Barred Owl'
- (rev.), '99, 291. see Bangs, O., 'Labrador Spruce Grouse' (rev.), '99, 291.
- see Bangs, O., 'new Rail' (rev.), '99, 291.
- see Brewster, W., 'undescribed Clapper Rail' (rev.), '99, 291.
- see Osgood, W. H, 'Chamaa fasciata
- and its subspecies' (rev.), '99, 291. see Bangs, O., 'subspecies of Manacus
- manacus' (rev.), '99, 292.
 see Schalow, H., 'Vogel der Sammlung Plate' (rev.), '99, 292.
- see Salvadori and Festa, 'uccelli di Darien' (rev.), '99, 292.
- see Harvie-Brown, J. A., 'colour code' (rev.),'99, 293.
- see Howe, R. H., Jr., 'on the birds' highway' (rev.),'99, 293. see Beal, F. E. L., 'economic rela-
- tions of birds' (rev.), '99, 294. see Judd, S. D., 'birds as weed destroyers' (rev.), '99, 294.
- see Palmer, T. S., 'danger of introducing noxious animals and birds' (rev.), '99, 294.
- see Coues, E., 'generic and subgeneric names in A. O. U. check-list' (rev.), '99, 297.
- Republication of descriptions of new species and subspecies of N. Am. birds, '99, 338-350.
- see Montgomery, T. H., Jr., 'observations on Owls' (rev.), '99, 363.
- see Lantz, D. E., 'Kansas ornith.' (rev.), '99, 364. see Lantz, D. E., 'birds collected by
- Goss in Mexico, etc.' (rev.), '99, 365.
- see Cory, C. B., 'birds of eastern N. Am.-water birds' (rev.), '99, 366.
- see Knobel, E., 'field key to the land birds' (rev.), '99, 367.
- see Miller, O. T., 'first book of birds' (rev.), '99, 368.
- see Stone, W., 'birds from Bogota' (rev.), '99, 369.
- see Stone, W., 'a new species of Coccysus' (rev.), '99, 369.

26

see Chapman, F. M., 'five new birds from Venezuela' (rev.),'99, 369. see Oberholser, H. C., 'untenable names' (rev.),'99, 370.

see Farrington, O. C., 'fossil egg'

(rev.), '99, 370. see Gurney, J. H., 'age to which birds live' (rev.), '99, 370-372. see Gill, T., 'longevity of birds and

other vertebrates' (rev), '99, 371. see Kellogg, V. L, 'new Mallophaga'

(rev.), '99, 372.

The Little Black Rail, 1900, 1-8 (col. pl.).

see Merriam, C. H., 'biological survey of Mt. Shasta' (rev.), 1900, 73. see Palmer, W., 'avifauna of Pribi-

lof Islands, (rev.), 1900, 74-76. see Howe and Sturtevant, 'birds of

Rhode Island' (rev.), 1900, 76. see Newton, A., 'dictionary of birds,'

reissue (rev.), 1900, 77. see Cory, C. B., 'birds of eastern N. Am.-land birds' (rev.), 1900, 78

Ornithologists' British [Sharpe editor], 'avium generum index alphabeticus' (rev.), 1900,

see Sharpe, R. B., 'hand-list of genera and species' (rev.), 1900, 79-81. see Duhois, A., 'synopsis avium'

(rev.), 1900, 81.

see Salvadori and Festa, viaggio Ecuador.—Uccelli,' pt. nell' (rev.), 1900, 81.

see Bangs, O., 'birds from Colombia' (rev.), 1900, 82.

see Pearson, T. G., 'birds of Chapel Hill, N. C.' (rev.), 1900, 82. see Kellogs, V. L., 'list of lice from

birds and mammals' (rev.), 1900, 82-84.

see Kellogg, V. L., 'problem in distribution' (rev.), 1900, 83. see Lange, D., 'our native birds,

etc.' (rev.), 1900, 84.

see Macpherson, H. A., 'history of fowling' (rev.), 1900, 85.

see Wright, M. O., 'Waheno, the magician' (rev.), 1900, 86.

see Bumpus, H. C., 'elimination of the unfit' (rev.), 1900, 87. see Whitman, C. O., 'animal be-

havior' (rev.), 1900, 87.

Chuck-will's-widow in Kansas, 1900,

see Keeler, C. A., 'bird notes afield' (rev.), 1900, 180.

see Russell, F., 'explorations in the far north' (rev.), 1900, 181.

see Loomis, L. M., 'California water birds, No. IV' (rev.), 1900, 182.

see Stone, W., 'summer molting plumage of Ducks' (rev.), 1900,

see Stone, W., 'new race of Shorteared Owl' (rev), 1900, 184.

see Bangs, O, 'birds from San Sebastian, Colombia' (rev.), 1900, 184.

see Bangs, O., 'the Gray-breasted Wood Wrens of Santa Marta' (rev.), 1900, 184.

see Chapman, F. M., 'five new birds from Venezuela' (rev.), 1900, 185.

see Chapman, F. M., 'two new subspecies of Colymbus dominicus? (rev.), 1900, 185.

see Chapman, F. M., 'birds of Peary expeditions to Greenland' (rev.), 1900, 185.

see Oberholser, H. C., 'Flammulated Screech Owls' (rev.), 1900, 186. see Oberholser, H. C, 'birds collected

in Liberia' (rev.), 1900, 186.

see Maynard, C. J., 'appendix to cat. of birds of West Indies' (rev.), 1900, 187.

see Kopman, H. H., 'bird fauna of Louisiana' (rev.), 1900, 187.

see Faxon and Hoffman, 'birds of Berkshire Co., Mass.' (rev.), 1900, 187.

see Praeger, W. E., 'birds in horticulture' (rev.), 1900, 188.

see Stark, A. C., 'birds of South Africa' (rev.), 1900, 189.

see Rothschild and Hartert, 'ornithology of Galapagos Is.' (rev.), 1900. 300-303.

see Salvadori and Festa, 'viaggio nell' Ecuador.--L'ccelli,' pts. ii, iii (rev.), 1900, 303.

see Oberholser, H. C., 'birds collected in central Asia' (rev.), 1900,

see Oberholser, H. C., 'birds from Madagascar' (rev.), 1900, 304.

see Oberholser, H. C., 'birds from Santa Barbara Is., Cal.' (rev.), 1900, 304.

see Van Denburg, J., 'birds of Santa Clara Co., Cal.' (rev.), 1900, 305.

see Bonhote, J. L., 'birds collected in New Providence, Bahamas' (rev.), 1900, 305.

see Richmond, C. W., 'new Dendrornis' (rev.), 1900, 305.

see Richmond, C. W., 'three new birds from Siam' (rev.), 1900, 305. see Bangs, O., 'new Dove from Colombia' (rev.), 1900, 306.

see Dugmore, A R., 'bird-homes'

(rev), 1900, 306. see Pearson, H. J., 'beyond Petsora eastward' (rev.), 1900, 307.

see Collett and Nansen, 'birds of Norwegian North Polar expedition' (rev.), 1900, 308-310.

see Farr, M. S., 'check list of New York birds' (rev.), 1900, 313. see Palmer, T. S., 'legislation for

protection of birds' (rev), 1900, 314.

'Aptosochromatism,' 1900, 327-336 North American birds collected at Santa Marta, Colombia, 1900, 363-367.

see Beyer, G. E., 'avifauna of Louisiana' (rev.), 1900, 392.

see Burns, F. L., 'monograph of the Flicker' (rev), 1900, 393. see Nash, C. H., 'check-list of birds

of Ontario' (rev.), 1900, 394. see Macoun, J., 'catalogue of Canadıan birds,' pt. i (rev.), 1900, 394. see Delaware Valley Ornith. Club.

proc., No. III (rev.), 1900, 395. see Cooke, W. W., 'further notes on birds of Colorado' (rev.), 1900, 396.

see Palmer, T. S., directory of State officials' (rev.), 1900, 396.

see Palmer, T. S., 'protection and importation of birds' (rev.), 1900,

see Palmer, T. S., 'review of economic ornithology in U. S.' (rev.), 1900, 397.

see Meyer and Wiglesworth, 'birds of Celebes' (rev.), 1900, 399.

Allen, J. A., and Faxon, W., see Faxon and Allen.

Allen, J. A., and Brewster, W.

Lists of birds observed in vicinity of Colorado Springs, Colorado, '83, 151-161, 189-198.

alleni (Agyrtria) see Agyrtria.

— (Buteo), see Buteo.

- (Pipilo), see Pipilo.

—— (Lagopus), see Lagopus.

--- (Selasphorus), see Selasphorus.

— (Spinus), see Spinus.

--- (Strix), see Syrnium.

-- (Syrnium), see Syrnium. --- Trochilus, see Selasphorus.

— (Vireo), see Vireo.

Allenia, '91, 42*.

montana (b Margarops, c Margarops rufus, d Margarops albiventris),

W. I. '80, 166b, '85, 15b, '87, 95b, 251^d, '88, 47°, 157°, 157^d, '91, 42, 47, 48, 49.—meas. '86, 16^b, '88, 47°; plm. '86, 16b, '88, 47ek; syn. '86, 15b, '91,

Allidæ, '92, 174.

Allison, Andrew.

Sprague's Pipit near New Orleans, La. '99, 82.

Sparrows of Mississippi, '99, 266-270. Cinnamon Teal in Louisiana, 1900, 170.

Louisiana and Mississippi bird notes, 1900, 297.

almæ (Hylocichla), see H. swainsoni. alnorum (Empidonax), see Empidonax.

--- (Fringilla), see Acanthis holbællii. — (Linaria), see Acanthis holbællii. Alopochen, see Chenalopex.

alpestris (Eremophila), see Otocoris alpestris, arenicola, merrilli praticola.

- (Otocoris), see O. alpestris or praticola.

- (Turdus), see Turdus.

alpına (Tringa), see Tringa. --- (Pelidna), see Tringa.

- (Tringa), see T. alpina or pacifica.

alpinus (Accentor), see Accentor.

– (Lagopus), see L. mutus or nelsoni, - (Pyrrhocorax), see Pyrrhocorax. alticola (Catharus), see Catharus.

— (Certhia), see C. alticola or albescens.

-- (Junco), see Junco.

- (Sturnella), see Sturnella. --- (Vireo), see Vireo.

alticolus (Heleodytes), see Heleodytes. altiloqua (Vireosylvia), see Vireo calidris or barbatula.

altiloquus (Vireo), see V. calidris. altirostris (Cyclorhis), see C. ochrocephala.

Aluco, see Strix.

aluco (Strix), see Syrnium. - (Syrnium), see Syrnium.

Aluconidæ, 1900, 66.

amabilis (Zenaida), see Zenaida.

amaura (Speotyto), see Speotyto. amauroptera (Euryzona), see Euryzona.

Amaurornis,'87, 250. Amaurospiza axillaris, Braz. '88, 412.

æquatorialis, Ecuador,'88, 411. Amazilia aliciæ, Venes. '95, 368*, '96,

333. cerviniventris, syn. '81, 173. chalconota (Buff- or Rufous-bellied Hummingbird, b cerviniventris), g. dist. '93, 141, '98, 32*; Tex. '77, 26b, '78, 144b, '80, 90b.—meas. '98, 32, 36; syn. '81, 173b, '99, 112; misc. '98, 188

erythronota, Venez. '97, 362, 366, 371.—plm., syn. '97, 371.

fuscicaudata (Rieffer's Hummingbird, b Pyrrophæna riefferi), C. R. '90, 333, '92, 325; gen. dist. '93, 141; Tex. '76, 88b, '80, 90.—meas. '92, 325; nst. '92, 325; plm., syn. '99, 324.

lawrencei, Colom '89, 209*.

saturatus, Mex. '98, 340. sophiæ, C. R. '92, 325.

yucatanensis, syn '81, 173.

Amazona (b Chrysotis), '86, 458b, '92,

agilis (b Chrysotis), Jamaica, libt., meas., plm. '86, 460b, '92, 128; syn. '8**6**, 460b.

amazonica (b Chrysotis domestica), W. I. '93, 220; plm. '89, 50b.

bouqueti (b Chrysotis), W. 1. '80, 164b, 169b, '81, 128b, '86, 426b.—
meas., plm., syn. '86, 426b.

caymanensis (b Chrysotis), W. I. '86, 497b*, 502b, '88, 159b.

collaria (b Chrysotis), W. I. '86, 459b, '92, 128.—hbt. '92, 128; meas. 459b; plm. '86, 459b, '92, 128; syn. '86, 459b.

festiva, Bras. '91, 160. guildingi (b Chrysotis), W. I. '79, 229b, '86, 462b.—meas., plm., syn. '86, 462b.

imperialis (b Chrysotis augusta), W. I. '86, 461b.—meas., plm. 461b; syn. '86, 461b, '99, 186.

inornata, Panama, '99, 293.

leucocephala (b Chrysotis). hamas, '91, 351^b; W. I.'86, 459^b, '89, 31^b, 32^b.—meas. '86, 459^b; plm. '86, 459^b, '91, 188^b; syn. '86, 459^b.

ochrocephala, Bras. '91, 160.

ochroptera (b canifrons, c Chrysotis canifrons), W. I. '84, 387°, '93, 355b. -syn. '93, 355°, '94, 174°.

oratrix (b Chrysotis levaillanti), Mer. '99, 287b, 1900, 256 .- hbt. '92, 288b, '99, 287b; mig. '99, 287b; plm. 1900, 256.

rothschildi, W. I.'93, 355.

saltuensis, Mex., syn. '99, 296.

tresmariæ, 1900, 256*.

ventralis (b Chrysotis sallæi), W. I. '81, 154b, '86, 458b.—meas., plm., syn. '86, 458b.

versicolor (b Chrysotis), W. I .-meas., plm., syn. '86, 463b.

vittata (b Chrysotis), W. I .- meas., plm., syn. '86, 458b.

amazona (Ceryle), see Ceryle. amazonica (Amazona), see Amazona. amazonicus (Chrysotis), see Amazona collaria.

amazonus (Sittasomus), see Sittasomus.

ambiguus (Haliastur), see Haliastur. - (Trogon), see Trogon.

Amblycercus holosericeus, C. R. '92, 249.

(b Cassicus), solitarius Bras.'90, 269; Urug. '83, 133b.—song, '83, 133b.

Amblyornis subalaris, N. Guinea, '86, 399.

Amblyrhamphus holosericeus, Urug., hbt., plm., song, '83, 135.

Ameghino, Florentino.

Sur les oiseaux fossiles de Patagonie (rev.), '96, 61-63.

American Association for Advancement of Science, '91, 124. American Entomologist.

Titles in (Nos. 132-140), '81, 53.

American Field.

Titles (Nos. 544-569), '84, 186, (Nos. 816-845), 85, 212, (Nos. 1200-1286), '88, 312, (Nos. 2015-2112), '91, 387, (Nos. 2452-2465), '92, 383.

American Journal of Psychology. Title (No. 2330), '92, 283.

American Museum of Natural History, '87, 270, '88, 222, '94, 90.

American Naturalist.

Titles in, '77, 73, (Nos. 101-131), '81, 51, (Nos. 455-503), '84, 85, (Nos. 783-792), '85, 210, (Nos. 1037-1041), '86, 475, (Nos. 1389-1413), '89, 180, (Nos. 2221-2229), '92, 282. American ()rnithologists' Union.

By-Laws, '88, 221, ix-xvi, '90, 218,

'91, 121, **'93**, 96, **'97**, 115. Check-List, date published, '86, 288; rev. '86, 393; supplement, '89, 81; suppl. rev. '89, 168; abridged edition, '89, 81; abr. ed. rev. '89, 169; second suppl. '90, 60-66; third suppl. '91, 83-90; fourth suppl.'92, 105-108; fifth suppl. '93, 59-63; sixth suppl. '94, 46-51; seventh suppl. '95, 163-169; eighth suppl. '97, 117-135; ninth suppl. '99, 97-133; second ed. '94, 87, '95, 96; second ed. rev. '96,

Committee on Bird Protection. '86. 143, '94, 87; Bull. 1, '86, 287, 496; Bull. 2, '87, 83; members, '97, 116, '98, 80; reports, '95, 97, '96, 98, '98,

```
AMER. ORN. UNION.
                                           29
  81-114, 288, '99, 55-74, 1900, 51-58,
  94-96, 198-200, 323.
    Committee on Nomenclature (see
  also Check-List), '84, 107, 207, 404,
    Committee on Migration, '84, 71-
  76, 107, 207, '85, 117-120, 223, 318.
    Congress, first, 1883, '83, 221-226;
  second, 1884, '84, 369-379, third,
  1885, '86, 115-122; fourth, 1886, '87,
  56-61; fifth, 1887, '88, 95-100; sixth,
  1888, '89, 55-58; seventh, 1889, '90,
  66-71; eighth, 1890, '91, 80-83;
  ninth, 1891, '92, 56-59; tenth, 1892,
  '93, 63-65; eleventh, 1893, '94, 51-
  56; twelfth, 1894, '95, 60-65; thir-
  teenth, 1895, '96, 55-59; fourteenth,
  1896, '97, 82-86; fifteenth, 1897, '98,
 43-48; sixteenth, 1898, '99, 51-55; seventeenth, 1899, 1900, 58-63.
Editorship of 'Auk,' '87, 359, '88,
  126, '94, 88.
    Fund for research, 1900, 92.
    Incorporation, '89, 82.
    Members, Oct. 1886, '86, x-xvi;
  Dec. 1887, '88, xx-xxviii; Dec 1888,
  '89, x-xix; Dec. 1889,'90, x-xxi;
  Dec. 1890, '91, x-xxiii; Dec. 1891,
  '92, x-xxiv; Dec. 1892, '93, x-xxiv, 212; Dec. 1893, '94, x-xxv; Dec.
  1894, '95, x-xxvii; Dec. 1895, '96, x-xxviii; Dec. 1896, '97, x-xxviii;
  Dec. 1897, '98, x-xxviii; Dec. 1898,
  '99, x-xxix; Dec. 1899, 1900, x-xxx.
    Officers, '86, 1x, '88, xix, '89, ix, '90,
  ix, '91, ix, '92, ix, '93, ix, '94, ix, '95,
  ix, '96, ix, '97, ix, '98, ix, '99, ix, 1900,
  ix.
American Osprey, '85, 391.
American Society of Bird Restorers,
  '99, 215.
American Sportsman.
  Titles in, '76, 30.
americana (Æthyia), see Aythya.
   - (Aluco), see Strix pratincola.
   - (Anas), see Mareca or Aythya.
 --- (Aythya), see Aythya.
--- (Bucephala), see Clangula.
  - (Certhia), see Certhia fusca, mon-
       tana or occidentalis.
   - (Ceryle), see Ceryle americana or
       septentrionalis.
   - (Ciconia), see Mycteria.
 - (Clangula), see Clangula.
```

--- (Compsothlypis), see C. ameri-

- (Cupidonia), see Tympanuchus.

cana or usneæ.

--- (Euspiza), see Spiza.

— (Fulica), see Fulica.

- (Fuligula), see Aythya.

```
--- (Fulix), see Aythya.
 — (Glaucionetta), see Clangula.
--- (Grus), see Grus.
—— (Hirundo), see H. erythrogastra.
--- (Loxia), see L. minor.
--- (Mareca), see Mareca.
—— (Meleagris), see M. fera.
 — (Mycteria), see Mycteria.
—— (Nyroca), see Aythya.
 — (Oidemia), see Oidemia.
 - (Parula), see Compsothlypis ameri-
      cana or usneæ.
- (Pelidna), see Tringa pacifica.
—— (Recurvirostra), see Recurvirostra.
—— (Rhea), see Rhea.
--- (Spiza), see Spiza.
--- (Sterna), see S. antillarum.
--- (Strix), see S. pratincola.
--- (Sylvia), see Compsothlypis.
--- (Tringa), see T. pacifica.
--- (Troglodytes), see T. parkmanii.
americanus (Asio), see A. wilsonianus.
--- (Caprimulgus), see Siphonorhis.
—— (Charadrius), see C. dominicus.
--- (Chordeiles), see Siphonorhis.
—— (Coccygus), see Coccyzus.
--- (Coccyzus), see C. americanus or
      occidentalis.
  - (Corone), see Corvus.
 — (Corvus), see C. americanus or
      nacicus.
(Cuculus), see Coccyzus.(Cygnus), see Olor columbianus.
--- (Lagopus), see L. lagopus.
---- (Merganser), see Merganser.
 --- (Mergus), see Merganser.
--- (Nycticorax), see N. nævius.
--- (Olor), see O. columbianus.
—— (Parus), see Compsothlypis.
—— (Phaethon), see Phaethon.
 — (Picoides), see Picoides.
---- (Picus), see Picoides.
- (Siphonorhis), see Siphonorhis.
- (Tympanuchus), see Tympanu-
      chus.
Ames, J. H.
  Rare birds taken in Toronto and
    vicinity, '97, 411.
amethystina (Phabotreron), see Phabo-
      treron.
Amherst Record.
  Title (No. 448), '83, 238.
amicta (Nyctiornis), see Nyctiornis.
amictus (Merops), see Nyctiornis.
Amizilis, see Amazılia.
Ammodramus (b Passerculus), '80, 97,
  '86, 211, '88, 412b, '90, 194b, '93, 111,
  130, '97, 93.
               (* Western Savanna
    alaudinus
  Sparrow, b Passerculus), Alas. '81,
```

2a, '85, 201, 240b, Aris. '87, 199, Cal. '78, 66b, '86, 182, '89, 222, Colo. '83, 161b, '85, 16b, '87, 122; g dist. '93, 126; Ida. '98, 15, Kan. '86, 114b, L. Cal. '95, 140; Man. '86, 323, Minn '80, 14; Miss. '99, 267; Mont. '94, 305, '95, 216; N. M. '92, 365, Ore '79, 164b, '86, 168b, '88, 358; Tex. '82, 38b, '87, 259a, 291, '92, 338, Wash. '82, 227b, '92, 45, 355b, —hbt. '81, 2a, nst. '81, 3a, plin. '86, 114b, '88, 358, syn '90, 191b.

bairdii (a Baird's Sparrow or Bunting, b Passerculus, c Centronyx, a Centronyx ochrocephalus), Ariz. 85, 198c, 231c, 333c; Colo. 85, 16c; Man. 85, 268b, 86, 323; Mo. 95, 219-225a; Mont. 79, 50a, N. Dak. 79, 50a; Neb. 84, 286a; N. M. 85, 333c, 92, 365; N. Y. 1900, 296; Tex. 87, 291; Wash 97, 93, 178.—fd. 85, 268b, 97, 93, mig. 85, 333c; plm. 95, 222a, song, 85, 268b; syn. 78, 2b (col. pl.); misc. 81, 168c, 82, 242a.

beldingi (Belding's Marsh Sparrow, ^b Passerculus, ^c Passerculus anthinus), Cal. '85, 212^c, 292^b, '86, 182, '89, 222.—nst. '85, 212^c; misc. '87, 251.

bryanti (Bryant's Marsh Sparrow, ^b Passerculus, ^c brunnescens), *Cal.* '85, 292^b; *g. dist., meas.* '88, 265^{c*}.

brunnescens, '88, 265*, see bryanti. caudacutus (a Sharp-tailed Sparrow or Finch), D. C.'82, 253; Fla.'81, 15, '89, 322; g. dist.'96, 271, Mass.'98, 76; Me.'77, 27, '78, 98, 147a,'80, 52,'87, 237,'97, 334; Miss.'99, 268; N. H.'87, 233; N. J.'79, 223,'88, 422,'89, 303,'93, 85,'94, 139; Ont.'89, 204; R. I. '97, 219, '99, 286; Tex.'82, 12.—hbt.'80, 52, '96, 277, '99, 286, 287a; meas.'87, 234; nst.'91, 106a; plm.'78, 119; '79, 28a (alb.) '87, 235,'96, 273, 274; syn.'96, 271,'97, 334.

fisheri (Louisiana Seaside Sparrow, b. A. macgillivrayi [of Ridgway]), g. dist. '97, 121b, '99, 5b, 10* (col. pl.), 118.—meas. '99, 12; plm. '99, 5b, 10b, 11, 12; syn. '97, 121b, 232b, 322b, '99, 10, 1'18.

guttatus (St. Lucas Sparrow, b Passerculus, c halophilus). L. Cal. '78, 80b,'90, 215b,'98, 265c*.—meas. '98, 266, 267; nst.'98, 267; syn,'98, 265c,'99, 133c.

halophilus, '98, 265*, see guttatus. henslowii (* Henslow's Sparrow, b Coturniculus), Ala. '79, 8b; Conn.

'83, 174b; D. C. '88, 22; Fla '81, 16b, '82, 121b, '89, 322, '92, 213. '95, 365; Ia. '95, 122, 236; Ill. '83, 58^b, '90, 240; Ind. '95, 391^a; Mass. '84, 7^a, '85, 209^b, '88, 389, 390, '89, 44, '97, 220; Md. '93, 92; Mich. '97, 406°, Minn. '90, 213, Miss. '99, 267; Mo. 290: 143^b, N. C. '93, 242, 243, '94, 332; N. H. '78, 39b, N. J. '94, 139, '95, 189, '97, 326; N. Y. '87, 350. O. '95, 241, Ont. '99, 80; R. I. '89, 194 [not 'henslowi,' see '99, 356], S. C. '85, 190b, '88, 210, '92, 31a, 39a, '94, 34a; Tenn.'86, 317; Va.'79, 238b, '81, 57b; Vt. '84, 7a.—hbt. '79, 8b, '85, 190b, '99, 80; meas. '81, 57", '95, 189; mig. '85. 190^b, '92, 31^a, 39^a, '95, 122, 236, 241; nst. '81, 57^b, '83, 174^b, '95, 189, '97, 220; plm. '78, 118b, '79, 46b, '88, 210; song, '81, 57b, '89, 44, '95, 391a,

lecontei (a Leconte's Sparrow, b Coturniculus), Ala. '79, 8b; Fla. '82, 121b, '95, 365; Ga. '96, 207, 208, 214; Ia. '77, 26b; Ida. '98, 16; Ill. '76, 40b, '80, 32b, 51b, '83, 58b, '90, 76, 241; Ky. '99, 356; Man. '85, 23b, 268, '86, 323; Minn. '79, 152b; Miss. '99, 268; Mo. '85, 381b, '86, 489, '95, 3a, 10a, 219-225a; N. C. '94, 332; Ncb. '84, 286a, N. Y. '98, 188; Ont. '97, 411; S. C. '82, 54b, '85, 190-192b, '86, 410, 486, '88, 210, '91, 50, 168, '94, 256; S. D. '85, 280b, -fd. '85, 190b; hbt. '82, 121b, '83, 58b, '85, 23b, 190b, 381b, meas. '85, 24b, 191b; mig. '91, 50, 51, 52; nst. '85, 23b, 280b, '86, 323; plm. '79, 152b, '94, 256 (mlt.), '85, 190b; song, '85, 23b, 381b; syn. '97, 320; misc. '81, 168b.

macgillivraii (Macgillivray's Seaside Sparrow), Ga.'83, 39 ('maritimus'); g. dist.'99, 6, 118.—mcas.'99, 12; nst.'83, 39 ('maritimus'); plm.'99, 6, 11, 12; syn.'97, 321,'99, 6, 9, 118.

manimbe (b Coturniculus), Urng. 283, 131b; Venez. 297, 364.—hbt. 283, 132b; plm. 297, 368; song. 283, 132b.

maritimus (* Seaside Sparrow or Finch), Cuba, '86, 213; Fla. '81, 15; Ga.'88, 426, '98, 174*; g. dist 99, 4: Mass.'78, 48, '90, 289, '97, 320, 322,'98, 189; Me.'85, 301*; Miss.'99, 268; N. J.'79, 223,'89, 303,'93, 85,'94, 139; N. S.'80, 44; N. Y.'84, 176,'85, 272,'89, 130, 197; R. J.'97, 219, 322; Va.'76, 25,'94, 259,—meas.'99, 7, 12; mig.'84, 176; nst.

'76, 25, '91, 106°, '94, 259, '97, 322; plm. '78, 119, '88, 285, 286, '99, 6, 7, 11, 12, syn. '80, 97, '86, 213, '99, 6. nelsoni (Nelson's Sparrow, becki), Cal. '92, 175', Conn. '91, 115, g. dist. '96, 271-278, Ia. '99, 276; Ill. '76, 40, '77, 68 [' caudacutus'], '80, 32, 89, '90, 241; Kan '82, 55, '86, 115; Man. '93, 50; Mass. '86, 486, '87, 233, 238; Mich. 1900, 391; Minn. '89, 340, '93, 290, N. D. '99, 356; Neb. '96, 245; N. J. '88, 422, '93, 85; N. Y. '85, 306, '87, 236, '90, 56; Ont. '99, 277; R. I. 1900, 77; S. C. '85, 216; Va. '94, 333. -meas. '87, 234, '99, 357, mig. '86, 137; nst. '99, 356; plm. '85, 306, '87, 235, '89, 340, '96, 273 (col. pl.), 274; song, '96, 277; syn. '92, 107, 107' '96, 272, 273', '97, 334, '99, 117.

nigrescens (Dusky Seaside Sparrow, b melanoleucus), Fla. '76, 30b, '79, 115, '88, 285, '98, 270, '99, 2, 277; g. dist. '93, 141.—hbt. '98, 270; meas. '99, 3; plm. '88, 285, '99, 2; syn. '88, 284. '99, 2.

obscurus, Mex. '97, 614.

occidentalis (Western Henslow's Sparrow), g. dist. '92, 106, '93, 134, S. D. '91, 145*.—meas. '91, 145; syn. '92, 106.

passerinus (a Grasshopper or Yellow-winged Sparrow, b Coturniculus, c australis), Ala. '79, 8b; Bahamas, '86, 212, '87, 155c, '91, 296; D. C '88, 22; Fla. '81, 16b, '82, 121a, '85, 63b, '88, 273, 274c, '89, 321, '90, 311, '92, 213, '95, 365; Ga. '82, 99°; g. dist. '88, 398°; Ia '91, 108°, '95, 122, 236; Ill. '90, 240; Ind. '82, 17°, '89, 25, '95, 391; La. '87, 304; Mass. '89, 40a, 44; Mich.'81, 196a; Minn. '80, 14b; Miss.'99, 267; Mo.'79, 143b; N. C. 86, 107; New E. 76. 73^b, 92^b, '77, 16^b, 47^b; *N. J.* '88, 274, '94, 139; *N. Y.* '79, 175^b, '84, 330^b, '95, 313, '97, 227, 1900, 178; *O.* '95, 241; Ont. '87, 248*, '89, 204; Pa. '89, 198, '92, 137, '93, 37, 40, '96, 294; S. C. '79, 214b, '86, 486*, '91, 167, 31^a, 39^a, '94, 34^a; S. **'92**. 28ª. D. '85, 280b; Tenn. '86, 317; Tex. '82, 12b, 38b, '92, 338; Vt. '84, 7a.meas. '88, 274°; mig. '82, 99ª, '85, 63h, '91, 167, '92, 28a, 31a, 39a, '95, 122, 236, 241, '99, 275; plm. '78, 119b, '88, 274°; song, '84, 330b; syn. '81, 170a '85, 371b, '88, 398c; misc, '82, 113b (corr.).

peninsulæ (Scott's Seaside Spar-

row), Fla. '88, 426, '89, 322, '91, 133, 138; Ga. '88, 426; g. dist. '88, 284*, 398, '99, 5; S. C. '90, 212 [=macgilivraii], '94, 80 [=macgilivraii?].—meas. '88, 284, '99, 7, 12, plm. '88, 286, '99, 7, 11, 12; syn. '89, 322, '97, 321, '99, 9.

perpallidus (a Western Grasshopper or Yellow-winged Sparrow, b Coturniculus), Ariz. 87, 199; B. C. 1900, 107; Cal. 87, 87; Colo. 85, 16b; g. dist. 93, 134; Mont. 88, 15a, '94, 305; Tex. 82, 12b [passerinus?], 38b [passerinus?], 127b, '87, 291, '92, 338, 1900, 346.—nst. 87, 291, syn. '90, 191b; misc. '91, 108a.

princeps (a Ipswich or Pallid Sparrow, b Passerculus), Conn. '76, 52b, '80, 121b, '89, 199; Del. '85, 105b; g. dist. '93, 126; Ga. '90, 211, '93, 302; Mass. '79, 103-106b, '83, 148a; Me. '76, 31b, '77, 27b (error, see '96, 84^a), '82, 190^b, '86, 277^a; N. B '76, 52b, '83, 8b, N. E. '76, 18b; N. J. '81, 116b, '92, 204; N. S. '84, 292b, 390b, '86, 135, '89, 64; N. Y. '77, 78b '78b, 102^b, '84, 31^b, '85, 36^b, 97^a, 99^a, '86, 441, '95, 378^b, 378^b; R. I. '86, 272^a, '99, 190; Tex. '86, 135.—fd. '85, 36b, '86, 442; hbt.'79, 103b,'83, 8b,'85, 36b; meas.'79, 105b,'84, 31b,'85, 37b; mig. '86, 441; nst. '84, 292b, 390b; plm. '78, 145°; song, '83, 8°; syn. '78, 3b, '79, 105b; misc. '93, 365a (corr.), '95, 377^a, '96, 84^a (corr.).

rostratus (Large-billed Sparrow,
b Passerculus), L. Cal. '84, 83b; Mex.
'85, 198b, 230b.
sanctorum (San Benito Sparrow),

L. Cal. '97, 92, 121, '98, 264.—nst. '98, 264; plm. '98, 264; syn. '97, 92, 121. sandwichensis (Sandwich Sparrow, Passerculus), Alas. '85, 157b'; g. dist. '93, 126; Ore. '88, 358; Tex. 1900, 346 [= savanna]; Wash. '92, 355, 1900, 355.—syn. '80, 97b, '94, 66 [=

savanna].

savanna (a Savanna Sparrow, b Passerculus), Ala.'79, 8b; Bahamas, '86, 211, '91, 334, 338, 339, 1900, 293; Colo.'85, 16b; Cuba, '86, 211; Fla.'88, 273, '89, 321, '90, 311, '92, 213, '95, 365, '98, 270; Ga.'96, 214b; g. dist.'93, 126; Ia.'95, 121; Ill.'90, 240; Ind.'89, 25; La.'80, 136a, '82, 162b, '87, 302a, '99, 267; Mass.'84, 6a,'87, 237,'89, 44, 101,'95, 188,'97, 100, '98, 76; Me.'82, 148b; Mich.'85, 65b, 376b; Minn.'79, 153a, Miss.'99, 267; Mo.'79, 143b; N. B.'82,

148b, '83, 236a, '87, 238a, N. H. '88, 150, 152, 154, '94, 335; N. J. '92, 204; N. S. '87, 16; N. Y. '81, 229b, '83, 236a, '84, 176b, 177b, 178b, 179b, 329b, '85, 97a, 272b, '99, 192; Pa. '92, 133a, 137, '96, 283, 291a, 292, 294, '99, 312; P. E. I. '93, 3a, 6a, 11; Que. '82, 235b, '89, 148; S. C. '79, 214b, '92, 33a, 36a, '99, 198; S. D. '85, 280b; Tenn. '86, 317; Tex. '82, 12b, 1900, 346 ['sandwichensis']; Wis. '88, 326.—mig. '80, 136a, '84, 176b, 177b 178b, 179b, 329b, '85, 65b, '88, 326, '92, 33a, 36a, '95, 121, '99, 198; nst. '96, 283; plm. '78, 118b, '79, 28a, (alb.) '84, 329b; (mlt.) '89, 321, '96, 241, (mlt.); song. '84, 329b; syn. '80, 97b, '86, 211, 97, 93, '99, 198; mssc. '82, 117b, '94, 66a, '99, 198.

savannarum, W. I. '86, 212, '93, 179, 356; syn. '86, 212.

sennetti (Texas Seaside Sparrow), Tex. '88, 286*, 398, 426, '99, 3 (col. pl.), 1900, 346.—syn. '99, 3, 130.

subvirgatus (* Acadian Sharp tailed Sparrow, b caudacutus), Conn. '91, 115; g. dist. '87, 232-239*, '88, 397; '96, 271-278 (col. pl.); Me. '78, 48b, '87, 261b, N. B. '82, 104b, 122b, '85, 301a; N. J. '93, 85; P. E. I. '77, 28b, '93, 11; Que. '90, 387; R. I. 1900, 76; S. C. '90, 212—hbt. '87, 238, '96, 277; meas. '87, 233, 234; song. '87, 239; syn. '96, 272, '97, 334, '99, 118.

Ammodromas, see Ammodramus.
amœna (Emberiza), see Cyanospiza.
— (Cyanospiza), see Cyanospiza.
— (Passerina), see Cyanospiza.
Ampelidæ (* Waxwings), '76, 61, '83, 236*, '85, 365, '93, 111.
Ampelinus (Hypocolius), see Hypocolius.

Ampelis, '76, 61, '81, 156, '83, 48, '84, 43, '86, 192, 449, 450, '90, 278, '93, 111, 131, '96, 112.

cedrorum (a Cedar Waxwing or Cedar-bird) Ala. '79, 7; Ariz. '82, 146, '88, 31; Bahamas, '91, 294, 295; Cal. '86, 183, '90, 297; Colo. '79, 93, '86, 183, '90, 297; Cuba, '86, 192; D. C. '88, 23; Fla. '88, 275, '89, 326, '91, 138, '92, 213, '95, 365; Ga. '82, 95a, '90, 83, '96, 213; G. Br. '80, 70, 141a, '81, 64a; Ia. '82, 54, '95, 121; Ida. '98, 17, 1900, 245; Ind. '82, 184, 20, '89, 26; Janaaica, '86, 192, '93, 339; Ky. '89, 315; La. '82, 162, '87, 302a; Man. '86, 325; Mass. '84, 65, '88, 389, '89, 45, 102, '90, 217; Mc.

'80, 132, '82, 110, '89, 281ª; Mich. '82, 187, '93, 227; Minn. '84, 244, Mo. '79, 143, '95, 219a, 350a; Mont. '94, 307, N. B. '82, 110, '83, 235a, '84, 294a, '89, 118; N. C.'86, 111, '87, 244; N. H. '87, 105, '88, 150, 152, '89, 77, 78; N. J. '79, 81, '94, 139; N. S. '87, 16, '91, 165, '99, 253; N. Y. '79, 32, '81, 229, '82, 187, '84, 176, '89, 202, 1900, 68^a; O.'89, 201; Ore.'86, 170,'88, 360; Pa. '92, 138, '93, 45, '96, 284, 291a, 295; P. E. I. '93, 6a, 12; Que. '82, 235, '89, 144, R I.'97, 277; S. C. '79, 213, '90, 125, '91, 329; S. D. '85, 279; Tenn. '87, 128, 131; Tex. '82, 11, 37, '87, 259^a, 294, 299^a, '92, 340, 1900, 347; Wash. '82, 227, '97, 179, 1900, 356; W. I.'89, 31; W. Va. '98, 136.—anat. '90, 278, '96, 114, fd. '82, 20, 54, '85, 279, '86, 183, '87, 294, '90, 86°, '93, 347, '97, 318°, 421°, '99, 362a, 1900, 68a; hbt. '90, 290a, 17; plm. '76, 21 (alb.), '78, 64, 70, '87, 294, '97, 277; syn. '86, 192; misc. **'90**, 80°.

garrulus (a Bohemian Waxwing), Colo. '81, 89, '85, 15; g. dist. '93, 126; Helg. '95, 330; Ia. '84, 288a; Ida. '98, 17; Ill. '80, 118; Ind. '89, 26, '97, 199, Kan. '99, 187; Man. '86, 325; Mass. '84, 10a, Minn. '80, 183, '84, 244; Mont. '95, 217; N. B. '83, 235a, '84, 294a; New E. '76, 73; N. J. '95, 171; N. Y. '78, 46, '80, 118a, 1900. 68; Ont. '84, 85a, 158; S. D. '85, 279; Wash. '82, 227, '97, 179.—fd. '80, 118a, '84, 158, '85, 279, '95, 217, 1900. 68; hbt. '80, 118a, '97, 199; plm. '80, 183 (alb.); misc. '89, 184a, '90, 82. Amphispiza, '80, 92, '93, 131.

belli (a Bell's Sparrow, b Poospiza, c clementem), Cal. '80, 56b, '86, 182, '87, 93, '94, 219, '98, 58, 230°*, 234; Colo. '85, 16 [= nevadensis]; g. dist. '93, 135; L. Cal. '95, 141 [= cinerea?].—meas. '98, 230°; syn. '92, 288a, '98, 58, 190, '99, 132°.

bilineata (* Black-throated Sparrow), g. dist. '93, 135, 320; Tex. '89, 240, '92, 338.—nst. '92, 234*; syn. '80, 92.

cinerea (Gray Sage Sparrow), L. Cal. '91, 86, 305, '95, 141 ['belli'].—syn. '91, 86, '98, 59.

clementæ, '98, 230*, see belli. deserticola (Desert Sparrow, b bilineata, ° pacifica), Ariz. '82, 195b, '85, 226^b, '87, 202^b, '94, 18^b, g. dist.'98, 229*, '99, 119, L. Cal.'95, 141^b; Mex. '85, 228^b, 1900, 267°*, Tex. '87, 292^b,—hbt. '87, 292^b, meas.'98, 229, 1900, 267°, nst. '87, 202^b, 292^b, '95, 141^b; flm. '82, 195^b, '87, 202^b, syn. '99, 119; misc. '87, 22^b.

grisea, Mex. '98, 340.

nevadensis (a Sage Sparrow, b Poospiza), Arız '87, 203; Cal. '90, 296, '98, 58, 190; Colo. '85, 16; N. M. '81, 116b, —fd. '81, 116b, hbt. '81, 116b; meas. '81, 117b, plm. '81, 116b; syn. '92, 288a, '98, 58, 190, '99, 132. pacifica, 1900, 267*, see deserticola.

amplus (Carpodacus), see Carpodacus. amurensis (Loxia), see Loxia.

Amydrus dubius, Africa, '97, 159*. tristrami, syn. '91, 92.

Anabazenops immaculatus, Bolivia, '90, 382.

'90, 382. anabelæ (Sialia), see Sialia. anæstheta (Sterna), see S. anætheta. anæthetus (Sterna), see Sterna. analis (Formicarius), see Formicarius. Anas, '88, 61, '93, 99, 107, '96, 162, 164.

aberti, Mex. '80, 42. boschas (* Mallard Duck), Ala. '79, 13; Alas. '85, 158; Ariz. '86, 384, '90, 48, 50, '92, 198"; Ark. '95, 354"; Cal. '86, 89, '87, 93, 94"; Colo. '81, 142, '83, 198, '85, 18, 144; Conn. '85, 98"; Fla. '88, 268, 378, '92, 211, '95, 188a, 364; Greenl. '89, 211a, 215; Helg. '95, 340; Hud. B. '90, 320; Ia. '95, 121, 236; Ida. '97, 350, 1900, 242; Ind. '82, 19^a, 22, '88, 346; Jamaica, '91, 363, 363 ('maxima'); Kan. '85, 112; Ky. '89, 312; La. '82, 165, '97, 285, 1900, 170; Man. '86, 148, '89, 179*; Mass. '83, 186*, '95, 310, '96, 200; Mich. '93, 222; Minn. '80, 19, '84, 188a, 248, '88, 313a; Mo. '95, 9a, 224*; Mont. '88, 17*, '94, 301, '95, 212; N. B. '82, 105; N. D. '99, 161*, 162a, 164a; N. Y.'81, 234; Ont.'85, 336°, 372; Orc. '79, 198, '86, 163, '88, 141,'91, 366 (fossil),'93, 344 (fossil); S. C.'79, 218; S. D.'85, 100°, 288; Tex. '82, 224, '84, 122, '87, 184, '92, 231, 1900, 338; Wash.'92, 41, 354ª, '97, 171, 1900, 350; W. I.'88, 61, 61 ['maxima'].-hbt.'91, 390", '92, 383, '93, 294, '96, 200; mig. '95, 121, 129⁴, 236; nst. '80, 19, '83, 118*, '85, 100*, '87, 94, '88, 17*, 141, 313*, '89, 215, '97, 285, '99, 165*; plm. '76, 23 (alb.), '80, 30 (melan.), '84, 287*

(hyb.), '85, 114° (alb.), 336° (hyb.), '86, 274° (hyb.), '88, 312 (hyb.), 316 (hyb.), '89, 133 (hyb.), 179° (mlt.), 179° 179°, '90, 389°, '92, 161 (hyb.), 162 (hyb.), 165 (hyb.), 1900, 170 (hyb.), syn. '83, 62, '88, 61; misc. '88, 313°, 314°, 385.

breweri, plm. '92, 162 (hyb.). chlorotis, syn. '96, 162.

diazi, Mex. '86, 332*.—misc. '89, 264.

domestica, anat. '86, 475

fulvigula (a Florida Black Duck), Fla. '86, 262, '87, 274, '88, 268a, 378, '91, 137?, '92, 211, 214; Kan. '86, 113, '88, 444; Mex. '88, 108?; W. I. '88, 61?—meas. '88, 444a, '90, 204; nst. '90, 204; plm. '89, 264.

glocitans, plm. '96, 176 (hyb.).

maculosa (Mottled Duck), g. dist. '90, 61; Kan.'90, 88; La.'97, 285; Tex. '89, 263*, 1900, 338.—meas.'89, 263, 264; nst. '97, 285; syn. '90, 61, '96, 162.

maxima, plm. '92, 165 (hyb.) obscura (a Black, or Dusky Duck), Ala. '79, 13, Cal. '77, 967; Colo. '85, 18; Fla. '88, 268, '95, 188a, 364; Ind. '88, 346; Jamaica, '91, 363, Ky. '89, 312; La. '97, 285; Man. '86, 148; Mass. '88, 389, 390, '92, 74, '95, 77, 88, 310, '96, 182, 199, '97, 206; Me. '82, 151; Minn. '84, 248; N. F. 1900, 71; N. J. '79, 226, '80, 134°; N. S. '95, 89, 377, '99, 251; N. Y. '79, 33, '81, 234, '93, 53ª; Ont. '85, 336ª, 372; Ore. '77, 96; Pa. '99, 309; P. E. I. '93, 8; Oue. 82, 239, 89, 146; Tex. 82, 42, 224, 87, 184, 92, 231; W. I. 88, 61. —hbt. '92, 223, '93, 53a, 294; mig. '80, 134a, '95, 77, '96, 182; nst. '88, 390, '89, 146, '93, 53 (pl.), 293^a; plm. '81, 162, '85, 336^a (hyb.), '88, 312 (hyb.), '89, 133 (hyb), '92, 165 (hyb.), '93, 57, '96, 199; syn. '88, 61; misc. '83, 235a, '86, 272a, '89, 197, '90, 394, '92, 335.

scutulata, syn. '96, 162. wyvilliana, H. I. '90, 275; plm. '80,

Anastomus, '81, 156.

Anatolinia, 37, 130 anatarius (Mergus), see Mergus. Anatidæ (* Ducks), '77, 23, 24, 64*, '78, 17, '79, 111*, '81, 7*, 158*, 161*, 163, 194*, '83, 127*, 232, '86, 270*, '87, 68*, 339*, 353*,'96, 111*, 162,'97, 230.'98, 278*, 1900, 183*.

Anatomy.

Coale, H. K., '87, 331.

Jeffries, J. A., '81, 6, '82, 13, '83, 17. Kitchen, J. M. W., '85, 24. Lucas, F. A., '82, 86, '86, 444, '89, 8, '91, 218, '94, 141, '95, 155, '96, 109. Shufeldt, R. W., '80, 129, '81, 197, '82, 213, '85, 175, '87, 80, '87, 265, '88, 330.

anatum (Falco), see Falco.

anchitæ (Antichromus), see Antichro-

anchoreta (Henicorhina), see Henichorina.

Ancylochilus, see Tringa.

andinus (Blacicus), see Blacicus.

(Lichenops), see Lichenops.

andria (Saurothera), see Saurothera. Andros Island, West Indies.

Allen, J. A., '90, 343-346. Cory, C. B., '79, 118.

Miller, G. S., Jr., '94, 164-165. Northrop, J. I., '91, 64-80.

Anderson, Rudolph M.

Annotated list of birds of Winnebago and Hancock Counties, Iowa (rev.), '97, 246.

Anegada Island, West Indies. Cory. C. B., '90, 374.

Anerportes, '93, 182.

angelæ (Cyanolyca), see Cyanolyca. anglica (Gelochelidon), see G. nilotica. - (Laropis), see Gelochelidon ni-

lotica. - (Sterna), see Gelochelidon nilotica. - (Viralva), see Gelochelidon ni-

lotica. anglicus (Thalasseus), see Gelochelidon

nilotica. anglorum (Puffinus), see P. puffinus.

angolensis (Pitta), see Pitta. Anguilla Island, West Indies.

Cory, C. B., '91, 350, 352.

anguina (Dendrocincla), see Dendrocincla.

angustifrons (Melanerpes), see Melanangustipennis (Chlorostilbon), see Chlo-

rostilbon. angustirostris (Picolaptes), see Picolaptes.

(Todus), see Todus.
Anhinga, '78, 101, '88, 71, '94, 337, '96, 164, 99, 202.

anhinga (* Anhinga, Snake-bird or Water Turkey, b Plotus), Ala. '79, 13b; Fla. '81, 41b, '88, 268, 377, '91, 129a, 137, 180, '92, 211, '95, 364; Ga. '83, 42b; Kan. '82, 61b; Ky. '89, 312; N. C. '99, 248; Tex. '82, 42b, 225b, '84, 121b, '87, 184, '92, 231, 1900, 338;

W. I. '88, 71.—anat. '77, 23b; hbt. '81, 41b, '92, 288; nst. '83, 42b, '99, 248; syn. '88, 71; misc. '92, 192a. anhınga (Anhinga), see Anhinga. - (Plotus), see Anhinga. Anhinga, see Anhinga anhinga. Anhingidæ, '93, 106, '94, 337. ani (Crotophaga), see Crotophaga. Ani, see Crotophaga ani.

Groove-billed, see Crotophaga sulcirostris.

Mexican, see Crotophaga sulcirostris. Anis, see Crotophaginæ. Anisodactylæ, '81, 161.

anna (Calypte), see Calypte. - (Selasphorus), see Calypte.

- (Trochilus), see Calypte. annæ (Euphonia), see Euphonia. annectens (Corvus), see Corvus.

--- ('Cyanocitta), see Cyanocitta.

- (Junco), see J. annectens mearnsi.

— (Passerella), see P. unalascheensis. anœstheta (Haliplana), see anætheta.

anomala (Æthopyga), see Æthopyga. Anorrhinus galeritus, Borneo, plm. '91,

Anorthura, '83, 104, '85, 94, '93, 112, '99, 90, 125.

alascensis Wren, (Alaskan Troglodytes, 'meligera), Alas. '85, 157b, '88, 410b, 1900, 25°*.—meas. '77, 82b, 1900, 25°, 26°; nst. '77, 82b, '89, 329b; syn. '85, 94b, 99, 125; misc. '93, 127b.

hiemalis (* Winter Wren, b Troglodytes), Ala. '78, 172; Colo. '85, 15: D. C. '90, 291b; Fla. '91, 137b, 138b, '95, 365b; g. dist. '93, 127b; Ia. '95, 122b; Ind. '89, 29b; Ky. '89, 316b; Man. '86, 327b; Mass. '83, 119, '84, 12", 13", 15, '88, 388", 389b, 392b, '89, 42a, 105b, '95, 89b, '96, 178b; Me. '79, 37", '82, 109; Mich. '80, 110a, '93, 229b; Mo. '79, 141, '96, 219b; N. B. '81, 244, '82, 109, '83, 174*, '89, 119h; N. C. '86, 99*, 176h, 312°, 314°, '87, 244°; N. H. '87, 103°, 106°, '88, 153°, 155°; N. J. '91, 105°, '95, 84°; N. S. '84, 260°, '98, 196; N. Y. '78, 53, 194, '79, 34, '81, 227, '82, 154^a, '83, 52^a, '84, 138, '89, 332^a, '90, 232b, 407b; Ont. '85, 114; Pa. '92. 132^a, 133^a, 134^b, 140^b, '93, 42^a, 43^b, 46^b, '94, 182^a, '96, 291^a, 292^b, '94, 296b; P. E. I. '93, 5", 14b; Que. '85, 113, '89, 149b; S. C. '79, 211; Tenn. '86, 316b; Va. '89, 52b; Vt. '83, 120; W. I'a. '98, 137b,-hbt. '79, 37*, '83,

120; meas. '79, 39a, '81, 245, mig. '95, 122b; nst. '79, 37a, '81, 244, '83, 174a, '90, 82b, 232b, 407b, '98, 196; plm. '78, 22b; song. '84, 12a, 138, '95, 84a; syn. '85, 94b, '99, 125; misc. '84, 88a, '97, 333a.

bergensis (b Troglodytes), syn, '85, 94b.

meligera, 1900, 25*, see alascensis. pacifica (a Western Winter Wren, Troglodytes), Alas. '98, 130b Cal. '87, 93b, '94, 181b, '99, 160a, g. dist.'93, 127b; Ida.'98, 19b, Ore. '86, 171, '88, 362b, '91, 397b; Wash.'92, 47b, 309b, '97, 180b, 1900, 357.—mig. '86, 162b, '87, 93b; nst.'99, 160a, plm.'94, 169; song.'86, 171; syn.'85, 94b, '99, 125, 185. pallescens, Siberia, syn.'84, 82.

troglodytes (b Troglodytes), Engl. '87, 163b; Germany, '96, 301b; Helg. '95, 326.—song. '96, 301b; syn. '85, 94b.

anosthæta (Sterna), see S. anætheta. Anous, '77, 24, 141, '84, 144, '88, 80, '94, 317.

stolidus (* Noddy Tern), Bahamas. '91, 79; Europe, '80, 67, 220, Fla. '90, 306, '92, 211; Gozo I. '77, 70; Jamaica, '91, 358, '94, 120, Malta, '77, 70; W. I. '81, 128, 155, '88, 80, '91, 48.—hbt. '91, 358; meas. '91, 360; nst. '90, 303, '91, 358, '92, 289*; syn. '78, 143, '88, 80.

atrofuscus, syn. '94, 317.

ridgwayi, Revill. Is., nst. '98, 36*, 316.

anoxantha (Spermophila), see Loxipasser.

—— (Loxipasser), see Loxipasser.

— (Loxigilla), see Loxipasser.

Anser, '84, 143, '88, 58, '93, 99, 107.

albifrons, Helg. '95, 340.—meas.
'88, 311; syn. '83, 62, '88, 311, '96,

anser (b cinereus), Helg. '95, 340. —syn. '96, 164.

brachyrhynchus, *Helg.* '95, 340. condoni (fossil sp.), *Ore*, '91, 366, '93, 344.

erythropus (b minutus), Helg. '95, 340b.—syn. '83, 62.

fabalis (Bean Goose, b segetum), g. dist. '77, 96b, '97, 118; Greenl. '96, 244b; Helg. '95, 340b.—syn. '97, 118. gambeli 'a American White-fronted Goose, b _ontalis), Alas. '79, 53a, '81, 131a' '85, 63, 158, 287' 37, 12:

Goose, b._ontalis), Alas. '79, 53*, '81, 131*, '85, 63, 158, 287, '87, 12, B. C. '93, 291; Cal. '86, 90; Cuba. '88, 58; g. dist. '93, 123; La. '97, 287;

Man. '86, 149; Minn. '84, 248, New E. '76, 73, '77, 14, 46; N. Y. '93, 271; Ore. '79, 198, '88, 142, '91, 367 (fossil), '93, 344 (fossil); Pa. '99, 309; Tex. '82, 224, '87, 185, '92, 345, 1900; hbt. '92, 384; meas. '88, 311; mig. '85, 63, '88, 142, syn. '80, 88', '83, 62, '88, 58, 311, '96, 162.

sandvicensis, syn. '96, 162. anser (Anser), see Anser.

Anseranus melanoleucus, plm. '99, 320. Anseres, '81, 79, 83, '82, 47, '84, 383, '93, 107.

Anseriformes, '88, 190.

Anserinæ (* Geese), '79, 111*, '87, 68*, 339*, 341*, '98, 278.

antarctica (Sterna), see S. anætheta.
—— (Thalassoica), see Thalassoica.
Antarctic Region, see Kerguelen I.
antarcticus (Buphagus), see Megalestris.
—— (Megalestris), see Megalestris.

—— (Megalestris), see Mega —— (Rallus), see Rallus.

Antenor, see Parabuteo.

anthinus (Passerculus), see Ammodramus beldingi.

Anthocephala berlepschi, Colom. '99, 138.

floriceps, Colom. '99, 138.

Anthocincla, see Pitta.

anthoides (Sylvia), see Seiurus noveboracensis.

Anthony, Alfred Webster.

Notes on birds of Washington Co., Oregon, '86, 161-172.

Winter plumage of Leucosticte australis, '87, 257.

New birds from Lower California

New birds from Lower California (rev.), '90, 281. Birds of Southwestern New Mexico,

Birds of Southwestern New Mexico, 92, 357-369.

Salpinctes obsoletus in Washington and Oregon, 93, 87.

Birds of San Pedro Martir, L. California (rev.), '94, 167.

Notes on the genus *Heleodytes*, with description of a new subspecies, '94, 210-214.

Oceanodroma townsendi off Sar Diego, California, '94, 321.

Icterus parisorum in western San Diego Co., California, '94, 327.

A new species of *Thryothorus* from the Pacific coast, '95, 51.

A new subspecies of Harporhynchus from Lower California, '95, 52.

Fulmars of southern California, '95, 100-109.

New Pipilo from southern and Lower California, '95, 109-112.

Birds of San Fernando, Lower California, '95, 134-143.

Pacific Kittiwake at San Diego, Califorma, '95, 177.

Albino Ruby-crowned Kinglet, '95,

Junco hyemalis shufeldti in Lower California, '95, 183.

Status of Heleodytes affinis, '95, 280. Probable occurrence of Creagus furcata off San Diego, California, '95, 291.

New races of Colaptes and Passerella from Pacific coast, '95, 347-349.

Oceanodroma socorroensis off San Diego, California, '95, 387.

Scaled Partridge (Callipepla squamata) in Colorado, '95, 388.

St. Lucas Flycatcher in California, **'95**, 390**.**

Puffinus tenuirostris off San Diego, California, '96, 171.

Clangula hyemalis at San Diego, California, '96, 172.

Black-vented Shearwater (Puffinus opisthomelas), '96, 223-228.

Roadrunner as a rat-krller, '96, 257.

New birds from the islands and peninsula of Lower California, '97, 164-168.

Nostrils of young Cormorants, '97, 205.

Roadrunner a destroyer of caterpillars, '97, 217.

Two new birds from the Pacific coast of America, '98, 36-38.

Four sea birds new to the fauna of North America, '98, 38.

New name for Dryobates v. montanus, '98, 54.

Bird protection in California, '98, 108. Petrels of southern California, '98, 140-144.

Pacific Kittiwake (Rissa tridactylapollicaris) in Lower California, '98, 267.

Avifauna of the Revillagigedo Islands, **'98**, 311-318.

Hybrid Grouse, '99, 180.

Notes on genus Micruria, 1900, 168. Nesting habits of Pacific coast species of genus Puffinus, 1900, 247-252 (pl.).

anthonyi (Ardea), see Ardea. · (Lanius), see Lanius.

Anthoscopus, '84, 280.

Anthothreptes, see Anthreptes.

anthracina (Urubitinga), see Urubitinga.

anthracinus (Falco), see Urubitinga. Anthracoceros, '94, 233

convexus, Borneo, plm, syn. '91, 9. Anthreptes, '94, 235.

idius, Liberia, 1900, 186.

phœnicotis, Borneo, syn. '90, 354. Anthropoides virgo, Helg. '95, 337.

Anthus, '82, 215, '85, 365, 368, '93, 112, **'94**, 233.

> aquaticus, Helg. '95, 334. arboreus, Helg. '95, 324.

campestris, Helg. '95, 334.

cervinus (a Red-throated Pipit), Alas. '88, 307, 410; Helg. '95, 334; L. Cal. '84, 285.—nst. '89, 329, 1900, 307ª.

correndera, Urug., syn. '83, 87.

japonicus, syn. '85, 290. pensilvanicus (* American Pipit or Titlark, b ludovicianus), Ala. '78, 172b; Alas. 81, 4a, 85, 157, 87, 13, '98, 129; Aris '82, 82b, '88, 159; Cal. '86, 183, '89, 222; Colo. '79, 92b, '80, 226b, '81, 88b, '83, 155b, '85, 15b, '95, 152^b; Fla. '81, 15^b, '88, 276, '90, 114, '92, 214, '95, 365. Ga. '96, 214; G. Br. '80, 69"; g. dist. '93, 124; Helg. '77, 107°, '80, 69°, '91, 300, '95, 334; Ida. '98, 19; Ill. '88, 434; Ind. '89, 28; Labrador, '84, 186"; Man. '86, 327; Mass. '78, 194b, '81, 127b, 238b, '83, 150°, '85, 209°; Mc. '82, 189°; Mo. '95, 6; Mont. '94, 307, '95, 218; N. B. '83, 9b; N. E. '76, 73b, 92b, '77, 17b, '81, 238b; N. M. '92, 367; N. Y. '78, 35^b, '81, 227^b, '84, 176^b, 209; Orc, '79, 164^b, '86, 171, '88, 362; Pa. '99, 313; Que. '82, 234b; S. C. '79, 211b, '92, 28a, 33a, 37a; S. D. '85, 278b; Tenn. '86, 316; Tex. '82, 8h, 35h, '84, 121b, '87, 297, '89, 240, '92, 342, '94, 232; Vt. '82, 64b; Wash. '82, 227b, '92, 46, '97, 180, 1900, 245. —anat. '82, 218b; hbt. '80, 236b, '84, 186b, '88, 276; meas. '82, 82b, 218b; mg. '82, , '84, 176b, '88, 434, '92, 28a, 33a, 37^a; nst. '81, 88^b, '84, 89^b [- Otocoris praticola]; plm. '81, 88^b, '82, 82^b, '88, 159, '95, 6; song, '80, 226h, '84, 209, '95, 7; syn. '84, 167, '85, 290b, 368; misc. '83, 78b.

pratensis (Meadow Pipit), Alas. '84, 77, '88, 307 [=cervinus]; Helg. '95, 334.-plm. '80, 27 (alb.).

richardi (* Richard's Pipit), Helg. '95, 334, Scotland, '92, 289",

rufus, Braz. '90, 266.

obscura, Helg. '95, 326 .- syn. '80, 70.

spinoletta, syn. '80, 69, 70, '85, 290.

spragueii (a Sprague's Pipit or Missouri Skylark, b Neocorys), Colo. '87, 265; La. '94, 181, '99, 82; Man. '85, 269^b, '86, 153^a, 327, '93, 50; Mex. '87, 65; Mont. '82, 62^b, '88, 15; N. D. '79, 50b; Neb. '84, 286a; S. C. '94, 80; Tex. '78, 144a, '82, 8b, 35b, '84, 121b, '87, 297, '92, 342.—hbt. '82, 35b; song, '82, 62b, '85, 269b, '88, 15; syn. '85, 368; misc. '85, 316b. trivialis (a Tree Pipit), nst. '97,

335°.

Antichromus, '99, 187. anchitæ, syn. '99, 187. minutus, syn. '99, 187.

Antigua Island, West Indies.

Lawrence, G. N., '79, 228-230.

antillarum (Falco), see F. dominicensis. — (Myiarchus), see Myiarchus.

--- (Sterna), see Sterna.

--- (Sternula), see Sterna.

--- (Tinnunculus), see Falco caribbæarum.

– (Tyrannus, see Myıarchus. antiquus (Synthliboramphus), see Synthliboramphus.

antoniæ (Carpodectes), see Carpodectes. Antrostomus, '86, 341, 445, '91, 30, '93, 63, 68, 110, '94, 287, '95, 287. arizonæ, '81, 69*, see macromystax.

carolinensis (a Chuck-will's-widow), Ala. '79, 10; Bahamas, '91, 73; Cuba, '98, 330; Fla. '81, 16, '88, 272, '89, 252, '90, 310, '91, 138, '92, 213, '95, 365; Ga. '82, 96a, '83, 40, '96, 214; g. dist. '93, 133; Ill. '78, 165; Jamaica, '92, 276; Kan. '99, 187, 1900, 175; La. '82, 163, '87, 303°; Mass. '85, 220; N. Atlantic, '99, 273; N. C. '86, 105°; S. C. '79, 215, '85, 211a, '90, 38a, '92, 35a; Tenn. '86, 319; Tex. '82, 169, '92, 235, 1900, 344; W. I. '81, 153, '86, 341; W. Va. '98, 61.—fd. '87, 74, '91, 73, '98, 330, '99, 275"; hbt. '85, 211", '87, 3034, '99, 273; mig. '91, 135, '92, 35^a, '99, 273; nst. '82, 169, '83, 40, '89, 252; syn. '86, 341; misc. '90, 80a. chiapensis, Mex. 1900, 261*.

cubanensis, W. I .- meas., plm., syn. '86, 342.

goldmani, Mex. '99, 296.

macromystax (Stephen's Whippoor-will, b arizonæ), Ariz. '81, 69b*, '82, 211b, 258b, '86, 429b; Cal. '77, 93; N. M. '99, 188; g. dist. '93, 134.hbt. '81, 71b; meas. '81, 70b, '82, 212b; nst. '81, 71b, '82, 212b, '99, 188; plm. '82, 212b; song. '86, 429b; syn. '93, 68, '94, 48.

nigrescens, g. dist. '77, 93.

oaxacæ, Mex. 1900, 260*. parvulus, Argent., Urug. '84, 24. ridgwayi, Mex. '97, 50*.

rufus (b rutilus), W. I. '80, 169b, '86, 341.—meas., plm., syn. '86, 341. salvini, syn. '93, 68.

rufomaculatus, C. R. '92, 174;

syn. '94, 169. (a Whip-poor-will, vociferus Caprimulgus), Canada, '84, Cent. Am. '81, 70; D. C. '88, 21, '92, 307; Fla. '88, 272, '92, 213, 218, '93, 337; g. dist. '93, 133; Ia. '95, 122, 236; Ind. '89, 22; Ky. '89, 314, Man. '86, 156; Mass. '88, 389, '89, 44, 99; Me. '82, 149b; Mex. '81, 70; Mich. '83, 175; Minn. '84, 246b; Mo. '79, 146; N. C. '86, 104; N. H. 43, 44, '96, 282; S. C. '79, 215, '90, 38, '92, 35^a, 201^a, '93, 152, 205; S. D. '85, 283b; Tex. '81, 70, '82, 40b, '87, 191, '92, 235; Vt. '94, 253; W. I. '89, 276.—anat. '89, 10 (fig.), '90, 279; fd. '91, 190; meas, '81, 70; mig. '83, 175, '92, 35°, '95, 122, 236, 241; nst, '85, 272^b; plm. '91, 190, (alb.), '93, 152; song. '85, 257^b, '90, 199, '91, 33^a; misc. '84, 88ª, '90, 83ª.

Anumbius acuticaudatus, Urug., nst. '83, 211.

aonalaschkæ (Hylocichla), see Hylocichla.

- (Turdus), see Hylocichla. Apatornis, '80, 235.

Apgar, Austin Craig

Pocket key of birds of northern United States (rev.),'94, 65. Birds of United States (rev.), '98, 277.

Aphalus, '88, 292. Aphelocoma, '80, 99.

arizonæ (Arizona Jay), Ariz. '81, 73, '82, 201, '85, 356, '86, 81-83, 256, '87, 20, '90, 48, '94, 220; g. dist. '93, 134.-fd. '82, 201, '86, 81; meas, '82, 202, '86, 81, 82; nst. '82, 201, '85, 323, '86, 81, '89, 173; plm. '82, 201, '87, 20, '90, 192; syn. '85, 371, '90, 192.

californica (a California Jay, b Cyanocitta), Ariz. '94, 220ª; Cal. '86, 87a, 181, '89, 221, '96, 120; g. dist. '93, 134, Ore. '86, 167; Wash. '92, 301.-hbt. '96, 120; syn. '80, 99b, '90, 192.

colimæ, Mex. '99, 27*. couchi, Mex., syn. '90, 192.

flori-(Florida Jay, cvanea dana), Fla, '89, 319b, '92, 213b, g. dist. '93, 133b; Ky. '94, 244b.—syn. '99, 84, 112. cyanotis (Blue-eared Jay), g. dist. '95, 165, Mex.'94, 154, Tex.'94, 327.—syn. '90, 192, '95, 165. gracilis, Mex. '96, 34*. grisea, Mex. '99, 296. hypoleuca (Xantus's Jay), L. Cal. '87, 335, '88, 397.—nst. '89, 329. insularis (Santa Cruz Jay), Cal. '86, 452*, '87, 329, '88, 396.—hbt. '87, 329: nst. '87, 329. obscura (Belding's Jay), L Cal. '90, 63, 281, '92, 188.—syn. '90, 63. potosina, Mex. '99, 27*. sieberi (6 Cyanocitta sordida), Mex. '95. 358.—misc. '80. 87b. sumichrasti, Mex., syn. '90, 192. ultramarina (b Cyanocitta), g. dist. '77, 93b, Mex. '90, 192,-syn. '90, 192. woodhousei (a Woodhouse's Jay), Aris. '82, 201, '87, 20, '90, 48; Colo. '81, 140, '83, 193, '85, 16, '94, 268; g. dist. '93, 134, 320; N. M. '92, 364, '98, 309, '99, 189; Tex. '87, 183*, 290 -nst. '87, 290; syn. '90, 192. Aphriza, '84, 45, '93, 108, '97, 102. virgata (Surf Bird), Alaska, '98, 127.—anat. '89, 195. apiaster (Merops), see Merops. apivorus (Pernis), see Pernis. Aplopelia larvata, syn. '94, 61. Apodinæ, '97, 419. apolites (Tyrannus), see Tyrannus. Apple-bird, see Ampelis cedrorum. Apponath or Apponatz, see Plautus impennis (old name). approximans (Vireo), see Vireo. apricarius (Charadrius), see Charadrius. Aptenodytes, '85, 96, '86, 450. patachonica, Kerguelen I., hbt., nst. '94, 280 (pl.). Apteryges, '81, 82, 83, '81, 108, '83, 172. Apteryx, '85, 26, '87, 173, '95, 156. australis, misc. '81, 111. Apus, see Cypselus. apus (Cypselus), see Cypselus. (Micropus), see Cypselus. aquatica (Sayornis), see Sayornis. aquaticus (Acrocephalus), see Acrocephalus. - (Anthus), see Anthus. —— (Cinclus), see C. merula. --- (Railus), see Rallus. — (Seiurus), see S. noveboracensis. - (Turdus), see Seiurus noveboracensis.

Aquila, '84, 140, '93, 99.

chrysaëtos (a Golden Eagle, canadensis, c fulva), Alas. '84, 79b, '85, 157b; Ariz. '86, 423, '90, 48, 53, '92, 201ª; Bavaria, '92, 186°; Cal. '85, 984, '87, 91, Colo, '81, 141, '83, 197, '85, 17b, '93, 297, '94, 267; Conn. '83, 178a, '87, 341a, '93, 207, '97, 89, 215; Helg. '95, 329; Ida. '97, 353, 1900, 244; Ind. '88, 350; Kan. '86, 115; L. Cal. '95, 138; Man. '86, 154; Mass. '84, 10^a, '87, 75; Me. '96, 82, 256, Mich. '99, 77; Minn. '84, 247^b, '97, 317°; Mont. '94, 303, '95, 214; N. B. '81, 58; N. J. '95, 179, '96, 81, '98, 54, N. M. '86, 80^b, 103, '98, 308; N. S. '88, 313^a; N. Y. '78, 100^a, '79, 189, '81, 233b, '83, 123a, '91, 113a, '93, 274, '97, 227; O.'82, 123h, '83, 235h, '92, 200; Ore. '88, 145; Pa. '82, 58b, '83, 178^a, 92, 200^a, '99, 311; P. E. I. '93, 8, Que. '82, 238; R. I. '89, 175^a; S. D. '85, 285b; Tex. 1900, 342; Va. '94, 77, '96, 256a; Wash. '92, 43, '97, 174; Wis. '88, 315a.—fd. '86, 103, '92, 201^a, '97, 317^a; meas. '79, 189, '91, 113a, '94, 77, '97, 317a; nst. '83, 197, 235ª, '85, 98ª, '91, 108ª, '92, 201ª, '92, 287°, '97, 174, '98, 308; plm. '80, 29 (alb.); syn. '78, 78, '85, 205; misc. '85, 10b, '90, 196a, '91, 108a, '94, 69, 69ª. fusca, anat. '82, 14. pomarina, Helg. '95, 329. pliogryps (fossil sp.), Orc. '91, 368, '93, 344. sodalis (fossil sp.), Orc. '91, 368, '93, 344. aquila (Fregata), see Fregata. --- (Tachypetes, see Fregata. aquilinus (Buteo), see B. horealis. --- (Falco), see Buteo borealis. aquilus (Pelicanus), see Fregata. Ara, '86, 454. ararauna, Bras. '91, 159. chloroptera, Braz. '91, 159. hyacinthina, Bras. '90, 131, '91, 159.-fd. '90, 131. maracana, Braz. '91, 159. militaris, W. I. '86. 455. tricolor, Jamaica. '92, 129; IV. I. 286, 454.-meas., plm., syn. 286, 454. (Pteroglossus), aracari see glossus. Arachnothera, '94, 235. chrysogenys, Borneo, '90, 355. flavigastra, Borneo, syn. '90, 355.

Aramidæ. '94, 242.

Aramides cavanea (b cavannensis),

chiricote, W. I., plm. '94, 243.

Braz. '91, 163b; W. I. '94, 243,

gutturalis, plm. '94, 243. ypecaha, Argent., Urug., hbt. '84, 276.

Aramus, '81, 81, '88, 50, '93, 107, 182. giganteus (a Limpkin, Crying-bird or Courlan, b pictus, c scolopaceus), Argent.'84, 277°, Fla.'81, 20°, 38°, 42b, '89, 152, '91, 180, '92, 212, '93, 337, '95, 364, 366; Ga. '83, 42b; g. dist. '93, 141; Jamaica, '92, 11, '94, 122; Urug.'84, 277°; W. I.'81, 155, '88, 50.—anat.'77, 23°,'95, 172; fd.
'81, 20°, 42°,'84, 277°,'95, 364; hbt.
'81, 42°,'84, 277°,'89, 152; nst,'83, 42b, '95, 366; syn. '80, 38a, 101b, '88, 50; song, '81, 38b, 42b.

aranea (Gelochelidon), see G. nilotica. - (Sterna), see Gelochelidon nilotica. ararauna (Ara), see Ara.

arausiacus (Psittacus), see Amazona bouqueti.

Arbelorhina, see Cœreba.

arborea (Alauda), see Alauda. --- (Anas), see Dendrocygna.

— (Dendrocygna), see Dendrocygna. arboreus (Anthus), see Anthus.

Arboricola, '94, 174. Arboriphila charltoni, Borneo, syn. '91, 15.

Archæopteryx, '80, 235, '81, 8, 9, 11, 107, 203, '84, 84, '96, 72.

Archibuteo ferrugineus (a Ferruginous Rough-legged Buzzard or Hawk), Assimboia, '86, 154; Cal. '87, 91; Colo. '83, 197, '85, 17; g. dist. '93, 134; Ill. '77, 26; Man. '86, 154, '93, 49; Tex. '87, 189; Wash.'82, 227,'97, 173. fd. '77, 26, '93, 200 ['Squirrel Hawk']; nst. '97, 173, '96, 350°; misc. '82, 113 (corr.), '90, 83ª.

lagopus (European Rough-legged Hawk, Alas. '87, 12; Arctic R. 1900, 309; G. Brit. '80, 143 [not 'sanctijohannis']; g. dist. '80, 87; Helg. '95, 326.—nst. 1900, 307°; syn. '78, 78, '82, 179; misc. '82, 113 (corr.).

(a sancti-johannis American Rough-legged Hawk, b Falco spadiceus), Alas. '84. 79; Cal. '86, 93; Colo. '85, 17; Conn. '80, 114, '95, 266; D. C. '84, 397; G. Br. '80, 143 [=lagopus]; g. dist. '93, 126; Hud. B. '78, 105b, '90, 322; Ia. '83, 240°; Ida. '97, 353; Ind. '88, 350; Man. '86, 154; Mass. '83, 149*, '85, 295, '95, 188, '97, 216; Me. '85, 96°; Minn. '84, 247; N. C. '93, 242; Neb. '99, 353"; N. F. 1900, 72; N. J. '79, 84; N. Y. '81, 233; O. '99, 284; Ore. '88, 145; Que, '82, 237; S. D. '85, 285; Wash. '82, 227, '97,

173.—anat. '81, 201; fd. '88, 145, '93, 200a; hbt. '82, 184a, '90, 395; mig. '82, 237, '95, 266, '99, 353"; plm. '81, 209, '85, 295 (melan.), 1900, 112^a; syn. '78, 78; misc. '90, 389, '97, 396^a (fig.).

Arctica, see Alle.

arctica (Fratercula), see Fratercula.

- (Gavia), see Gavia. - (Sialia), see Sialia.

- (Sterna), see Sterna. Arctic Regions.

Allen, J. A., 1900, 307-310.

Coues, E., '84, 76-81.

Feilden, H. W., '78, 86. Harting, J. E., '85, 375.

Kumlein, L., '80, 109. Merriam, C. H., '85, 312-313.

Murdoch, J., '99, 146-155.

Nelson, E. W., '84, 76-81.

Rae, J., '92, 283.

Ridgway, R., '80, 188, '82, 60. Schalow, H., '84, 291-292.

Stejneger, L., '88, 306-311.

arcticus (Bubo), see Bubo.

- (Colymbus), see Gavia.

— (Falco), see F. rusticolus.

--- (Picoides), see Picoides.

--- (Picus), see Picoides. — (Pipilo), see Pipilo.

-- (Urinator), see Gavia.

Arctonetta, '93, 107.
fischeri (* Spectacled Eider Duck, b Lampronetta), Alas. '79, 53b, '84, 80b, '85, 63b, 158, 201b; gen. dist. '93, 123.—mig. '85, 63b; plm. 1900, 183a (mlt.); syn. '84, 385.

arctous (Leucosticte), see Leucosticte. arcuata (Pitta), see Pitta.

Ardea, '78, 183, '82, 245, '87, 323, '93, 99, '99, 202.

anthonyi (Anthony's Green Heron), g. dist. '95, 257*, '97, 119.—meas. '95, 259; syn. '97, 119, '99, 105.

bahamensis, Bahamas, '88, 83*, '91, 78, 296, 337, 338, '95, 258, 1900, 287.—meas. '88, 84; plm. '91, 78. cærulea (* Little Blue Heron, b

Florida), Ala. '79, 13; Bahamas, '91, 77; Conn. '83, 176", '97, 402, '99, 351; C. R.'90, 332,'92, 329; Cuba,'92, 272; Fla. '81, 20, 41, '87, 136, 138, 142, 220, 281a, '88, 268a, 269, '89, 18, '90, 308, '91, 129a, 130a, 137, 180, '92, 211, '95, 364; Ga.'83, 42', '96, 215; g. dist.'93, 132; Jamaica, '92, 10, '94, 121; La.'90, 392; Labrador, 1900, 386; Me. '82, 123b, '83, 113b; N. C. '93, 243, '99, 246a; N. E. '76, 73b; N. H. '97, 316; N. J. '90, 327; N. S. '89, 64, '98, 195; N. Y. '85, 272, '93, 271, O. '92, 397, Que. '90, 387; R. I. '80, 123*, S. C. '79, 217, Tex. '78, 145, '82, 223*, '87, 185, '92, 232, 1900, 340; W. I. '80, 169, '81, 155, '87, 140, 325, '90, 374, '91, 47.—hbt. '92, 286, nst. '82, 223*, '83, 42*, '87, 136, 220, 281*, '89, 18, '92, 10, '94, 121, '99, 246*, 1900, 386, plm. '81, 20, '82, 3, '87, 142, '92, 10, 1900, 386; syn, '87, 325; musc. '87, 214*, '92, 194*.

candidissima (a Snowy Heron or White Egret, b Garzetta), Little Ala. '79, 13; Argent. '84, 271; Arız. '86, 385; Bahamas, '91, 351; Bras. '91, 161; Cal.'86, 91,'89, 223, Colo.
'77, 74,'79, 114⁵,'85, 17⁵,'94, 183; Fla. '87, 136, 138, 142, 215, 220, '88, 268^a, 269, '89, 18, '90, 221, '91, 137, '92, 211, '95, 364; Ga. '83, 42b; Jamaica, '92, 10, '94, 121; Ky. '89, 312; Mass. '82, 251'; Mo. '80, 191; N. E. '76, 73b; N. M.'92, 360; N. Y.'81, 248b, '84, 32b, '85, 299, '86, 435, '90, 395°, 1900, 69; Ont. '87, 247; S. C. '86, 246°; Tex. '78, 145, '82, 223', '87, 185, 1900, 340; Urug. '84, 271; Va. '76, 27; W. I.'81, 155, '87, 281° 282°, 324.—nst. '82, 223b, '83, 42b, '87, 136, 220, 281a, 282a, '89, 18, '94, 121; syn. '87, 324, '99, 202; misc. '87, 143, 214". 217a, 222a, '89, 18.

cinerea (European Blue Heron), Helg. '95, 337.—plm.'78, 183; misc. '83, 236.

cocoi, Argent., Urug., hbt. '84, 271; plm. '78, 183.

egretta (a American or Great White Egret, b Herodias), Argent. '84, 271; Ariz. '83, 36b, '86, 385; Braz. '91, 161; Cal. '86, 91; Colo. 1900, 298: Conn. '83, 237, 85, 96b. '87, 78, 1900, 294; C. R. '90, 332, '92, 329; Cuba, '91, 294; D. C. '87, 339"; Fla. '87, 136, 138, 142, 159, 215a, '88, 268a, 269, 280a, 281a, '89, 17, '90, 221, '91, 137, 180, '92, 211, '95, 364; Ga. '83, 42°, '96, 215; Ind. '87, 348, '99, 91; Jamaica, '92, 10, '94, 121; Ky. '83, 172b, '89, 312; La. '82, 165b; Man. '93, 49; Mass. '83, 242b, 243b. '89, 183b, '91, 120; Me. '76, 31b, '83, 113b; Miss. '82, 94b; Mo. '80, 191, '95. 355; N. B. '79, 63, '80, 63*; N. E. '76, 73b; N. J. '77, 74a, '79, 226, '85, 296a, '98, 51; N. Y.'79, 62, '84, 32b, 59b, '85, 299b, '90, 230, '96, 178, '99, 193, 1900, 69; Ont. '85, 110b, 336, '87, 247, Orc. '79, 197b, '87, 143; Pa. '85,

100^a; Que '82, 239; S. C.'85, 192^b; Tex.'78, 145, '82, 223^b, 1900, 340; Urug.'84, 271; Va.'88, 19; W. I.'81, 153 [luce '1], '87, 324.—hbt.'80, 181; meas.'87, 159, '93, 49; nst.'82, 223^b, '83, 42^b, '87, 136, 281^a, '94, 121, '95, 355; syn.'80, 88^b [californica'], '84, 384^b, '87, 324; misc.'87, 143, 214^a, 217^a, '91, 107^a, '95, 355.

frazari (Frazar's Green Heron), L. Cal. '88, 83*, 394.

herodias (a Great Blue Heron), Ala. '79, 13; Alas. '98, 126, Arız. '83, 36, '86, 385; Bahamas, '91, 77, 294, 295, 296, 297; Cal. '86, 91, '87, 329; Colo. '85, 17, 143; C. R. '90, 332, '92, 329; Europe, '80, 66; Fla. '87, 136, 215, 219°, 220°, 281°, '88, 183, 268°, 269, '90, 337, '91, 233; Ga. '83, 42, Ind. '88, 347; Iamaica, '92, 9, '94, 121; Ky. '89, 312; La. '82, 165; Man. '86, 150; Mass. '81, 127, '83, 149°, '90, 409; Me. '82, 151; Mich. '93, 223; Minn. '80, 18, '84, 247; Miss. '82, 93; Mo. '79, 147; Mont. '94, 302, '95, 213; N. B. '81, 58; N. C. '86, 179; N. H. '89, 76, 78; N. J.'79, 226,'94, 135; N. S. '87, 16, '91, 165, 1900, 73; N. Y. '78, 53, '81, 233; Orc. '79, 197, '83, 235*, '86, 164, '88, 143; P. E. I. '85, 221^a, '93, 8; Que. '82, 239; Revill. Is. '98, 316, 318; S. C. '79, 217, '85, 190, '90, 35; S. D. '85, 287; Tex. '82, 41, 223, '87, 185, '89, 236, '92, 232, 1900, 339; Va. '76, 27; Vt. '86, 2724; Wash. '92, 42, 1900, 351; W. I. '87, 323; Wis. '82, 188 .- anat. '90, 277; fd. '85, 221", '86, 385; hbt. '85, 221a, 90, 337; mig. 90, 397; nst. 76, 27, '80, 181, 187, '82, 223, '83, 42, 235a, 236a, '87, 136, 219a, 220a, 281*, '88, 347, '91, 107, 109; plm. '78, 183, '82, 345; syn. '87, 323; misc. '77, 64, '87, 214*, 283*, '90, 388*, '91, 107, '92, 286, '97, 25*.

occidentalis (* Great White Heron, b würdemanni, c Audubonia), Cal. '77, 95°? '96, 172; Cuba, '92, 272; Fla. '80, 122, 122b, '81, 41°, '86, 408, 408b, '87, 159, 159b, '89, 16, 16b, '90, 222, '92, 211, 211b; g. dist. '88, 394b, '93, 141; Ill. '95, 379b; Jamaica, '92, 9; Ore. '77, 95; W. I. '87, 324, 324b, -mst. '87, 159b, '89, 16, 16b; flm. '78, 183, 183b, '82, 1b, 3b, 5b, '88, 195b, '97, 232, 232b; syn. '80, 122, 122b, '87, 324, '97, 232; misc. '82, 242b, '87, 272b, '89, 167, paloccidentalis (fossil sp.) Ore

paloccidentalis (fossil sp.), Ore. '91, 367, '93, 344.

purpurea, Helg. '95, 337.—syn. '88, 196.

rufescens (Reddish, or Peale's Egret, b rufa, c Dichromanassa rufa, d pealei, e Demiegretta pealii), Bahamas, '91, 77, 296, 335, 3354; Fla. 154b, 325b.—hbt. '82, 1a; nst. '81, 20b, '87, 137^a, 281^a, '88, 184, '89, 18; plm.
'81, 20^b, 20^d, '82, 3^c, 3^d, '87, 143^a, 215a, '88, 184, 184a; syn. '80, 88e, 123, 123d, '87, 325b, 335; misc. '80, 88e, '87, 143b, 214a, 217a, '88, 401a. ruficollis (a Louisiana Heron, b Demiegretta ludoviciana, ° Hydrantricolor, d leucoprymna, Hydranassa ludoviciana, f tricolor), Bahamas, '91, 77, 295, 297, 337, '92, 48; Fla. '81, 20a, 41a, '87, 136, 1381, 139^a, 142, 215^t, 216^a, 220^t, 280^t, 281^a, 282^a, '88, 268^a, 269, '89, 18, '91, 130^a, 137, 233, '92, 211; *Ga.* '83, 42^e, '96, 215; g. dist.'93, 132; Ind.'77, 51b; Jamaica,'92, 10,'94, 121; N. C.'99, 247; Tex.'78, 145c,'82, 223c; W. I. **80, 107⁴, '86, 502, '87, 180, 181, 327.

-nst. '82, 223°, '83, 42°, '87, 136, 216°, 220°, 281°, 282°, '89, 18, '91, 77, '92, 10, '94, 121, '99, 247; plnt. '80, 107d, '81, 20d; syn.'80, 178c, '87, 327, '99, 202; misc. '87, 143, 214a. tricolor, syn. '99. 202.

sibilatrix, Argent., Urug., hbt. '84,

271.
virescens (* Green Heron, b Butorides), Assiniboia, '86, 150a; Ariz. '86, 385, '90, 48; Bahamas, '91, 295, 350, 351, '92, 48; Cal. '86, 91; Colom. 1900, 364b; C. R. '90, 332, '92, 329; Cuba, '92, 272; D. C. '88, 19; Engl. '92, 290, 290; Fla. '87, 136, 215, 280, '88, 269, '89, 18.'90, 308,'91, 129*, 137, '92, 211,'95, 364; Ga.'83, 42b,'96, 215; Ia.'95, 123; Ind.'82, 18b, 22b, '88, 348; Jamaica,'92, 10,'94, 121; Ky.'89, 312; La.'82, 165b,'87, 303; Mass.'81, 127,'95, 88; Minn.'95, 259; Mo.'79, 147; N. B.'83, 176a; N. C.'86, 102; N. H.'89, 76; N. J.''79, 226,'90, 327,'94, 136; N. Y.'81, 233b,'95, 259; O.'82, 46b, Ont.'99, 351; Ore.'88, 144; Pa.'92, 134,'96, 281, 291*, 292; S. C.'79, 217,'90, 35,

'91, 232; S. D. '85, 287b; Tenn. '86, 319, '87, 129, Tex. '82, 223b, '92, 232, 1900, 340; Va. '76, 27, '86, 160, '89, 53ª; Venez. 1900, 364b; W. I.'80, 169b, '81, 155, '86, 502, '87, 96, 180, 181, 326, '89, 32, '90, 374, 374, 375, '91, 47, 48, 48, '93, 220, Wis. '82, 188.-meas. '95, 259; mig, '95, 123; nst. '76, 27, '82, 18b, 22b, '83, 42s, '87, 136, 215, '88, 269, 348, '89, 18, '94, 121, '99, 351, syn. '87, 326, '99, 202b. wardi (a Ward's Heron), Fla. '82, 5*, 258, '84, 161, '87, 143, 272, '88, 183, '89, 17, '90, 308, '91, 128a, 135, 137, '92, 211, '95, 364; N. Am. '84, 384.-hbt. '91, 128a; meas. '82, 6, '84, 162, '91, 135; nst. '88, 183, '89, 17, '91, 128a; plm. '84, 161, 163, '88, 195, '89, 17, '97, 232; misc, '87, 143, 272. Ardeidæ (* Herons), '78, 17, 182, 183, 184, '79, 111a, '81, 163, '85, 212a, '86, 270°, '87, 167°, '88, 196°, '90, 388°, '96, 63°, 173, 1900, 95°. Ardeinæ, '78, 183, '89, 333, '90, 277. ardens (Piranga), see Piranga.

Ardetta, '83, 49, '92, 108, '99, 297.

eurythyma, syn. '88. 196.

exilis (* Least Bittern, b Botaurus), Cal. '87, 87b; Colo. '94, 183b; D.

C. '88, 19b; Fla. '81, 21, '86, 262, '89, 16b, '92, 211b, '95, 364; Ga. '83, 42;

Jamaica, '92, 9b, '94, 121; Man. '86, 150b; Mass. '76, 76, '83, 243*, '95, 87b; Minn, '81, 186, '84, 248; N. B. '82, 205, 176a, '83, 234*, N. F. '84, 188*; N. J. '79, 226, '85, 296a; N. S. '98, 195b; N. Y. '79, 175, '84, 288*, '94, 163, '97, 227, 1900, 178; Pa. '99, 310b; R. I. '81, 186; Tex. '82, 223, '87, 185b, 1900, 339; W. I '88, 50; Wis. '81, 186, -fd. '76, 76, '94, 121; hbt. '81, 186, '82, 223, '83, 42, 243*, '85, 101a, '87, 338*, '89, 16b, '92, 9b, '94, 121; plm. '96, 11; syn. '88, 50, '93, 61.

involucris, Argent., Urug., hbt. '84, 271.

minuta, Helg. 95, 337.

neoxena (Cory's Least Bittern, b Botaurus), Fla. '86, 262*, 408, '88, 394, '89, 317b, '91, 309, 309b, '92, 141b, 211b, 214b, g. dist. '96, 11-19 (col. pl.); Mich. '95, 77: Ont. '93, 363, '97, 411.—hht. '91, 309b; meas. '86, 262, '89, 318b, '93, 363; nst. '91, 309b, '96, 14: plm. '89, 317b, '92, 141b, '93, 363, '96, 11, '97, 411; syn, '93, 61; misc. '96, 16.

ardosiaca (Mimocichla), see Mimocichla.

- (Tyrannula), see Contopus. ardosiacea (Mimokitta), see Mimocichla.

ardosiaceus (Turdus), see Mimocichla ardosiaceus or plumbea.

ardosiacus (Contopus), see Contopus. --- (Horizopus), see Contopus. arenacea (Spizella), see Spizella. arenaceus (Mimus), see Mimus.

Arenaria, '84, 229, '87, 230, '96, 65, 1900, 75.

interpres (a Turnstone, b Strepsilas, c mormella), Alas. '85, 63b, 157; Arctic Am. '78, 86b; Bahamas, '91, 337, 351, 352, '92, 48; Cal. '87, 87, '98, 51; D. C. '84, 397b, '88, 147; Fla. '81, 18", '87, 219, 276", '89, 159, '92, 212; g. dist. '93, 124, 1900, 75, 75"; Gulf of Mex. '81, 252", H. I. 1900, 204; Helg. '95, 339; Hud. B. '90, 321; Ill. '77, 68, '96, 181; Jamaica, '92, 15, '94, 123; Kan. '99, 187; La. '97, 289; Malta, '77, 70h; Man. '86, 153; Mass. '92, 147, 306, '93, 28, 294, '94, 226; Md. '88, 147; Minn. '89, 340, '99, 76; Mo. '98, 27; N. Atlantic, '79, 128b, '84, 399b; N. C. '99, 246"; Neb. '95, 297"; N. J. '79, 224b: N. S. '87, 16; N. Y. '86, 438°, '89, 129; Que. '82, 238b: Revill Is. '98, 318; Tex. '78, 145b. '79, 51a. '82, 222b, '88, 110, 1900, 341; I'a. '88, 147; Wash. 93, 17; W. I. 80, 169b. '86, 502, '87, 231, '89, 32.—hbt.'92, 15, '93, 293, 293; mig. '81, 252*, '85, 63b, '87, 276b, '89, 159, '92, 306, '93, 247, 1900, 205; plm. '81, 162b, '86, 413a (mlt.), 1900, 76°, 370 (mlt.), 372 (mlt.); syn. '84, 229, '87, 231, 1900, 76; misc. '84, 173b, '87, 276*, '90, 395, '93, 294^a, 294^a, 1900, 70^a.

melanocephala (* Black stone, b Strepsilas), Alas. '80, 36b, '81, 5ª, '87, 12, '98, 127; Cal. '87, 329; g. dist. '93, 124; Wash. '92, 354.—syn. '84, 229.

arenaria (Calidris), see Calidris. – (Tringa), see Calidris.

arenicola (Otocoris), see Otocoris. -(Harporhynchus), see Harporhynchus.

argentata (Ceyx), see Ceyx. argentatoides (Larus), see L. delawar-

ensis.

argentatus (Larus), see L. argentatus, smithsonianus or schistisagus. argentea (Sterna), see S. antillarum.

argentifrons (Scytalopus), see Scytalopus.

Argentina.

Barrows, W. B., '83, 82-94, 129-143, 198-212, '84, 20-30, 109-113, 270-278, 313-319.

argentina (Cyanocompsa), see Cyanocompsa.

-- (Guiraca), see Cyanocompsa. (Thamnophilus), argentinus Т. ruficapillus.

Argusianus grayi, Borneo, '91, 14. ariel (Ramphastos), see Ramphastos. arizela (Geothlypis), see G. occidentalis. arizelus (Dendromus), see Dendromus. Arizona.

Allen, J. A., '80, 89, 90, 91, '86, 275-276, '87, 74-75, '89, 189, '91, 95-

Bendire, C. E., '78, 39, '83, 234. Breninger, G. F., '97, 403, '99, 352. Brewer, T. M, '79, 123.

Brewster, W., '81, 65-73, 103, 252. '82, 65-86, 135-147, 193-212, '83, 21-36, '85, 84-85. 196-200, '98, 186.

Brown, H., '87, 68, 69, 341, '88, 109, 116-118, '99, 270, 272, 1900, 31-34. Bryant, W. E., '81, 176-177.

Coale, H. K., '94, 217-221. Coues, E., '79, 54-57, '81, 183, 248, '82, 52-53, '92, 198-201,

Chapman, F. M., '97, 310. Dwight, J., Jr., '90, 148. Fisher, A. K., '92, 394, '94, 325-326.

Grinnell, G. B., '85, 297.

Holterhoff, G., Jr., '84, 85. Ingersoll, E., '80, 122.

Ladd, S. B., '91, 314-315. Mearns, E. A., '86, 60-73, 289-307,

90, 45-55, 243-264.

Merriam, C. H., '95, 54-60. Nelson, E. W., 1900, 120, 255.

Poling, O. C., '90, 402-403, '91, 313-314.

Price, W. W., '88, 385-386, 425, '95, 17 - 19.

Ridgway, R., '85, 343-345, '87, 69, 161-162, '98, 230, 325-326.

Scott, W. E. D., '85, 1-7, 159-165, 172-174, 242-246, 296, 321-326, 348-356, '86, 81-86, 249-258, 383-389, 421-432, 87, 16-24, 196-205, '88, 29-36, 159-168.

Scott, W. E. D., and Allen, J. A., '86, 249-258, 383-389, 421-432, '87, 16-24, 196-205, '88, 29-36, 159-168.

Stephens, F., '78, 92-94, '85, 225-231.

sumichrasti, Mex., syn. '98, 157. venezuelensis (b Embernagra coni-

rostris), Venez. '97, 364b, '98, 228*. verticalis (b Embernagra), Yuca-

ARIZONA. Swinburne, J., '88, 113-114, 321-322, **'90**, 97–98. arizonæ (Antrostomus), see A. arizonæ or macromystax. — (Aphelocoma), see Aphelocoma. ---- (Astragalinus), see Astragalinus. --- (Caprimulgus), see Antrostomus macromystax. — (Chrysomitris), see Astragalinus. (Coturniculus), see Peucæa. --- (Dryobates), see Dryobates. --- (Peucæa), see Peucæa. —— (Picus), see Dryobates. — (Spinus), see Astragalinus. --- (Spizella), see Spizella. Arkansas. Coues, E., '79, 238. Hay, O. P., '82, 89-94. Mitchell, R. H., '94, 327. Pleas, C. E., '90, 85. Ragsdale, G. H., '89, 224. Reynolds, H. S., '77, 74. Weir, D. B. ('Byrne'), '84, 285. Widmann, O., '96, 264. armillata (Fulica), see Fulica. (Muscicapa), see Myadestes. armillatus (Myadestes), see M. armillatus or solitarius. (Ptilogonys), see Myadestes armillatus or solitarius. armoricana (Fratercula), see F. arctica. Armstrong, Edward Henry. White-winged Crossbills in Rhode Island, 1900, 175. Arquatella, see Tringa. couesi, '80, 160*, see Tringa. arquatella (Tringa), see T. couesi or maritima. arquatus (Numenius), see Numenius. --- (Pitta), see Pitta. arra (Lomvia), see Uria. – (Uria), see Uria. Arremon, '98, 223. aurantiirostris, C. R. '92, 173. saturatus, C. R., syn. '92, 173. nigrirostris, misc. '87, 150. Arremonops, '97, 129, 232. caneus, Colom. '98, 339. chloronota, Mex. '98, 157. crassirostris (b Embernagra), Mex. '80, 41b. richmondi, g. dist. '98, 228*.

rufivirgata (Texas Sparrow,

sinaloæ, Mex. '99, 296.

'94, 171b.

Embernagra), g. dist. '93, 141b; Tex. '76, 89b, '80, 46b.—hbt., meas. '76, 89^b; nst. '76, 89^b, '88, 352^b; syn. '97, 129, 232.

striaticeps (b Embernagra), nst.

tan, '80, 42b. Artamides, '94, 234. Artamus, '94, 233. Aruba Island, West Indies. Chapman, F. M., '93, 355-357. arubensis (Conurus), see Conurus. Arundinicola leucocephala, Bras. '90, 133, 269.—nst. '90, 269. arvensis (Alauda), see Alauda. Asarcia, see Jacana. Asarcornis, '96, 162. asiatica (Ægialitis), see Ægialitis. Asio, '77, 64, '79, 168, '86, 466. accipitrinus (a Short-eared Owl, b Brachyotus cassini, c Brachyotus palustris, d mcilhennyi), Alas. '79, 53, '81, 6a, '85, 157, 201, 241, '87, 12, 1900, 184^a, 310^a; Argent. '84, 29; Cal. '97, 404, '98, 234; Colo. '85, 143, '87, 264, '94, 183°; Conn. '83, 183; Cuba, '86, 468; D. C. '90, 91 [not 'Surina caparoch,' see '90, 400]; Helg. '95, 330; Hud. B. '90, 322; Ida. '97, 353; Ill. '89, 175°; Ind. '88, 350; Ky. '89, 313; Man. '86, 155, 329; Mass. '79, 19°, '81, 242°, '83, 148°, '93, 370, '95, 88, '96, 88, 257, '97, 388, '98, 75-77a, 210-213a; Minn. '84, 246°; Mont. '95, 214; N. E. '76, 72^b, '77, 14^b; N. J. '79, 83^c, 223^c, '85, 87^a, '94, 136; N. Y. '82, 128, '93, 301°; O. '89, 201; Ore. '88, 146; Que. '82, 237, '89, 147; R. I. '96, 257; S. C. '79, 216°, '85, 189, '94, 38°; S. D. '85, 284; Tex.'82, 172°, '87, 189, '92, 100°, '86, 270°, '93, 301°, '96, 88, '97, 404, 1900, 244; plm. '82, 229, '83, 183 (alb.) '95, 287, '98, 212°; song. '92, 355, '93, 301°; syn. '78, 78, '83, 168, '84, 115, '86, 468; misc. '97, 396" (fig.), 1900, 112a. galapagoensis, syn. '83, 168. mexicanus, Venez. '97, 366. otus, Helg. '95, 330.—anat. '82, 87. portoricensis, W. I., meas., plm., syn. '86, 468. stygius, W. I., meas., plm., syn. **'86**. 466. wilsonianus (a American Longeared Owl, b Otus, c americanus), B.

C. '93, 291, 382; Cal. '86, 87a, 93; Colo. '81, 141b, '83, 197, '85, 17c; Conn. '93, 207; D. C. '88, 20, Ida. '83, 177, '97, 353, 1900, 244, Ind. '88, 350; Man. '86, 155, 329; Mass. '81, 185a, '95, 88; Minn. '80, 17b, '84, 246a; Mont. '94, 303, '95, 214; N. C. '93, 243, '94, 333; N. E. '76, 72b, '77, 14b; N. J. '79, 85a, N. M. '92, 361, '98, 308; N. Y. '81, 232c, '99, 285; Ore. '79, 195b, '83, 177c, '88, 146; Que. '82, 237; S. C. '85, 192; S. D. '85, 284c; Tex. '87, 189, '92, 234; Wash. '82, 227c, '93, 17, 291, 382, '97, 174.—fd. '99, 363; meas. '83, 235c; nst. 81, 185a, '83, 236a, '85, 99a, '86, 93, '88, 146, '89, 299, '90, 86a, '91, 108a, '97, 174, '99, 285; misc. '94, 303, '97, 396a (fig.), 1900, 112a.

asio (Megascops), see M. asio, maxwelliæ or floridana. —— (Scops), see Megascops asio or

floridana. aspersus (Megascops), see M. trichopsis. asserriensis (Chordeiles), see Chor-

deiles. assimilis (Agelaius), see Agelaius.

— (Callothrus), see Callothrus.

---- (Geospiza), see Geospiza.

--- (Pardalotus), see Pardalotus.

— (Puffinus), see Puffinus.

Astragalinus, '80, 96, '84, 361, '99, 79,

115. arizonæ (* Arizona Goldfinch, b Chrysomitris, c Spinus), Ariz. '82, 194b, '87, 198c'.'94, 218*; Tex. '92, 337c.—syn. '80, 96, 84, 362c, '87, 198c, '99, 79, 116.

jouyi, Yucatan, '98, 320*.

lawrencei (* Lawrence's Goldfinch, Chrysomitris, c Spinus), Ariz. '87, 199c; Cal. '78, 66b, '86, 87*, 182c, '89, 223c,—nst. '86, 182c; syn. '80, 96, '84, 362c, '99, 80, 116.

mexicanus (* Mexican Goldfinch, b Chrysomitris, c Spinus), Colo. '99, 187, C. R. '92, 249c; Cuba. '86, 208c; Tcx. '92, 337c, 341a-plm. '79, 46b; syn. '80, 96, '84, 362c, '99, 79, 116.

pallidus (Pale Goldfinch, b Spinus tristis, c Spinus), Ariz. '87, 197b, '90, 245c*, '92, 106c; Calo. 1900, 298; g. dist. '99, 115.—fd. '87, 197b; mcas. '90, 245c, 246c; plm. '87, 197b; syn. '91, 89c, '92, 106c, '99, 79, 115.

psaltria (Arkanese Goldfinch b

psaltria (Arkansas Goldfinch, b Chrysomitris, c Spinus), Ariz. '82, 194b, '87, 198c, '90, 49c, 258c; Cal. '86, 182c, '89, 222c, '90, 297c, '98, 235c; Colo. '81, 90, '83, 161b, '85, 16, 141, '87, 124°; g dist.
'93, 134°; N. M. '92, 365°, '98, 309°; Ore. '88, 358°, Tex. '87, 291°.

—fd. '87, 198°; hbt. '98, 309°; meas.
'82, 194°; plm. '79, 46°, '82, 194°; syn. '80, 96, '84, 362°, '99, 79, 116; misc. '94, 69°.

salicamans (Willow Goldfinch, b Chrysomitris tristis, c Spinus tristis, d Spinus), B. C. 1900, 106d; Cal. '78, 66b, '86, 182c, '89, 222c'; g. dist. '97, 397d*, '99, 79, 115; Ore. '79, 164b, '86, 168c, '88, 358c; Wash. '82, 227b.—fd. '86, 168c; hbt. '97, 397d; meas. '97, 397d; nst. '97, 397d; plm. '97, 397d (mlt.); syn. '99, 79, 115.

tristis (a American Goldfinch, Yellow-bird or Thistle-bird, b Chrysomitris, c Spinus), Ala. '79, 7h; Colo, '81. 90, '83, 161b, '85, 16, 141, '87, 124°, '95, 153*, 1900, 298; Conn. '94, 181*; D. C. '88, 22°; Fla. '88, 273°, '89, 321°, '91, 127*, 138°, '92, 213°, '95, 365°; Ga. '96, 213°; g. dist. '99, 115; Ida. '98, 15°; Ill. '90, 239°; Ind. '89, 24°; Kan. '94, 215°; Ky. '89, 314°; Man. '86, 322c; Mass. '83, 149a, '84, 6a, '88, 207°, 389°, '89, 44°, 100°, 229°, '95, 182°; Me. '82, 147; Mich. 226°; Minn. '80, 14b, '84, 244; Mo. '79, 143b, '95, 221a, '96, 218c; Mont. '94, 305c, '95, 216c; N. B. '82, 147, '84, 294", '89, 118°; N. C. '86, 107°, 314°, '89, 119°; N. F. 1900, 72°; N. H. '87, 105°, '88, 150°, 152°, 154°, '89, 77°, 78°; N. J. '94, 139°; N. S. '87, 16°; N. Y. '79, 35b, '81, 229, '82, 188b, '83, 58b, '84, 329, '87, 188b, '90, 231°, 1900, 295*; Orc. '88, 358° [salicamans?]; Pa. '92, 137°, '93, 40°, 44°, '96, 283°, 291°, 294°; P. E. I. '85, 264°, '93, 6°, 11°; Que. '82, 235; S. C. '79, 214b, '90, 124c, '91, 328; S. D. '85, 279; Tenn.'86, 317", '87, 131°; Tex, '82, 12, 37, '87, 291°, '92, 237°; Va. '86, 159°, '89, 53°; I t. '98, 239-243"; IVash. '92, 356°, '97, 177°, 1900, 354°; Wis. '82, 188b; W. Va. '98, 136°,--fd. '82, 12, '98, 239", '99, 362"; hbt. '98, 239"; meas. '90, 246°, '97, 397°; mig. '81, 98"; nst. '87, 264", '88, 22°, '98, 239"; plm. '77, 73b, '78, 117b, '79, 28ª (alb.), 35^h (mlt.), 46^h, '84, 329 (mlt.), '96, 241° (mlt.); song. '84, 64", 329, '90, 199"; syn. '80, 96, '84, 362°, '99, 79, 115; misc, '77, 74°, '83, 119°, '90, 80°, 82°, '94, 69°.

Astrapia nigra, misc. '83, 55. Astrarchia, '86, 398. astreans (Acestrura), see Acestrura.

- (Leucosticte), see Leucosticte.

--- (Certhiola), see Cœreba.

--- (Cœreba), see Cœreba. --- (Chenopsis), see Chenopsis.

```
ASTUR.
                                          45
Astur, '94, 236, 1900, 167.
    henshawi, '84, 166*, see Accipiter
  striatulus.
    poliogaster, syn. '81, 210.
                                             - (Parra), see Metopidius indicus.
Asturina, '93, 132.
    nitida, Bras. '91, 161.
    plagiata (Mexican Goshawk), Aris.
  '83, 31, '86, 423.—fd., meas., nst.,
  plm, song. '83, 31; syn. '85, 205;
  misc. '83, 178.
atactus (Dicrurus), see Dicrurus.
Atagen, see Fregata.
ater (Hæmatopus), see Hæmatopus.
    – (Milvus), see Mılvus.
 - (Molothrus), see Molothrus.
  — (Parus), see Parus.
   - (Quiscalus), see Q. niger.
 -- (Scaphidurus), see Cassidix ory-
       zivora.
   — (Totanus), see Totanus.
aterrimus (Glaucopis), see Platysmurus.
- (Microglossus), see Microglossus.
   - (Pachyrhynchus), see Platypsaris
       niger.
  - (Platysmurus), see Platysmurus.
Athene noctua, Helg. '95, 329.
Atlapetes, '88, 412.
     dilutus, Mex. '98, 228*.
atkhensis (Lagopus), see Lagopus.
Atkins, Harmon Albro.
   The Snowbird (Junco hyemalis) in
     southern Michigan in summer, '79,
     238.
   Obituary of, '85, 391.
Atkins, John W.
                                   West.
  Columba corensis at Key
     Florida, '99, 272,
atkinsı (Sitta), see Sitta.
Atkinson, George Francis.
  Preliminary cat. of birds of North
     Carolina (rev.), '88, 311.
Atlantic Monthly.
  Titles (No. 268), '83, 173, (No. 975),
     '85, 373 (Nos. 1645-1669), '90,
     199.
Atlantic Ocean.
  Brown, J. C., '96, 176.
D'Urban, W. S. M., '92, 289.
Jeffries, W. A., '86, 131-132.
  Lucas, F. A, '87, 1-6.
Ridgway, R., '85, 386-387.
  Thayer, G. H., '99, 273-276.
Young, C. J., '84, 398-399.
atlantica (Symphemia), see S. semi-
       palmata.
atra (Fulica), see F. atra or americana.
    - (Schistochlamys),
                                 Schisto-
                           see
       chlamys.
```

atrata (Catharista), see Catharista.

```
atratus (Catharistes), see Catharista
      urubu.
--- (Cathartes), see Catharista urubu.
— (Pipilo), see P. megalonyx.
— (Vultur), see Catharista urubu.
atricapilla (Chlorophanes), see Chloro-
      phanes.
   - (Cœreba), see Chlorophanes.
--- (Culicivora), see Polioptila cali-
      fornica or plumbea.
--- (Dacnis), see Chlorophanes.
—— (Emberiza), see Zonotrichia cor-
      onata.
 — (Muscicapa), see Muscicapa.
- (Pitta), see P. atrıcapılla or sor-
      dıda.
 --- (Sylvia), see Sylvia.
atricapillus (Accipiter), see Accipiter.
—— (Astur), see Accipiter atricapil-
      lus or striatulus.
 - (Brachyurus), see Pitta sordida.
--- (Donacobius), see Donacobius.
- (Lanio), see Lanio.
- (Lanius), see Thamnophilus cir-
      rhatus.
--- (Megascops), see Megascops.
—— (Orchilus), see Orchilus.
---- (Pachyramphus).
      ramphus.
--- (Parus), see Parus.
--- (Scops), see Megascops.
--- (Vireo), see Vireo.
atriceps (Chlorospingus), see C. postoc-
      ularis.
--- (Colinus), see Colinus.
- (Empidonax), see Mitrephanes.
- (Mitrephanes), see Mitrephanes.
 - (Phrygilus), see Phrygilus.
Atrichia, '81, 32, 36, '93, 184.
Atrichornis, see Atrichia.
atricilla (Chrœcocephalus), see Larus.
--- (Chroicocephalus), see Larus.
- (Larus), see Larus.
--- (Xema), see Larus.
atricollis (Parra), see Metopidius al-
      binucha.
- (Trogon), see Trogon.
atricristatus (Lophophanes), see Parus.
 — (Parus), see Parus.
atrigularis (Spizella), see Spizella.
--- (Cacopitta), see Turdinus.
—— (Turdinus), see Turdinus.
--- (Turdus), see Turdus.
atripes (Lepidocolaptes), see Picolaptes
      angustirostris.
```

ATRIROSTRIS. atrirostris (Cyclorhis), see Cyclorhis. atrofuscus (Anous), see Anous. atronitens (Molothrus), see Molothrus. atroviolaceus (Chalcophanes), see Quiscalus. —— (Dives), see Quiscalus. --- (Quiscalus), see Quiscalus. --- (Scaphidurus), see Quiscalus. --- (Scolecophagus), see Quiscalus. Attagen, see Lagopus. Atthis, '84, 57. ellioti, Guatemala, '80, 41. heloisa (b Trochilus), L. Cal. '90, 215; Mex. '92, 377; Tex. '91, 115b [= Stellula callione].—syn. '91, 88b, 115b; misc. '99, 111b. morcomi (Morcom's Hummingbird), Aris. '98, 325*, '99, 111; syn. '99, 111. Atticora cyanoleuca, Urug.'83, 90; Venez. '97, 364.-mig. '83, 90. montana, Bolivia, '90, 382; C. R. '92, 22.-hbt., nst. '92, 22. Attila citriniventris, Braz., plm. '91, 25.

cozumelæ, Yucatan, '85, 295. viridescens, Braz. '89, 172, '91, 25.

Attwater, Henry Philemon.

List of birds observed in vicinity of San Antonio, Texas, '92, 229-238, 337-345.

Birds destroyed by a 'norther,' '92,

attwateri (Tympanuchus), see Tympanuchus.

audax (Myiodynastes), see Myiodynas-

Audubon, John James.

Last portrait of, '94, 309-311, (pl.); letter of, '94, 311-313; monument to, '87, 359, '88, 123, 221, 336, 448, '91, 322, '92, 207, '93, 211, 308, '94, 88, '97, 432; ornith. biography, vol. i, '91, 230; photograph of, '95,

Audubon, Maria Rebecca.

Audubon and his journals (rev.), '98, 78, 198-205.

Auduhon, M. R., and Shufeldt, R. W., see Shufeldt and Audubon.

Audubon, Ornithological Club of Chicago, '89, 284.

Audubon Magazine, '87, 175.

Audubon Society.

288; magazine, '87, Founding, '86, 175; of Connecticut, '98, 288; of New York, '97, 257, 343, '98, 78, **'99**. 216.

auduboni (Dendroica), see Dendroica. --- (Dryobates), see Dryobates.

--- (Hylocichla), see Hylocichla --- (Icterus), see Icterus.

--- (Polyborus), see P. cheriway --- (Puffinus), see Puffinus.

--- (Turdus), see Hylocichla.

Aughey, Samuel.

Notes on Food of Birds of Nebraska (rev.), '79, 110-112.

augusta (Chrysotis), see Amazona imperialis.

augusti (Phæthornis), see Phæthornis. augustus (Amazona), see A. imperialis. - (Œnochrus), see Amazona im-

perialis.

- (Psittacus), see Amazona imperialıs.

- (Psittacus), see Psittacus.

Auk, Black-throated, see Synthliboramphus antiquus.

Crested, see Simorhynchus cristatel-

Great, see Plautus impennis.

Paroquet, see Cychlorrhynchus psittaculus.

Razor-billed, see Alca torda.

Whiskered, see Simorhynchus cristatellus.

Auklet, Cassin's, see Ptychoramphus aleuticus.

Crested, see Simorhynchus cristatellus. ·

Least, see Simorhynchus pusillus.

. Paroquet, see Cyclorrhynchus psittaculus.

Rhinoceros, see Cerorhinea monocerata.

Whiskered, see Simorhynchus pygmæus.

Auks, see Alcidæ.

Aulacorhamphus calorhynchus, Colom., Venez.'99, 137.

> dimidiatus, Venez. '86, 333*. lautus, Colom. '99, 91.

aura (Cathartes), see Cathartes.

--- (Rhinogryphus), see Cathartes.

--- (Vultur), see Cathartes.

aurantia (Merula), see Merula. - (Mimocichla), see Merula,

- (Semimerula), see Merula.

aurantiacus (Peucedramus), see Peucedramus.

auranticollis (Pyrrhula), see Pyrrhulagra portoricensis.

aurantiifrons (Hylophilus), Hylophilus. aurantiirostris (Arremon), see Arre-

- (Catharus), see Catharus,

- (Saltator), see Saltator.

```
aurantiiventris (Mitrephanes), see Mi-
       trephanes.
aurantio-atro-cristatus (Tyrannus), see
        Tyrannus.
aurantius (Catharus), see Merula.
- (Turdus), see Merula.
auratus (Colaptes), see C. auratus, lu-
       teus or chrysocaulosus.
--- (Cuculus), see Colaptes.
--- (Eulampis), see E. jugularis.
—— (Phalacrocorax), see P. dilophus.
  - (Picus), see Colaptes.
--- (Trochilus), see Eulampis jugu-
       laris.
aurea (Eriocnemis), see Eriocnemis.
aureinucha (Dacnis), see Dacnis.
aureiventris (Pseudochloris), see Pseu-
       dochloris.
aureola (Dendroica), see Dendroica.
—— (Emberiza), see Emberiza.
aureoventris (Chlorostilbon), see Chlo-
       rostilbon.
aureus (Conurus), see Conurus.
auricapilla (Pipra), see Pipra.
auricapillus (Icterus), see Icterus.
—— (Siurus), see Seiurus.
auricularis (Geothlypis), see Geothly-
—— (Otogyps), see Otogyps.
—— (Puffinus), see Puffinus.
—— (Vultur), see Otogyps.
aurifrons (Centurus), see Melanerpes.
  --- (Melanerpes), see Melanerpes.
Auriparus, '84, 280, '93, 112, 131.
    flaviceps (a Verdin, b ornatus),
  Aris. '78, 93, '82, 81, '88, 166,
  '94, 219; Cal. '84, 354, '90, 296, '92, 287b; g. dist. '93, 135, '97, 393, 394; L. Cal. '95, 143; Mcx. '85,
  229; N. M. '78, 93, '92, 368; Tex. '80,
  46b ['flavifrons'], '92, 344, 1900,
  348.—hbt. '95, 143; meas. 97, 394;
  nst. '78, 93, '82, 81, '83, 175a, '88, 166,
  790, 296, '92, 344, '94, 219, '95, 143; plm. '97, 393; syn. '97, 390, 391b; misc. '83, 76.
    lamprocephalus, g. dist.'97, 391*;
  L. Cal. '99, 126.—meas. '97, 391, 394;
  syn. '97, 390, '99, 126.
auripectus (Sycalis), see S. flaveola.
auritus (Colymbus), see Colymbus.
  -- (Dytes), see Colymbus.
 - (Podicipes), see Colymbus.
aurocapilla (Dendroica), see Dendroica.
--- (Ficedula), see Seiurus.

    (Henicocichla), see Seiurus.

--- (Motacilla), see Seiurus.
aurocapillus (Accentor), see Seiurus.
```

—— (Sciurus), see Seiurus.

—— (Seiurus), see Seiurus. --- (Siurus), see Seiurus. - (Sylvia), see Seiurus. --- (Turdus), see Seiurus. aurulenta (Lampornis), see L. domini-- (Margarochrysis), see Lampornis dominicus. aurulentus (Eulampis), see Lampornis dominicus. - (Trochilus), see Lampornis dominicus. Australia. Coues, E., '84, 87. australis (Ammodramus), see A. passerinus. — (Apteryx), see Apteryx. — (Falco), see Falco. - (Leucosticte), see Leucosticte. ---- (Peucæa), see Peucæa. --- (Senex), see Senex. Austria. Allen, J. A., '90, 196-197. Dalgleish, J. J., '80, 68, 144, 215, 219. Stejneger, L., '87, 144-145. Automolus pectoralis, Mex. '97, 54*. rufipectus, Colom. '98, 339. autumnalis (Anas), see Dendrocygna. — (Dendrocygna), see D. autumnalis or aborea? — (Plegadis), see Plegadis. — (Tringa), see Plegadis. Averill, Charles Ketchum, Jr. Feeding habits of Sitta canadensis, **'88**, 118. Yellow Rail in Connecticut, '88, 319. Loggerhead Shrike at Bridgeport, Connecticut, '89, 74. Tringa bairdii on Long Island Sound, **'89**, 189. Evening Grosbeak in Connecticut, '90, 211. Brunnich's Murre in Connecticut, '91, 307. List of birds of Bridgeport, Conn. (rev.), '93, 352. Avery, William Cushman. Obituary of, '94, 190, 263. Avicula (magazine), '97, 257. Avocet, American, see Recurvirostra americana. Avocets, see Recurvirostridæ. avocetta (Recurvirostra), see Recurvirostra. axillaris (Amaurospiza), see Amaurospiza. ayresii (Colaptes), see C. cafer. Aythya, '88, 65, '95, 293-295, '96, 162, **'9**7, 133.

affinis (a Lesser Scaup or Blackheaded Duck, b Fuligula, c Fulix), Aris.'86, 385, Bahamas,'91, 294, 296; Cal. '86, 90; Colo. '81, 142b, '85, 18°; Engl. '77, 107°, Fla. '88, 269, 379, '91, 128, 137, '92, 211, '95, 188°, 364; Ga. '96, 215, G. Brit. '80, 213°, g. dist. '93, 125; Holland, '80, 213b, Ill.'77, 68°, '81, 124b, Ind.'88, 346, Jamaica, '91, 364; La. '97, 286, Man. '86, 149; Mass. '92, 304, '94, 225, '96, 202; Mich.'80, 62°; Minn.'84, 249°; Mo. '78, 149b; Mont. '95, 212; N. D. 79, 161a, 162a, 163a, 164, 165a, N. F. 1900, 71; N. Y. '82, 257b; Ore '79, 198b, '86, 163, '88, 142; Que. '82, 239b; S. C. '85, 193b, '88, 203a; S. D. '85, 288°; Tex. '82, 225°, '87, 184, '92, 232, 1900, 339; Wash. '92, 42, '97, 171; W. I. '81, 128c, '88, 65, '90, 373; W. Va. '98, 134.—nst. '99, 164a; plm. '76, 23b (alb.), '79, 30a (alb.); syn. '83, 62°, '86, 127, '88, 65; misc. '83, 174°.

americana (a Redhead Duck, b Fuligula, c Fulix), Aris. '86, 184; B. C. '93, 291; Cal. '86, 89, 401, 403; Colo. '85, 18; g. dist. '93, 125; Ida. 1900, 242; Jamaica. '91, 364; La. '97, 286; Man. '86, 149; Mass. '81, 127b, '92, 304, '96, 201; Mich. '80, 61; Minn. '80, 19b, '84, 188a, 249, '96, 79a; Mont. '95, 212; N. Dak. '99, 161a, 162a, 165a; N. Y. '82, 257b, Ont. '84, 185a, '85, 372b; Orc. '88, 142, '91, 366c (fossil), Pa. '99, 309; S. C. '85, 193b; S. D. '85, 288; Tenn. '89, 312; Tex. '87, 184, '92, 232, 1900, 339; Wash. '93, 17, 291; W. I. '88, 66; hbt. '92, 384; meas. '80, 62; nst. '80, 61, '87, 94, '90, 83, '99, 165a; plm. '83, 126c (alb.), '98, 50; song, '80, 61; syn. '88, 66; misc. '93, 384.

collaris (* Ring-necked Duck, * Fuligula, * Fulix), Alas. '85, 158°; Colo. '85, 18°; Engl. '77, 10°; Fla. '81, 21*, '88, 269, 379, '92, 211; Ga. '96, 215; G. Br. '80, 213*; g. dist. '93, 125; Ida. '97, 350; Ill. '77, 68°; Jantaica, '91, 364; La. '97, 286; Man. '86, 149; Mass. '92, 74, '96, 202; Mc. '82, 190°; Minn. '80, 61*, '84, 249°; N. D. '99, 161*, 162*; N. Y. '93, 270. '99, 191; Orc. '86, 163?, '88, 142, '97, 206*; Ouc. '82, 239*; S. C. '85, 193*; S. D. '85, 288°; Tex. '82, 42°, '87, 185, '92, 232; W. I. '88, 66.—hbt. '92, 384; meas. '80, 61*; nst. '80, 61*, '99, 162*; plm. '87, 24, '92, 162 (hyb.), '97, 206*; syn. '88, 66.

cristata, Helg '95, 326 ferina (b Fuligula), Helg.'95, 326; plm.'92, 162b (hyb.).

marila (a American Scaup or Greater Black-headed Duck, b Fuligula, c Fulix, d nearctica), Alas. '85, 158c, '98, 126d, Aris.'86, 384d, '92, 198a, Bahamas, '91, 337^d, Cal. '86, 90^d; Colo. '81, 142^b, '85, 18^c; Conn. '95, 293-295; Fla. '87, 141d [affinis?], '88, 379d [affinis?]; g. dist. '93, 125d, '99, 104, Helg. '95, 326; Ky. '89, 312d, La. '97, 286^d; Man. '86, 149^d, 329^d; Mass. '92, 304^d, '94, 225^d, '95, 310^d, '96, 202, '97, 228, '98, 189d; Mich. '80, 62°; Minn.'84, 249°; N. Dak.'99, 162°, 163; N. J. '79, 226b; N. Y. '82, 256b, '84, 178c; Orc.'88, 142d,'91, 367d (fossil), '93, 344d (fossil); Tex. '82, 225°, '92, 345°; Va. '88, 18°; Wash. '92, 42d. '97, 171d.—hbt. '92, 384d; meas.'80, 62°; mig.'84, 178°; nst. '80, 62°, '88, 18ª; plm. '95, 293; syn. '83, 62°, '86, 127, '95, 293, '96, 162d, '97, 135, '99, 104; misc. '88, 379^d (corr.).

mariloides, Kamts., syn. '86, 127. vallisneria (a Canvas-back Duck, b Fuligula), Ariz. '86, 384, '92, 198a; Cal. '86, 90; Colo.'85, 18; g. dist. '93, 125; Jamaica, '91, 364; Ky. '89, 312; La.'97, 286; Man.'86, 149; Mass.'96, 201,'97, 206; Minn.'80, 19b; N. B.'82, 106; N. D.'79, 50a, '99, 161a, 162a, 164, 165a, N. Y.'82, 257b,'99, 285; Ore.'88, 142a; Pa.'99, 309; S. D.'85, 288; Tex.'82, 225, '87, 184, '92, 232, 1900, 339; Wash.'92, 42, 1900, 350; W. I.'88, 66.—hbt.'92, 384; mig.'80, 137a; nst.'99, 164; plm.'76, 23b (alb.), '92, 162 (hyb.); syn.'88, 66.

'92, 162 (hyb.); syn. '88, 66. azaræ (Cyanotis), see Cyanotis. azteca (Cyanocitta), see Cyanocitta. aztecus (Regulus), see R. olivaceus.

--- (Troglodytes), see T. aztecus or parkmanii.

azurea (Calocitta), see Calocitta.

—— (Dendroica), see D. rara. —— (Hypothymis), see II. occipitalis.

(Sialia), see Sialia.

В

Babcock, Charles Almonzo. Bird-day in schools of Oil City, Pa., 94, 341. bacatus (Picoides), see Picoides. bachmani (Fringilla), see Peucæa.

	10
—— (Hæmatopus), see Hæmatopus.	
(Halingia) sac Halminthaphila	١.
(Helminthophaga), see Helmintho-	
pinia.	-
—— (Peucæa), see Peucæa. —— (Sylvia), see Helminthophila.	1_
— (Sylvia), see Helminthophila.	
brachyotus (Strix), see Asio portori-	-
censis.	-
Badger, George Bergen.	1_
Histrionicus histrionicus on Long	
Island, New York, '89, 67.	-
badiosus (Micropternus), see Microp-	-
ternus.	_
—— (Meiglyptes), see Micropternus.	
	-
—— (Phæopicus), see Micropternus. —— (Picus), see Micropternus.	-
badius (Molothrus), see Molothrus.	-
Bagg, Egbert, Jr.	-
Cuckoo's egg in a Cedar-Bird's nest,	
'77. 110.	-
Lincoln's Finch (Melospiza lincolni)	-
Lincoln's Finch (Melospiza lincolni) breeding in Hamilton Co., New	
York, '78, 197. Nesting of Certhia familiaris, '79, 183.	-
Nesting of Certhia familiaris, '79, 183.	
Loggerhead Shrike in central New York, '79, 237.	-
York, '79, 237.	
Nest of Dendræca cærulescens, '80,	-
238.	B
Melospisa lincolni breeding in New	
York again, '81, 246. Turkey Buzzard in central New York,	1
'85, 109.	
Birds of Oneida Co., New York, '94,	
162–164.	
New records for central New York,	
'97, 226.	
Bird news from central New York,	
1900, 177.	
Bagg, E., and Ralph, W. L., see Ralph and Bagg.	
and Bagg.	
Bahama Islands, W. I. (see also sepa-	1
rate islands).	
Allen, J. A., '80, 107, '87, 155, '91,	
Anieti, J. A., 80, 107, 87, 153, 91, 300, '92, 179–180, 1900, 187. Bangs, O., 1900, 283–293. Chapman, F. M., '92, 283. Cory, C. B., '80, 107, '86, 1–59, 187–245, 337–381, 454–472, '87, 37–51, 100, 120, 120, 120, 120, 120, 120, 12	
Bangs, O., 1900, 283-293.	
Спартап, г. м., '92, 283.	
24E 227 201 AEA 470 307 27 E1	
108-120, 223-232, 311-328, '91,	
108-120, 223-232, 311-328, '91, 292-298.	
Maynard, C. J., '87, 155.	
Ridgway, R., '86, 334–337.	
bahamensis (Anas), see Pæcilonitta.	
(Ardea), see Ardea.	
— (Ardea), see Ardea. — (Blacicus), see Blacicus. — (Centurus), see Centurus. — (Certhia), see Cœreba. — (Certhiola), see Cœreba.	
— (Centurus), see Centurus	ba
— (Certhia), see Cœreba.	B
— (Certhiola), see Cœreba.	-
(Coroba) see Coroba	1

```
49
                   BAILY.
      - (Chamæpelia), see Columbigallina.
   --- (Colinus), see Colinus.
   --- (Columbigallina), see Columbigal-
         lına.
   --- (Contopus), see Blacicus.
   --- (Dafila), see Pæcilonitta.
   --- (Dendroica), see D. bahamensis or
         acrustera.
   --- (Empidonax), see Blacicus.
   - (Fringilla), see Spindalis zena.
   - (Loxigilla), see Pyrrhulagra vio-
         lacea.
   — (Mımus), see M. gundlachi.
   --- (Pæcilonitta), see Pæcilonitta.
   —— (Parus), see Cœreba.
   --- (Pitangus), see Pitangus.
   --- (Psittacus), see Amazona leuco-
         cephala.

    (Saurothera), see Saurothera.

   --- (Scotiomimus), see Mimus gund-
   --- (Speotyto) [of Cory], see Speo-
     - (Speotyto) [of Maynard], see S.
         cavicola.
      - (Trochilus), see Doricha evelynæ.
   Bailey, Harry Balch.
    Notes on birds found breeding on
       Cobbs, I., Virginia, '76, 24-28.
    Occurrences of Leconte's Bunting (Coturniculus lecontei) in Iowa,
      77, 26.
    Occurrence of Passerculus princeps in
      New York, '77, 78.
    Occurrence for first time in England
      of the Robin (Turdus migratorius),
      '77, 110.
    New traits for Red-headed Wood-
      pecker (Melanerpes erythroceph-
    alus), '78, 97.
'Forest and Stream' bird notes (rev.), '82, 175.
    Memoranda of a collection of eggs
from Georgia, '83, 37-43.
Breeding habits of Everglade Kite,
      '84, 95.
    [Egg collection of], '85, 318.
    Cardinal Grosbeak and Tufted Tit-
      mouse breeding in New Jersey, '86,
      410.
    Singular nesting site of Wilson's
      Thrush, '86, 489,
    Brown Thrush laying in nest of Wood
      Thrush, '87, 78.
   ailloni (Porzana), see Porzana.
   Saily, William Lloyd.
   Western Sandpiper (Ereunetes occi-
```

dentalis) more abundant than

– (Cœreba), see Cœreba.

Semipalmated (E. pusillus), '96,

Summer birds of northern Elk Co., Pa., '96, 289-297.

Disgorgement of cherry stones again noted, '97, 412.

Dovekie (Alle alle) on coast of Virginia, 1900, 293.

Bain, Francis.

Migration of the Swallows, '85, 216. A Blue Heron's meal, '85, 221.

Winter birds of Prince Edward Island, '85, 262-267.

Wild Swan in Prince Edward Is. **'86**, 131.

Baird, Spencer Fullerton.

Occurrence of Puffinus borcalis at Gayhead, Mass., '87, 71.

Obituary of, '87, 358.

Spencer, Fullerton Baird [A memorial address], '88, 1-14.
Baird, S. F., Brewer, T. M., and Ridg-

way, R.

Water birds of North America (rev.), '84, 382-386; corrections, '86, 124-126, 266-268, 401-404.

bairdi (Acanthidops), see Acanthidops. --- (Actodromas), see Tringa.

--- (Ammodramus), see Ammodramus.

- (Buteo), see B. swainsoni.

- (Campephilus), see Campephilus.

- (Centronyx), see Ammodramus [or A. princeps, '78, 3].

- (Certhiola), see Cœreba bahamensis.

- (Coccyzus) see C. americanus.

- (Correba), see C. bahamensis. --- (Coturniculus), see Ammodramus.

— (Dryobates), see Dryobates.

—— (Emberiza), see Ammodramus.

--- (Empidonax), see Empidonax.

- (Geothlypis), see Geothlypis.

- (Graculus), see Phalacrocorax resplendens.

- (Icterus), see Icterus.

--- (Junco), see Junco.

(Melanerpes), see M. bairdi or formicivorus.

—— (Myiodynastes), see Myiodynastes.

--- (Oreomyza), see Oreomyza.

--- (Passerculus), see Ammodramus. --- (Saurophagus), see Myiodynastes.

--- (Sialia), see Sialia.

— (Thryothorus) see Thryomanes leucogaster.

- (Tringa), see Tringa.

- (Vireo), see Vireo. Balæniceps, '96, 63.

Balænicipidæ, '78, 184.

Baker, Charles Fuller.

An important factor in study of western bird-life, '96, 20.

Baldamus, Auguste Karl Eduard.

[Collection of nests and eggs], '85, 116.

Obituary of, '95, 94.

Bald-head, see Perisoreus capitalis.

Baldpate, see Mareca americana, Columba leucocephala or Fulica americana.

Balearica pavonina (* Crowned Crane), anat. '91, 386°.

Ball, Forrest.

Colaptes auratus in Calif. '85, 383.

Ball. Helen Augusta.

Peculiar nest of Chipping Sparrow, '95, 305.

Pinicola enucleator at Worcester, Mass., '96, 259.

A Mockingbird at Worcester, Mass., '97, 324.

balthica (Gelochelidon), see G. nilotica. - (Sylochelidon), see Sterna caspia. baltimore (Hyphantes), see Icterus galbula.

— (Icterus), see I. galbula.

--- (Oriolus), see Icterus galbula.

(Yphantes), see Icterus galbula.

Bambusicola, '94, 172.

Banana-bird, see Correba bahamensis Icterus leucopteryx, or Spindalis nigricephala.

hananivora (Certhiola), see Coreba.

— (Cœreba), see Cœreba, - (Motacilla), see Coreba.

bancrofti (Trochilus), see Eulampis jugularıs.

Bangs, Edward Appleton, and Outram. White-winged Gull (Larus leucopterus) in Mass., '81, 124.

Bangs, Outram.

Another record of breeding of Sawwhet Owl (Nyctale acadica) in eastern Mass., '94, 77.

Distribution of Hudsonian Chickadee, '94, 81.

New races of birds from eastern N. Am., '98, 173--183.

Cairns's Warbler (Dendroica carulescens cairnsii) in Georgia in migration, '98, 192.

Birds from Santa Marta, Colombia (rev.), '98, 339.

Birds from Pueblo Viejo, Colombia (rev.), '98, 339,

Birds from the Sierra Nevada de Santa Marta, Colom. (rev.), '99, 90.

Hummingbirds of the Santa Marta region of Colombia, '99, 135-139 New Barred Owl from Texas (rev.), '99, 291.

Labrador Spruce Grouse (rev), '99, 291.

New Rail from southern California (rev.), '99, 291.

Subspecies of Manacus manacus (rev.), '99, 292.

New or rare birds from the Sierra Nevada de Santa Marta, Colombia (rev.), 1900, 82.

Review of the Three-toed Woodpeckers of North America, 1900, 126-142 (2 figs.).

The Gray-breasted Wood Wrens of the Sierra Nevada de Santa Marta (rev.), 1900, 184.

A small collection of birds from San Sebastian, Colom. (rev.), 1900, 184. Notes on a collection of Bahama birds, 1900, 283-293 (2 figs.).

New Dove from the Sierra Nevada de Santa Marta, Colombia (rev.), 1900, 306.

Occurrence of Little Blue Heron in Labrador, 1900, 386.

Bank-bird, Brown, see Crymophilus fulicarius.

White, see Phalaropus lobatus.

Banks, James W.

Nesting of Broad-winged Hawk (Buteo pennsylvanicus), '84, 95.

The Great Horned Owl (Bubo virginianus), in confinement, '84, 194.

Nest and eggs of Rusty Grackle (Scolecophagus ferrugineus), '85, 106.

Barbacous, '90, 72.

barbadensis (Cœreba), see Cœreba.

--- (Certhiola), see Cœreba.

—— (Dendroica) see D. capitalis.

--- (Elænia), see Elænia.

- (Loxigilla), see Pyrrhulagra.

--- (Pyrrhulagra), see Pyrrhulagra.

---- (Vireo), see Vireo.

Barbadoes, West Indies.

Cory, C. B., '86, 382, '88, 47. Lawrence, G. N., '79, 228-230. barbarus (Megascops), see Megascops.

— (Scops), see Megascops. barbata (Chrysomitris), see Spinus.

barbatulus (Phyllomanes), see Vireo.
— (Vireo), see Vireo.

barbatus (Spinus), see Spinus. barbirosiris (Tyrannula), see Myiarchus barbirostris.

barbirostris (Blacicus), see Myiarchus.

(Mylarchus), see Mylarchus.

Barbour, Erwin Hinckley.

Bird fatality along Nebraska railroads, '95, 187.

Lincoln Salt Lake and occurrence of Strepsilas interpres, '95, 297.

Occurrence in Nebraska of Vireo flavoviridis, '96, 263.

barita (Gracula), see Quiscalus jamaicensis.

— (Quiscalus), see Q. inflexirostris or niger.

baritus (Chalcophanes), see Quiscalus gundlachii.

— (Holoquiscalus), see H. crassiros-

—— (Quiscalus), see Q. major or jamaicensis.

Barlow, Chester.

tris.

Some notes on nesting habits of White-tailed Kite '97, 14-21.

Occurrence of Zonotrichia albicollis in California, '97, 221.

The story of the Farallones (rev.), '97, 334.

Nesting of Hermit Warbler in Sierra Nevada Mts., Calif. '99, 156-161. Barratt, Joseph.

['Black Egyptian Ibis,' recorded in Conn.], '87, 253.

Barrington, Richard Manliffe, Harvie-Brown and others, see Harvie-Brown, Cordeaux, Kermode, etc.

barrovianus (Larus), see Larus.

Barrows, Walter Bradford. Cat. of Alcidæ in Boston Society of Nat. History (rev.), '78, 86.

Birds of the lower Uruguay, '83, 82-94, 129-143, 198-212, '84, 20-30, 109-113, 270-278, 313-319.

Abnormal coloration in caged Robin, '84, 90.

Another black Robin, '85, 303.

[Accipitres in 'Standard Natural History'], '86, 473.

Sense of smell in Cathartes aura, '87, 172-174.

A protest, '87, 357.

English Sparrow (Passer domesticus) in N. Am., etc. (rev.), '89, 326-328. Economic ornith.—Food of Horned Larks (Otocoris) (rev.), '93, 347. Brünnich's Murre in Michigan, '95, 387.

Barrows, W. B., and Schwarz, Eugene Amandus.

The Common Crow of the U. S. (rev.), '95, 381-383.

bartholemica (Cœreba), see Cœreba.

—— (Certhia), see Cœreba. —— (Certhiola), see Cœreba. bartramı (Vireo), see Vıreo agilis. Bartramia (b Actidurus). '80, 100, '8

Bartramia (b Actidurus), '80, 100, '84, 142b, 229, '87, 319, '88, 331, '93, 108, 130.

longicauda (a Bartramian Sandpiper, Upland or Field Plover, b Actiturus), Ala. '79, 13b; Alas. '87, 12; Argent. '84, 315; Bahamas, '92, 48; Cal. '77, 95b? ['bartramius'] Colombia, 1900, 364; Colo. '83, 198, '85, 18; C. R. '90, 332, '92, 329; D. C. '93, 92, Engl. '85, 375ª, '92, 289, Europe, '77, 107. '80, 149b; Fla. '88, 270, '89, 158, '92, 212; Gozo I. '77, 70b, G. Brit. '81, 64b, Ida. '97, 351; Jamaica, '92, 14, La. '97, 288; Malta, '77, 70b, Man. '86, 152; Mass. '88, 389, '92, 305, '97, 229; Md. '93, 92, Minn. '80, 18b, '85, 297a, N. C. '93, 243; Neb. '81, 62b, '99, 353; N. Y. '82, 256, '85, 273; Ont. '97, 411; Orc. '88, 145; Pa. '96, 291a; Que. '85, 315; S. C. '79, 217^b, '92, 31^a; S. D. '85, 286; Tex. '81, 62^b, '82, 42, 222^b, '87, 186, '89, 237, '92, 232, 1900, 341; W. I. '87, 319; Wis. '82, 188b.—fd. '79, 111a; hbt. '80, 181b, '84, 315, '85, 212a, '89, 237, '93, 293; mig. '92, 31a, '97, 351, '99, 353°, nst. '80, 18b, '97, 229, '98, 328a; plm. 1900, 370 (mlt.); song, '92, 305; syn. '80, 100, '87, 319; misc. '91, 24a, '93, 294a, 296a, 297a, 297ª, '94, 68ª.

bartramia (Euligia), see Bartramia longicauda.

bartramius (Actiturus), see Bartramia longicauda.

—— (Tringoides), see Bartramia longicauda.

Bartsch, Paul.

Uria lomvia, an addition to the avifauna columbiana, '97, 312.

A few notes on the avifauna columbiana, '97, 326.

Xema sabinii and Chordeiles virginianus sennetti—two additions to the Iowa avifauna, '99, 86.

Ammodramus nelsoni in Iowa, '99, 276.

barytus (Chalcophanes), see Quiscalus gundlachi.

—— (Quiscalus), see Q. gundlachi. hasilanica (Penelopides), see Penelopides.

Basileuterus, '85, 365, '93, 111. belli (Bell's Warbler), Mex. '98, 159.—meas. 1900, 268. caudatus (b rufifrons), Mex. '94 67b, '99, 296.—syn '93, 346b.

culicivorus (Brasher's Warbler, b Muscicapa brasieri), g. dist. '93, 141, Guat. '88, 450, Mex. '98, 159.—
meas. '88, 450, syn. '80, 238b.

delattrii, C. R. '92, 22, 173.—meas. nst. '92, 22; syn. '92, 173.

dugesi, Mex. '93, 346.
flavigaster, Mex. '97, 67*.

godmani, Colom., C. R., meas. '88, 450*.

jouyi, Mex. '93, 346, '94, 245. olivascens, Trinidad, '93, 343*; Venez. '97, 362, 363, 368

salvinii, Guat., syn. '92, 173. scitulus, g. dist. 1900, 268*.

basilicus (Buarremon), see Buarremon. Basilinna, '79, 231.

leucotis (White-eared Hummingbird), Arus. '94, 325; g. dist. '95, 164; Mex. 95, 357.—plm. '99, 324; syn. '95, 164; '99, 324.

xantusi (Xantus's Hummingbird), g. dist. '93, 142; L. Cal. '93, 315.—fd. '93, 315.

Baskett, James Newton.

Intergradation in song of Sturnella magna and S. m. neglecta in Missouri, '96, 258.

Story of the birds (rev.), '98, 71. The A. O. U. check-list, '97, 340. Sanitary habits of birds, 1900, 299. bassana (Sula), see Sula.

Batchelder, Charles Foster.

Spurious primaries in Red-eyed Vireo, '78, 97.

Nesting of Yellow-bellied Flycatcher (Empidonax flavirentris), '79, 241.

Bald Eagle (Hatiactus leucocephalus) as a hunter, '81, 58-60.

Strange nesting habits of a pair of Chats, '81, 114.

Notes on summer birds of the upper St. John, '82, 106-111, 147-152.

see Knowlton, F. H., 'birds of Brandon, Vt.' (rev.), '82, 113.

Summer Tanager (Pyranga astiva) in New Brunswick '82, 249

in New Brunswick, '82, 249.
Unusual 'wave' of birds during spring migration of 1882, '82, 252.
Description of first plumage of Clarke's Crow, '84, 16.

Buffon's Skua in western Vermont,

'84, 97. Winter notes from New Mexico, '85, 121-128, 233-239.

Junco annectens—a correction, '85, 306.

North Carolina mountains in winter, '86, 307-314.

see Clark, H. L., 'birds of Amherst' (rev.), '88, 105.

see Warren, B. H., 'birds of Pennsylvania' (rev.), '89, 170.

An undescribed subspecies of Dryobates pubescens, '89, 253-255.

see minor ornithological publications (rev.), '90, 79-86, 198-201, 388-

398, '91, 106-110, 387-392' see Doan, W. D., 'birds of West Virginia' ((rev.), '90, 197.

[Method of recording the numbers of birds observed], '90, 216-218.

see Bryant, W. E., 'birds of L. Califormia' (rev.), '90, 281.

Snow Goose (Chen hyperborea nivalis) on coast of Maine, '90, 284. Notes on several birds in the Cats-

kıll Mountains, '90, 295 Observations on Robin roosts, '90,

372.

see Dionne, C. E., 'oiseaux de Québec' (rev.), '90, 387.

see Linnæan Society of N. Y., Proceedings (rev.), '90, 387-388. Helminthophila chrysoptera in Mani-

toba, '90, 404.

see Warren, B. H., 'Birds of Pa.' 2d ed. (rev.), '91, 101-103. see Belding, L., 'land birds of the

Pacific district' (rev.), '91, 104. see Rives, W. C., 'birds of the Virginias' (rev.), '91, 105. see Chapman, F. M., 'birds from B.

C.' (rev.), '91, 224-226.

see Hagerup and Chamberlain 'birds of Greenland' (rev.), '91, 226.

see MacFarlane, R., 'notes on Arctic

birds' (rev.), '92, 64. see Fannin, J., 'check list of British Columbia birds' (rev.), '92, 65.

see Chapman, F. M., 'birds of Corpus Christi' (rev.), '92, 65.

see Chapman, F. M., 'color-pattern of tail-coverts in Colaptes auratus? (rev.), '92, 66.

Thyrothorus ludovicianus in Massa-

chusetts, '92, 73.
see Allen, J. A., 'North American
Colaptes' (rev.), '92, 177-179.

see Chapman, F. M., 'Grackles of subgenus Quiscalus' (rev.), 180-182.

see Torrey, B., 'the foot-path way' (rev.), '93, 74.

see 'Canadian Institute ornith. report' (rev.), '93, 74.

see Rhoads, S N., 'British Columbia and Washington birds' (rev.), '93, 290-292, 383.

Vireo olivaceus in British Columbia and Washington, '93, 395.

see Apgar, A. C., 'pocket key of birds of northern U. S.' (rev.), '94, 65.

Nesting of Mimus polyglottos in eastern Massachusetts, '95, 308.

Bates, Abby Frances C.

A swallow roost at Waterville, Maine, '95, 48-51.

Bates, Frank Amasa.

Game birds of North America (rev.), '97, 244.

Batrachostomus, '94, 233, 234.

baudi (Brachyurus), see Pitta.

— (Pitta), see Pitta.

baueri (Limosa), see Limosa.

Baur, George.

[Expedition to Galapagos Is.], '91, 402.

Birds of Galapagos archipelago (rev.), '98, 207.

Obituary of, '98, 286.

Bay State Oologist (mag.), '88, 224; titles (Nos. 1508-1518), '90, 80.

Beach-robin, see Tringa canutus. Beal, Foster Ellenborough Lascelles.

Ampelis cedrorum as a sap-sucker, **'82**, 54.

Food habits of the Cedarbird (rev.), **'93**, 347.

A demand for English names [letter], '95, 192-194.

Preliminary report on food of Woodpeckers (rev.), '95, 380.

The Meadowlark and Baltimore Oriole (rev.), '96, 336.

Recent investigations of food of European birds, '97, 8-14.

The Blue Jay and its food (rev.), '97,

Some common birds in their relation to agriculture (rev.), '97, 421.

Economic relations of birds and their food (rev.), '99, 294.

Bean, Tarleton Hoffman.

Notes on birds collected during summer of 1880 in Alaska and Siberia (rev.), '83, 231.

beani (Troglodytes), see Troglodytes. beauperthuysii (Nasica), see Dendrornis sussurrans.

Becard, Xantus's, see Platypsaris albiventris.

beccariana (Siphia), see Siphia.

Beckham, Charles Wickliffe.

Short notes on birds of Bayou Sara, Louisiana, '82, 159-165.

Black-throated Bunting in Florida, '82, 250.

List of birds of Bardstown, Nelson Co., Kentucky (rev.), '83, 227.

Western Semipalmated Sandpiper on coast of Virginia, '85, 110.

Birds of Pueblo, Colorado, '85, 139-144.

White-winged Junco in Maryland, '85, 306.

List of birds of Nelson Co., Kentucky (rev.), '86, 268.

Remarks on plumage of Regulus calendula (rev.), '86, 268.

Changes in plumage of Geothlypis trichas, '86, 279-281.

First plumage of Summer Tanager, '86, 487.

Red-breasted Nuthatch in Kentucky in summer, '86, 489.

Scarcity of adult birds in autumn, '87, 79.

Additional notes on birds of Pueblo, Co., Colorado, '87, 120-125.

Additions to avifauna of Bayou Sara, Louisiana, '87, 299-306.

Occurrence of Florida Blue Jay (Cyanocitta cristata florincola) in southwestern Texas, '88, 112.

A Philadelphia Vireo and a cobweb, '88, 115.

Obituary of, '88, 445.

Observations on birds of southwestern Texas (rev.), '89, 173.

beckhami (Pyrrhuloxia), see P. sinuata. becki (Ammodromus), see A. nelsoni. Beddard, Frank Evers.

Animal coloration (rev.), '93, 195-199.

Text-book on zoögeography (rev.). '96, 73--75.

Bee-bird, see Merops bicolor, M. philippinus or Piranga rubra.

beecheyi (Cyanocitta), see Cyanocitta. Bee-martin, see Tyrannus tyrannus.

Beetle-head, see Squatarola squatarola, belcheri (Larus), see Larus.

Belding, Lyman.

Nesting-habits of Parus montanus, '78, 102.

List of birds found at Guaymas, Sonora (rev.), '84, 284.

Land birds of the Pacific district (rev.), '91, 104.

Songs of the western Meadowlark. '96, 29.

Song of the western Meadowlark, '98, 57.

Belding, L., and Ridgway, R.

Partial list of birds of central California (rev.), '79, 167-171.

Cat. of collection of birds made along western coast of L. California, etc. (rev.), '84, 83.

Cat of collection of birds made near southern extremity of L. California (rev.), '84, 83.

Second cat. of collection of birds made near southern extremity of L. California (rev.), '84, 284.

beldingi (Ammodramus) see Ammodramus.

—— (Geothlypis), see Geothlypis.

— (Passerculus), see Ammodramus — (Rallus), see Rallus.

belgica (Limosa), see Limosa.

Belgium.

Dalgleish, J. J., '80, 69, 73, 149, 215-216.

Bell, John G.

Obituary of, '90, 98.

Bell, Robert.

List of birds from the region between Norway House and Forts Churchill and York (rev.), '85, 209.

Bell-bird, see Chasmorhynchus variegatus.

belli (Amphispiza), see Amphispiza.

— (Basileuterus), see Basileuterus. — (Poospiza), see Amphispiza.

(Vireo), see Vireo.

bellicosus (Pitangus) see Pitangus.

Bellona, '86, 356. cristata (b Orthorhynchus

grans), W. I. '79, 229, '80, 168b, '86, 356, '87, 96, '89, 218.—meas., plm., syn. '86, 356.

exilis (b Orthorhynchus), W. I. '80, 167b, '86, 357, '89, 218, '90, 374, 375, '91, 47, 48.—meas., plm. '86, 357; syn. '80, 167, '86, 357.

ornata, W. I. '89, 218.

Bendire, Charles Emil.

Notes on breeding habits of Clarke's Crow (Picicorvus columbianus), etc., '76, 44.

Breeding habits of Geococcyx californianus, '78, 39.

Notes on some birds found in southeastern Oregon, etc. (rev.), '78, 81.

Notes on seventy-nine species of birds observed in neighborhood of Camp Harney, Oregon (rev.), '78, 81. Nesting of Kennicott's Owl, '81, 185. Snowy Owl at Fort Walla Walla, W. T. '82, 58.

Descr. of nest and young of Pygmy Owl (Glaucidium gnoma), '83, 242. [Egg collection of], '84, 307.

Eggs of Ivory Gull (Gavia alba), '88, 202.

Notes on the habits, nests and eggs of genus Sphyrapicus, '88, 225-240.

Notes on nest and eggs of Peucæa ætivalis bachmani, '88, 351-356.

Notes on the habits, nests and eggs of genus Glaucidium, '88, 366-372.

Notes on the habits, nests and eggs of Dendragapus obscurus fuliginosus, '89, 32-39.

Sphyrapicus ruber breeding in coniferous trees, '89, 71.

A peculiar nest of Cinclus mexicanus, '89, 75.

Notes on general habits, nests and eggs of genus *Passerella*, '89, 107-116.

Descr. of supposed nest and eggs of Zonotrichia querula, '89, 150-152. Descr. of nest and eggs of Polioptila

californica (rev.), '89, 173.

Notes on a collection of nests and

eggs from southern Arizona (rev.), '89, 173.

Picicorvus columbianus, Clarke's

Nutcracker, its nest and eggs, etc., '89, 226–236.

Descr. of nest and eggs of Megascops asio maxwellia, the Rocky Mountain Screech Owl, '89, 298-302.

Notes on Pipilo fuscus mesoleucus and aberti, their habits, nests and eggs, '90, 22-29.

[Food of] Megascops asso maxwellnæ, '90, 91.

Second nest and eggs of *Picicorvus* columbianus taken in Colorado, '90, 92.

Directions for collecting, preparing and preserving birds' eggs and nests (rev.), '92, 175.

Life histories of North American birds (rev.), '92, 375, '97, 104-106.

An attractive addition to avifauna of United States.—Icterus gularis yucatanensis, '93, 366.

Tympanuchus americanus attwateri, Attwater's or Southern Prairie Hen, '94, 130-132.

American Barn Owl breeding at Washington, D. C., in winter, '95,

Notes on Ancient Murrelet (Synthli-

boramphus antiquus) by Chase Littlejohn, '95, 270-278.

The Cowbirds (rev.), '96, 71.

Obituary of, '97, 253, '98, 1-6 (portrait).

bendirei (Harporhynchus), see Harporhynchus.

-- (Loxia), see L. stricklandi.

—— (Megascops), see Megascops.

— (Scops), see Megascops.

Benedict, James Everard, and Nye, W., Jr.

[Birds collected by], '84, 307.

benedicti (Spindalis), see Spindalis.

bengalensis (Bubo), see Bubo.

--- (Picus), see Picus.

Benner, Franklin, see Roberts and Benner.

Bennett, A. L.

Surf Scoter (Oidemia perspicillata) in Kansas, '88, 203.

bensoni (Callipepla), see Callipepla.

Bent, Arthur Cleveland.

Coccothraustes vespertina in Taunton, Massachusetts, '90, 289.

Black Gyrfalcon, Falco rusticolus ob-

soletus in Rhode Island, '98, 54. Mockingbird, Mimus polyglottos, at Taunton, Mass., '98, 59.

Bergen, Thomas B.

Early arrival of Kingbird at Cambridge, Mass. '98, 268.

bergensis (Troglodytes), see Anorthura. bergii (Sterna), see S. maxima.

Bergtold, William Harry

List of birds of Buffalo and vicinity (rev.), '89, 331.

Coccothraustes vespertina in Erie Co, N. Y. '90, 209.

Strix pratincola in western New York, '90, 400.

Berier, de Lagnel

Capture of European Widgeon in North Carolina, '79, 190.

Interesting birds found on Long Island, N. Y. '80, 46.

Note on Giraud's Muscicapa 'bra-sieri,' '80, 238

Notes on a few birds observed at Fort Hamilton, Long Island, N. Y. '81, 11-13.

Notes on birds rare or accidental on Long Island, N. Y. '81, 125.

Colaptes auratus + C. mexicanus, '81, 247.

Further notes on Labrador Gyrfalcon taken on Long Island, N. Y. '81, 247.

56

Unseasonable birds on Long Island, '86, 281.

The Pine Grosbeak (P. enucleator) in New Jersey, '96, 175.

berlandieri (Thryothorus), see Thryothorus berlandieri or lomitensis. Berlepsch, Hans von.

Descr. of new species and subspecies of birds from the neotropical region, '88, 449-460.

Notes on some neotropical birds belonging to U. S. Nat. Museum (rev.), '90, 275.

Berlepsch, Hans von, and Peters, Ernst. Die Vogel der Insel Curação (rev.), **'93**, 355.

berlepschi (Anthocephala), see Anthocephala.

--- (Catharus), see Catharus.

—— (Myiarchus), see Myiarchus.

— (Phyllomyias), see P. incanescens.

Bermuda Islands.

Allen, J. A., '85, 95. Jones, J. M, '85, 297.

Prentiss, D. W., '96, 237-240.

Bernicla, see Branta.

bernicla (Branta), see Branta.

bernieri (Rougetius), see Rougetius.

Berry Islands, West Indies. Cory, C. B., '91, 295. Berry, Mabel C.

First occurrence of Blue Grosbeak in new Hampshire, '96, 342.

Betty-bird, see Ceophlœus pileatus. betularum (Fringilla), see Acanthis

lınaria. - (Linaria), see Acanthis linaria.

bewicki (Cygnus), see Olor.

--- (Olor), see Olor.

- (Thryomanes), see Thryomanes.

--- (Thryothorus), see Thryomanes bewicki or leucogaster.

— (Troglodytes), see Thryomanes. Beyer, George Eugene.

Ivory-billed Woodpecker in Louisiana, 1900, 97-99.

An interesting hybrid, 1900, 170.

Louisiana herpetology and the avifauna, with list of birds of the State (rev.), 1900, 392.

biarcuatum (Pyrgisoma), see Pyrgisoma.

hiarmicus (Panurus), see Panurus. bicinctus (Bucco), see Bucco.

Bicknell, Eugene Pintard.

Evidence of Carolinian fauna in lower Hudson valley, N. Y., etc., 78, 128-132.

Capture of two rare birds at Riverdale, N. Y. '79, 60.

Carolina Wren (Thryothorus ludovicianus) breeding in New York, '79,

Remarks on nidification of Loxia curvirostra americana, etc. '80, 7-11.

Dendræca palmarum palmarum in New York, '80, 182.

A sketch of the home of Hylocichla alıcıæ bicknelli, with remarks on allies of this new race, '82, 152-

A study of the singing of our birds, '84, 60-71, 126-140, 209-218, 322-332, '85, 144-154, 249-262.

see Chapman, F. M., 'handbook of birds of eastern N. Am.' (rev) '95, 282-284.

Prothonotary Warbler York City, '95, 306. near New

bicknelli (Hylocichla), see Hylocichla.

--- (Turdus), see Hylocichla. bicolor (Accipiter), see Accipiter.

— (Calamospiza), see C. melanocorys.

- (Drymophila), see Drymophila.

- (Euetheia), see Euetheia.

- (Fringilla), see Euetheia bicolor or Calamospiza melanocorys.

- (Hirundo), see Tachycineta. --- (Iridoprocne), see Tachycineta.

--- (Larus), see Sterna hirundo. --- (Lophophanes), see Parus.

---- (Merops), see Merops.

--- (Parus), see Parus. - (Petrochelidon), see Tachycineta.

- (Phonipara), see Euctheia.

--- (Spermophila), see Euetheia.

--- (Tachycineta), see Tachycineta.

- (Thalurania), see Thalurania. - (Trochilus), see Thalurania.

bicristatus (Phalacrocorax), see P. urile. Biddy-biddy, see Porzana jamaicensis. bidentata (Phænicosoma), see Piranga sanguinolenta.

— (Piranga), see Piranga.

bidentatus (Lybius), see Lybius. bifasciata (Loxia), see Loxia.

bifasciatus (Platyrhynchus), see Platyrhynchus.

bilineata (Amphispiza), see A. bilineata or deserticola.

- (Polioptila), see Polioptila,

bilineatus (Spindalis), see S. nigricephala.

biliniata (Emberiza), see Amphispiza bilineata.

Bird, Apple, see Ampelis cedrorum.

'90, 414.

bimaculata (Oidemia), see O. deglandi. bimaculatus (Empidonax), see Empidonax. Bimini Island, West Indies. Cory, C. B., '91, 296. bindloei (Camarhynchus), see Camarhynchus. Biographies of birds. Allen, J. A., 1900, 1. Anthony, A. W., '95, 100, '96, 223. Bates, A. F. C., '95, 48. Bicknell, E. P., '82, 152. Bolles, F., '90, 101, '91, 256, '92, 109 Bond, F., 1900, 325. Brewster, W., '76, 63-70, '77, 1-8, 102, '78, 153, '79, 13, 47, 199, '80, 1, '81, 38, '82, 23, 94, '83, 12, '85, 65, 80, '90, 360, '91, 1, 149, '93, 231. Brewster and Chapman, '95, 201. Bruce, M. E., '98, 239. Butler, A. W., '92, 49. Cherrie, G. K., '93, 278. Coues, E., '78, 105, '79, 65, 193. Davis, W. T., '94, 228. Deane, R., '96, 234. Dwight, J., Jr., '87, 232, '96, 271, '97, 259. Hardy, F. P., '88, 380. Hay, O. P., '87, 193. Herrick, F. H., 1900, 100. Hoffman, R., '96, 297. Howley, J. P., '84, 309. Kennard, F. H., '94, 270. Knight, O. W., '96, 21. Kobbé, W. H., 1900, 8. Langille, J. H., '84, 268. Lucas, F. A., '87, 1, '88, 129, 278. Mackay, G. H., '90, 315, '91, 17, 279, '92, 143, 221, 330, 345, '93, 25. Mearns, E. A., '86, 60, 289. Merriam, C. H., '95, 54. Merram, C. 11., 30, 37.
Miller, F., '79, 109.
Mortimer, D., '90, 337.
Murdock, J., '99, 146.
Nelson, E. W., '77, 38, '80, 33, '81, 1, 131, '84, 218, '98, 115, 217. Norton, A. H., '96, 229. Nowotny, Dr., '98, 28. Owen, D. E., '97, 1, '99, 221. Reed, J. H., '97, 374. Richmond, C. W., '95, 19, '98, 7. Roberts, T. S., '99, 236, 1900, 272. Roddy, J. H., '88, 244. Scott, W. E. D., '90, 221, '91, 249. Torrey, B., '89, 1. Warren, O. B., '99, 12. Widmann, O., '95, 1, 112, 219, 350,

'96, 216, '98, 22.

Banana, see Cœreba bahamensıs. Bo-son, see Phaethon æthereus. Brown Bank, see Crymophilus fulicarius. Buffalo, see Calamospiza melanocorvs. Butcher, see Lanius borealis. Cardinal, see Cardinalis cardinalis. Cedar, see Ampelis cedrorum. Chapparal, see Geococcyx californi-Cherry, see Ampelis cedrorum. Chipping, see Spizella socialis. Cocoa-nut, see Icterus northropi. Crying, see Aramus giganteus. Egg, see Sterna fuliginosa. Frigate, see Fregata aquila. Gulf, see Crymophilus fulicarius. Inca, see Gymnostinops montezumæ. Kennedy, see Zonotrichia albicollis. Lettuce, see Astragalinus tristis. Man-o'-war, see Fregata aquila. Masked Weaver, see Hyphantornis velatus. May, see Coccyzus americanus. Mocking, see Mimus polyglottos. Mountain Mocking, see Oreoscoptes montanus. Myrtle, see Dendroica coronata. of Washington, see Haliæetus leucocephalus. Palmetto, see Geothlypis ignota. Phæbe, see Sayornis phæbe. Piñon, see Cyanocephalus cyanocephalus. Qua, see Nycticorax nævius. Phaethon Red-billed Tropic, see æthereus. Reed, see Dolichonyx oryzivorus. Rice, see Dolichonyx oryzivorus. Summer Red, see Piranga rubra. Surf, see Aphriza virgata. Thistle, see Astragalinus tristis. Tortoise-shell, see Ardetta exilis Tropic, see Phaethon americanus. Whale, see Prion turtur or Crymophilus fulicarius. White Bank, see Phalaropus lobatus. Yellow-billed Tropic, see Phaethon americanus. Bird-biographies, see Biographies. Bird Call (mag.), '87, 175. 'Bird Day,' '96, 349. Bird-destruction, see Destruction. Bird-Lore (mag.), '99, 94, 212, 1900, 93. Bird-protection, see Protection.

58

Birds (mag.), '97, 255. Birds of Prey, see Raptores.

Birtwell, Francis Joseph.

Another example of curious nesting of American Redstart, '99, 184.

Example of aptosochromatism, as influened by diet in Megascops asso, '99, 313–318**.**

Bishop, Louis Bennett.

Notes on birds of Magdalen Islands, '89, 144-150.

Helminthophila pinus, chrysoptera, leucobronchialis, and lawrencei in Connecticut in spring of 1888, '89, 192.

Hydrochelidon nigra surinamensis in Connecticut, '94, 74.

Olor columbianus in Connecticut, '94,

Helminthophila leucobronchialis, '94. 79, 80.

Remarks on nest of Cistothorus palustris, '94, 80.

Aythya marila or A. m. nearctica? '95, 293-295.

An apparently undescribed plumage of Oidemia perspicillata, '95, 295-297.

Descr. of a new horned Lark and a new Song Sparrow, with remarks on Sennett's Nighthawk, '96, 129-135.

Descr. of three new birds from Alaska, 1900, 113-120.

bishopi (Catharopeza), see Catharopeza. - (Leucopeza), see Catharopeza.

bitorquatus (Pterglossus), see Pteroglossus.

Bittern, see Botaurus lentiginosus. American, see Botaurus lentiginosus. Black or Brown, see Ardetta neoxena. Cory's least, see Ardetta neoxena. European, see Botaurus stellaris. Least, see Ardetta exilis.

Blacicus, '86, 241, '99, 330, 334.

andinus (b Contopus depressirostris), Nicar. '85, 294b .- g. dist., plm., syn. '99, 336.

bahamensis (b Contopus), Bahamas, '86, 235°, '91, 72, 294°, 334°, 335°, 336°, 350°, 351°, '99, 335, 1900, 288 .- meas., plm. '86, 235"; syn. '86, 235b, '99, 335.

blancoi (b Contopus), W. I. '86, 242, '92, 229b, '99, 335.—meas., plm. '86, 242; syn. '86, 242, '99, 335.

brachytarsus (b Contonus). C. R. '92, 251b; Venez. '97, 365b.-g. dist., syn. '99, 336.

brunneicapillus, IV. I. '79, 49, '86, 242, '91, 49, '99, 334.—meas. plm. '86, 242; syn. '86, 242, '99, 334.

caribæus, Cuba, '86, 241, '92, 272, '99, 334.-meas., plm. '86, 241; syn. '86, 241, '99, 334.

cinereus, Braz., syn. '99, 337. flaviventris, W. I '87, 251, '88, 158, '99, 335.—plm., syn. '99, 335.

hispaniolensis (b Contopus, c Contopus frazari, d Sayornis dominicensis), W. I. '83, 94°*, 95°4*, '86, 236°, '99, 335.—meas. '83, 94°, 95d, '86, 236^b; plm. '86, 236^b; syn. '86, 236^b, '99, 335.

latirostris (b Contopus), IV. I. '80, 166b, '86, 235b, '99, 334.-meas. '86, 235b; plm. '86, 235b, '99, 334; syn. '86, 235b.

martinicensis, W. I. '87, 96*, '88, 158, '99, 334.-meas '87, 96; plm., syn. '99, 334.

nigrescens, Ecuador, syn. '99, 337. pallidus (b Contopus), Jamaica, '86, 234b, '93, 178b, '99, 335.-meas.. plm. '86, 234b; syn. '86, 234b, '99,

pileatus (b Contopus), dist.? '85, 292b, '99, 337.—syn. '99, 337.

punensis, Ecuador, syn. '99, 336. Black, Eli Whitney.

Nesting habits of Empidonax insulicola, '97, 405.

Black-back, see Correba flaveola. Blackbird (of West Indies), see Crotophaga ani.

(of Europe), see Merula merula. Bahaman Red-winged, see Agelaius bryanti.

Barbadoes, see Quiscalus jamaicensis. Bicolored, see Agelaius californicus. Boat-tailed, see Quiscalus major.

Brewer's see Scolecophagus cyanocephalus.

Bronzed, see Quiscalus æneus. Cow, see Molothrus ater.

Crow, see Quiscalus quiscula or æneus.

Marsh, see Agelaius phorniceus.

Red-and-black-shouldered, see Agelaius californicus.

Red-and-buff-shouldered, Agelaius phoeniceus.

Red-shouldered, see Agelaius phaniceus.

Red-vented, see Galeoscoptes carolinensis.

Red-winged, see Agelaius phæniceus or floridanus.

Den-

Rusty, see Scolecophagus carolinus. Savanna, see Crotophaga ani. Swamp, see Agelaius phæniceus. Tricolored, see Agelaius tricolor. Western Red-winged, see Agelaius californicus.

White-winged, see Calamospiza melanocorvs.

Yellow-headed, see Xanthocephalus xanthocephalus.

Yellow-headed Swamp, see Xanthocephalus xanthocephalus.

Blackbirds, see Icteridæ. blackburniæ (Dendroica), see

droica. — (Motacilla), see Dendroica. — (Sylvicola), see Dendroica.

Black-cap, Wilson's, see Wilsonia pusilla.

Blackcock, see Lyrurus tetrix.

Black-head, Greater, see Aythya marila. Lesser, see Aythya affinis.

Ring-billed, see Aythya collaris. Blackheart, see Tringa pacifica. Black Jack, see Aythya affinis.

Black-warrior, see Buteo harlani. Blacops, '99, 186.

gymnopthalmus, syn. '99, 186. Blackwelder, Eliot.

A note on Kirtland's Warbler (Dendroica kirtlandı), '99, 359.

Blake, Eli Whitney, Jr.

Summer birds of Santa Cruz Island, California, '87, 328-330.

blakei (Centurus), see Centurus.

Blakiston, Thomas Wright. Water-birds of Japan (rev.), '87, 250. Obituary of, '92, 75.

blakistoni (Alauda), see Alauda. — (Bubo), see Bubo.

Blanchan, Neltje, see Doubleday, N. B. De G.

Blanchard, Raphaél.

Nomenclature des êtres organisés (rev.), '90, 73.

blancoi (Blacicus), see Blacicus. - (Contopus), see Blacicus.

blanda (Helmitherus), see Teretistris fernandinæ.

Blanford, William Thomas.

Fauna of British India-Birds (rev.), '98, 336.

Blasius, Rudolph, Müller, Adolf, and Rohweder, J.

Jahresbericht (1880) des Ausschusses für Beobachtungstationen der Vögel Deutschland (rev.), '83, 229.

Blasius, R., and Jackel, A. J., see Jäckel and Blasius.

Blasius, Wilhelm

[Memoir on Alca impennis] (rev.), '85, 115.

Blax, see Blacops. Bleda, '99, 183.

canicapilla, syn. '99, 184.

eximia, syn. '99, 184. notata, syn. '99, 184.

poliocephala, syn. '99, 184. syndactyla, syn. '99, 183.

xavieri, syn. '99, 184.

Blue-bill, Big, see Aythya marila. Little, see Aythya affinis.

Marsh, see Aythya collaris. Bluebird, see Sialia sialis or Junco

hyemalis. Arctic, see Sialia arctica.

Azure, see Sialia azurea.

Californian, see Sialia occidentalis. Chestnut-backed, see Sialia bairdi.

Eastern, see Sialia sialis.

Florida, see Sialia [grata =] sialis. Mexican, see Sialia occidentalis or azurea.

Mountain, see Sialia arctica. Rocky Mountain, see Sialia arctica. San Pedro, see Sialia anabelæ. Western, see Sialia occidentalis.

Wilson's, see Sialia sialis.

Bluejay, see Cyanocitta cyanea. Blue-legs, see Numenius hudsonicus (local name, N. E.).

Blue-Peter, see Fulica americana. Blue-quit, see Euphonia jamaica.

Bluethroat, Red-spotted, see Cyanecula suecica.

Boardman, Edith Jenney.

[Bird protection in Maine], '98, 82.

Boardman, George Augustus. Caspian Tern probably breeding in Florida, '80, 64.

Capture of Stonechat [i e., Wheatear] near Eastport, Maine, '80, 115. Winter change of plumage of Black

Guillemot, '80, 190. Capture of Avocet in New Bruns-

wick, '80, 241. Golden Eagle in New Brunswick, '81,

Bobolink, see Dolichonyx oryzivorus.

Western, see Dolichonyx [albinucha = 1 oryzivorus. Bob-white, see Colinus virginianus.

Black-breasted, see Colinus pectoralis. Black-headed, see Colinus atriceps. Coyolcos, see Colinus coyolcos. Cuban, see Colinus cubanensis. Florida, see Colinus floridanus. Godman's, see Colinus godmani.

Grayson's, see Colinus graysoni. Guatemalan, see Colinus insignis. Masked, see Colinus ridgwayi. Nassau, see Colinus bahamensis. Puebla, see Colinus nigripectus. Ridgway's, see Colinus ridgwayi. Salvin's, see Colinus salvini. Spotted-bellied, see Colinus maculatus.

Texan, see Colinus texanus. Bocagia, see Antichromus. Boeck. Eugen von.

Obituary of, '86, 496. Bogdanow, Modest Nikolaevich. Ohituary of, '88, 333.

bogotensis (Tyrannula), see Contopus richardsonii.

- (Zenaida), see Z. ruficauda. Bogtrot, see Hylocichla mustelina. boiei (Campephilus), see Campephilus. Bolborhynchus monachus, Argent., hbt., nst. '84, 28.

Bolivia.

Elhott, D. G., '88, 263-264. Ridgway, R., '90, 381-382. boliviana (Calliste), see Calliste. boliviana (Cheiroxiphia), see Cheiroxiphia,

— (Chrysomitris), see Spinus.

--- (Leptasthenura), see Leptasthenura.

- (Poospiza), see Poospiza. holivianus (Empidonax), see Empidonax.

— (Scytalopus), see Scytalopus. — (Spinus), see Spinus.

boliviensis (Cymindis), see Regerhinus uncinatus.

Bolles, Frank.

Barred Owls in captivity, '90, 101-114.

Snake skins in nests of Myiarchus crinitus, '90, 288.

Young Cedar Birds and Great Crested Flycatchers in captivity, '90, 290. Yellow-bellied Woodpeckers and their uninvited guests, '91, 256-270.

Land of the lingering snow (rev.), '92, 62.

At the north of Bearcamp Water (rev.), '93, 201.

Young Sapsuckers in captivity, '92, 109-119.

[Memorial of], '94, 184. Bombycilla, see Ampelis. Bonaire Island, West Indies. Chapman, F. M., '93, 355-357. honana (Icterus), see Icterus.

--- (Oriolus), see Icterus.

--- (Pendulinus), see Icterus. --- (Xanthornus), see Icterus.

Bonaparte, Charles Lucien, and Wilson, Alexander.

American Ornithology [popular ed. Porter and Coates] (rev.), '79, 53. bonapartii (Actodromas), see Tringa fuscicollis.

- (Cıchlherminia, see herminieri.

- (Myiodioctes), see Wilsonia canadensis.

— (Tringa), see T. fuscicollis. bonariensis (Molothrus), see Molothrus. --- (Tanagra), see Molothrus.

Bonasa, '93, 131.

sabini (Oregon Ruffed Grouse), Cal. '86, 491; g. dist. '93, 126; Ore. '86, 164, '88, 145; Wash. '82, 227, 232, '92, 43, 1900, 351.—fd. 1900, 351; hbt. '86, 164, '92, 43; plm. '82, 232, 1900, 145 (mlt.), syn. '95, 169. togata (a Canadian Ruffed Grouse, b umbellus), g. dist. '93, 126; Ida. '97, 352?; Mass. '95, 88; Me. '94, 70; N. B. '89, 117; N. S. '85, 40", '87, 16, '91, 165, '99, 251; N. Y. '81, 233b; P. E. I. '93, 8; Quc. '82, 238b; Wash. '97, 173?.—fd. '92, 194ª ['Partridge']; hbt. '97, 173; nst. '85, 40"; plm. '99, 181", 1900, 145 (mlt.); misc. '90, 393, 393, '93, 295.

umbelloides (Gray Ruffed Grouse), Colo. '85, 17; Man. '85, 270, '86, 153; g. dist. '93, 126; Mont. '82, 63, '94, 302; Orc. '79, 197.—plm. '85, 270, 1900, 145.

umbellus (a Ruffed Grouse Partridge), C. R. '85, 297; D. C. '88, 20; Ind. '88, 349; Man. '85, 271; Mass. '84, 94, '88, 389, '89, 44, 99, '90, 390"; Md. '88, 20; Me. '82, 151; Mich. '93, 230 [= togata?]; Minn. '84, 247; N. B. '82, 151; N. C. '86, 102, 314; N. H. '87, 103, '88, 149, 151, 153, '89, 76; N. J. '94, 136; Ont. '87, 246^a [= togata?]; Pa. '92, 134, '93, 38, 44, '96, 281, 292; S. C. '86, 483, '90, 36, '91, 326; Tenn, '82, 192, '86, 319, '87, 129; Va. '82, 48", '88, 20, '89, 52; Wis. '82, 188; W. Va. '98, 134.—fd. '84, 186, '90, 36; hbt. '77, 75°, '86, 102, 313, '88, 314°, '91, 326, 388°, '92, 67°, 68°, 69°, 385°, 386°, 387°, '93, 292°, 292°, 295°; mig. '93, 295; nst. '87, 246" [= togata?], '90, 392, 392"; plm. '76, 22 (alb.), '85, 300", '90, 390, 394", '91, 387", '92, 134, '99, 181", 1900, 145 (mlt.); syn. '94, 172; misc. '84, 288",

```
'87, 338a, 342a, '89, 175a, 177a, '90, 389a, 390 (4 items), 391a, 393, 394 (6 items), 395 (3 items), 396 (3 items), 397a, 398a, '91, 387, 388a (11 items), 390a, 390a, '92, 67 (4 items), 69a (5 items), 384, 385a (5 items), 386a (4 items), '93, 295 (7 items), 296, 297a (3 items), '94, 67, 67, 68, 69a, 69, 71a, '96, 126a (photos).
```

Bond, Frank.

Mysadestes townsendsi apparently wintering in Wyoming, '89, 193.

Notes from Wyoming, '89, 341.

Mockingbird in Wyoming, '94, 258.

More Wyoming Mockingbirds, '95, 309.

A nuptial performance of the Sage Cock (pl.), 1900, 325-327.

Capture of Brown Pelican in Wyoming, '99, 351.

bonellii (Phylloscopus), see Phylloscopus.

Bonhote, John Lewis.

List of birds collected on island of New Providence, Bahamas (rev.), 1900, 305.

Booby, see Sula sula.

Blue-faced, see Sula cyanops.
Blue-footed, see Sula nebouxii.
Brewster's, see Sula brewsteri.
Dry-land, see Æstrelata caribbæa.
Red-footed, see Sula piscator.
Webster's, see Sula websteri.

boothi (Orthorhynchus), see Calypte helenæ.

borealis (Buteo), see Buteo.

- (Collurio), see Lanius.

--- (Contopus), see Contopus.

— (Cypseloides), see Cypseloides.

—— (Cypselus), see Cypseloides niger. —— (Dryobates), see Dryobates.

- (Falco), see Buteo.

--- (Fringilla), see Acanthis exilipes.

--- (Lanius), see Lanius.

—— (Linaria), see Acanthis linaria.

—— (Mniotilta), see M. [borealis=] varia.

--- (Nephœcetes), see Cypseloides.

--- (Numenius), see Numenius.

— (Nuttallornis), see Contopus.

— (Parus), see Parus.

—— (Phyllopneuste), see Phyllopseustes.

— (Phyllopseustes), see Phyllopseustes.

—— (Phylloscopus), see Phyllopseustes.

--- (Picus), see Dryobates.

--- (Puffinus), see Puffinus.

--- (Scolopax), see Numenius.

--- (Somateria), see Somateria.

— (Troglodytes), see Troglodytes. — (Tyrannus), see Contopus.

boreus (Myiarchus), see M. crimtus. Borneo.

Elliot, D. G., '90, 346-359, '91, 7-16, '92, 218-221.

borneonensis (Orthotomus), see O. cineraceus.

boscas (Anas), see Anas boschas.

---- (Anas), see Anas.

boschi (Eucichla), see Eucichla.

Bo-son Bird, see Phaethon æthereus. Boston Society of Natural History, Proceedings, '84, 207; titles (No. 451),

'76, 31, '83, 238, '84, 207 (No. 976), '85, 373 (Nos. 2204–2205), '92, 187.

Boston Zoological Journal, titles (Nos. 365-371), '83, 233, (Nos. 1446-1459), '89, 182.

Botaurus, '84, 143 '88, 49, '93, 131. lentiginosus (a American Bittern, b minor, c mugitans), Ariz. '86, 385, '90, 51; Cal. '86, 91; Colo. '85, 18; D. C. '93, 77; Engl. '77, 107, '85, 374, 374°, 374°; Fla. '88, 268°, 269, '89, 16, '92, 211, '93, 337, '95, 364; Ga. '96, 215, Germany, '77, 107, '80, 211; G. Br. '80, 210; Hud. B. '90, 320; Ida. '97, 351; Ind. '88, 347; Ireland, '92, 290a, 290a, 290a; Jamaica, '92, 9; Ky. '89, 312, Man. '86, 150; Mass. '89, 1-8, '91, 1511, '97, 228; Me. '82, 151, '89, 187; Mich. '93, 223; Minn. '80, 18b, '84, 247; Mo. '79, 147b, '95, 222a; Mont. '94, 302; N. B. '82, 151; N. D. '99, 162", 165*, N. F. 1900, 71; N. J. '79, 226b; N. M. '98, 307; N. S. '91, 166; N. Y. '79, 32, '81, 234, '83, 177ⁿ; Ore. '79, 197, '88, 143; Pa. '99, 309; P. E. I. '93, 8; Que, '82, 239°, '89, 146; S. C. '79, 217°; S. Dak. '85, 287; Tex. '82, 223, '87, 185, '92, 232; Wash. '92, 42; W. I. '88, 49; Wis. '88, 328.-anat. '91, 386; fd. '89, 187a; hbt. '80, 181, 181b, '89, 1, 187, '92, 383, '93, 77, '95, 222a; mig. '88, 328; nst. '80, 18b, '85, 287, '89, 146, '91, 107; plm. '79, 30^a (alb.), song, '89, 1, 187; syn. '80, 178a, '88, 49; misc. '84, 87, '94, 70.

stellaris (* European Bittern), Helg. '95, 337.—hbt., song, '89, 5*, 6. botterii (Aimophila), see Peucæa arizonæ.

--- (Peucæa), see P. arizonæ.

BOUCARDI. 62 boucardi (Drymophila), see Drymophila. - (Granatellus), see Granatellus. --- (Peucæa), see Aimophila scottii or eremœca. - (Zonotrichia), see Aimophila eremœca. bouqueti (Amazona), see Amazona. - (Chrysotis), see Amazona. --- (Psittacus), see Amazona. Bourns, Frank S., and Worcester, Dean Conant. Preliminary notes on birds and mammals collected by Menage expedition to Philippine Is. (rev.), '95, 173. Contributions to Philippine ornithology (rev.), '98, 284. Bowdish, Beecher Scoville. Yellow-legs (Totanus flavipes) breeding in Ontario Co., N. Y. '91, 394. Turkey Vulture (Cathartes aura) in Ontario Co., N. Y. '91, 394. Breeding of Mourning Warbler in Ontario Co., N. Y. '91, 396. Bower-bird, Tooth-billed, see Scenopæetes dentirostris. Bowles, Charles Wilson, and John Hooper. Nesting habits of Anthony's Vireo, '98, 138-140. bowmani (Phlegopsis), see Phlegopsis. boysii (Sterna), see S. sandwichensis. bracei (Sporadinus), see Sporadinus riccordi. brachydactyla (Calandrella), see Calandrella. — (Certhia), see Certhia. - (Geothlypis), see G. trichas. — (Trichas), see Geothlypis trichas. Brachygalba fulviventris, syn. '92, 184. brachyotus (Otus), see Asio accipitrinus. brachyphonus (Dissemurus), see Dissemurus. - (Edolius), see Dissemurus. Brachypodinæ, '83, 104. hrachyptera (Leptotila), see Leptotila. --- (Homoptila) see Leptotila. - (Peristera), see Leptotila. --- (Spectyto), see Spectyto.

brachypterus (Brachyrhamphus), see

Synthliboramphus antiquus.
— (Chalcophanes), see Quiscalus.

- (Holoquiscalus), see Quiscalus.

--- (Colymbus), see C. dominicus.

- (Quiscalus), see Quiscalus.

Brachypus, see Cypselus.

brachypus (Sterna), see S. paradisæa. Brachyrhamphus, '80, 127, '99, 202, brevirostris, syn '87, 65. craveri (Craveri's Murrelet, b Micruria, c Endomychura), nst. '78, 81; plm. 1900, 168b, syn. '99, 202, 370°, 1900, 168b. hypoleucus (Xantus's Murrelet, b Micruria, c Endomychura), Cal. '84. 396, '86, 126, '87, 87, 93, '95, 379, '98, 197; L. Cal. 1900, 168b.-hbt.. meas., nst. 1900, 168b; plm. '84, 396, 1900, 168b; syn. '99, 202, 370c, 1900, 168b. (Kittlitz's kittlitzii Murrelet), Alas. '84, 81, '88, 410.—nst. '89, 329; syn. '99, 202. marmoratus (a Marbled Murrelet, b wrangeli), Alas. '95, 276, '98, 49, 124; B. C. '93, 291; Cal. '87, 87, '94, 96ª; Wash. '92, 35, '93, 17, 291.hbt. '84, 396; meas., nst., plm. '98, 49; mig. '94, 96°; syn. '80, 88°, '87, 65. perdix, syn. '87, 65. brachyrhynchus (Anser) see Anser. —— (Colymbus), see Colymbus. --- (Contopus), see Contopus. --- (Horizopus), see Contopus. — (Larus), see Larus. Brachyspiza, '99, 224*. canicapilla, Patagonia, '98, 321. capensis (Donotrichia pileata), Braz. 1900, 299b; g. dist, '98, 321; Urug. '83, 131b; Venes. '97, 361b, 364b.—hbt., nst. '83, 131b. chilensis, Chili, '98, 321. insularis, W. I., meas. '98, 321*. peruviana (b Zonotrichia costaricensis), C. R. '92, 248b; g. dist. '98, 321.—hbt., meas., nst. '92, 248b; syn. '98, 321, 321b. strigiceps ("Zonotrichia), syn. '88, 412h. brachytarsa (Pagophila), see P. alba. brachytarsus (Blacicus), see Blacicus. --- (Contopus), see Blacicus. --- (Empidonax), see Blacicus. brachyura (Astur), see Buteo. - (Asturina), see Buteo. --- (Buteola), see Buteo. - (Chætura), see Chætura. --- (Diomedea), see D. albatrus. - (Pionopsitta), see Pionopsitta. --- (Pitta), see Pitta.

Brachyurus, see Pitta. brachyurus (Buteo), see Buteo. — (Campylorhynchus), see Ramphocinclus.

--- (Cinclocerthia), see Ramphocinclus.

—— (Formicarius), see Ramphocinclus.
—— (Phoneus), see Lanius cristatus.

--- (Ramphocinclus), see Ramphocinclus.

—— (Turdus), see Ramphocinclus.

Brackett, Foster H.

Blue-winged Warbler (Helminthophila pinus) in eastern Massachusetts, '98, 59.

Belted Piping Plover in Massachusetts, '96, 256.

Redheaded Woodpecker in eastern Massachusetts, '96, 258.

Obituary of, 1900, 197. Bradypteri, '84, 279.

Braislin, William Coughlin.

Golden Eagle in New Jersey, '96, 81. Notes on Long Island birds, '96, 87. Record of two birds rare on Long Island, N. Y. '97, 99.

Starling (Sturnus vulgaris) on Long Island, '98, 55.

White-crowned Sparrow (Zonotrichia leucophrys) on Long Island, N. Y. '98, 58.

Notes on Long Island birds, '99, 190-193.

Notes on birds of Long Island, 1900, 69-71.

Occurrence of Tringa fuscicollis in Virginia in autumn, 1900, 172. Brambling, see Fringilla montifringilla.

Brant, see Branta bernicla [or Anser albifrons, '88, 143].

Black, see Branta nigricans.

Blue, see Chen cærulescens.

Gray, see Anser gambeli. Speckled, see Anser gambeli.

White, see Chen hyperborea.

White-bellied, see Branta glauco-

gastra.
Branta (b Bernicla), '80, 101, '84, 143b, '88, 59, '93, 99.

bernicla (a Brant or Brant Goose, Bernicla branta), Arctic Am. '78, 86b; Colo. '87, 264; g. dist. '93, 125; Helg. '95, 326; Man. '86, 150, 329; Mass. '90, 392, '92, 305, '93, 77, 294, 370, '94, 224; Mich. '90, 391; Minn. '84, 248b; N. J. '79, 226; Que, '82, 239b; R. I. '80, 133*; S. D. '85, 288b.—fd. '93, 370; mig. '80, 133*, '93, 246, '94, 224; plm. '76, 23 (alb.); syn. '97, 207; misc. '93, 293*, 294*, 294*, 295*, 296*, 296*, 296*, 296*

canadensis (* Canada or Wild Goose, b Bernicla, c Anser), Ala, '79, 13, Aris. '86, 385; B. C. '94, 322, '95, 76^a; Cal. '86, 91; Colo. '77, 51, '85, 18b, Europe, '80, 66c; France, '80, 212°; G. Brit. '80, 212°, g. dist. '93, 125; Ia. '85, 214°, '95, 121, 236°; Ida. '97, 350, 1900, 243; Ill. '94, 215a; Ind. '88, 347, Jamaica, '91, 365; Ky. '89, 312, La. '97, 287; '86, 150, Mass. '93, 77, '94, 84, 226, '95, 77; Me. '94, 70; Minn. '84, 188", 248^b; Mo. '79, 147; Mont. '83, 124^b, '88, 17^a, '94, 302, '95; 213; N. B. '90, 392; N. C. '86, 179; N. E. '83, 163*; N. F. '84, 309-313b, 1900, 71; N. J. '79, 226; N. S. '85, 42*, '99, 251, N. Y. '81, 234b, Ore. '79, 198, 59.—anat. '96, 111"; fd. '84, 87', 309', '85, 94", '86, 163; hbt. '84, 309', '92, 384; mig. '84, 309', '85, 143, '94, 322, '97, 350; plm. '83, 126b (alb.), '84, 309b, '85, 111b; syn. '83, 62b, '88, 59; misc. '90, 391, 395a, '91, 341ª, '92, 386ª.

glaucogastra (White-bellied Brant), g. dist. '97, 207, '99, 105.—syn. '97, 207, '99, 105; plm. '97, 208. hutchinsii (a Hutchins's Goose, b Bernicla, c Anser), Alas. '79, 53*, '81, 131*, '84, 80*, '85, 158, Colo. '85, 18*, '84, 80*, '85, 158, Colo. '85, 18*, Kamt. '88, 311, Man. '86, 150; N. E. '77, 14*, 46*, '83, 163*; N. Y. '99, 193; O. '87, 69°; Ore. '86, 163, '88, 143; S. D. '85, 287*; Tex. 1900, 339; Wash. '93, 17.—fd. '86, 163; mig. '85, 287*, '88, 143, '92, 385*; syn. '83, 62*, '84, 80*; '96, 162; misc. '93, 292*.

hypsibatus (fossil sp.), Ore. '91, 367, '93, 344.

leucopsis (a Barnacle Goose, b Bernicla), Helg. '95, 340b; N. Am. '80, 180a; N. Y. '77, 18b.—syn. '84, 385.

minima (Cackling or White-collared Goose, b Bernicla leucoparia, c leucoparia), Alas. '84, 80b, '87, 12, Cal. '86, 91; Colo. '99, 187; Ill. '76, 41c; Orc. '88, 143; Wash. '93, 17.—

fd. '86, 91; plm. '88, 143; syn. '85, 293, **'96**, 162.

nigricans (a Black Brant, nicla, e Bernicla nigrescens), Alas. '79, 53a, '81, 131-138a, '84, 187b, '85, 63b; Cal '84, 187a, '87, 87; Mass. '84, 96^b; Minn. '93, 289; N. J. '79, 226; N. Y. '93, 266, 271, '94, 163; Ore. '79, 198, '86, 162°, 163, '88, 143 ?; Tex. '87, 185; Wash. '85, 301a, '92, 42, 354a.—hbt. '81, 131a, '84, 187a; mig. '81, 131a, '85, 63b; nst. '81, 131a; plm. '97,, 208; song, '81, 131a.

occidentalis (White-cheeked Goose, ^b Bernicla), Alas. '84, 80^b; g. dist. '93, 125; Ore. '88, 143?; Wash. '93, 17, '97, 87, 172.—nst. '97, 87; syn. '83, 62^b, '96, 162.

propinqua (fossil sp.), Ore. '91, 367, '93, 144.

Brasher, Reginald Ignatius.

Northern Phalaropes off New Hampshire coast, '94, 250.

brasheri (Basileuterus), see B. culicivorus.

brasieri (Muscicapa), see Basileuterus culicivorus.

brasilianus (Megascops), see Megascops. - (Scops), see Megascops.

brasiliense (Tigrisoma), see Tigrisoma. brasiliensis (Cathartes), see Catharista. urubu.

— (Coragyps), see Catharista urubu.

--- (Crithagra), see Sicalis flaveola. —— (Emberiza), see Sicalis flaveola.

--- (Fringilla), see Sicalis flaveola.

--- (Parra), see Jacana nigra.

--- (Phalacrocorax), see P. vigua.

- (Polyborus), see P. cheriway. --- (Querquedula), see Querquedula.

- (Sycalis), see Sicalis flaveola. --- (Trochilus), see Glaucis hirsuta.

Bray, R. A.

[Diurnal migration of birds seen through a telescopel, '95, 397. Brayton, Alembert Winthrop.

Catalogue of birds of Indiana (rev.), '80, 174.

Brazil.

Allen, J. A., '87, 156, '99, 203-204. Berlepsch, H. von, '88, 457-460. Chapman, F. M., '90, 131-137, 265-271, '91, 24-31, 158-164, '93, 309-

311. Nehrling, H., 1900, 298-299. Ridgway, R., '87, 156, '99, 37. Riker, C. B., '90, 131-137, 265-271, '91, 24-31, 158-164,

Breese, William Lawrence.

Obituary of, '89, 81.

Breninger. George Frank.

Buteo albicaudatus in Arizona, '97, 403.

White-tailed Hawk in Arizona, '99, 352.

brenta (Bernicla), see Branta bernicla. brevicaudus (Thryomanes), see Thryomanes.

- (Thryothorus), see Thryomanes. Brevipennes, '83, 232.

brevipennis (Falco), see Falco.

- (Myıarchus), see Myiarchus.

brevipes (Æstrelata), see Æstrelata.

— (Arbelorhina), see Cœreba. — (Cœreba), see Cœreba.

—— (Conurus), see Conurus.

—— (Cyanerpes), see Cœreba.

— (Procellaria), see Æstrelata. brevirostris (Brachyrhamphus), see B.

brevirostris or kittlitzii. — (Cactornis), see Cactornis.

— (Campylorhynchus), see dytes.

— (Cœreba), see Cœreba cæruleus.

- (Fringilla), see Acanthis linaria. —— (Heleodytes), see Heleodytes. —— (Rissa), see Rissa.

Brewer, Thomas Mayo.

Cat. of birds of New England, etc. (rev.), '76, 72.

Birds of New England, '76, 89-93.

see Venner, H. G., 'Our birds of prey, Canada' (rev.), '77, 24.

A defence of his cat. of hirds of New England, '77, 44-48. see Salvin, O., 'Procellariidæ' (rev.),

77, 69.

see Salvin, O., 'new Petrels,' '77, 70. see Ogilvie-Grant, W. R., 'cat. of birds of Malta and Gozo,' '77, 70.

A new bird to Massachusetts, '77, 78. A new form of Surnia to New England, '77, 78.

Breeding of Leach's Petrel on coast of Maine, '77, 80.

see D'Hamonville, J. C. L. T., 'cat. des Oiseaux d'Europe, etc.' (rev.), 77, 106.

Nest and eggs of Zonotrichia coronata, '78, 42.

Seaside Finch (Ammodramus maritimus), in eastern Mass. '78, 48.

Changes in our North American fauna, '78, 49-52.

Notes on Junco caniceps and the closely allied forms, 78, 72-75.

Note on eggs of Myjarchus erythrocercus, '78, 100.

see Allen, J. A., 'birds of Mass.' '78, 138-140.

Blue-gray Gnatcatcher (Polioptila carulea) in Mass. '78, 146.

Apologetic [to N. C. Brown regarding Ammodramus caudacutus],

The Stilt Sandpiper (Micropalama himantopus), '78, 148.

Interesting captures [in Mass.], '78,

Two birds [Vireo flavoviridis, Sturnella mexicana] new to fauna of N. Am. '78, 152.

Notes on certain species of New England birds, with additions to his catalogue (rev.), '78, 185. see Saunders, H., 'Larınæ' (rev.),

'78, 185–187.

Skua Gull (Stercorarius catarractes) on coast of Mass. '78, 188.

Song of Hepburn's Finch (Leucosticte littoralis), '78, 189.

Black-throated Bunting [nesting in Mass.], '78, 190. Wilson's Thrush, with spotted eggs

and nesting on a tree, '78, 193.

Carolina Wren in Massachusetts, '78, 193.

Titlark (Anthus ludovicianus) Massachusetts, in June, '78, 194.

White-crowned Sparrow breeding in Vermont, '78, 195.

Eggs of Solitary Sandpiper (Rhyacophilus solitarius), '78, 197.

see Adams, E., 'birds of Alaska,' '79.

Notes on New England birds, '79, 63. Fulmarus glacialis on the Massachusetts coast, '79, 64.

American Brown Creeper, '79, 87.

Nest and eggs of Golden-crowned Kinglet (Regulus satrapa), '79, 96-

Eggs of Redstart (Setophaga ruti-

cilla), '79, 118. Loggerhead Shrike (Collurio ludovicianus) breeding in northern New England, '79, 119.

Great Northern Shrike in New England, '79, 120.

Cow Blackbird of Texas and Arizona (Molothrus obscurus), '79, 123.

Rocky Mountain Golden Eye (Bucephala islandica), '79, 148-152.

Eggs of Curlew Sandpiper (Tringa

subarquata), '79, 190. Booby Gannet (Sula fiber) in Massachusetts, '79, 191.

A word in defense, '79, 191-192.

[Note to Loomis's 'Birds of South Carolina '], '79, 209.

Nests and eggs of the eight North American species of Empidonaces (rev.), '79, 232.

Virco gilvus and Virco flavifrons in northern New England, '79, 237.

Rocky Mountain Whisky Jack (Perisoreus canadensis capitalis, '79, 239.

Black Skimmer in Massachusetts, '79,

Nest and eggs of Parus montanus, '80, 47.

Blue-winged Yellow Warbler in New England, '80, 48.

Redstart in Washington Territory, '80, 50.

Nesting of Common Crossbill, '80,

Eggs of Picus albolarvatus, '80, 56.

Obituary of, '80, 102-104.

Some additional notes upon birds observed in New England, etc. (rev.), '80, 108.

The Blue-Jay family (rev.), '95, 383. Brewer, T. M., Baird, S. F., and Ridgway, R., see Baird, Brewer and Ridgway.

breweri (Anas), see Anas.

- (Spizella), see Spizella. Brewster, Edward Everett.

Apparatus for preparing birds' eggs, '95, 196-198 (fig.).

Brewster, William.

Descr. of a new species of Helmin-thophaga, '76, 1 (col. pl.).

Occurrence of certain birds in New England States, '76, 17-20.

Occurrence of Curlew Sandpiper in Massachusetts, '76, 51.

Ipswich Sparrow in New Brunswick, '76, 52.

Yellow-bellied Woodpecker (Sphyra-

picus varius), '76, 63-70.
see Henshaw, H. W., 'report upon ornith. west of 100th meridian— Wheeler' (rev.), '76, 70, '78, 136-138.

Additional light on the so-called Sterna portlandica (rev), '76, 71. Observations on birds of Ritchie Co., West Virginia (rev.), '76, 72.

Singular food of Least Bittern, '76,

Capture of Orange-crowned Warbler in Massachusetts, '76, 94.

- The Black and Yellow Warbler (Dendroica maculosa), '77, 1-7.
- Northern range of Sharp-tailed Finch (Ammodramus caudacutus), '77, 28.
- Two undescribed nests of California birds, '77, 37.
- An undescribed hybrid between two N. Am. Grouse, '77, 66-68.
- see Nelson, E. W., 'birds of Illinois' (rev.), '77, 68.
- The Yellow-throated Warbler (Dendraca dominica), '77, 102-106
- see Merriam, C. H., 'birds of Connecticut' (rev), '77, 107.
- Note on nest and eggs of Carpodacus purpureus californicus, '78, 10.
- Descriptions of first plumage in various species of N. Am. birds, '78, 15-23, 56-64, 115-123, 175-182, '79, 39-46.
- Occurrence of a second specimen of Swainson's Buzzard (Buteo swainsoni) in Mass. '78, 39.
- Breeding of Hooded Merganser (Mergus cucullatus) in Florida, '78, 40. Note on Dendræca dominica, '78, 43.
- White-throated Warbler (Helminthophila leucobronchialis) in Conn. 78, 99.
- Nesting of Large-billed Water-thrush (Siurus motacilla), '78, 133-135.
- Note on Woodcock breeding in Florida, '78, 151.
- Note on Phalaropus hyperboreus, '78, 152.
- The Prothonotary Warbler (Protonotaria citrea), '78, 153-162.
- Short-tailed Tern (Hydrochelidon fissipes) in Mass, '78, 190.
- Occurrence of Whistling Swan (Cygnus americanus) in Mass. '78, 198.
- Capture of fifth specimen of Whitethroated Warbler (Helminthophaga leucobronchialis), '78, 199.
- Terns of the New England coast, '79, 13-22.
- Notes on the habits and distribution of Rufous-crowned Sparrow (Peucea ruficeps), '79, 47-48.
- caa ruficeps), '79, 47-48. see Merrill, J. C., 'notes on ornithology of southern Texas' (rev.), '79, 50-52.
- Habits and nesting of certain rare birds in Texas, '79, 75-80.
- Notes on distribution, habits and nesting of Black-capped Vireo (Vireo atricapillus), '79, 99-103.

- A spotted egg of Empidonax minimus, '79, 124.
- A second specimen of the Yellowcrowned Night Heron (Nyctiardea violacca) in Mass. '79, 124.
- Additional notes on the Whistling Swan (Cygnus americanus) in New England, '79, 125.
- Breeding habits of American Brown Creeper (Certhia familiaris americana), '79, 199-209.
- Notes on habits and distribution of Philadelphia Vireo (Virco philadelphicus), '80, 1-7.
- Nesting of Blue Yellow-backed Warbler in southern Georgia, '80, 48.
- Prowess of Bald Eagle (Haliactus leucocephalus), '80, 57.
- With the birds on a Florida river, '81, 38-44.
- Second occurrence of Hudsonian Titmouse (*Parus hudsonicus*) in Mass. '81, 54.
- Another capture of Loggerhead Shrike in Massachusetts, '81, 55.
- Third capture of Philadelphia Vireo (Virco philadelphicus) in Mass. '81,
- Recent occurrence of Baird's Sandpiper (*Tringa bairdi*) in Maine, '81, 60.
- Second Massachusetts specimen of Clapper Rail (Rallus longirostris), '81, 62.
- Notes on some hirds from Arizona and New Mexico, with descr. of a supposed new Whip-poor-will, '81, 65-73.
- Critical notes on a Petrel new to North America, '81, 91-97.
- Affinities of certain Polioptile, with descr. of a new species, '81, 101-107.
- see Cory, C. B., 'beautiful and curious birds of world,' pts. i, ii (rev.), '81, 111.
- Short-tailed Tern (Hydrochelidon nigra) in New England. '81, 124.
- Notes on Leach's Petrel (Cymochorea leucorrhoa), '81, 125.
- Breeding of Acadian Owl (Nyctale acadica) in Mass. '81, 143-145.
- Singular cage plumage of Rosebreasted Grosbeak, '81, 180.
- Carnivorous propensities of Crow Blackbird, '81, 180.
- Three-toed Woodpecker (Picoides arcticus) in Mass. '81, 182.

- Second Massachusetts specimen of Red-bellied Woodpecker (Centurus carolinus), '81, 183.
- Early arrival in New England of Least Bittern, '81, 186.
- Occurrence of Purple and Florida Gallinules near St. John, New Brunswick, '81, 186.
- Yellow Rail (Porsana noveboracensis) in Mass. '81, 186.
- Ivory Gull (Pagophila eburnea) at St. John, New Brunswick, '81, 187.
- Relationship of Helminthophaga leucobronchialis and H. lawrencei, etc. '81, 218-225.
- see Stearns and Coues, 'New England bird life' (rev.), '81, 236-240.
- see Minot, H. D., 'land and game birds of New England' (rev.), '81, 241-244.
- Additions to avifauna of United States, '81, 252
- Notes on habits and changes of plumage of Acadian Owl (Nyctale acadica), with additional records of breeding in Mass. '82, 23-25.
- Kennicott's Owl and some allies, with descr. of a proposed new race, **'82**, 27–33.
- see Freke, P. E., 'birds in Amelia Co., Virginia' (rev.), '82, 48.
- see Langdon, F. W., 'notes on Louisiana birds' (rev.), '82, 48.
- see Krider, J., 'forty years notes' (rev.), '82, 49.
- see Langdon, F. W, 'zoological miscellany' (rev.), '82, 50. see Hoffman, W. J., 'birds of Ne-
- vada' (rev.), '82, 51.
- An erroneous record of Orangecrowned Warbler (Helminthophila celata) in New Hampshire, '82, 53.
- [Cuckoos laying in nests of other birds], '82, 57.
- Remarkable specimen of Pinnated Grouse (Cupidonia cupido), '82,
- Collection of birds made by Stephens in Arizona, '82, 65-86, 135-147, 193-212, '83, 21-36.
- Impressions of some southern birds,
- '82, 94-104.
 see Coues, E., 'check list of N. Am. Birds,' 2d ed. (rev.), '82, 111, 242-
- Coturniculus lecontei, C. henslowi, and Cistothorus stellaris in Florida, '82, 121.

- Notes on habits of Kittiwake Gull, '82, 125.
- Sterna torstern breeding off the eastern shore of Virginia, '82, 126. see Chamberlain, M., 'cat. of birds
- of New Brunswick' (rev.), '82, 176. An owl's egg laid in confinement,

'82, 183.

- Notes on birds collected by Bendire, at Fort Walla Walla, Washington Territory, '82, 225-233.
- Nest and eggs of Setophaga picta, '82, 249.
- Lomvia arra brünnichi and L. troile in New England, '82, 251.
- Notes on birds and eggs from Magdalen Is., Gulf of St. Lawrence, '82, 253-256.
- Bicknell's Thrush (Turdus aliciæ bicknelli) in New England, '83, 12-
- see Linnæan Society of N. Y., Transactions, vol. i. (rev.), '83, 50-54.
- see Saunders, H., 'Larıdæ from Peru and Chili' (rev.), '83, 54. see Hoffman, W. J., 'birds observed
- at Fort Berthold, D. T.' (rev.), '83, 54.
- see Cory, C. B., 'beautiful birds of world, pts. iv, v (rev.), '83, 55. see Southwick and Jencks, checking-
- list of N. Am. birds' (rev.), '83,
- see Shufeldt, R. W., 'contributions to anatomy of birds' (rev.), '83, 56. see Bendire's Thrasher (Harporhyn-
- chus bendirei) in Colorado, '82, 57. An interesting flight of Pine Finches, **'83**, 57.
- Crows fishing, '83, 59.
- Holbæll's Red-poll (Ægiothus linaria holbælli) in New England, '83, 95-99.
- Probable breeding of Winter Wren (Anorthura troglodytes hiemalis) in eastern Massachusetts, '83, 119.
- Second instance of probable wintering of Pine Warbler in Massachusetts, '83. 120.
- Unusual influx of Three-toed Woodpecker (Picoides arcticus and P. americanus) into eastern Massa-
- chusetts, '83, 122. Recent occurrence of Flammulated Owl in Colorado, '83, 123.
- Larus glaucescens in the Bay of Fundy, '83, 125.
- White-winged Gull (Larus leucopterus) in Maine, '83, 125.

see Stearns and Coues, 'New England bird life' (rev), '83, 161-164.

see Smith, E, 'birds of Maine' (rev.), '83, 164-166.

Third Massachusetts specimen of Labrador Gyrfalcon (Falco gyrfalco obsoletus), '83, 184.

Scarlet Ibis in Florida, '83, 185.

Common Cormorant on coast of South Carolina, '83, 186.

An apparently new Gull from eastern North America, '83, 214-219.

The movements of certain water birds, '83, 245.

Summer birds of Berkshire Co., Mass. '84, 5-16.

see Cory, C. B., 'beautiful birds of world,' pt. vii. (rev.), '84, 81.

An example of Helminthophila leucobronchialis from Connecticut, '84,

Occurrence of Black-backed Threetoed Woodpecker in Massachusetts, **'84**, 93.

Singular specimen of Black-andwhite Creeper, '84, 190-192.

Lesser Glaucous-winged Gull in New York, '84, 196.

An ornithological swindler, '84, 295-297.

Birds observed during a summer cruise in Gulf of St. Lawrence (rev.), '84, 379.

Swainson's Warbler, '85, 65-80, 105. Heath Hen of Massachusetts, '85, 80-84.

Preliminary notes on birds obtained in Arizona by Stephens, '85, 84.

Peucaa astivalis and its subspecies illinoensis, '85, 105.

Hawk Owls in New England, '85, 108. Eider Ducks of the New England coast, '85, 111.

Common Cormorant in Massachusetts,

'85, 112. Rock Ptarmigan of Newfoundland, 85, 193-195.

Additional notes on birds collected in Arizona and Sonora, Mexico, by Stephens, with description of a new species of Ortyx, '85, 196-200.

Nelson's Sharp-tailed Finch (Ammodramus caudacutus nelsoni) on Atlantic coast, '85, 216.

The Ptarmigan of Anticosti-a correction, '85, 220.

Additional notes on nest and eggs of Warbler Swainson's (Helinaia swainsoni), '85, 346-348.

Oyster-catcher (Hamatopus palliatus) in Massachusetts, '85, 384.

Ornithological reconnaissance western North Carolina, '86, 94-112, 173-179.

Sterna anæthetus in South Carolina, '86, 131,

Additions to avifauna of Texas, '86, 139.

Remarks on North American Red Crossbills, '86, 260.

New wrinkle in taxidermy (rev.), '86,

Junco hyemalis nesting in bush, '86,

277. Helminthopila celata in eastern Mas-

sachusetts, '86, 278. Additional notes on Peale's Petrel,

'86, 389-393. Ægialitis meloda circumcincta in

South Carolina, '86, 408. Ammodramus lecontei in South Caro-

lina, '86, 410. Vireo solitarius alticola in South

Carolina, '86, 410. Protonotaria citrca in Massachusetts. '86, 410,

An interesting specimen of Helminthophila, '86, 411.

Bird migration (rev.), '86, 474.

Yellow-billed Tropic Bird in Florida, **'86**, 481.

Breeding of White-faced Glossy Ibis in Florida, '86, 481.

A red-headed Black Vulture, '86, 483, Two additional Massachusetts Prothonotary Warblers, '86, 487.

Nest and eggs of Swainson's Warbler (rev.), '87, 68.

Golden Eagle in eastern Massachusetts, '87, 70.

Black Gyrfalcon in eastern Maine. '87, 75.

Three new forms of N. Am. birds, '87, 145-149.

Uria troile and Alca torda on New England coast, '87, 158,

Further notes on Colinus ridgwayi, '87. 159.

Capture of third specimen of Buteo brachyurus in Florida, '87, 160.

Third New England specimen of Buteo swainsoni, '87, 160.

Capture of Corvus ossifragus in Massachusetts, '87, 162.

Redpolls of Massachusetts, '87, 163. Overlooked specimen of Bachman's Warbler, '87, 165.

Discovery of nest and eggs of Dendroica occidentalis, '87, 166.

Humming birds feeding their young on insects, '87, 255.

Scarcity of adult birds in autumn, '87, 268.

Descr. of supposed new birds from L. California, Sonora, Chihuahua, and the Bahamas, '88, 82-95.

Prairie Horned Lark (Otocoris alpestris praticola) on coast of Massachusetts, '88, 111.

Three apparently new subspecies of Mexican birds, '88, 136-139.

[Annotations of J. C. Merrill's 'notes on birds of Fort Klamath, Oregon'], '88, 139-146.

Quiscalus quiscula aglæus at Charleston, South Carolina, '88, 208.

Breeding of Golden-crested Kinglet (Regulus satrapa) in Worcester Co., Massachusetts, with descr. of nest and eggs, '88, 337-344.

Notes on birds of Winchendon, Worcester Co., Massachusetts, '88, 386-393.

Second Maine specimen of Swainson's Hawk (Buteo swainson), '88, 424.

Cistothorus palustris marianæ on coast of Georgia, '88, 432.

Present status of Forster's Tern as a bird of New England, '89, 66.

Western Sandpiper (Ereunetes occidentalis) in numbers on coast of Massachusetts, '89, 69.

Krider's Hawk (Buteo borealis krideri) on coast of Georgia, '89, 70. Second occurrence of Prairie Horned

Lark in Eastern Mass. '89, 71.

Descr. of supposed new birds from western N. Am. and Mexico, '89, 95.08

Dendroica coronata feeding upon oranges, '89, 279.

Present status of Wild Pigeon (Ectopistes migratorius) as a bird of the United States, etc. '89, 285-291.

see Merriam, F. A., 'birds through an opera glass' (rev.), '89, 330.

Nesting habits of Parrakeet (Conurus carolinensis), '89, 336.

Melanerpes carolinus eating oranges, '89, 337.

Little Brown Crane (Grus canadensis) in Rhode Island, '90, 89.

Capture of Canada Jay (*Perisoreus* canadensis) near Cambridge, Mass. '90, 91.

Bullock's Oriole in Maine, '90, 92.

Recent occurrence of Turkey Vulture in eastern Mass. '90, 204.

Capture of third specimen of Barn Owl in Mass. '90, 205.

Food of young Hummingbirds, '90, 206.

Purple Grackle at Charleston, South Carolina. '90, 208.

Acadian Sharp-tailed Sparrow and Scott's Seaside Sparrow on coast of South Carolina, '90, 212.

Summer Robin roosts, '90, 360-373. New subspecies of Solitary Sandpiper, '90, 377-379.

Breeding of Pileated Woodpecker in Worcester Co., Mass. '90, 400.

A study of Florida Gallinules, with notes on nest found at Cambridge, Mass. '91, 1-7.

Descr. of seven supposed new N. Am. birds, '91, 139-149.

Notes on Bachman's Warbler (Helminthophila bachmani), '91, 149-157.

Whistling Swan in Massachusetts, '91, 232.

Megascops asso macfarlanes—a correction, '91, 237.

Additional eastern records of Swainson's Hawk, '93, 82.

Descr. of new Hummingbird from northern Mexico, '93, 214.

Descr. of new Marsh Wren, with critical notes on Cistothorus mariana, '93, 215-219.

A brood of young Flickers (Colaptes auratus) and how they were fed, '93, 231-236, 365.

Occurrence of certain birds in British Columbia, '93, 236.

Ipswich Sparrow (Ammodramus princeps) on coast of Georgia, '93, 302,

Capture of another Ardetta neoxena at Toronto, Ontario, '93, 364.

Two corrections, '93, 364.

Notes and song-flight of Woodcock (Philohela minor), '94, 291-298.

Breeding of Prairie Horned Lark (Otocoris alpestris praticola) near Pittsfield, Mass. '94, 326.

Note on habits of Northern Shrike (Lanius borealis), '94, 329.

A remarkable plumage of Prairie Hen (Tympanuchus americanus), '95, 99 (col. pl.).

Notes on certain Flycatchers of genus Empidonax, '95, 157-163.

White Gyrfalcon in New England, '95, 180.

Second occurrence of Harris's Sparrow (Zonotrichia querula) in British Columbia, '95, 182.

A ground nest of Black-throated Green Warbler, '95, 184.

A remarkable flight of Pine Grosbeaks (Pinicola enucleator), '95, 245-256 (two maps).

Descr. of new Warbler and new Song Sparrow, '96, 44-47.

Occurrence of Wood Ibis (Tantalus loculator) in Bristol Co., Massachusetts, '96, 341.

Nomenclature of certain forms of Downy Woodpecker (Dryobates pubescens), '97, 80-82.

Lesser Snow Goose in New England, '97, 207.

Bahaman Swallow in Florida, '97, 221.

Geotrygon chrysia again at West, '98, 185.

Occurrence of Spotted Screech Owl (Megascops aspersus) in Arizona, '98, 186.

Lewis's Woodpecker storing acorns, '98, 188.

Revival of sexual passion in birds in autumn, '98, 194.

Short-eared Owls of Muskeget Island, '98, 211-213.

The spelling of names, '99, 209.

Undescribed Clapper Rail from Georgia and east Florida (rev.), '99, 291.

Notes on breeding habits of American Golden-eyed Duck or Whistler (Clangula clangula americana), 1900, 207-216 (two pll.).

Brewster, W., and Allen, J. A., see Allen and Brewster.

Brewster, W., and Adams, Charles Francis, Jr.

Birds of Morton's 'New English Canaan' (rev.), '84, 84.

Brewster, W., and Chapman, F. M. Notes on birds of the Lower Suwanee river, '91, 125-138.

Notes on birds observed in Trinidad, '95, 201-211 (col. pl.).

Brewster, W., and Minot, H. D.

Land-birds and Game-birds of New England, 2d ed. (rev.), '95, 284-

brewsteri (Acanthis), see Acanthis. - (Ægiothus), see Acanthis.

--- (Cupidonia), see Tympanuchus cupido.

– (Sula), see Sula.

Brewsteria, see Archibuteo.

Bride, see Aix sponsa.

bridgesi (Drymornis), see Drymornis. - (Thamnophilus), see Thamnophilus.

Brimley, Clement Samuel.

Nesting of Yellow-throated Warbler at Raleigh, N. C. '90, 323-326.

Breeding habits of Dendroica vigorsii at Raleigh, N. C. '91, 199.

Bachman's Warbler (Helminthophila bachmanı) at Raleigh, N. C. '91,

Additions to avifauna of North Carolina, with notes on other species. '93, 241-244.

Notes from Raleigh, N. C., '94, 332. Brimley, Herbert Hutchinson.

Pavoncella pugnax in North Carolina, '92, 299.

Brin-blanc, see Phaethornis guyi.

British Columbia.

Batchelder, C. F., '91, 224-226, '92, 395-396, '93, 290-292. Brewster, W., '89, 89-90, '91, 141-

142, '93, 236-237, '95, 182.

Brooks, A., 1900, 104-107. Fannin, J., '87, 341, '95, 76, 305, '97, 89.

Forbush, E. H., '90, 391.

Macoun, J. M., '92, 284. Rhoads, S. N., '93, 16-24, 238-241.

British Museum, Catalogue of Birds. vol. i, Accipitres, Sharpe (rev.), '78, 77~79.

vol ii, Striges, Sharpe (rev.), '78, 77-79.

vol. iii, Passeriformes (Coliomorphæ), Sharpe (rev.), '78, 77--79.

vol. iv, Passeriformes (Cichlomorphæ), Sharpe (rev.), '83, 99-105.

vol. v, Passeriformes (Cichlomorphæ), Seebohm (rev.), '83, 99-105. vol. vi, Passeriformes (Cichlomorphæ), Sharpe (rev.), '83, 99-105.

vol. vii, Passeriformes (Cichlomorphæ), Sharpe (rev.), '84, 278-283. vol. viii, Passeriformes (Cichlomorphæ), Gadow (rev.), '84, 278-283.

[vol. ix, Passeriformes (Cinnyrimorphæ), Gadow (not rev.)].

Passeriformes (Fringillivol. x, formes), Sharpe (rev.), '85, 365-368.

Passeriformes (Fringillivol. xi. formes), Sclater (rev.), '87, 149.

vol. xii, Passeriformes (Fringilliformes), Sharpe (rev.), '88, 410-413.

vol. xiii, Passeriformes (Sturniformes), Sharpe (rev.), '91, 90-92. vol. xiv, Passeriformes (Oligomyodæ), Sclater (rev.), '89, 266-268. vol. xv, Passeriformes (Tracheophonæ), Sclater (rev.), '90, 379.

vol. xvi, Picariæ (Upupæ and Trochili), Salvin and (Coraciæ), Hartert (rev.), '93, 66-68. l. xvii, Picariæ (Coraciæ

vol. xvii, and Halcyones), Sharpe and Ogilvie-Grant (rev.), '93, 66-68.

vol. xviii, Picariæ (Scansores), Hargitt (rev.), '91, 92-95.

vol. xix, Picariæ (Scansores and Coccyges), Sclater and Shelley (rev.), '92, 184.

vol. xx, Psittaci, Salvadori (rev.). **'92**, 277–279.

vol. xxi, Columbæ, Salvadori (rev.), **'94**, 60-62.

vol. xxii, Game-birds, Ogilvie-Grant (rev.), '94, 171-173.

vol. xxiii, Fulicariæ and Alectorides, Sharpe (rev.), '94, 242.

vol. xxiv, Limicolæ, Sharpe (rev.), **'9**7, 102-104.

vol. xxv, Gaviæ, Saunders, and Tubinares, Salvin (rev.), '96, 160-162. vol. xxvi, Plataleæ, Herodiones, Steganopodes, Pygopodes, Alcæ and Impennes, Sharpe and Ogilvie-Grant (rev.), '99, 198-203.

vol. xxvii, Chenomorphæ, Crypturi and Ratitæ, Salvadori (rev.), '96, 162-164.

British Museum, collection of birds, '85, 392; collection of eggs, '97, 432; Henshaw collection, '88, 447.

British Ornithologists' Club, '93, 96.

Bulletin, XLIX (rev.), '98, 208. Avium generum index alphabeticus (rev.), 1900, 78.

brittanica (Certhia), see Certhia. brittanicus (Parus), see Parus.

Broadbill, see Aythya marila, or Rynchops nigra.

Brock, Henry Herbert.

King Rail again in Maine, '96, 79. Crymophilus fulicarius in Maine, '96, 173.

Crex crex in Maine, '96, 173.

Recent occurrence of Florida Gallinule in southern Maine, '96, 255. Recent capture of Golden Eagle near Portland, Maine, '96, 256.

Brittain, John, and Cox, Philip, Jr.

Notes on summer birds of Restigouche valley, New Brunswick, '89, 116-119.

Brockport Republic (newspaper), title (No. 815), '85, 12.

Brockway, Arthur William.

Turkey Vulture in Connecticut, '98, 53.

Carolina Wren at Lyme, Conn., in winter, '98, 192.

Carolina Wren at Lyme, Conn., in December, '98, 274.

Little Blue Heron (Ardea carulea) ın Connecticut, '99, 351.

Odd nesting of Maryland Yellowthroat, '99, 360.

Broderipus, '94, 234, 235.

Brodie, William.

Bird notes from Toronto, '88, 211.

Brontornis, '96, 61, 62.

Brokaw, Louis W.

Obituary of, '97, 431.

Brooks, Allan.

Notes on some birds of British Columbia, 1900, 104-107.

Brooks, William Edwin.

Stray ornithological notes (rev.), '87,

Notes on genus Acanthis (rev.), '87, 63.

Obituary of, 1900, 194.

Brookville Society of Natural History, Bulletin, '85, 320.

Brotogeris jugularis (b Psittovius subcæruleus), Panama, plm. '89, 47b.

tirica, Braz. 1900, 299. tui, *Bras.* '91, 160. tuipara, *Bras*, '91, 160.

virescens, Braz. '90, 133, '91, 160.

Brotogerys, see Brotogeris. Brown, Edward Johnson.

Alle alle in Virginia, '93, 204.

Black Tern at Washington, D. C. '94, 73.

Dendroica striata in summer at Washington, D. C. '94, 79.

Bird notes from Virginia, '94, 259.

Brown, Herbert.

Ionornis martinica in Arizona, '88, 109.

Nesting of Palmer's Thrasher, '88, 116-118.

Scarlet Ibis (Guara rubra) in Arizona, '99, 270.

California Vulture in Arizona, '99, 272.

Conditions governing bird life in Arizona, 1900, 31-34.

Brown, Hubert Hatfield.

Capture of another Ardetta neoxena at Toronto, Ontario, '93, 363.

Brown, Nathan Clifford.

Variable abundance of birds at same localities in different years, '76, 95. Notes on birds new to fauna of Maine, '77, 27-28.

Sharp-tailed Finch (Ammodramus caudacutus) in Maine, '78, 98.

Stilt Sandpiper (Micropalama himantopus) at Portland, Maine, '78, 102. List of Birds observed at Coosada, central 'Alabama, '78, 168-174, '79,

7-13.

Notes on a few birds occurring in vicinity of Portland, Maine, '79, 106-108.

Ammodramus caudacutus a summer resident in southern Maine, '80, 52. New bird (Polioptila caerulea) for Maine, '80, 236.

Exceptional abundance of Shoveller at Portland, Me. '81, 187.

Descr. of a new race of Peucaa ruficeps from Texas, '82, 26.

A reconnaissance in southwestern Texas, '82, 33-42.

Barn Owl in Maine. a retraction, '82, 58.

An addition to Maine fauna, '82, 60. Early arrival of the Yellow-rump in southern Maine, '82, 119.

Canada Jay at Portland, Maine, '82, 122.

Little Blue Heron in Maine, '82, 123. King Rail in New England, '82, 124. Supplementary notes on two Texas birds, '82, 127.

Rapacious birds in confinement, '82, 184.

Remarks on five Maine birds, '82, 189. Immaturity vs. individual variation, '83, 46-48.

The prescient power of birds, '83, 63.

Cat. of birds in vicinity of Portland, Me. (rev.), '83, 112.

Individual variation in color in European Crossbill, '83, 121.

Glaucous Gull (Larus glaucus) at Portland, Maine, '83, 186.

Baird's Sandpiper at Scarborough, Maine, '83, 243.

Winter distribution of Swamp Sparrow and Yellow-rump, '86, 136.

A second season in Texas, '84, 120-124. Widgeon in Maine in February, '84, 394.

Swamp Sparrows and Yellow-rumps
—A question of evidence, '85, 307.

Great Marbled Godwit at Portland, Maine, '85, 385.

Carpodacus purpureus at Portland, Maine, in winter, '88, 209.

Early appearance of Empidonax minimus at Portland, Maine, '89, 71.

Unusual nesting site of Dendroica virens, '89, 74.

Winter notes from Portland, Maine, '89, 280.

Remarkable flight of Killdeer (Ægialitis vocifera) near Portland, Maine, '89, 69.

Note on Ægialitis meloda circumcincta, '89, 70.

Yellow-breasted Chat in Maine, '94, 331.

Baird's Sandpiper in Maine, '96, 80. The Ipswich Sparrow—a correction, '96, 84.

American Crossbill at sea, '96, 176. Second occurrence of Blue-gray Gnat-

Second occurrence of Blue-gray Gnatcatcher in Maine, '96, 264. Mockingbird at Portland, Maine, in

winter, '97, 224. Reappearance of Mockingbird at Port-

Reappearance of Mockinghird at Portland, Maine, '97, 324.

Red Crossbill unusually common at Portland, Maine, in summer, 1900, 175.

Marbled Godwit at Pine Point, Maine, 1900, 386.

Browne, Francis Charles.

Zonotrichia albicollis nesting in eastern Massachusetts, '80, 52.

Distribution of birds as influenced by increase of water area, '81, 126.

Late stay (probable wintering) of Dendraca pinus in Massachusetts, '82, 119.

Lark Finch again in Massachusetts, '83, 181-182.

Loggerhead Shrike again in Massachusetts, '84, 291.

Geothlypis trichas wintering in eastern Massachusetts, '84, 389.

Red Crossbill breeding in eastern Massachusetts, '85, 105.

Hawk Owl in eastern Massachusetts, '85, 220.

Another Richardson's Owl in Massachusetts, '85, 384.

New England Glossy Ibises of 1850, '87, 97-100.

Clapper Rail again in Massachusetts, '87, 344.

Scott's Oriole in California, '91, 238.
A belated Mockingbird in eastern
Massachusetts, '95, 84.

Obituary of, 1900, 194-196.

Browne, Montagu.

Artistic and scientific taxidermy and modelling (rev.), '96, 247-249.

Brownell, Charles Leonard.

Nesting of Cardinalis cardinalis at Nyack, N. Y. '97, 406.

browni (Conopophaga), see Conopophaga.

--- (Elænia), see Elænia.

— (Sicalis), see Sicalis.

bruennichi (Alca), see Uria lomvia.

Bruce, Mary Emily.

A month with the Goldfinches, '98, 239-243.

Bruner, Lawrence.

Notes on Nebraska birds. A list of species found in the State (rev.), '96, 245.

Vireo flavoviridis in Nebraska—a correction, '97, 323.

brunneicapillus (Blacicus), see Blacicus.
—— (Campylorhynchus), see Heleodytes.

— (Heleodytes), see Heleodytes. brunneicollis (Troglodytes), see Troglodytes.

brunneitorques (Chætura), see Cypseloides.

brunnichi (Alca), see Uria lomvia.

—— (Lomvia), see Uria lomvia. brunnescens (Ammodramus), see A. bryanti.

— (Ardea), see Butorides.

- (Butorides), see Butorides.

--- (Colaptes), see Colaptes.

- (Linaria), see Acanthis holbœllii.

—— (Lophortyx), see L. californica.

— (Margarornis), see Margarornis. — (Ocniscus), see Butorides.

brunneus (Empidonax), see E. bimaculatus.

Bryan, William Alanson.

Melanerpes erythrocephalus wintering in Chicago, '99, 273.

Pinicola enucleator canadensis and Tryngites subruficollis in Illinois, '99, 276.

Bryant, John A.

Clarke's Nutcracker in western Missouri, '95. 82.

Clarke's Nutcracker, '95, 181.

Bryant, Walter [Pierc]E.

Notes on habits of Rallus obsoletus, with descr. of its eggs, '80, 124.

Nest and eggs of Painted Flycatcher (Setophaga picta), '81, 176.

Nest and eggs of Myadestes townsendi, '84, 91.

Relationship of *Podiceps occidentalis* and *P. clarkii*, '85, 313.

Piranga rubriceps and Tringa fuscicollis in California, '87, 78.

Additions to ornithology of Guadalupe I. (rev.), '87, 154.

Cat. of birds of Lower California (rev.), '90, 281.

bryanti (Agelaius), see Agelaius.

— (Ammodramus), see Ammodramus.

—— (Dendroica), see D. bryantı or castaneıceps.

— (Euetheia), see Euetheia.

— (Heleodytes), see Heleodytes.

—— (Mimocichla), see M. plumbea. —— (Passerculus), see Ammodramus.

Buarremon, '87, 149, '98, 223. basilicus, Colom. '98, 339.

gutturalis (b Chrysopoga typica), C. R. '92, 25; Cal. '77, 92b?.—hbts.

'92, 25; meas., nst., plm. '92, 26.

Bubo, '80, 172, '84, 57, '93, 99, '94, 233.
 arcticus (a Arctic Horned Owl,
b virginianus, c subarcticus, d occidentalis, e pallescens), Alas. '84, 79c;
Ariz. '83, 26c, '86, 424c, '90, 48c,
54c, B. C. '93, 16, 18, 18c, 291c, 382,
1900, 105, 105c; Colo. '79, 95b, '85,
17, 143c, '94, 268c; g. dist. '93, 126,
'96, 155tk; Ida. '97, 353c; Man. '85,
21, '86, 155; Mont. '95, 214c, N. M.
'86, 79c, 155, 155c, '92, 361c, '94,
217a; Ore. '79, 195c, '86, 165c, '88,
146c, '91, 368c (fossil); S. D. '85,
284; Tex. '87, 190c, '89, 238c, '92,
234c, '99, 341c, 1900, 343c; Wash.
'93, 291c, 382.—fd. '83, 26c, '85, 21,
'87, 190c; nst. '85, 21, '86, 424c, '87,
190c, meas. '83, 26c, '99, 341c; plm.
'96, 156, '99, 341c; song. '89, 238c;
syn. '93, 18, 18c, '96, 153, '97, 132d,
134c, '98, 71, 71c, '99, 133c.

bengalensis, anat. '82, 86. blackistoni, syn. '91, 100.

ignavus, anat. '82, 86.

occidentalis, '96, 155*, see arcticus. pacificus (Pacific Horned Owl, b' subarcticus), Cal. '86, 93b, '96, 117b, 155; g. dıst. '97, 119.—meas. '96, 156; nst. '96, 117b; plm. '96, 156; syn. '82, 229. '96, 153, '97, 119, '98, 71, '99, 110.

saturatus (a Dusky Horned Owl),

Alaska, '81, 6ª?; B. C. '93, 18, '97, 89, 1900, 105, g. dist. '93, 126; Ida. '97, 353; Labrador, '96, 257 [= virginianus?], Ore. '86, 165; Wash. '82, 227, 229, '92, 355, '97, 174.—nst. '96, 257 [= virginianus?], plm. '82, 229, '96, 155; syn. '82, 229, '93, 18, '96, 153, '98, 71; misc. '82, 243.

virginianus (a Great Horned Owl), Ala. '79, 11; Argent. '84, 29; B. C. '93, 16, 18 [= saturatus?]; Fla. '88, 271, '89, 249, '95, 364; Ga. '83, 41; Hudson Bay, '90, 322; Ia. '97, 318; Ind. '88, 351; Ky. '85, 212, '89, 313; La. '82, 164; Labrador, '96, 257 [not 'saturatus']; Mass. '88, 389, '95, 88; Md. '88, 18; Me. '82, 150; Mich. '93, 230; Minn. '80, 16; Mo. '79, 146; N. B. '82, 150, '89, 117; N. C. '86, 104; N. F. 1900, 72; N. J. '79, 85*, '94, 136; N. S. '99, 251; N. Y. '81, 232, '95, 313^a; Ont. '87, 247; Orc. '93, 344 (fossil); Pa. '96, 293; P. E. I. '85, 266a; Que. '82, 237; S. C. '79, 216; S. Dak. '85, 284; Tenn. '87, 127a, 128, 129; Tex. '82, 172, '83, 235°; Urug. '84, 29; Wash. '93, 16, 18 [= saturatus?]; W. I. '86, 464. anat. '80, 130, '82, 87 (fig.): fd. '77, 80, '84, 194, '87, 67°, '93, 201°, '97, 318; hbt. '82, 172, '84, 194, '88, 313°; nst. '80, 16, 114°, '82, 172, '83, 41, 175, 235°, '84, 194, '85, 99°, '86, 271°, '87, 247", '89, 249, '90, 83", 84, 391", '91, 109ⁿ, '95, 88, '97, 318; plm. '96, 155; song, '84, 194, '87, 127"; syn. '96, 153, '98, 71; misc. '85, 298, '90, 81a, 83a, 84a, 395, '97, 396a (fig.).
Bubonidæ, '78, 78, '82, 86, 87.

buccinator (Cygnus), see Olor.

— (Olor), see Olor.

Bucco bicinctus, Venes., nst. '96, 332. cayennensis, W. I. '86, 367.

maculatus, Bras. '91, 158. tectus, Braz. '91, 158.

tamatia, *Bras.* '91, 158.

Buceros, '90, 72, '94, 234.

rhinoceros, Bornco, hbt., plm. '91, 8. Bucerotes, '93, 68. Buchanga, '94, 233, 234.

Buckley, Thomas Edward, and Harvie-Brown, J. A., see Harvie-Brown and Buckley.

Bucorvus, '96, 173.

Budytes, '85, 368, 193, 112.

flava (b Motacilla), Helg. '95, 334b. -plm. '80, 27b (alb.); syn. '86, 127b; misc. '83, 115b.

leucostriatus (Siberian Yellow Wagtail, b flava, c Motacilla flava), '78, 38b, **'**79, 53°. Alaska, 34^b, '81, 4^b, '84, 77^b, '85, 157^b.—hbt. '80, 34b, '81, 4b; song, '80, 34b; syn. '86, 127.

Buffalo-bird see Calamospiza melano-

Buffalo Courier (newspaper), title (No. 236), '83, 171.

Buffalo Naturalists' Field Club, Bulletin, titles (Nos. 595-607), '84, 184,

189; (No. 971), '85, 372. Buffalo Society of Natural Sciences, Bulletin, titles (Nos. 2206-2209), **'92**, 187.

Buffle-head, see Charitonetta albeola. buftoni (Stercorarius), see S. longicaudus.

Bull-bat, see Chordeiles virginianus or chapmani.

Bulldoo, see Fulica americana. bulleri (Puffinus), see Puffinus. Bulley, Reginald H.

Immature dress of Melospiza palustris. '86, 277.

Bullfinch, see Pyrrhula pyrrhula. Black, see Pyrrhulagra violacea.

Cassin's, see Pyrrhula cassini. Mountain, see Spindalis nigricephala. Bull-Head, see Squatarola squatarola.

bullocki (Icterus), see Icterus. - (Yphantes), see Icterus cucullatus. bulweri (Bulweria), see Bulweria.

Bulweria bulweri (Bulwer's Petrel), Japan, '92, 176; syn. '84, 385. Bumpus, Hermon Carey.

The elimination of the unfit (rev.),

1900, 87.

Bunting, Baird's, see Ammodramus bairdii. Bay-winged, see Pocecetes gramineus.

Beautiful, see Cyanospiza pulchra. Black-throated, see Spiza americana. Chapman's Golden, see Sicalis chapmani.

Chestnut-collared, see Calcarius ornatus.

Clay-colored, see Spizella pallida. Cow, see Molothrus ater.

Henslow's, see Ammodramus henslowii.

Indigo, see Cyanospiza cyanea. Lark, see Calamospiza melanocorys. Lazuli, see Cyanospiza amœna.

Leconte's, see Ammodramus leconteii. Painted, see Passerina ciris or Calcarius pictus.

Painted Lark, see Calcarius pictus. Reed, see Emberiza schæniclus.

Shattuck, see Spizella pallida.
Snow, see Passerina nivalis.
Towhee, see Pipilo erythrophthalmus.
Townsend's, see Spiza townsendii.
Varied, see Cyanospiza versicolor.
Yellow-winged, see Ammodramus passerinus.

Buphus, see Syrigma.

Burgomaster, see Larus glaucus.

Bureau, Louis.

Mue du bec et des ornament palpébraux du macareux arctique (Fratercula arctica) (rev.), '78, 87-91.

Burmeister, Hermann. Obituary of, '92, 399.

Burns, Franklin Lorenzo.

Notes from southern New Jersey, '95, 189.

The American Crow (Corvus americanus), with special reference to nest and eggs (rev.), '95, 287.

Monograph of the Flicker (Colaptes auratus) (rev.), 1900, 393.

Burroughs, John.

Wake-Robin (rev.), '77, 48.

Bird enemies (rev.), '86, 142.

burrovianus (Cathartes), see Cathartes. Burtch, Verdi.

Acadian Sparrow in Yates County, N. Y. '97, 93.

Curious nesting of American Redstart, '98, 332.

Busarellus nigricollis, Braz. '90, 133, '91, 161.

Bush-Tit, see Psaltriparus minimus.
Californian, see Psaltriparus californicus.

Grinda's, see Psaltriparus grindæ. Lead-colored, see Psaltriparus plumbeus.

Least, see Psaltriparus minimus. Lloyd's, see Psaltriparus lloydi.

Plumbeous, see Psaltriparus plumbeus.

Santa Rita, see Psaltriparus santaritæ. Butalis griseisticta, Siberia, '88, 197. Butastur, '94, 233.

indicus, Borneo, syn. '91, 13. Butcher-bird, see Lanius borealis.

Buteo, '77, 64, '84, 140, '86, 134, '87, 39, '93, 99, '97, 397, 1900, 167.

abbreviatus (Zone-tailed Hawk, b zonocercus), Ariz. '83, 30, '86, 423; g. dist. '86, 60-69; N. M. '79, 189', '92, 361; Tex. '79, 80', '82, 42, '83, 188.—fd. '83, 30; hbt. '86, 63; meas. '83, 30, '86, 64, 67, 68, 69; nst. '79, 80', 189', '83, 30, '86, 63, '89, 173;

plm. '81, 209, '83, 30, '86, 63; syn. '86, 60, 63.

alleni (a Florida Red-shouldered Hawk, b lineatus), Fla. '85, 292, '89, 247, '90, 309, 339, '91, 129*, 137b, '92, 212, '95, 364b; S. C. '91, 240; Tex. '92, 234, 1900, 342.—hbt. '90, 339; plm. '85, 292, '89, 247; syn. '85, 292. borealis (a Red-tailed Hawk, b aquilinus), Arız. '85, 174 [= calurus?]; Bahamas, '91, 350; Colo. '81, 141 [= calurus ?], '94, 267 [= calurus ?]; Conn. '95, 262ª, 265; Fla. '88, 271, '89, 247, '91, 137, '92, 212, '95, 364, 366; Ga. '83, 41; Ia. '95, 236; Ill. '85, 109; Ind. '82, 18*, '88, 350; Jamaica, '92, 126; Ky. '89, 313; L. Cal. '94, 168" [= lucasanus?]; Man. '86, 154; Mass. '88, 389, '89, 44, 99; Md. '88, 18; Me. '82, 151; Mich. '93, 224; Minn. '80, 17, '84, 247; Mo. '79, 146b, '95, 221a; Mont. '82, 63 [= calurus⁷]; N. B. '82, 151, '89, 117; N. C. '86, 179, '87, 241; N. Dak. '99, 165*; N F. 1900, 72; N. H. '88, 149; N. J. '79, 84, '94, 136; N. Y. '81, 233, '93, 57°; Pa. '83, 126, '93, 39, '96, 293; S. C. '79, 216, '90, 36, '91, 327, '92, 28°, 30°, '93, 151; S. Dak. '85, 285; Tenn. '87, 129°?; Tex. '84, 123, '92, 234, 1900, 342; W. I. '87, 39, '91, 48.—anat. '81, 201; fd. '83, 172; hbt. '90, 395; mig. '88, 350, '92, 28a, 30a, '95, 236, 262a, 265; nst. '83, 41, '84, 123, '88, 350, '90, 84, '96, 293; plm. '76, 22 (alb.), '80, 26° (alb.), '81, 209, '83, 126 (alb.), 171 (alb.), '84, 123, '93, 151; syn. '79, 84°, 242°, '87, 39; misc. '88, 223, '90, 85*, '97, 396* (fig.).

brachyurus (Short-tailed, or Little Black Hawk, b fuliginosus), C. R. '92, 328; Fla. '82, 116b, 184, '87, 160, '88, 185b, '89, 243-245, 248, 275, '90, 56, '91, 90, '92, 212; g. dist. '81, 207-214, '93, 141; N. Am. '82, 61, '88, 401b—hbt. '89, 243; meas. '81, 210-212b, '90, 57; nst. '89, 243, '90, 56; plm. '81, 207, 210, 212b, '85, 204 (melan.), '87, 160; syn. '81, 207, 210, 212b, '89, 243, '90, 64b, 90, '91, 90; misc. 1900, 198b.

buteo (European Buzzard, b vulgaris), Helg. '95, 326; Mich. '76, 2-6b. —anat. '81, 202b; meas. '76, 35b, 36b, 39b; plm. '76, 32b, 36b, '80, 29b (alb.); syn. '76, 32b.

calurus (Western or Black Redtailed Hawk), Ariz. '85, 356, '86, 422,

'90, 53, Cal. '86, 93, '90, 297, '98, 234; Colo. '81, 141, '85, 17, '94, 267; g. dist. '93, 134; Ida. 1900, 243; Ill. '76, 40; L. Cal. '95, 138 [= lucasanus?]; Mont. '94, 302, N. M. '86, 80, '92, 361, '98, 308; Ont. '88, 205, 1900, 386; Ore. '86, 164, '88, 145; Tex. '87, 188; Wash. '82, 227, '92, 354, '97, 173.—anat. '86, 133, fig.; fd. '87, 188, '88, 145; mig. '92, 361; nst. '86, 422; plm. '86, 422 (mlt.), '93, 151,

cooperi (Cooper's Henhawk), Cal. '77, 89, '84, 253, '85, 166; Colo. '84, 253, '85, 17; N. Am. '88, 401.-meas., plm., syn. '84, 254, '85, 166.

colonus, W. I. '93, 355.

elegans (Red-bellied Hawk), B. C. 1900, 105; Cal. '86, 93; g. dist. '93,

erythronotus, Argent., Urug., hbt. **'84**, 109.

ferox, Asia, mcas., plm. 1900, 304. fumosus, Mex. '98, 340.

harlani (Harlan's Hawk or Buzzard, b Falco), Colo. '85, 166; Fla. '97, 247; g. dist. '93, 134; Ia. '90, 205; Ill. '80, 31, '97, 200; Ind. '97, 200; La. '80, 203b, '87, 304; Minn. '96, 342; Tex. '80, 59, '85, 166.—meas. '80, 59, '84, 254, '85, 166, '96, 342; plm. '80, 58, 203b, '84, 253, '85, 165, 166, '90, 205; syn. '84, 253, '85, 165, '90, 205, 285, '91, 88; misc. '80, 201b, '86, 420°.

kriderii (Krider's Hawk), Ga. '89, 70; Ill. '85, 109; Kan. '84, 100, '86, 114; Minn. '80, 17, '95, 11-16; Tex. 1900, 342.—meas. '85, 110, '95, 12, 13, 14, 15, 16; nst. '95, 11; plm. '80, 17.

latissimus (* Broad-winged Hawk, b pennsylvanicus), Colombia, 1900, 364; Conn. '95, 262, 263, 264, 265; C. R. '90, 333, '92, 328; D. C. '88, 20; Fla. '89, 248, '92, 212, '95, 364, 366; Ga. '83, 41b; g. dist. '93, 133; Ia. '87, 66; Ill. '87, 332, '95, 394; Ind. '88, 350; Man. '86, 154; Me. '82, 151b; Mich. '93, 224; Minn. '80, 17^b; N. B. '82, 151^b, '84, 95^b; N. C. '86, 103; N. J. '94, 136; N. Y. '81, 233^b; Tex. '82, 174^b; W. I. '80, 169^b, '87, 40, 96, '91, 47, '93, 220,—anat. 782, 87b, 787, 332 (fig.); fd. 784, 95b, 188b, '87, 332, '88, 247, '95, 394; hbt. '88, 247, '90, 395; meas. '84, 96b, '87, 332; mig. '95, 262, 263, 264, 265, 394; nst. '83, 41b, '84, 95b, '91, 107b, '95, 265, plm. '81, 161b, '87, 66 (melan), 332; syn. '87, 40, misc, '97, 396a (fig.), '99, 169a.

lineatus (a Red-shouldered Hawk), Ala. '79, 11; Conn. '95, 265; D. C. '88, 20; Fla. '88, 271, '89, 247; Ga. '83, 41, '96, 212; G. Br. '80, 143; g. dist. '93, 133; Ind. '82, 181, 21, '88, 350; Ky. '89, 313; Man. '86, 328; Mass. '94, 197-210, 270-280; Mich. '93, 224; Miss. '82, 93; Mo. '79, 146, '95, 115°, '96, 222; N. C. '87, 241; N. J. '79, 84, N. Y. '79, 31, '81, 233; Pa. '92, 135; S. C. '79, 216; Tenn. '87, 129"; Tex. '87, 188, '89, 237. anat. '82, 87; fd. '94, 197, 270; hbt. '90, 392, '94, 197, 270; mig. '94, 197, '95, 265; nst. '83, 41, 235a, '87, 188, '88, 20, 350, '89, 183ª, '90, 84, '94, 197, '95, 265; plm. '94, 197; misc. '84, 186°, '90, 82°, '97, 396° (fig.), 1900, 112ª.

lucasanus (St. Lucas Red-tailed Hawk), syn. '96, 342.

pterocles, Argent., Urug., hbt. '84, 109.

sennetti (Sennett's White-tailed Hawk, balbicaudatus), Aris. '97, 403b, '99, 352; g. dist. '93, 141b, '94, 48; Tex. '79, 51b, '80, 46b, 91b, 26b, 188b, 1900, 342.-nst. '97, 403b, '99, 352; plm. '87, 26b; syn. '94, 48.

socorroensis, Socorro I. '98, 316.misc. '81, 171, '85, 205.

("Swainson's swainsoni Hawk, bairdi), Aris. '85, 226, '86, 423; B. C. 1900, 105; Cal. '87, 91; Colo. '83, 197, '85, 17, '94, 267; C. R. '90, 333, '92, 328: Ida. '97, 352; Ill. '76, 42; Ky. '89, 313; Man. '86, 154, '93, 50"; Mass. '78, 39, '87, 160, '93, 82; Me. '88, 424, '93, 82, 83"; Mich. '97, 216; Minn. '80, 17, '84, 247; Mont. '94, 302, '95, 214; Neb. '99, 353; N. M. '92, 361, '98, 308; N. Y. '93, 82, 83*; Ore. '79, 196, '88, 145; S. D. '85, 285; Tex. '82, 174, '87, 189, '89, 237, '92, 234, 1900, 342; Wash, '82, 227; W. Va. '98, 61.-fd. '82, 174, '90, 390; hbt. '77, 74, '87, 189; meas. '80, 17, '93, 84"; mig. '86, 423, '92, 361, '99, 353; nst. '80, 17, '82, 174, '85, 285, '86, 154, '87, 180, '89, 173 (melan.); plm. '81, 209, '85, 285 (melan.), '86, 66, 154, '87, 160 (melan.), 189, '93, 82; syn. '76, 33, '85, 371; misc. '80, 87b, '97, 396* (fig.).

buteo (Buteo), see Buteo.

Buteola, '85, 204. Buteones, '77, 71, '81, 161. Buteoninæ, '77, 70. Buthraupis cæruleigularis, C. R. '94,

Butler, Amos William.

New subspecies of Ammodramus sandwichensis from Mexico, '88, 264-266.

Birds of Indiana (rev.), '91, 383. Notes on range and habits of Carolina Parrakeet, '92, 49-56.

Notes concerning Evening Grosbeak, '92, 238-247.

Further notes on Evening Grosbeak, '93, 155-157,

Unusual occurrence of Brunnich's Murre (Uria lomvia) far inland, with notes on other rare birds, '97, 197-200.

Indiana: a century of changes in the aspects of nature (rev.), '97, 245 Birds of Indiana (rev.), '98, 335,

Some Indiana Crow roosts (rev.), '99, 91.

Brunnich's Guillemot (Uria lomvia), an addition to birds of Indiana (rev), '99, 91.

Notes on Indiana heronries (rev.). **'99**, 91.

Recent occurrence of Raven in Indiana (rev.), '99, 91.

Butler, Arthur Gardiner.

['Foreign Finches in captivity,' pros-

pectus], '94, 264.
Butorides, '77, 64, '78, 183, '82, 245, '93, 131, see also Ardea.

brunnescens (b Ardea), W. meas., plm., syn. '87, 327b, misc. '80,

robinsoni, Venez. '96, 333. saturatus (b Ardea), W. 1. '89, 172.—misc. '95, 258b.

cyanurus (b Ardea), Argent., Urug. '84, 271; Bras. '91, 161b; Venez. '97, 367b .- hbt. '84, 271.

Butterball, see Charitonetta albeola. Butterbird, see Dolichonyx oryzivorus. butyracea (Crithagra), see C. flaviven-

tris.

Buzzard, see Cathartes aura. Common, see Buteo buteo.

European, see Buteo buteo.

European Rough-legged, see Archibuteo lagopus.

Ferruginous Rough-legged, see Archibuteo ferrugineus.

Harlan's, see Buteo harlani. Krider's, see Buteo krideri.

Mexican, see Polyborus cheriway. Red-bellied, see Buteo elegans. Rough-legged, see Archibuteo sanctijohannis. Short-tailed, see Buteo brachyurus. Swainson's, see Buteo swainsoni. Turkey, see Cathartes aura. White-tailed, see Buteo sennetti.

cabanisi (Ceryle), see C. septentrionalis.

- (Molothrus), see Molothrus. — (Pyrgisoma), see Pyrgisoma. cabaret (Acanthis), see Acanthis. — (Fringilla), see Acanthis.

Cabot, Samuel.

Obituary of, '86, 144. caboti (Cœreba), see Cœreba.

-(Passerculus), see Melospiza georgiana.

cacalotl (Corvus), see C. sinuatus. Cacatoes, '90, 72. Cacatua, '94, 233.

Caccabis chukar, Ill. '94, 70 (introduced species).

cachinnans (Larus), see L. cachinnans, schistisagus or vegæ.

Cacicus, 1900, 167.

Cacky-quaw, see Porzana jamaicensis. Cacomantis, '94, 233.

cacozela (Merula), see Merula.

Cactornis, '95, 71, '98, 208, 1900, 303. brevirostris, Galap. Is. '90, 273.

scandens, syn. '96, 75. cactorum (Melanerpes), see Melanerpes.

— (Picus), see Melanerpes. Cæreba, see Cœreba.

cærulea (Arbelorhina), see Cæreba.

— (Brachyurus), see Pitta. --- (Certhia), see Cœreba.

— (Cœreba), see Cœreba.

--- (Cotinga), see Cotinga. --- (Culicivora), see Polioptila.

--- (Dendroica), see D. rara.

---- (Egretta), see Ardea.

--- (Eucephala), see Eucephala.

---- (Florida), see Ardea. ---- (Goniaphea), see Guiraca.

— (Guiraca), see G. cærulea or lazula.

---- (Herodias), see Ardea.

- (Loxia), see Guiraca.

--- (Motacilla), see Polioptila.

- (Myiothera), see Pitta.

--- (Neornis), see Glossiptila ruficollıs.

- (Pitta), see Pitta.

- (Polioptila), see P. cærulea or obscura.

--- (Sylvia), see Dendroica rara. —— (Tanagra), see Cyanospiza суcæruleiceps (Momotus), see Momotus. - (Thaumatias), see Chrysuronia œnone. cæruleigularıs (Buthraupıs), see Buthraupis. cæruleocephala (Xanthoura), see Xanthoura. cæruleocollis (Sialia), see S. occidentalis. cærulescens (Anas), see Chen. - (Anser), see Chen. (Chen), see Chen (Chlorophanes), see Chlorophanes. cærulescens (Dendroica), see Dendroica. - (Geranospiza), see Geranospiza. --- (Melanotis) see Melanotis. --- (Motacilla), see Dendroica. --- (Porphyrospiza), see Porphyro-- (Spermophila), see Sporophila. —— (Sylvia), see Dendroica. --- (Thamnophilus), Thamnosee philus. cæruleus (Coccoborus), see Guiraca. — (Cyanerpes), see Cœreba. - (Rhimamphus), see Dendroica cærulifrons (Psittacus), see Amazona bouqueti. cæsia (Emberiza), see Emberiza. casiogaster (Polioptila), see Polioptila. cafer (Colaptes), see C. cafer or satur-

atior. cahirica (Hirundo), see H. savignyi. Cahoon, John C. Seaside Sparrows at Monomoy Is., Cape Cod, '90, 289. Obituary of, '91, 320. cahooni (Aimophila), see A. mcleodii. --- (Troglodytes), see Troglodytes.

Caïaca, '90, 72. Caicos Island, West Indies.

Cory, C. B., '91, 296-297. Cairina moschata (* Muscovy Duck), Bras. '91, 161; W. I. '88, 63.-plm. '86, 274^a (hyb.), '92, 165 (hyb.); misc. '80, 66.

Cairns, John S.

Obituary of, '95, 315.

cairnsi (Dendroica), see Dendroica. Calamospiza, '88, 413, 440, 442, 444,

'93, 131.

melanocorys (* Lark Bunting, bicolor), Aris. '82, 200b, '85, 226b, '87, 205, '94, 219; Cal. '77, 92b, '84, 293b,

'90, 215b; Colo. '83, 191b, '85, 16b, '90, 80, '95, 153a, 154a; g. dist. '93, 135; L. Cal. '95, 141; Man. '86, 324; Mass. '78, 48^b, Minn. '80, 12^b, 15^b, '85, 32^b; Mont. '95, 217; Neb. '84, 286^a, N. M. '92, 366; N. Y. '89, 192; S. C. '95, 305°; S. D. '85, 281°, Tex. '82, 13b, 39b, '84, 121, '87, 294, '92, 339, 1900, 346.—anat. '88, 440, 442; fd. '82, 200^b; hbt. '80, 15^b, '85, 226^b (mlt.), '87, 205, 294, '94, 219; nst. '85, 281b; plm. '80, 27b (alb.), '82, 200^b; syn. '85, 49, '97, 429.

calandra (Melanocorypha), see Melanocorypha.

Calandrella, '81, 34.

pispoletta, Helg. '95, 334. brachydactyla, Helg. '95, 334.

calandria (Mimus), see M. modulator. Calcarius (b Centrophanes), '82, 179, 179b, '84, 118, '88, 440, 444, '93, 131. alascensis (* Alaskan Longspur, b lapponicus, c Centrophanes ponicus), Alas. '81, 4", '85, 63°, 157b, '87, 12b; g. dist. '98, 320*, '99, 117.hbt. '81, 4a; mig. '85, 63°, syn. '99, 117.

coloratus, Kamts. '98, 320*. lapponicus (* Lapland Longspur, **Plectrophanes, Centrophanes), Ark. '79, 238°; Colo. '85, 16°; D. C. '87, 347; g. dist. '93, 124; Greenland, '89, 211°, 296, '92, 282°; Helg. '95, 335; Hud. B. '90, 322; Ia. '95, 121; Ida. '98, 15; Ill. '90, 239; Ind. '89, 278; I. T. '94, 105"; Man. '85, 23b, '86, 323; Mass. '96, 86, '99, 80; Mich. '94, 180; N. C. '93, 242; N. Y. '81, 229', '86, 440, '88, 181, '89, 137, 190; Ont. '84, 894, '85, 334b; Pa. '79, 235', '90, 395; Que. '82, 235°; S. C. '82, 54b, '85, 190°, '87, 347; S. Dak. '85, 280° .- anat. '88, 440; fd. '94, 180; hbt. '86, 440; mig. '94, 105", 249, '95, 121; nst. '89, 296; song, '89, 296; syn. '80, 97°; misc. 783, 2b.

ornatus (* Chestnut-collared Longspur, b Plectrophanes, c Centrophanes, ⁴ Plectrophanes melanomus). Aris. '87, 199, '88, 321; Colo. '83, 161°, '85, 16°; Dak. '80, 43°; g. dist. '93, 134; Man. '85, 235, '86, 323; Mass. '77, 78b; Me. '87, 77; Minn. '80, 12b, 14b, '89, 340"; Mo. '79, 143"; Mo. River, '95, 227 ('Emberiza'); Mont. '79, 50°, '88, 14°; N. D. '79, 50°; N. M. '85, 333°, '92, 365, '94, 217; N. Y. '89, 190; S. D. '85, 280°; Tex. '78,

92b, '82, 37c, '92, 337.—hbt. '80, 14b; meas. '80, 14b; mig. '80, 43b, '85, 280°, nst. '80, 14b; plm. '78, 118b; syn. '80, 97°; misc. '80, 87d.

pictus (a Smith's Longspur, Painted Bunting, b Plectrophanes, c Centrophanes), Dak. '80, 43b; g. dist. '93, 124; Ia. '95, 121, 236; Ili. '76, 42b, '90, 240; Man. '85, 23b 323; Mo. '95, 7, S. C. '81, 115b, '85, 190°, '91, 51, 167, '93, 152; S. D. '85, 280°, Tex. '78, 92°.—hbt. '81, 115°, '90, 240, '95, 7; m1g. '80, 43°, '86, 137, '91, 51, '92, 236°, '95, 121, 236; plm. '93, 152, '95, 7; song, '95, 7; syn. '80, 97°.

calendula (Regulus), see Regulus. Calidris, '84, 142, '87, 315, '88, 331, '96, 65.

(a Sanderling), arenaria Arctic Am. '78, 86; Argent. '99, 292; Cal. '86, 91; Colo. '94, 183; D. C. '84, 397, Fla. '87, 219, 276°, 279°, '89, 157, '90, 308, '92, 212; Ga. '96, 212a, 215; g. dist. '93, 123; H. I. 1900, 204; Helg. '95, 326; Hud. B. '90, 321; Ill. '77, 68; Jamaica, '92, 13, '94, 122; La. '97, 288, Man. '86, 152; Mass. '81, 127, '90, 294, '91, 119, '92, 72, '94, 225; Minn. '79, 182; N. C. '99, 246°; N. J. '79, 225; N. Y. '82, 128, '87, 350, '88, 179, '99, 285; Pa. '99, 310; Que. '82, 239; Tex. 1900, 340; W. I. '87, 315, '90, 374.—hbt. '93, 293; mig. '87, 279^a, '89, 157, '91, 119, '99, 292; plm. '80, 29 (alb.), '86, 413, '89, 157, '96, 150^a (mlt.), 164 (mlt.), '97, 109 (mlt.), 1900, 370, 371, 372, 374, 379 (mlt.); syn. '87, 315, '96, 65 ['Arenaria calidris'].

calidris (Arenaria), see Calidris.

— (Motacilla), see Vireo.

—— (Phyllomanes), see Vireo. —— (Totanus), see T. totanus.

— (Vireo), see Vireo. — (Vireosylvia), see Vireo.

California.

Allen, C. A., '80, 55-56, '83, 174. Allen, J. A., '80, 89, 105-107, 136, 232, '81, 173, '91, 305, '98, 73, '99, 340, 342–343, 348, 350, 1900, 73– 74, 182-183, 304, 305.

Anthony, A. W., '92, 288, '94, 321-322, 327-328, '95, 51-52, 100-112, 177, 291, 348, 387, 390, '96, 171, 172, '98, 140-144.

Ball, F., '85, 383.

Barlow, C., '97, 221, '99, 156-161.

Belding, L., '78, 102, '79, 167-171, '92, 188, 288.

Blake, E. W., Jr., '87, 328-330.

Brewster, T. M., '78, 42-43, '80, 47, 56. Brewster, W., '77, 37-38, '87, 166-167, '81, 103-105.

Browne, F. C., '91, 238. Bryant, W. E., '77, 78-79, 339, '80, 124-125, '84, 91-92, '87, 78-79, 339, '88, 316, '92, 188, 287, 288.

Coues, E., '79, 117, 167-171.

Cooper, J. G., '77, 73, 76, 88-97, '78, 8-10, 68-69, 96, '79, 86-87, '80, 232, '86, 124-126, 401-402, '87, 85-94.

Chapman, F. M., '98, 283.

Edmiston, J. L., '90, 82.

Emerson, W. O., '83, 235, 237, '85, 98, 100, '92, 187, 287. Evermann, B. W., '83, 174, 237, '86,

86-94, 179-186.

Fiske, E. H., '90, 83.

Gault, B. T., '85, 212, 213, 309-311.

Gaylord, H. A., '96, 258-260.

Goss, N. S., '84, 396, '85, 217. Grinnell, J., '97, 294-296, 397-399,

'98, 58-59, 233-239,
Hatch, J. M., '96, 172, 347.
Henshaw, H. W., '77, 53-58, '79, 176, '80, 105, 112, 189, '81, 215, '84, 267, '85, 231-232, '86, 452-453.

Holterhoff, G., '81, 173, '84, 85, 293, 294, 393, '85, 311-312.

Jeffries, J. A., '88, 168-169.

Jeffries, W. A., '89, 220-223.

Jencks, F. T., '85, 313.

Johnson, F. Ó., '89, 280. Keeler, C. A., '91, 108, '92, 287, 288, 289.

Lawrence, R. H., '93, 300-301, 362, '94, 76-77, 181.

Loomis, L. M., '93, 47-48, '95, 378-379.

Mailhard, J., '81, 119, '98, 51, 196-

McGregor, R. C., '97, 91-92, '99, 78-79.

McLain, R. B., '98, 185, 190, 191, 267.

Mearns, E. A., '98, 258-264.

Merriam, C. H., '94, 258, '95, 54-60. Merriam, F. A., '96, 115-124. Miller, F. '79, 109-110.

Miller, G. S., Jr., '94, 178.

Nelson, E. W., '97, 59.

Oberholser, H. C., '97, 300-303, '99, 23-25, 1900, 304.

Orcutt, C. R., '85, 211. Palmer, E. D., '94, 78.

– (Vireo), see V. vicinior.

```
Parkhurst, A. L., '85, 100.
  Price, W. W, '88, 210, '97, 182-186.
  Ridgway, R., '78, 64-68, '79, 167-171, '80, 139, '81, 124, '85, 292, '92, 302, '98, 230, '99, 35-36, 254-255.
  Rhoads, S. N., '93, 238-241.
Shields, A. M., '90, 80.
  Southwick, J. M., '85, 313.
  Stearns, R. E. C. '77, 74, '84, 87.
  Stembeak, W., '85, 98.
Stephens, F., '78, 42, '83, 188, '84,
    353-358, '90, 159-160, 296-297, '92, 392-393, '93, 298-300, '95,
     81-82, 371-372.
  Taylor, H. R., '90, 81.
Thurber, E. C., '96, 265.
  Townsend, C. H., '85, 215-216, '86,
     490-491.
  Van Dyke, T. S., '84, 187, '85, 213.
  Wadhain, J. E., '84, 286.
Wall, E., '93, 204.
  Wicks, M. L., Jr., '97, 404.
California Academy of Sciences.
  Bulletin, titles (Nos. 2210-2214), '92,
     187; officers of, '89, 208; Proceed-
     ings, titles (Nos. 2215-2223), '92,
     187; section of ornith. '98, 216.
California Ornithological Club, '89, 207.
californiana (Saurothera), see Geococ-
       cyx.
californianus (Geococcyx), see Geo-
       coccyx.
    - (Pseudogryphus), see Pseudogry-
       phus.
    - (Vultur), see Pseudogryphus.
californica (Aphelocoma), see Aphelo-
       coma.
— (Callipepla), see Lophortyx.
 - (Cyanocitta), see Aphelocoma.
— (Herodias), see Ardea egretta.
   - (Pinicola), see Pinicola.
  - (Polioptila), see Polioptila.
--- (Uria), see Uria.
californicum (Glaucidium), see Glau-
       cidium.
californicus (Agelaius), see Agelaius.

    (Carpodacus), see Carpodacus.

—— (Colymbus), see Colymbus.
 - (Dytes), see Colymbus.
  - (Larus), see Larus.
 —— (Lophortyx), see L. californicus.
       or vallicola.
   - (Pelecanus), see Pelecanus.
 — (Phalænoptilus), see Phalænop-
 — (Podiceps), see Colymbus.
—— (Podicipes), see Colymbus.
```

--- (Psaltriparus), see Psaltriparus.

--- (Tetrao), see Lophortyx.

```
caligata (Hypolais), see Hypolais.
caligatus (Trogon), see Trogon.
Call, Aubrey Brendon.
  Breeding habits of Terns, '95, 178.
Callichelidon, '86, 59, '91, 87.
     cyaneoviridis (Bahaman Swallow),
  Bahamas, '86, 59, '91, 294, 295, 334,
  350, 350, 352, 1900, 288, Fla. '90, 265, 312, '97, 221, g. dist. '91, 87,
  W. I. '91, 70 .- meas. '86, 59, plm.
  '86, 59, '97, 221; syn. '86, 59, '91, 87.
calliope (Stellula), see Stellula.
   - (Trochilus), see Stellula.
Callipepla, '93, 130, '97, 215.
     bensoni, Mex. '87, 156, '88, 194,
  '89, 175, '94, 66.
    castanogastris
                          (Chestnut-bellied
  Scaled Partridge, b pallida), Aris. '81,
  72b*, g. dist. '83, 34*; Tex. '86, 388,
  '87, 25, '92, 233.—plm. '86, 388, '87.
  25, 1900, 47 (mlt.).
    deserticola, '95, 371*, see Lophor-
  tyx gambeli.
     fulvipectus, Mex. '99, 26*.
     pallida, '81, 72*, see castanogastris.
     squamata (" Scaled Partridge),
  Ariz. '81, 72, '83, 33, '85, 226, '86, 387, '94, 221, 1900, 32°; Cal. '90, 216; Colo. '95, 298, 388; g. dist. '83, 34, '93, 134; Mex. '85, 228; N. Mex.
  '90, 89, '92, 360, '99, 188; Tex. '87,
  187.—hbt. '86, 387; meas. '83, 34;
  nst. '86, 387, '87, 187, '92, 360; plm.
  *81, 72, *83, 33, *86, 387, 1900, 47
  (mlt.); song, '85, 226, '86, 387; syn.
  '81, 72, '83, 33; misc. '85, 213, '91,
  389.
Callista, see Calliste.
Calliste (b Calospiza), '86, 195, '87,
   149, '95, 385, 385b.
     desmaresti, l'enez. '97, 364.
     guttata, Venez. '97. 364.
     versicolor, IV. I. '79, 49.
     boliviana, Bras., plm. '90, 267.
     cayana, Bras. '90, 267; Fenez. '97,
  364.
     cucullata, W. I. '86, 195, '88, 157.
   -meas., plm., syn. '86, 195.
Callocalia, '93, 99, '96, 83.
Callothorus, misprint, see Callothrus. Callothrus, '91, 344, '96, 71.
     æneus (b Molothrus, syn. '90, 192b.
     assimilis, Mex. 1900, 266*.
                 (Red-eyed Cow bird,
     robustus
  b Molothrus
                              ° Molothrus),
                   æneus,
  C. R. '90, 334, '92, 25-27, 250; g. dist. '96, 71; Tex. '76, 88, '77, 85,
  '78, 144b, '79, 51b, '80, 90b, '92, 237;
```

81

Yucatan, '85, 211b.—hbt. '77, 85b, '85, 211b; meas. '77, 87b, '92, 26; nst. '77, 85b, '92, 25, 237; plm. '77, 85b; syn. '87, 335b, '90, 192c.

Calocitta azurea, g. dist. '97, 55*. colliei, Columbia River. '77, 93?. Calodromas, '85, 208.

elegans, Argent., hbt., nst. '84, 318.

Calœnas, '94, 233. Calopezus, see Calodromas.

calopterus (Mecocerculus), see Mecocerculus.

calophonus (Thryomanes), see T. spilurus.

Calopsittacus novæ-hollandiæ Nymphicus), Cal. '85, 314b (cage); N. Y. '83, 116 (cage).

Calorhamphus fuliginosus, Borneo, syn. '91, 8.

calorhynchus (Aulacorhamphus), Aulacorhamphus.

Calornis, '94, 233.

Calospiza, see Calliste.

Calothorax, '93, 62.

lucifer (Lucifer Humming bird, ^b Trochilus cohuatl, ^c Doricha enicura), Aris. '77, 108c, '80, 90 .-- plm. '77, 108°, '99, 323°; syn. '77, 108°, '93, 62, '99, 323b.

calurus (Buteo), see Buteo. calvus (Otogyps), see Otogyps. Calypte, '86, 354, '93, 62.

anna (a Anna's Humming Bird, ^b Trochilus, ^c Selasphorus), *Ariz*. '86, 431^b; *Cal*. '86, 180^b, '89, 221^b, '98, 235; *g. dist*. '93, 134.— *fd*. '93, 312^a; nst. '77, 73a, '83, 235a; plm. '78, 192 (alb.), '79, 29^a (alb.), '80, 28^c (alb.), '88, 168b; syn. '93, 62.

costæ (Costa's Humming Bird, ^b Trochilus), Aris. '82, 210, '86, 430^b; Cal. '83, 188 [sp.?], '84, 354, '85, 309, '86, 180b, '87, 86b, '97, 92; L. Cal. '93, 314, '95, 140; Mex. '85, 230, '85, 309.—fd. '93, 314; hbt. '85, 309, '86, 430b; meas. '82, 210, '85, 310; nst. '85, 309, '86, 430b; plm. '82, 210; syn. '93, 62.

helenæ, Cuba, '91, 187, '86, 354. meas. '86, 354; plm., syn. '86, 354, '91, 18*7*.

Calyptophilus, '84, 3*, '86, 201. frugivorus, W. I. '84, 3, '86, 201, '95, 279.—meas., plm., syn. '84, 3, '86, 201.

Camarhynchus, '77, 64, '95, 71, '97, 330, 1900, 303. bindloei, Galap. Is. '96, 330.

compressirostris, Galap. Is. '96, 330.

incertus, Galap. Is. '96, 330. pauper, Galap. Is. '90, 273. townsendi, Galap. Is. '90, 273.

camelus (Struthio), see Struthio. Campañero, see Chasmorhynchus variegatus.

Camp-bird, see Perisoreus capitalis. Campephilus, '86, 373.

bairdi, W. I., meas., plm., syn. '86, 373.

boiei, Argent., hbt. '84, 25. guatemalensis, C. R. '92, 327. imperialis, C. R. '77, 94?; g. dist. '98, 217-223; Mex. '87, 161, '94, 66, 1900, 122.—hbt. '98, 217; meas. '87, 161; nst. '98, 217, 221; song, '98, 217, 219; misc. '80, 88.

principalis (* Ivory-billed Woodpecker), Ala. '84, 286°?; Ark. '87, 68a; Fla. '81, 16, 41a, '87, 68a, 68a, 338, '88, 185, 186, '89, 251, '91, 136, 137 '92, 212, 218, '93, 338, '95, 364, 366; Ga. '83, 40?, '96, 213; g. dist. '91, 174-186 (map); Ind. 97, 245°; Ky. '89, 313; La. 1900, 97-99; Miss. '82, 92; Tex. '82, 170 .- anat. '92, 67; hbt. '81, 412, '91, 174, '93, 338, 1900, 97; meas. '83, song. '81, 41ª; misc. '87, 68ª (4 items), '92, 68.

campestris (Anthus), see Anthus.

— (Glossiptila), see G. ruficollis. — (Leucosticte), see L. littoralis or tephrocotis.

- (Motacilla), see Glossiptila ruficollis.

 (Pediocætes), see Pediocætes. Campophagidæ, '83, 99.

Camp-robber, see Nucifraga columbiana, Perisoreus capitalis or P. obscurus.

Camptolæmus, see Camptolaimus.

Camptolaimus, '93, 107.

labradorius (* Labrador or Pied Duck, b Somateria), g. dist. '91, 201-216, '93, 125, '94, 4-12; Labrador, '92, 389; Mass. '84, 207; Mich. '77, 75; N. E. '76, 73, '77, 46^a; N. J. '95, 171; N. S. '89, 64^a; N. Y. '93, 270, '95, 69; Pa. '95, 171; Que. '94, 176. meas. '94, 176; nst. '98, 203; plm. '94, 176; syn. '94, 176; misc. '77, 74, '78, 79^b, '80, 180^a, '83, 55, '85, 209^a, '86, 264a, '87, 343a, '89, 178, '90, 199, '92,

194^a, '93, 294^a, 296, 363, '94, 175^a (corr.), '97, 87.

camtchatica (Pica), see Pica.

Campylopterus, '85, 447, 449.

ensipennis, Venes. '97, 366; W. I. '93, 220,

hemileucurus, C. R. '92, 324.anat. '95, 157.

phainopeplus, Colom. '99, 138. Campylorhynchus, see Heleodytes.

costaricensis, '88, 449*, see Heleodytes.

camtschaticus (Simorhynchus), see S. pygmæus.

cana (Tanagra), see Tanagra.

Canace, see Canachites.

Canachites (b Canace), '85, 372b, '86, 269, '98, 64, '99, 107.

canadensis (a Canada Grouse or Spruce Partridge, b Tetrao, c Canace. ^a Dendragapus, °osgoodi, ^r labradorius), *Alaska*, '87, 12^a; *g. dist.* '93, 125^a, '99, 291^r, 340^r, 1900, 114°*; Hud. B. '90, 321d; Man. '86, 153d; Me. '82, 151c, '98, 61d; Minn. '84, 247c; N. H. '87, 103d; N. S. '87, 16d, '91, 165^a, '99, 251; N. Y. '78, 53^b, '81, 233^c, '83, 52^a; Ont. '89, 204^d; P. E. I. '93, 8d; Que. '82, 238c.-hbt. '87, 15a, '92, 190a; meas. 1900, 114°; plm. '79, 29a (alb.), 43b, '99, 340f, 1900, 114°, 144^d (mlt.); syn. '86, 269^a, '99, 107, 291^t, 340^t; misc. '88, 317ª, '90, 397ª.

franklinii (Franklin's Grouse, ^b Tetrao, ^c Dendragapus), g. dist. '93, 125°; Ida. '97, 352°, 1900, 243; Mont. '82, 61^b; Wash. '93, 17°, '97, 173°. hbt. 1900, 243; meas. '97, 173c; nst. '97, 173°; plm. 1900, 145 (mlt.); syn. '99, 107.

osgoodi, 1900, 114*, see canadensis. Canada (see also Provinces of).

Allen, J. A., 1900, 394-395. Bell, R., '85, 209, '92, 188, 188, 189. Brewer, T. M., '77, 24. Chamberlain, M., '84, 186. Chambers, E. T. D., '93, 297. Coues, E., '82, 113, '83, 55. Couper, W., '81, 48, '84, 88, 88, 88. Dwight, J., Jr., '96, 344. Kells, W. L., '84, 89. McIlwraith, T., '84, 87. Macoun, J., '82, 113. Macoun, J. M., '92, 189. Morden, J. A., '90, 85. Paine, F. F., '92, 189.

Rae, J., '92, 283.

Scott, W. L., '84, 89.

Smith, E., '84, 185. Thompson, E. E., '89, 174. Vennor, H. G., '77, 24. Wintle, E. D., '84, 185. canadensis (Anas), see Branta.

--- (Anser), see Branta. —— (Aquila), see A. chrysaëtos.

--- (Ardea), see Grus.

--- (Bernicla), sec Branta.

--- (Branta), see Branta.

--- (Canace), see Canachites.

--- (Canachites), see Canachites. - (Dendragapus), see Canachites.

— (Dendrœca), see Dendroica cærulescens.

—— (Ectopistes), see E. migratorius.

— (Grus), see G. canadensis or mexicana.

- (Motacilla), see Seiurus aurocapil-

- (Muscicapa), see Wilsonia.

- (Myiodioctes), see Wilsonia.

- (Perisoreus), see P. canadensis or capitalis.

- (Pinicola), see P. californica. - (Rhimamphus), see

Dendroica cærulescens.

- (Sitta), see Sitta.

--- (Surnia), see Surnia.

--- (Sylvania), see Wilsonia.

--- (Sylvicola), see Dendroica cærulescens.

- (Tetrao), see Canachites.

- (Wilsonia), see Wilsonia. Canadian Geological Survey (Reports). Titles (Nos. 2225-2227), '92, 188.

Canadian Institute, '93, 74.

Titles (Nos. 2228-2231), '92, 189. Canadian Sportsman and Naturalist, '84, 206, '91, 302, '93, 74.

Titles (Nos. 504-522), '84, 88; (Nos. 523-543), '84, 185; (Nos. 773-775), '85, 209.

Canadian Record of Science.

Titles (Nos. 2331-2335), '92, 283.

canagica (Chloëphaga), see Philacte. --- (Philacte), see Philacte.

canaria (Serinus), see Serinus. canariensis (Fringilla), see Fringilla. Canary, see Serinus canaria.

Wild, see Astragalinus tristis.

Cancroma zeledoni, Central Am., Mex., plm., syn. '85, 370.

Cancromidæ, '78, 183.

(Hierofalco), candicans see Falco islandus.

- (Falco), see F. islandus or rusticolus.

```
--- (Thalasseus), see Sterna sand- | --- (Thalasseus), see Sterna sand-
      vicensis.
candida (Alle), see Alle alle.
candidissima (Ardea), see Ardea.
--- (Egretta), see Ardea.
--- (Garzetta), see Ardea.
--- (Herodias), see Ardea.
candidus (Himantopus), see Himanto-
      pus.
   - (Leuconerpes), see Melanerpes.
- (Melanerpes), see Melanerpes.
canens (Arremonops), see Arremonops.
canescens (Acanthis), see A. horne-
      mannii.
  — (Ægiothus), see Acanthis exilipes
      or hornemannii.
- (Fringilla), see Acanthis exilipes.
- (Linaria), see Acanthis linaria.
- (Sterna), see S. sandvicensis.
--- (Thalasseus), see Sterna sand-
      vicensis.
- (Totanus), see T. nebularius.
--- (Vireo), see Vireo.
--- (Vireosylvia), see Vireo.
Canfield, J. B.
  Red Phalarope at Bridgeport, Conn.,
    '95, 77.
canicapilla (Bleda), see Bleda.
--- (Brachyspiza), see Brachyspiza.
canicaudus (Cardinalis), see Cardinalis.
caniceps (Cardinalis), see Cardinalis.
--- (Columba), see Geotrygon.
  - (Geotrygon), see Geotrygon.
 — (Junco) see Junco.
--- (Linaria), see Cyanospiza ciris.
- (Phrygilus), see Phrygilus.
--- (Sitta), see S. pusılla.
--- (Trichophorus), see Criniger phæ-
      ocephalus.
canifrons (Amazona), see A. ochrop-
 --- (Chrysotis), see Amazona ochrop-
caninucha (Geothlypis), see Geothlypis.
canipileus (Chlorospingus), see Chloro-
      spingus.
Cannabina, see Acanthis.
cannabina (Acanthis), see Acanthis.
- (Linota), see Acanthis.
canora (Euethia), see Euetheia.
---- (Loxia), see Euetheia.
---- (Phonipara), see Euetheia.
canorus (Cuculus), see Cuculus.
Cantabrigia Club, '97, 343.
cantiaca (Sterna), see S. sandvicensis
      or acuflavida.
cantiacus (Actochelidon), see Sterna
      sandvicensis.
```

```
vicensis.
cantiana (Ægialitis), see Ægialitis alex-
      andrina or nivosa.
canticus (Cyclorhis), see Cyclorhis.
Cantores, '81, 201.
Cantwell, George G.
  [Proposed list of birds of Minne-
    sota], '89, 207.
  Notes from Minnesota, '89, 340.
  Shrikes of Minnesota, '90, 213.
  Notes on the egg of the Marbled
    Murrelet, '98, 49.
canus (Larus), see Larus.
canutus (Tringa), see Tringa.
Canvas-back, see Aythya vallisneria.
caparoch (Surnia), see Surnia,
Cape Breton Island, see Nova Scotia.
capella (Vanellus), see V. vanellus.
Capen, Elwin A.
  Oology of New England (rev.), '86,
    400.
capensis (Aphalus), see Microparra.
  — (Brachyspiza), see Brachyspiza.
--- (Daption), see Daption.
- (Microparra), see Microparra.
—— (Phyllostrephus), see P. terrestris.
Capercaillie, see Tetrao urogallus.
capistrata (Saxicola), see Saxicola.
capistratoides (Drymocataphus),
      Drymocataphus.
  -- (Goldana), see Drymocataphus.
____ (Myiothera), see Drymocataphus.
             (Campylorhynchus),
capistratus
      Heleodytes.
   - (Heleodytes), see Heleodytes.
capitalis (Chrysomitris), see Spinus.
— (Dendroica), see Dendroica.
—— (Henicorhina), see Henicorhina.
--- (Leptotila), see Leptotila.
 --- (Perisoreus), see Perisoreus.
___ (Ramphocelus), see Ramphocelus.
--- (Spinus), see Spinus.
capitaneus (Spinus), see Spinus.
capitata (Paroaria), see Paroaria.
Capito salvini, misc. '92, 184.
Caprimulgi, '86, 414, '94, 287, '95, 287,
    '97, 105.
Caprimulgidæ (* Goatsuckers), '81, 37,
    '84, 187, '86, 404, 444, '87, 339a,
    '93, 67, '97, 419.
Caprimulgus, '80, 178, '86, 404, '89, 10, '92, 68, '93, 110, '94, 234, 235.
    ægyptius, Helg. '95, 337.
    aldabrensis, Aldabra I. '95, 71.
    europæus, Helg. '95, 337; anat.
  '87, 81.
Capsiempis flaveola, Venez. '97, 365.
```

capucinus (Turdus), see Merula jamaicensis.

Caracara, Audubon's, see Polyborus cheriway.

Guadalupe, see Polyborus lutosus. Carbo, 1900, 167.

carbo (Cepphus), see Cepphus.

- (Graculus), see Phalacrocorax.

— (Oidemia), see O. carbo.

--- (Phalacrocorax), see Phalacro-corax.

--- (Procellaria), see Oceanodroma cryptoleucura.

--- (Uria), see Cepphus.

carbonata (Dendroica), see Dendroica.
—— (Helminthophila), see Dendroica.

(Perissoglossa), see Dendroica.

Cardellina, '93, 112.

rubrifrons (* Red-faced or Red-fronted Warbler), Ariz. '80, 89, '81, 68, '85, 353, '86, 256*, '88, 36, 385, '90, 50, 261; N. M. '81, 68, Tex. '80, 89.—hbt. '85, 353; meas. '88, 386, '90, 262; nst. '88, 385, '90, 261; plm. '85, 353; song, '85, 353.

Cardinal, see Cardinalis cardinalis.

Arizona, see Cardinalis superbus or
Pyrrhuloxia sinuata.

Brazilian, see Paroaria cucullata. Coast, see Cardinalis littoralis. Florida see Cardinalis floridanus. Gray-tailed, see Cardinalis canicaudus.

Saint Lucas, see Cardinalis igneus or C. superbus or Pyrrhuloxia peninsulæ.

Texan, see Pyrrhuloxia texana. Yellow, see Gubernatrix cristatella. Cardinal-bird, see Cardinalis cardinalis. Cardinalis, '84, 171.

affinis, Mex. '99, 296.
canicaudus ("Gray-tailed Cardinal), Mex. '92, 106; Tex. '82, 39 ('virginianus'), '92, 65, 106, '94, 222*, 1900, 346.—sym. '92, 65, 106.
cardinalis ("Cardinal, Cardinal Grosbeak or Redbird, bvirginianus), Ala. '79, 9b; Ark. '82, 91b; Bermuda, '96, 238; Colo. '85, 16b; Conn. '77, 108b; Cuba, '86, 206b?; D. C. '85, 98*, '88, 22; Fla. '85, 61b, '88, 274, '89, 324, '91, 127*, 138, '92, 213, '95, 365; Ga. '82, 96*, '83, 39b, '96, 213; g. dist. '93, 133, 135; Ill. '90, 243; Ind. '82, 18b, 21b, '89, 25; Kan. '85, 307b, '94, 215*; Ky. '89, 315; La. '82, 163b, '87, 302*; Mass. '83, 59*, 233b; Md. '85, 97*; Mich. 1900, 391; Miss. '82, 91b; Mo. '79, 144b, '95, 351*, '96, 218;

N. C. '86, 110, 314, '87, 244, '89, 120; N. I. '79, 82b, '86, 410*, '88, 421, '92, 204, '94, 139; N. Y. '78, 131b, '83, 117b, '84, 390b, '85, 151b, 300a, '87, 338a, '97, 406; O. '82, 46b; Ont. '84, 85a; Pa. '84, 289a, '93, 38, 40; S. C. '79, 214b, '85, 72a, '90, 125, '91, 329, '92, 31a, '94, 101a, '99, 198a, 278; Tenn. '86, 318, '87, 131; Tex. '82, 13b [= canicaudus '?], '87, 293, '88, 119a, '89, 240, '92, 339, '94, 222a [= canicaudus ']. —hbt. '88, 119a, 1900, 300a, mig. '85, 61b, '92, 31a, '94, 101a, '99, 198a, nst, '88, 18b, 163b, '83, 39b, '84, 390b, '85, 98a, '87, 293, '88, 22, 274, '90, 84a, '97, 406; plm. '79, 46b, '82, 39b, 131a, '86, 413a, song, '84, 189a, '85, 151b, 307b, '87, 131, '96, 238, '99, 278 (table); syn. '84, 171a, misc. '89, 24a, '90, 82a, 200, '91, 107a, '99, 198a.

coccineus, syn. '90, 191.

floridanus (Florida Cardinal), Fla. '81, 40 ['virginianus'], '97, 122.—syn. '97, 122, 232.

igneus (St. Lucas Cardinal), Aris. '81, 69 [= superbus]; L. Cal. '85, 345, '90, 215.—meas. '85, 345.

45, '90, 215.—meas. '85, 345. littoralis, Mex. '97, 64*.

mariæ, Tres Marias Is. '98, 340. phæniceus (b granadensis), l'enes. '97, 359, 364.—meas. '95, 371; plm. '95, 370, 371; syn. '99, 78b. robinsoni, l'enes. '95, 370*, '96,

robinsoni, Venes. '95, 370*, '96

saturatus, Yucatan, '85, 295. sinaloensis, Mcx. '99, 296.

superbus (* Arizona Cardinal, b igneus), Ariz. '81, 69b, '82, 199b, '85, 344*, '86, 68* [not 'St. Lucas Cardinal'], '87, 204.—meas. '82, 199b, '85, 344, 345; plm. '82, 199b.

cardinalis (Cardinalis), see Cardinalis. Carduelis, '80, 97, '84, 145, 361. caniceps, plm. '93, 282 (hyb.).

carduelis (* European Goldfinch, b elegans), [introduced, N. Am.], Bermuda, '96, 238; Conn. '92, 301b; Helg. '95, 335; Mass. '80, 109, 120b, '91, 314, '95, 182, '99, 196*, N. J. '86, 410b; N. Y. '86, 409b, '87, 339; Ont. '88, 211b; W. I. '86, 213b,—nst. '86, 410b, '91, 314; plm. '93, 282 (hyb.); syn. '80, 96b.

carduelis (Carduelis), see Carduelis. Cariama, '81, 77, '96, 63.

caribæa (Columba), see Columba.

— (Fulica), see Fulica. — (Muscipeta), see Blacicus.

- (Tyrannus), see T. tyrannus.

--- (Zenaidura), see Z. macroura.

--- (Turdus), see Galeoscoptes.

```
--- (Patagiœnas), see Columba.
caribæus (Blacicus), see Blacicus.
— (Rallus), see Rallus.
--- (Æstrelata), see Æstrelata.
--- (Pterodroma), see Æstrelata.
caribbæarum (Falco), see Falco.
  - (Tinnunculus), see Falco.
caribbæus (Turdus), see Merula gym-
      nophthalma.
Carınatæ, '96, 62, '98, 338.
carinatus (Ramphastos), see Ramphas-
caripensis (Steatornis), see Steatornis.
carmanı (Pipilo), see Pipilo.
carmioli (Phœnicothraupis), see Phœ-
      nicothraupis.
   – (V1reo), see Vireo.
carneipes (Cœreba), see Cœreba.
   - (Cyanerpes), see Cœreba.
carnivorus (Corvus), see C. principalis,
      sinuatus or caurinus.
carolæ (Pipilo), see P. crissalis.
carolina (Porzana), see Porzana.
—— (Crex), see Porzana.
   - (Ortygometra), see Porzana.
carolinensis (Ampelis), see A. cedrorum.
—— (Anas), see Nettion.
—— (Antrostomus), see Antrostomus.
---- (Bombycilla), see Ampelis cedro-
  — (Caprimulgus), see Antrostomus.

    (Coccyzus), see C. americanus.

   – (Columba), see Zenaidura
      croura.
   - (Colymbus), see Podilymbus podi-
      ceps.

    (Conuropsis), see Conurus.

  — (Conurus), see Conurus.
--- (Falco), see Pandion.
—— (Galeoscoptes), see Galeoscoptes.
  — (Junco), see Junco.
  — (Lanius), see Tyrannus tyrannus.
  — (Lucar), see Galeoscoptes.
— (Mimus), see Galeoscoptes.
 — (Muscicapa), see Galeoscoptes.
 --- (Nettion), see Nettion.
---- (Pandion), see Pandion.
  — (Parus), see P. carolinensis or
      agilis.
   - (Perissura), see Zenaidura mac-
      roura.
   - (Picus), see Centurus radiolatus.
  — (Podilymbus), see P. podiceps.
--- (Psittacus), see Conurus.
 - (Querquedula), see Nettion.
--- (Sitta), see S. carolinensis or at-
      kinsi.
  --- (Sylbeocyclus), see
                            Podilymbus
      podiceps.
```

carolinus (Centurus), see Melanerpes. —— (Melanerpes), see Melanerpes. --- (Picus), see Melanerpes. - (Rallus), see Porzana. --- (Scolecophagus), see Scolecophagus. carpalis (Aimophila), see Aimophila. -- (Peucæa), see Aimophila. Carpenter, Frederick H. Nest of Saw-Whet Owl, '84, 94. Carpococcyx, '97, 91. Carpodacus, '84, 48, '93, 131. amplus (Guadalupe House Finch), Guadalupe I. '77, 60,-anat. '91, 220; meas. '77, 61; plm. '77, 60, 62. californicus (California Purple Finch), Aris. '87, 196, Cal. '86, 181; Purple g. dist. '93, 126; Ore. '86, 168, '88, 357; Wash. '92, 355, 1900, 354.—fd. '87, 196; hbt. '87, 196; meas. '77, 37, nst. '77, 37, '78, 8; 1900, 354; plm. '87, 196; misc. '82, 243. cassini (Cassin's Purple Finch), Arız. '85, 173, '85, 349, '87, 197, '90, 49, 258; Cal. '78, 66, '87, 88; Colo. 79, 230, 380, 229, 81, 89, 83, 160, 85, 16, 94, 269; g. dist. 93, 126; Ida, 98, 15; N. M. 85, 333; Ore. 79, 164, 88, 357; Wash. 97, 177.—fd. 87, 167, 168, 357; Wash. 97, 177.—fd. 87, 177.—fd. 87, 177.—fd. 87, 177.—fd. 87, 177.—fd. 97, 177.— 197; mlt. '87, 197; nst. '88, 357; song. '80, 229, '81, 89; misc. '84, 288. clementis (San Clemente House Finch, b rhodocolpus), Cal. '86, 453b, '87, 330b, '98, 258*, g. dist. '99, 114. —fd. '98, 258; hbt. '98, 258; meas. '98, 259, 260, 261; nst, '87, 330b, '98, 258; syn. '99, 114. erythrinus, Helg. '95, 336. frontalis (a House Finch, b rhodocolpus), Aris. '82, 193, '87, 197, '90, 48, '94, 218", 220"; Cal. '84, 355, '86, 181", '89, 220, '90, 296, '94, 255, '96, 120, '98, 235; Colo. '84, 289, '85, 16, 141, '87, 124, '94, 216"; g. dist. '93, 134; Kan. '94, 260; L. Cal. '77, 60, '95, 140; Mex. '95, 357; N. M. '92, 364, '98, 309; Wyo. '89, 341.—fd. '98, 235; hbt. '87, 197, '94, 216°; meas. '77, 61; nst. '86, 181b, '87, 197, '89, 341, '94, 255; plm. '77, 60; syn. '85, 207, '87, 335, 336b, '88, 401, '99,

186; misc. '84, 288, '92, 287.

mcgregori (McGregor's House Finch), L. Cal. '97, 165*, '98, 265,

'99, 114.—meas. '97, 165; nst. '98.

265; plm. '98, 265; syn. '99, 114.

mexicanus (b hæmorrhous), syn. '92, 196b, '85, 207, misc. '80, 88b, '88, 412b.

purpureus (a Purple Finch), Ala '79, 7; Fla. '88, 273; Ga. '96, 214; g. dist. '93, 126; Ia. '95, 122; Ill. '90, 239; Ind. '89, 24, Ky. '89, 314; Man. '86, 322; Mass. '83, 149a, '84, 6a, '88, 389, '89, 44, 100; Me. '82, 147, '86, 270a, '88, 209; Mich. '89, 280, '93, 225; Minn. '97, 223ª; Mo. '79, 143, '95, 224a, '96, 222; Mont. '82, 62; N. B. '82, 147, '83, 7^a, '84, 294^a, '87, 212^a, '89, 118; N. C. '86, 107; N. H. '87, 103°, 105, '88, 150, 152, 154, '89, 77, 78; N. J. '79, 82°; N. S. '87, 16, '89, 174, '99, 252; N. Y. '79, 32, 35, '81, 229, '82, 157a, '84, 327; Ont. '91, 302, '94, 1-3; Pa. '92, 137, '94, 182, '96, 283, 292, 294; P. E. I. '85, 263a, '93, 6a, 10; Que. '82, 235, '89, 147; S. C. '79, 214, '92, 29^a, '94, 38^a; S. Dak. '85, 279; Tenn. '86, 317; Tex. '87, 291; Vt. '96, 342.—fd. '86, 317, '88, 209, '96, 342; hbt. '79, 35, '83, 181, '90, 394, '96, 342; meas. '94, 2; mig. '92, 29^a, '94, 38^a, '95, 122, 128^a; nst. '79, 122; plm. '78, 116, '79, 28a (alb.), '83, 181 (mlt.), '86, 414 '94, 1 (col. pl., hyb.), 1900, 330 (mlt.); song, '84, 63^a, 69^a, 327; misc. '81, 179^a, '84, 288, '88, 12.

roseipectus, 'syn. '88, 412.

roseus, Helg. '95, 336.

ruberrimus (St. Lucas House Finch), L. Cal. '87, 336, '88, 397. nst. '89, 329; syn. '87, 336.

Carpodectes antoniæ, C. R. '85, 291, '88, 194.

Carpophaga, '94, 61, 233.

ænea, Borneo, '91, 14; P. I. '94, 239.—hbt., syn., '91, 14.

carri (Synallaxis), see Synallaxis.

Carroll, James J.

Notes on birds of Refugio Co., Texas, 1900, 337-348.

Cary, Merritt.

Phenomenal flight of Hawks, '99, 352. caryocatactes (Nucifraga), see Nucifraga.

Casarca, '97, 118.

casarca (Ruddy Shelldrake), g. dist. '97, 118; Greenl. '96, 243; syn. '97, 118.

casarca (Casarca), see Casarca.
— (Tadorna), see Casarca.

Case, Clifford Mills.

Solitary Vireo (Vireo solitarius) nesting in Connecticut, '96, 343.

Cashew-bird, see Spindalis nigricephala. caspia (Ægialitis), see Æ. asiatica.

--- (Sterna), see Sterna.

caspica (Hydroprogne), see Sterna caspia.

--- (Sterna), see Sterna caspia.

—— (Sylochelidon), see Sterna caspia. caspius (Helopus), see Sterna caspia.

--- (Thalasseus), see Sterna.

Cassicus persicus, Braz. '90, 132, 269; Venez. '97, 364.—nst. '90, 269.

Cassidix oryzivora (b Scaphidurus ater), Braz. '90, 269; Urug. '83, 133b. cassini (Brachyotus), see Asio accipitrinus or portoricensis.

- (Gymnostinops), see Gymnostinops.

- (Lanivireo), see Vireo.

—— (Megascops), see Megascops.

— (Molothrus), see M. cabanisi.

— (Peucæa), see Peucæa.

—— (Pyrrhula), see Pyrrhula. —— (Scops), see Megascops.

— (Simorhynchus), see S. pygmæus.

- (Viren), see Viren.

Cassique, Yellow-tailed, see Gymnostinops montezumæ.

castanea (Dendroica), see Dendroica.

— (Rallina), see Porzana concolor. — (Zenaida), see Z. martinicana.

castaneiceps (Dendroica), see Dendroica.

castaneifrons (Parus), see P. atricristatus.

castaneiventris (Sporophila), see Sporophila.

castaneopectus (Icterus), see I. wagleri.
—— (Campylorhynchus), see Heleo-

dytes capistratus.
castaneus (Hylactes), see Hylactes.
castanogastris (Callipepla), see Callipepla.

castanoptera (Dendrocincla), see Dendrocincla.

castanotus (Thryophilus), see T. cumanensis.

castor (Merganser), see M. merganser. castro (Oceanodroma), see Oceanodroma.

--- (Procellaria) see Oceanodroma.

(Thalassidroma), see Oceanodroma castro or cryptoleucura.

Casuarii (* Cassowaries), '81, 83, '86, 270*.

Casuarius casuarius, syn. '96, 164. casuarius (Casuarius), see Casuarius. catarractes (Stercorarius), see Megalestris skua.

Cathird, see Galeoscoptes carolinensis.

Catharista, '80, 78, 80, 81, '87, 51, '93, 130.

urubu (* Black Vulture, b atrata, c Cathartes atratus), Ala. '79, 12c; Argent. '84, 113°; Ark. '84, 285°; C. R. '90, 333b, '92, 328b; Cuba, '91, 294b, Fla. '81, 40a, '88, 270b, '89, 246, '91, 129a, 137b, '92, 212b, '95, 364b; Ga. '82, 103°, '83, 41°, '96, 212°; g. dist. '77, 94b, '93, 133b; Ill. '78, 166b ['Catharistes atratus']; Ind. '97, 245a, Jamaica, '92, 126b; Kan. '85, 311b; Ky. '89, 313, La. '82, 164b, '87, 303ª [' Carrion Crow'], '92, 204b; Me. '93, 82b; Mex. '95, 356b; Miss. '82, 93b; N. B. '80, 63a; N. Dak. '84, 286°; N. S. '98, 196°, N. Y. '80, 116° '81, 126°, '99, 195; O. '77, 109°, '85, 109°; Que. '98, 53°; S. C. '79, 216°, 109°; Que. 90, 33°; 3. C. 75, 210°, 86, 245°, 483°, '90, 36°; Tenn. '82, 192°, '86, 319°; Tex. '82, 41°, 174°, '87, 188°, '89, 237°, '92, 233°, 1900, 341; Urug. '84, 113°, Venez. '97, 366°; Vt. '86, 271°; W. I. '87, 51°. anat. '82, 46b, fd. '80, 116c, '81, 40a, '87, 188ª ['Carrion Crow'], 214ª, '95, 356b; hbt. '82, 103a, '84, 285c, '86, 245°, '91, 129°; nst. '79, 12°, '82, 174b, '83, 41b, '86, 246b, '87, 188b, '89, 246; plm. '86, 483°, '87, 25°, syn. '80, 80, '87, 51b, '99, 84, 109.

Catharistes, see Catharista.

Catharopeza, '86, 41.

bishopi, W. I. '79, 49, '86, 41. meas., plm., syn. '86, 41.

Cathartes, '80, 78, 79, 80, '87, 50.

aura (a Turkey Vulture or Buzzard, ^b Rhinogryphus), Ala. '79, 11; Ariz. '83, 31, '85, 356, '86, 422, '90, 53; Bahamas, '91, 76, 298; Braz. '91, 161; Cal. '86, 92, '87, 92, '89, 221, '96, 116; Colo. '81, 141, '83, 197, '85, 17, 143, '94, 267; Conn. '83, 2354, '98, 53; C R. '90, 333, '92, 328; Cuba. '91, 294, '92, 272, D. C. '97, 326*, 1900, 53ª; Fla. '81, 40ª, '88, 248, 270, '89, 246, '90, 223, '91, 129, 137, '92, 212, '95, 364; Ga. '82, 102*, '83, 41, '96, 212; Ia. '95, 236; Ida. '97, 352; Ill. '95, 394; Ind. '88, 350; Jamaica, '92, 125, '94, 124; Ky. '89, 313; La. '82, 164, '87, 303*, '92, 204; L. Cal. '95, 137; Man. '86, 153; Mass. '89, 70, '90, 204, '92, 397, '94, 250, '99, 181; Md. '88, 18; Me. '83, 113, '84, 286a, '93, 82; Minn. '80, 17, '84, 247; Miss. '82, 93; Mo. '79, 147, '96, 222; Mont. '94, 302, '95, 214; N. B. '87, 209, 210°, 1900, 177; N. C. '86, 100,

103, 314; '89, 121; N. H. '82, 184, N. J. '79, 224, '92, 204, '94, 136, '95, 80, 1900, 70; N. M. '86, 80, '92, 361, '98, 307; N. Y. '84, 293, '85, 109, 212, '86, 439, '87, 340°, '88, 179, '90, 392°, '91, 394, '92, 203, '93, 301, '96, 341, '97, 227, '99, 195, 1900, 70, O. '83, 127ª; Ont. '84, 85ª; Ore. '79, 196b, '86, 164, '88, 145; Pa. '86, 475a, '99, 310; S. C. '79, 216, '86, 246a, '90, 36, '91, 327; S. D. '85, 285; Tenn. '86, 319, '87, 129; Tex. '82, 41, 174, '87, 188, '89, 237, '92, 233, 1900, 341; Va. '86, 160, '89, 52; Venez. '97, 366; Wash. '93, 17, 291, '97, 173; W. I. '87, 50; W. Va. '98, 134.—anat. '87, 51, 172; fd. '87, 51, 188, 208a, 214a, '88, 245, '92, 125, '94, 250, '96, 116; hbt. '82, 103*, '86, 245-247*, '87, 51, 172, '88, 245, 248, '91, 129*, '92, 125, 190; meas. '80, 82, 83, 1900, 70; mig. '95, 236; nst. '79, 24, '82, 174, '83, 41, '86, 160, 422, 475°, '87, 188, '88, 350, '90, 83°, 84, '91, 109°, '97, 326°; plm. '80, 29 (alb.), '91, 190 (alb.); syn. '80, 77, 80, '87, 50; misc. '84, 87, 187a, 187a, '85, 213a, '89, 183a, '90, 81a, 390a, '91, 391a, 1900, 53a, 95ª.

burrovianus, Mex. '80, 83.—plm. '80, 83; syn. '80, 80, 83, '85, 293; misc.'80, 88.

pernigra, meas., plm., syn. '80, 84. urubitinga, syn. '80, 83.

Cathartidæ, '77, 70, '80, 78, '81, 77, '82, 46, '83, 56, 167, '84, 86, 87, '86, 495, '96, 62.

Catharus, '84, 182.

alticola, Mex., syn. '98, 161. aurantiirostris, Venez. '97, 363, 367; song. '97, 367.

berlepschi, Ecuador, '89, 173; syn. '89, 171,

clarus, Mex. '94, 245. fulvescens, Mex. '97, 75*. fumosus, Colom., C. R. '89, 171.

melpomene, C. R., hbt., meas., nst., plm. '91, 273.

olivascens, Mex. '99, 296.

catherinæ (Trochilus), see Mellisuga minima.

Catherpes, '76, 50, '83, 81, '84, 41, '93, 112, 131, 132.

albifrons (a White-throated Wren, b mexicanus), Aris. '94, 218a; g. dist. '93, 135b, '99, 124; Mex. '98, 160.—syn. '98, 160, '99, 124.

conspersus (a Cañon Wren), Ariz. '85, 350, '88, 162, '90, 48 [' punctu-

--- (Leptodon), see Leptodon

—— (Myiozetetes), see Myiozetetes.

```
latus ']; Colo. '80, 181, 225, '83, 155,
  '85, 15, '94, 269, '95, 152a; N. M.
  '85, 233<sup>a</sup>, '98, 310, Tex. '82, 35, '89, 240, '92, 342.—hbt. '80, 225, '85, 233<sup>a</sup>
  ['mexicanus'], 350, '92, 287; meas.
  '80, 182, 226; nst. '80, 181, 225, '85,
  350, '88, 162; plm., song, '80, 225,
  '85, 233ª ['mexicanus'], 350; syn.
  '81, 175, '83, 81.
    mexicanus, g. dist. '98, 160.—syn.
  '83, 81, '98, 160, '99, 124.
    punctulatus (Dotted Cañon Wren,
  b conspersus), Aris. '90, 48, Cal. '78, 65, '82, 257, '86, 185b, '90, 296; L.
  Cal. '95, 143; N. M. '92, 368 [= con-
  spersus?].—syn. '83, 81.
Cat Island, West Indies.
  Ridgway, R., '91, 336.
caudacuta (Fringilla), see Ammodra-
      mus lecontei.
   — (Acredula), see Acredula.
--- (Chiroxiphia), see Chiroxiphia.
—— (Drymophila), see Drymophila.
caudacutus
            (Ammodramus), see A.
      caudacutus, nelsoni or subvir-
      gatus.
  - (Basileuterus), see Basileuterus.
caudatus (Mimus), see M. polyglottos.
caudifasciatus (Pitangus), see Pitangus.
   - (Tyrannus), see Pitangus, caudi-
      fasciatus or bahamensis.
caurina (Melospiza), see M. rufina.
caurinum (Syrnium), see Syrnium.
caurinus (Corvus), see Corvus.
cavicola (Speotyto), see Speotyto.
cayana (Calliste), see Calliste.
- (Cotinga), see Cotinga.
--- (Dacnis), see Dacnis.
- (Piaya), see Piaya.
   - (Sterna), see S. maxima.
—— (Tityra), see Tityra.
cayanea (Aramides), see Aramides.
cayanus (Caprimulgus), see Stenopsis
      cayennensis.
- (Cyanocorax), see Cyanocorax.
--- (Thalasseus), see Sterna maxima.
cayennensis (Antrostomus), see Sten-
      opsis.
  — (Aramides), see A. cayanea.
 - (Ardea), see Nycticorax violaceus.
—— (Bucco), see Bucco.
--- (Caprimulgus), see Stenopsis.
--- (Corethrura), see Porzana con-
      color.
- (Cypselus), see C. phœnicobius.
 - (Falco), see Pandion carolinensis.
 - (Gelochelidon), see Sterna max-
  - (Hirundo), see Panyptila.
```

```
--- (Panyptila), see Panyptila.
--- (Porzana), see Porzana.
--- (Psittacus), see Amazona agilis.
—— (Stenopsis), see Stenopsis.
--- (Sterna), see S. maxima.
--- (Thalasseus), see Sterna maxima.
  — (Vanellus), see Vanellus
Cayman Brac Island, West Indies.
  Cory, C. B., '89, 30-32.
  Ridgway, R., '98, 322.
Cayman, Little, see Little Cayman I.
caymanensis (Amazona), see Amazona.
—— (Centurus), see Centurus.
—— (Chrysotis), see Amazona.
- (Quiscalus), see Quiscalus.
 --- (Vireo), see Vireo.
Cazique, Blue-throated, see Coligena
    clemenciæ.
cearensis (Cychlorhis), see C. viridis.
Cedar-bird, see Ampelis cedrorum.
cedrorum (Ampelis), see Ampelis,
—— (Bombycilla) see Ampelis.
celænops (Merula), see Merula.
— (Turdus), see Merula.
celata (Helminthophila), see Helmin-
      thophila.
celebensis (Pitta), see Pitta.
Celebes.
  Allen, J. A., 1900, 399-401.
Celeomorphæ, '81, 203.
Celeus citrinus, Bras., syn. '91, 31.
    ochraceus, Braz. '91, 31.
cenchris (Falco) see Falco.
Central America.
  Brewster, W., '81, 105-107.
  Goss, N. S., '88, 27-29.
  Oberholser, H. C., '99, 31-37, 331,
    333, 334, 336.
  Richmond, C. W., '98, 7-10.
Ridgway, R., '85, 370, '90, 189-195.
Centrites niger, Urug., hht., mig., plm.,
  song, '83, 142,
Centrocercus, '82, 44, 45, 221, '93, 109,
  130.
    urophasianus (Sage Grouse or
  Cock-of-the-Plains), Colo. '79, 96,
  '85, 17; Mont. '94, 302, '95, 214; Ore.
  '79, 197, '88, 367; Wash. '97, 181.-
  hbt. '89, 33, '95, 214, 1900, 325 (pl.);
  plm. 1900, 165 (mlt.), 325 (fig.);
  misc. '84, 288 [' Pintail Grouse'].
Centrococcyx, '94, 234.
Centrophanes, see Calcarius.
Centropodinæ, '97, 91.
Centropus insularis, Aldabra I. '95, 71.
    purpureus, misc. '92, 184.
Centurus, '83, 114, '86, 378.
```

bahamensis, Bahamas, '92, 270*. blakei, Bahamas, '86, 337*, '88, 159, '91, 334, 350.

caymanensis, W. I. '86, 499*, 502, **'88**, 158.

dubius, syn. '83, 114.

frontalis (b Melanerpes), Mex.1900, 257b*.

fumosus (b Melanerpes), Mex.1900, 258b*.

hoffmanni, C. R., meas., nst. '92, 327, syn. '83, 114.

leei, Yucatan, '85, 295.

nyeanus, Bahamas, '86, 336*, '88, 159, '99, 273.

pauper, Honduras, '89, 172.

pygmæus, Yucatan, '86, 269. radiolatus, Jamarca, '86, 378, '92, 275, 374, '94, 124.—fd. '92, 375, '94, 124, hbt. '94, 124; meas. '86, 378, '92, 375; nst. '92, 375; plm., syn. '86, 378.

rubriventris, misc. '83, 114.

sanctæ-martæ (b Melanerpes), Colom. '98, 339b.

santacruzi, syn. '83, 114.

superciliaris, Cuba, '86, 379, '92, 272.—meas. '86, 379; plm. '86, 379, '91, 190 (alb.); syn. '86, 379.

terricolor (b Melanerpes, c Melanerpes subelegans), Venez. '97, 366°; W. I. '93, 220b.—syn. '83, 114.

wagleri (b tricolor), misc. '83, 114b. veræcrucis (b Melanerpes), Mex., meas., plm. 1900, 259b*.

Century Dictionary.

Ornithology of, '91, 222-224.

Century Magazine.

Titles, No. 267, '83, 173; No. 449, 238; Nos. 1636-1644, '90, 198.

Ceophlœus, '85, 52, '91, 95. abieticola (a Northern Pileated b Hylotomus, Woodpecker, c pileatus), Colo. '81, 140b; Conn. '93, 371c, '95, 311; g. dist. '98, 176*, '99, 110; Ida. '97, 354°; Ill. '81, 122b; Ind. '89, 22°; Ky. '89, 313°; Man. '86, 156°; Mass. '76, 54°, 55°, '84, 9°, 12^a, '88, 111^c, 389^c, 390^c, '89, 99^c, '90, 400^a, '96, 346^c; *Me*. '82, 150^b; Mich. '93, 224°; Minn. '84, 246°; N. B. '82, 150b; N. C. '89, 119c; N. H. '87, 104°, '88, 149°; N. J. '89, 303°, '94, 137°; N. Y. '78, 53°, '79, 6°, '81, 126b, 232b, '93, 275c; Ont. '87, 248c; Ore. '86, 165°, '88, 240°; Pa. '92, 135°, '99, 311°; P. E. I. '93, 9°, Que. '82, 236°; S. Dak. '85, 283°; Vt. '82, 63b; Wash. '92, 355c, '97,

175°.—hbt. '84, 9a, '88, 313a; meas. '90, 401a, '98, 176; nst. '90, 400a; song. '84, 9a; syn. '85, 51a, '98, 176; '99, 110,

lineatus (b Picus), Braz. '91, 30; Venes. '97, 366; Ore. '77, 93b?.

melanoleucus, Bras. '91, 30.

tracheolopyrrhus, Bras. '91, 30. scapularis (b Dryotomus delattri). N. Am., W. coast, '77, 94b.

pileatus (a Pileated Woodpecker, b Hylotomus), Ala. '79, 11b; Fla. '81, 41a, '88, 271, '89, 251, '90, 339, '91, 127a, 138, '92, 213, 218, '95, 365; Ga. '83, 40°; La. '82, 164°; Md. '83, 177°; Mo. '79, 146b, '95, 351°, '96, 220; N. C. '86, 104, 310°, 314; S. C. '79, 216b, '90, 37, '91, 327, '93, 152, '96, 213; Tenn. '86, 319, '87. 130; Tex. '82, 170b; '89, 238, W. Va. '98, 135.-fd. '87, 130, '95, 380, hbt. '82, 170b, '90, 339; meas. '98, 176; nst. '82, 170b, '83, 40b, '92, 218; plm. '87, 130, '93, 152, '94, 174"; song, '87, 130, '90, 339, '91, 127ª; syn. '85, 51a, '91, 95b, '98, 176, '99, 110; misc. '85, 101a, '87, 68a, '90, 81a, 389a, '92, 286ª.

cephalatra (Ornismya), see Aithurus polytmus.

(Polytmus), see Aithurus polytmus. Cepphi, 92, 174. Cepphus, '85, 294, '99, 202.

carbo (b Uria), syn. 1900, 80b; misc. '85, 294, '87, 155.

(a Pigeon columba Guillemot, b Uria), Alas. '85, 159, '98, 124; Cal. '86, 88, '87, 86, 93, 328, '94, 96°; Greece, '77, 107°?; Wash. '93, 17. mig. '94, 96a; nst. '98, 124; syn. '84, 385, '85, 294, 1900, 80b.

grylle (Black Guillemot, b Uria), Arctic Am. '78, 86b; Conn. '90, 283; g. dist. '93, 125, Greenl. '89, 213; Helg. '95, 327; Mass. '83, 150*; P. E. I. '93, 6; Que. '82, 241b, '89, 145.—nst. '79, 23b, '89, 145, 213, '93, 6; plm. '76, 23b (alb.), 24b (melan.), '80, 190b, '89, 213 (mlt.); syn. '84, 385b. '85, 294.

mandtii (Mandt's Guillemot. b Uria, c Uria grylle), Alas. '85, 63c; Arctic R. 1900, 310ª; g. dist. '93, 123; Helg. '95, 341; N. Pacific Ocean, '88, 311.—mrg. '85, 63°; syn. '84, 385, '85, 294, '96, 266b.

motzfeldi, g. dist. '88, 401.--plm., svn. '85. 294.

snowi, Kurıle Is. '97, 201*.—syn. 1900, 80.

cepphus (Stercorarius), see S. parasiticus.

Cerchneis, see Falco.

Cercomacra hypomelæna (misprinted hypolæna), ntisc. '90, 380.

Cercomorphæ, '86, 127.

Cercomorphus, '91, 93.

Cerorhinca monocerata (Rhinoceros Auklet, Ceratorhina, Cerorhina, suckleyi), Alas. '98, 124; Cal. '85, 387b', '86, 88, '87, 93.—plm. '80, 127b', 128b', '85, 387b'; syn. '80, 127b', 128b', '80, 88°.

cerroensis (Thryomanes), see Thryomanes.

— (Thryothorus), see Thryomanes. Cerros Island.

Bryant, W. E., '87, 340.

Certhia, '83, 113, '89, 173, '90, 277, '93, 113.

albescens (Mexican Creeper, b mexicana), Aris. '82, 81b, '85, 197b, 350b, '88, 165b; g. dist. '96, 314-318; Mcx. '88, 450*.—meas. '82, 81b, '88, 450, '96, 315; plm. '82, 81b, '85, 350b, '96, 315; syn. '79, 90b, '81, 175b, '83, 113b, '85, 350b, '95, 168b, 185b, '96, 315, '97, 132.

alticola, g. dist. '96, 316; Mex. '95, 358.—meas., plm. '96, 316; syn. '95, 168, 186, '96, 316.

brachydactyla, nst. '79, 89; syn. '79, 90.

brittanica, syn. '83, 113.

costæ, syn. '77, 90, '83, 113.

familiaris (* European Brown Creeper), Germany, '96, 306*; Helg. '95, 336.—nst. '79, 89; syn. '79, 90, '83, 113, '89, 173.

fusca (* Brown Creeper, * familiaris, camericana, 4 rufa), Ala. 778, 1715; D. C. '88, 19c; Fla. '93, 337, '95, 365c; Ga. '96, 213c; g. dist. '79, 87-90b, '93, 127c; Ia. '95, 121c; Ind. '89, 29c; Ky. '89, 316c, '94, 244b; Man. '86, 327c; Mass. '78, 139b, '89, 42*, 105c, '96, 346c; Me. '82, 109b; Mich. '93, 229c; Mo. '79, 141b, '93, 50-355*, '96, 220c; N. B. '82, 109b, '84, 294*; N. C. '86, 176c, 314c, '87, 244c; N. E. '81, 238b; N. H. '87, 106c, '88, 153c; N. Y. '79, 32b, '81, 12b, 227d, '84, 136d, '90, 232c, '95, 70c; Ont. '83, 145*, '84, 157d; Pa. '92, 2134c, 140c, '96, 292*, 296c; P. E. I. '85, 265*; S. C. '79, 211b, '92, 29*, '94, 38*; S. D. '85, 277d; Tenn. '86,

316°, Tex. '82, 35^a, '84, 121^a, '87, 298°, '89, 241°, '92, 343°, I'a. '89, 52°; W. Va. '98, 137°.—fd. '84, 157^a, hbt. '79, 87°, 199°, '91, 151°; meas. '79, 89°, 183°; mig. '85, 98°, '92, 29°, '94, 38°, '95, 121°; nst. '79, 87°, 183°, 199°, '86, 176°, '87, 244°, '90, 83°, 232°, '95, 350°; song, '84, 136°, '95, 350°; syn. '83, 113°, '97, 216, '99, 126, 185; misc. '93, 193°, 376°.

montana (a Rocky Mountain Creeper, b familiaris, c americana), Ariz. '90, 49, 262; B. C. '93, 16; Colo. '81, 88b, '83, 154, '85, 15, '87, 123c, '94, 270, '95, 152a; g. dist. '82, 257, '93, 127; Ida. '98, 20; Mont. '94, 307; N. M. '85, 126b, '98, 311; Tcx. '87, 298c.—fd. '85, 127a; syn. '83, 113. occidentalis (California Creeper, b americana), Alas. '98, 130; Cal. '87, 88b; g. dist. '82, 257, '93, 127; Orc. '88, 362; Wash. '92, 47, 310.—nst. '88, 362; syn. '83, 113, '88, 363. scandulaca, syn. '89, 173.

certhia (Dendrocolaptes), see Dendrocolaptes.

Certhidea, '77, 64, '95, 71, 72, '97, 330, '98, 208.

cinerascens, Galap. Is. '90, 273.
Certhiidæ (* Creepers), '84, 281, '89, 173*, 1900, 189.

Certhiola, see Correba.

godmani, '89, 219*, see Cœreba luteola.

sharpei, '86, 497*, see Cœreba, wellsi, '89, 219*, see Cœreba, certhiola (Locustella), see Locustella, cervicalis (Paroaria), see Paroaria, cerviniventris (Amazilia), see A, chalconota.

——— (Rhynchocyclus), see Blacicus pallidus.

cervinus (Anthus), see Anthus. Ceryle, '83, 59, '86, 367.

æquatorialis, Ecuador, syn. '93, 69, aleyon (* Belted Kingfisher, * Aleedo), Ala. '79, 11; Alas. '87, 12, '94, 220; Ark. '82, 93; Bahamas, '91, 75, 294, 295, 296, 298, 339, '92, 48; Bermuda, '96, 239; Cal. '86, 93, '87, 329, '94, '98, 234; Colo. '79, 95, '81, 143, '83, 196, '85, 17: Conn. '90, 388*; Cuba, '91, 294; P. C. '88, 21; Fla. '87, 138*, 275*, '88, 271, '89, 250, '90, 223, 310, '91, 129*, 137, '92, 212, '93, 310, '91, 129*, 137, '92, 212, '93, 364; Ga. '83, 40; G. Br. '80, 73; Hud. B. '90, 322; Ia. '95, 122; Ida. '97, 353, 1900, 244; Ind. '89, 22; Ireland,

'77, 107b, Jamaica, '92, 274, 373; Ky. '89, 313, La. '82, 164, '87, 302°; Man. '86, 155; Mass. '81, 127, '83, 150°, '89, 44, '90, 388°, Me. '82, 150, '85, 311; Mich. '81, 196*, '90, 388*, '93, 224; Minn. '80, 16, '84, 246; Miss. '82, 93; Mo. '79, 146; Mont. '94, 303, '95, 214; N. B. '82, 150, '89, 117; N. C. '86, 104; N. F. 1900, 72; N. H. '88, 149, 151, 153, '89, 76; N. J. '90, 328, '94, 136; N. M. '85, 238, '86, 79, '92, 362, '98, 308; N. S. '87, 16, '91, 166a; N. Y. '79, 31, 36, '81, 232, '84, 179, '85, 260, '89, 129, '90, 388^a, '93, 53^a; Ore. '79, 195, '88, 251; Pa. '92, 135, '93, 39, '96, 281, 227, '92, 44, '97, 174, 1900, 244, 352; W. I. '80, 169, '81, 154, '86, 368, '87, 181, '91, 46, 48, 48; Wis. '82, 188. anat. '85, 95; fd. '78, 92, '85, 311, '86, 79, 425, '96, 239, '98, 308; hbt. '78, 92, '83, 176*, '85, 238, 1900, 102*; meas '83, 25; mig. '81, 196ª, '84, 179, '85, 212a, '94, 96a, '95, 122, 128a; nst. '82, 164, 236, '83, 40, '87, 302", '89, 22, 147, '90, 328, '97, 204; plm. '79, 29a (alb.), '81, 161, '83, 25, 60, '93, 152; song, '85, 260; syn. '83, 60, '86, 368.

amazona, Argent. '84, 26; Bras. '91, 158; Venez. '97, 366.—hbt. '84, 26; plm., syn. '83, 60.

americana, Argent. '84, 26; Bras. '91, 158; Venez. '97, 366; W. I. '93, 220.-fd., hbt., song, '84, 26; plm., syn. '83, 60.

inda, plm., syn. '83, 60

septentrionalis (Texan Kingfisher, b americana, c cabanisi), Colo. River, '77, 94^b?; C. R. '90, 333°, '92, 323°, Tex. '79, 79°, '87, 190°, '92, 234°. meas. '79, 80°; nst. '79, 79°; plm. '83, 60b, '92, 323c; syn. '83, 60b, '93, 61, 69.

stictipennis, W. I. '86, 269, 367, '87, 96.—meas., plm. '86, 367, syn. '86, 269, 367.

stictoptera, g. dist. '93, 69; Yucatan, '85, 208.—syn. '85, 208, '93, 69. superciliosa, Braz. '91, 158, S. Am. '93, 69.-plm. '83, 60; syn. '83, 60, '93, 69.

torquata (Ringed Kingfisher), Ar-

gent '84, 26; Braz. '91, 158, g. dist. '95, 164; Tex. '94, 177, Urug. '84, 26-hbt. '84, 26; plm. '83, 60; syn. '83, 59, 60, '86, 269, 367, 368, '95,

ceylonensis (Ketupa), see Ketupa. – (Strix), see Ketupa ketupa.

Ceyx, '94, 236, 237, 1900, 167. argentata, P. I. '94, 237. cyanopectus, P. I. '94, 237. melanura, P. I. '94, 237.

Chachalaca, see Ortalis maccalli

Chadbourne, Arthur Patterson. Oporornis agilis and Dendraca palma-

rum palmarum at Shelburne, New Hampshire, '85, 104.

Wintering of Swamp Sparrow in eastern Massachusetts, '85, 216.

Swamp Sparrows and Yellow-rumps, '8**5**, 380.

New race of Field Sparrow from Texas, '86, 248.

Seiurus Indovicianus in Maine-a correction, '86, 278.

List of summer birds of Presidential Range of White Mts., New Hampshire, '87, 100-108.

Puffinus borealis at Gardiner's Bay, N. Y. '88, 202.

Molothrus ater again in Massachusetts in winter, '88, 207.

An unusual flight of Kildeer Plover (Ægialitis vocifera) along New England coast, '89, 255-263.

Song of the female Butcher Bird, '90. 290.

Evidence suggestive of occurrence of individual dichromatism in Megascops as10, '96, 321-325, '97, 33-39 (fig. and col. pl.).

Hudsonian Chickadee (Parus hudsonicus), Red-breasted Nuthatch (Sitta canadensis) and Golden-crowned Kinglet (Regulus satrapa) in Plymouth Co., Mass., in summer, '96, 346.

Iridescence of feathers, as explained by an old author, '96, 347.

Spring plumage of Bobolink, with remarks on 'color-changes' 'moulting,' '97, 137-149 (col. pl.).

Desirable substitutes for carbon di-

sulphide as an insecticide, '97, 251. Chætura, '86, 346, 444-451, '87, 80, 171, '89, 9, 11, '93, 110, '94, 233, '95, 156, 96, 83.

acuta (b colardeaui, c dominicana), W. I. '81, 128c, '86, 346c, '91, 48c,

591 meas. '86, 346°, '91, 60°; plm. '86, 346; syn. '86, 346°.

brachyura, W. I. '88, 158. brunneitorques, C. R. '92, 324. cinereiventris, W. I. '88, 158. colardeaui, '91, 59*, see acuta. (b peregrinator, c yucagaumeri

tanica), Yucatan, '83, 114, '85, 290c, '86, 268, 269b.

lawrencei, W. I. '93, 346.

pelagica (a Chimney Swift or Swallow), Ala. '79, 11, Conn. '81, 188; D. C. '88, 21, '92, 307; Fla. '88, 272, '89, 252, '91, 138, '92, 213, '95, 365; Ga. '83, 40, '96, 214; Ia. '95, 122, 235; Ill. '89, 339°; Ind. '89, 22; Ky. '89, 314; La. '82, 163, '87, 303a, '92, 205; Man. '86, 156; Mass. '84, 13a, '88, 389, '89, 44, 99; Me. '82, 150, '87, 351^a; Mich. '93, 224; Minn. '80, 16, '84, 246; Miss. '82, 92; Mo. '79, 146; N. B. '82, 150, '89, 117, N. C. '86, 105, '89, 120; N. H. '87, 104, '88, 149, 151, 154, '89, 77, 78; N. J. '94, 137; N. S. '87, 15a, 16; N. Y. '79, 31, '81, 231, '82, 188, '85, 257, '95, 314; O. '95, 242; Ont. '84, 161; Pa. '89, 142", '92, 136, '93, 39, 44, '96, 282, 293; P. E. I. '93, 9; Que. '82, 236; S. C. '79, 215, '90, 38, '91, 328; S. D. '85, 283; Tenn. '86, 319, '87, 130; Tex. '82, 169, '92, 235, 1900, 344; Va. '89, 53; W. Va. '98, 135.—anat. '89, 9, 10 (fig.), 11, '90, 279, '95, 157 (fig.), '96, 82; hbt. '85, 86*, 257, '86, 105, '90, 38, '91, 110, '92, 285, '93, 71, '97, 217a; meas. '89, 11; mig. '84, 161, '87, 351a, '89, 142a, '90, 391^a, 392^a, '91, 135, '94, 32^a, '95, 122, 235, 242; nst. '82, 150, '83, 40, 178, '88, 21, '89, 22, '90, 84°, '93, 9, '95, 314°; plm. '79, 29° (alb.), '81, 160; song, '85, 257; syn. '80, 37, 98; misc. '81, 188, '84, 189a, '85, 297a,

vauxii (Vaux's Swift), Ariz. '86, 429; Cal. '80, 55, '87, 92; g. dist. '93, 134; Ida. '97, 354; Orc. '86, 165, '88, 256; Wash. '93, 291, 382, 384, '97, 175.—fd. '88, 256; hbt. '80, 55, '86, 165, '88, 256; mig. '87, 92, '97, 354; nst. '80, 55, '86, 165, '97, 175; plm. '88, 256; song, '80, 55, '88, 256.

Chæturinæ, '89, 8, 13.

Chaffinch, see Fringilla cœlebs.

chalcauchenia (Leptotila), see Leptotila.

chalcocephala (Galbula), see Galbula. Chalcococcvx, '94, 233.

chalconota (Amazilia), see Amazilia.

Chalcophaps, '94, 233.

Chalcopsar, '91, 92.

chalcopterus (Larus), see L. glaucescens or kumlieni.

Chalcostetha, '94, 233.

chalybea (Progne), see Progne.

Chamæa, '90, 277, 278, '92, 172, '93. 112, 131.

fasciata (Wren-Tit, hphæa), Cal. '86, 186, g. dist. '93, 135.-plm. '80, 37; syn. '80, 37, '99, 291, 291b; misc. 78, 193.

henshawi (Pallid Wren-Tit), Cal. '82, 257, '89, 221, '96, 122, '98, 58. hbt. '96, 122; nst. '96, 122; song, '96, 122; syn. '99, 291.

Chamææ, '84, 279.

Chamæidæ, '94, 59.

Chamæospiza torquata, Mex. '95, 357.

Chæmepelia, see Columbigallina.

Chamæpelia, see Columbigallına. Chamæthlypis, see Geothlypis.

Chamberlain, Montague.

Notes on some of the rarer birds of southern New Brunswick, '82, 104-106.

Catalogue of birds of New Brunswick (rev.), '82, 176.

New Brunswick notes, '83, 6-11.

Development of a brood of Black-andyellow Warblers (Dendroica maculosa), '83, 121.

Winter birds in New Brunswick, '83, 126.

Nest and eggs of Ruby-crowned Kinglet (Regulus calendula), '84,

Prehensile feet of Crow (Corvus frugivorus), '84, 92.

woodpecker destroying cocoons, '84, 93.

Are trinomials necessary? '84, 101, 198-200.

New Brunswick winter notes, '84, 294.

Crow (Corrus frugivorus) as a fisherman, '84, 391.

Nesting habits of Cape May Warbler (Dendroica tigrina), '85, 33-36.

Albino Robins (Turdus migratorius), **285**, 102.

A white Crow (Corvus frugivorus), '85, 107.

Kinghird in a new rôle, '85, 108.

Non-appearance of Juncos at Montreal, '85, 380.

Florida Gallinule in Nova Scotia, '87, 253.

Baltimore Oriole (*Icterus galbula*) in Nova Scotia, '87, 256.

Song Sparrow in New Brunswick in winter, '87, 260.

Ammodramus caudacutus in a freshwater marsh, '87, 261.

Nesting of Parus hudsonicus, '87, 261. New species of winter birds in New Brunswick, '87, 264.

Yellow-nosed Albatross (Thalassogeron culminatus) in Gulf of St. Lawrence, '88, 107.

Catalogue of Canadian birds (rev.), '88, 189.

Systematic table of Canadian birds (rev.), '88, 198.

Account of birds of southern Greenland, from MSS. of A. Hagerup, '89, 211-218, 291-297.

Birds of Greenland (rev.), '91, 226, correction, '91, 319.

Popular handbook of ornithology of United States and Canada, based on Nuttall's manual (rev.), '92, 59-61; 2d ed. '97, 109.

Some Canadian birds (rev.), '96, 67. chapadensis (Sittasomus), see Sittasomus.

Chapman, Bertha L., and Kellogg, V. L., see Kellogg and Chapman.

Chapman, Frank Michler.

Chondestes grammacus in New Jersey, '86, 136.

Barn Owl at Englewood, New Jersey, '86, 485.

Additional capture of Helminthophila leucobronchialis, '87, 348-349.

Observations on nocturnal migration of birds, '88, 37-39.

List of birds observed at Gainesville, Florida, '88, 267.

see Atkinson, G. F., 'cat. of birds of North Carolina' (rev.), '88, 311. Oidemia perspicillata in Florida, '88, 319.

Birds at Aiken, S. C. '88, 324.

List of additions to N. Am. avifauna and of eliminations and changes in nomenclature proposed since A. O. U. check-list, '88, 393-402.

Helminthophila bachmani on the east coast of Florida, '89, 278.A suggestion to A. O. U. committee

A suggestion to A. O. U. committee on revision of check-list of N. Am. birds, '89, 281.

Notes on birds observed in vicinity of Englewood, New Jersey, '89, 302-305.

see Davie, O., 'nests and eggs' 3d ed. (rev.), '89, 328.

The eastern forms of Geothlypis trichas, '90, 9-14.

Winter distribution of Bobolink (*Dolichonyx orysiciorus*) with remarks on its routes of migration, '90, 39-45.

see Ridgway, R., 'ornithology of Illinois' (rev.), '90, 74-77, '95, 379.

Note on Cyanocitta stelleri littoralis, '90, 91.

Obituary of J. G. Bell, '90, 98.

Changes of plumage in Bobolink (Dolichonyx orysivorus), '90, 120-124.

Review of genus Xiphorhynchus (rev.), '90, 274.

Song of Helminthophila leucobronchialis, '90, 291.

see Nelson, J., 'cat. of birds of N. J.' (rev.), '91, 104.

Note on Junco hyemalis thurberi, '91, 115.

Collection of birds made by Streator in British Columbia (rev.), '91, 224-226.

Two birds new to Louisiana, '91, 318. Former occurrence of Spisa americana in northern New Jersey, '91, 395.

Birds observed near Corpus Christi, Texas (rev.), '92, 65.

Color-pattern of upper Tail-Coverts in *Colaptes auratus* (rev.), '92, 66. Origin of avifauna of the Bahamas (rev.), '92, 179.

Preliminary study of Grackles of subgenus Quiscalus (rev.), '92, 180-182.

see Miller, O. T., 'little brothers of the air' (rev.), '92, 279.

see Cheney, S. P., 'wood notes wild' (rev.), '92, 280.

Breeding of Helminthophila pinus with H. leucobronchialis at Englewood, New Jersey, '92, 302.

Melanism in a caged Wood Thrush, '92, 303.

Carolina Wren in lower Hudson valley, '93, 87.

Changes of plumage in Bobolink (Dolichonyx oryzivorus), '93, 309-311 (col. pl.).

Ornithology at the World's Fair, '93, 315-321.

Preliminary descriptions of one new species and two new subspecies

- from island of Trinidad, '93, 342-343.
- see Berlepsch and Peters, 'Vogel der Insel Curação' (rev.), '93, 355.
- see Hartert, E., 'birds of Aruba, Bonaire, and Curação' (rev.), '93, 355-357.
- Remarks on origin of bird migration, '94, 12-17.
- Notes on birds and mammals observed near Trinidad, Cuba, with remarks on origin of West Indian ' bird life (rev.), '94, 67.
- see Richmond, C. W., 'birds from Nicaragua' (rev.), '94, 170.
- Birds of island of Trinidad (rev.), '94. 173.
- see Miller, O. T., 'a bird-lover in the West' (rev.), '94, 243.
- see Garman, H., 'vertebrate animals of Kentucky' (rev.), '94, 244.
- see Cherrie, G. K., 'exploraciones en Costa Rica. Aves' (rev), '94, 245.
- see Jouy, P. L., 'birds of central Mexico' (rev.), '94, 245. see Verrill, G. E., 'notes on fauna of
- Dominica' (rev.), '94, 246.
- [Note on tarsal scutella in Accipiter cooperi], '94, 252.
- see Shufeldt, R. W., 'scientific taxidermy' (rev.), '94, 316.
- Visitors' guide to birds in Am. Museum-with annotated list of birds known to occur within fifty miles of New York city (rev.), '95, 69.
- see Stone, W., 'birds of eastern Pa. and N. J.' (rev.), '95, 170.
- see Robinson, W., 'a flying trip to the tropics' (rev.), '95, 172.
- see Wright, M. O., 'birdcraft' (rev.), **'95**, 281.
- Handbook of birds of eastern N. Am. (rev.), '95, 282-284, 2d ed. 385, 4th ed. '97, 419.
 see Degen, E., 'evolution of the
- hird's wing ' (rev.), '95, 286.
- see Jones, L., 'Mniotiltidæ' (rev.), **'95**, 286.
- see Burns, F. I., 'the American Crow (Corvus americanus) ' (rev.), '95, 287.
- see Verrill, G. E., 'birds and eggs of Gough, Kerguelen and South Georgia' (rev.), '95, 288.
- History of a Wandering Albatross, '95, 291.
- see Standard Dictionary, ornithology in (rev.), '95, 375-377.

- see Dwight, J., Jr., 'Ipswich Sparrow' (rev.), '95, 377. see Loomis, L. M., 'California water
- birds, No. I' (rev.), '95, 378.
- see Stone W., 'priority of names Calliste, Aglaia, and Calospiza' (rev.), '95, 385.
- Standing of Ardetta neoxena, '96, 11-19 (col. pl.).
- see Chamberlain, M., 'some Canadian birds' (rev.), '96, 67.
- see Kirkwood, F. C., 'birds of Maryland' (rev.), '96, 67.
- see Headley, F. W., 'structure and life of birds' (rev.), '96, 68.
- see Hudson, W. H., 'British birds' (rev.), '96, 70.
- see Townsend, C. H., 'birds from Cocos and Malpelo Is. (rev.), '96, 75.
- Changes of plumage in Dunlin and Sanderling (rev.), '96, 164.
- Changes of plumage in Snowflake (Plectrophenax nivalis) (rev.), '96, 165.
- see Bruner, L., 'some notes on Nebraska birds' (rev.), '96, 245.
- see Browne, M., 'artistic and scientific taxidermy and modelling? (rev.), '96, 247-249.
- see Loomis, L. M., 'California water birds, No. III' (rev.), '96, 329.
- see Oberholser, H. C., 'two new subspecies of Dryobates pubescens? (rev.), '96, 330.
- see Richmond, C. W., 'birds collected at Alta Mira, Mexico, by Armstrong' (rev.), '96, 330, see Ridgway, R., 'new Ground Warb-
- ler from Mexico' (rev.), '96, 330.
- see Ridgway, R., 'new birds from Galapagos archipelago' (rev.), '96.
- see Ridgway, R., 'new subspecies of Peucedramus' (rev.), '96, 330. see Richmond, C. W., 'new Plover
- from Madagascar' (rev.), '96, 331, see Richmond, C. W., new Ant
- Thrush from Nicaragua' (rev.), '96, 331.
- see Richmond, C. W., 'collection made by Abbott in Kashmir, etc., with deser, of a new Cyanecula? (rev.), '96, 331.
- see Richmond, C. W., 'collection made by Abbott in Turkestan, etc.' (rev.), '96, 331.
- see Ridgway, R., 'birds collected by Abbott in the Seychelles [and other] islands' (rev.), '96, 331.

see Robinson and Richmond, 'birds observed on Margarita, etc., Vene-

zuela' (rev.), '96, 332. see Cherrie, G. K., 'contribution to ornithology of San Domingo' (rev.), '96, 333.

see Warren, B. H., 'how to collect, skin, preserve and mount birds' (rev.), '96, 334.

Wild Pigeon at Englewood, N. J. '96, 341.

Turkey Vulture in the Catskills, '96,

Feeding-habits of Purple Finches, '96, 342.

Dendroica palmarum in New York city, '96, 343.

see Thompson, E. S., 'studies in art anatomy of animals' (rev.), '97, 106.

Remarks on spring moult of Bobolınk, '97, 149-154.

Murres in western New York, '97, 202.

see Lee, O. A. J., 'among British birds in their nesting haunts,' pts.

i-iv (rev.), '97, 106, 247, 334. see Cory, C. B., 'birds of Florida' (rev.), '97, 247.

Preliminary descriptions of new birds from Mexico and Arizona, '97, 310, 311.

Notes on birds observed in Yucatan' (rev.), '97, 333.

see Miller, O. T., 'upon the tree

tops' (rev.), '97, 333. see Barlow, C., the story of the Far-

allones' (rev.), '97, 334. see Norton, A. H., 'Sharp-tailed Sparrows of Maine' (rev.), '97, 334.

see Morse, A. P., 'birds of Wellesley' (rev.), '97, 335.

Bird-Life (rev.), '97, 336-338, '98, 72.

Critical notes and descriptions of two new species (see W. H. Phelps, 'birds observed on trip to Venezuela'), '97, 357-371.

see Wright and Coues, 'citizen

bird' (rev.), '97, 413. see Knight, O. W., 'birds of Maine' (rev.), '97, 414.

see Jones, L., 'the Oberlin summer Grackle roost' (rev.), '97, 417. see Lane, A. A., 'field-notes on birds

of Chili' (rev.), '97, 417. see Richmond, C. W., 'collection by

Abbott in Madagascar, with descr.

of three new species' (rev.), '97, 417.

Golden Eagle in New Jersey, '98, 54. see Gibson, W. H., 'studio neighbors' (rev.), '98, 65.

see Wright, M. O., 'birdcraft,' 2d ed. (rev.), '98, 66.

see Blanchan, N., 'bird neighbors' (rev.), '98, 66.

Bird-Life, col. ed. (rev.), '98, 72.

Probable polygamy of Great-tailed Grackle (Quiscalus macrourus), '98, 269.

Notes on Black Seaside Finch (Ammodramus nigrescens), '98, 270.

Nesting instincts of Swallows, '98, 271.

Birds observed at Jalapa and Las Vigas, Mexico (rev.), '98, 279.

see Silloway, P. M., 'sketches of some common birds' (rev.), '98, 281.

see Jacobs, J. W., 'oological abnor-malities' (rev.), '98, 281. see Rowley, J., 'art of taxidermy'

(rev.), '98, 282.

see Grinnell, J., 'birds of Los Angeles Co., Cal.' (rev.), '98, 283.
see Sage, J. H., 'birds at Portland, Conn.' (rev.), '98, 284.

Kirtland's Warbler (Dendroica kirtlandi), '98, 289-293 (col. pl.). see Davie, O., 'nests and eggs of N.

Am. birds,' 5th ed. (rev.), '98, 334. see Lee, O. A. J., 'among British birds in their nesting haunts,' pt.

v (rev.), '98, 334. see Cooke, W. W., 'further notes on birds of Colorado' (rev.), '98, 340.

see Delaware Valley Ornith. Club, Proceedings (rev.), '98, 341.

see Kearton, R., 'with nature and a camera' (rev.), '98, 341.

Distribution and relationships of Ammodramus maritimus and its allies, '99, 1-12 (col. pl.).

Further notes on Dendroica kirtlandi, '99, 81.

see Stickney and Hoffman, 'bird world' (rev.), '99, 92. [Prospectus of 'bird-lore'], '99, 94.

see Nelson, E. W., 'natural history of Tres Marias Is., Mexico' (rev.), **'99**, 296.

see Nelson, E. W., 'new birds from Mexico, '99, 296.

Five apparently new birds from Venezuela (rev.), '99, 369.

Proper function of binomials and trinomials, '99, 376.

Descr. of five apparently new birds from Venezuela (rev.), 1900, 185.

Descr. of two new subspecies of Colymbus dominicus (rev.), 1900,

Report on birds received through the Peary expeditions to Greenland (rev.), 1900, 185.

see Stone, W., 'report on birds and mammals obtained by the McIlhenny expedition to Pt. Barrow, Alaska' (rev.), 1900, 310.

see Jones, L., 'songs of Warblers,' 1900, 311.

see 'Nebraska Ornithologists' Union, Proceedings' (rev.), 1900, 311.

Bird studies with a camera (rev.), 1900, 312.

Description of nestling plumage of Falco islandus, 1900, 386.

Proper name for Florida Yellow-throat, 1900, 389.

Chapman, F. M., and Brewster, W.

Notes on birds of the Lower Suwannee river, '91, 125-138.

Notes on birds observed in Trinidad, '95, 201-211 (col. pl.).

chapmani (Chordeiles), see Chordeiles.
—— (Sicalis), see Sicalis.

charienturus (Thryomanes), see Taspilurus.

Chapparal-bird, see Geococcyx californianus.

Chapparal-cock, see Geococcyx californianus.

Chaptia malayensis, Borneo, syn. '90, 351.

Charadriidæ (Plovers), '77, 64*, '79, 111*, '81, 163, '88, 189-194, '93, 108, '96, 97, '97, 102, 338*, 396*, 1900, 110*.

Charadriiformes, '88, 190.

Charadrius, '87, 227, '93, 99, 108, '96, 65.

apricarius (* European Golden Plover, b pluvialis), Greenl. '89, 217; Helg. '95, 338b,—anat. '84, 184b, mig. '96, 146b; mlt. 1900, 384b, 385a; nst. '97, 335a.

dominicus (* American Golden Plover, b virginicus), Alas. '85, 63, 198, 127; Argent. '84, 313b; Colo. '85, 18; Conn. '87, 78, '92, 384; C. R. '90, 332, '92, 329; Fla. '81, 18b, '89, 159, '92, 212; g. dist. '88, 308, '93, 123; Helg. '77, 107b, '80, 144b, '91, 300, '95, 338; Hud. R. '90, 321; Ia. '90, 397*; Ida. '97, 352; Jamaica, '92, 14; La. '97, 289; Man. '86, 152; Mass.

'81, 127b, '91, 17-24, 119, '92, 147, 199, '93, 79-82, '94, 75, '95, 78, '96, 80, 91^a, '97, 212-214, '98, 52, '99, 180; Minn. '84, 248; Mo. '95, 8^a, N. C. '92, 389; N. E. '83, 162a, 163a, '92, 17-20; N. S. '85, 41^a, N. Y. '82, 256, '84, 179, '90, 389"; P. E. I. '92, 200, '93, 82; Que. '82, 238; Revill Is. '98, 318; R. I. '89, 258; Scotland, '92, 289^a; S. C. '79, 217^b; S. D. '85, 285; Tex. '82, 41, '87, 186, '92, 232, 1900, 341; Wash. '82, 227; W. I. '87, 227. —fd. '92, 199; hbt. '84, 313b, '91, 17, '93, 293, 293, '95, 8a; mig. '84, 179, '85, 41, 63, '86, 152, '88, 309, '91, 21, 119, '92, 17-19, 20, 199, '93, 79, 247, 249, '94, 75, 102°, 109°, '95, 78, 260, '96, 80, 91a, 142, 144, '97, 212, 352, '98, 52, '99, 180; plm. '76, 22b (alb.), '81, 162 ['fulvus'], '92, 144, '95, 8ª '96, 150a, 165a, 1900, 370, 371, 383 (mlt.); syn. '80, 178a, '87, 227, '88, 192; misc. '89, 180a, '91, 24, 107, '93, 296, '94, 68a, 1900, 70a.

fulvus (Pacific Golden Plover), Alas. '81, 5a, '84, 78, '85, 157; B. C. '93, 16; g. dist. '88, 308, '93, 124; Hclg. '95, 338; H. I. 1900, 205; Malta, '77, 107, '80, 144 (corr.).—meas. '88, 309; mig. '88, 309, 1900, 205; plm. '81, 162 [= dominicus]; syn. '97, 103.

Charitonetta, '86, 127, '88, 67, '93, 107, '96, 163.

albeola (* Buffle-head Duck, b Anas, c Clangula, d Bucephala), Alas. '85, 158°; Ariz. '86, 385; Cal. '86, 90; Colo. '85, 18°; Eng. '77, 107°; Fla. '81, 21°, '88, 379, '92, 211; Ga. '96, 215; G. Br. '80, 213°; g. dist. '93, 125; Hud. B. '90, 320; Ida. '97, 350; Ind. '88, 347; Ky. '89, 312; La. '97, 286; Man. '86, 149; Mass. '94, 84, '96, 202; Mich. '93, 222; Minn. '84, '249°; Mont. '95, 212; N. C. '94, 333; N. Y. '79, 334, '81, 235°; ()nt. '85, 3374; Ore. '79, 1984, '88, 142; Que. '82, 240°; S. C. '85, 193°, '88, 203° S. D. '85, 288°; Tex. '82, 2254, '87, 185, '92, 232, 1900, 339; Wash. '92, 42, '97, 172; W. I. '88, 67.—plm. '76, 23° (alb.), '85, 3374 (alb.); syn. '80, 101°, '86, 127°, '88, 67.

charltoni (Arboricola), see Arboriphila.
—— (Arboriphila), see Arboriphila.
—— (Perdix), see Arboriphila.

Chasiempis sclateri (b dolei), H. I. '83, 168, '88, 197b.

Chasmorhynchus niveus, song, '95, 205.

variegatus, Trinidad, hbt., song, '95, 204.

Chat, see Icteria virens.

Long-tailed, see Icteria longicauda. Yellow-breasted, see Icteria virens.

Chaulelasmus, '96, 162, '99, 103.

couesi, Fanning Is. '76, 46*; H. I. 78, 81.

streperus (a Gadwall Duck, b Anas). Arıs. '86, 384b, '90, 48b, 50b, '92, 191, 198a, Cal. '86, 89b; Colo. '81, 142, '85, 18, 144; Fla. '88, 268b; Helg. '95, 340; Kan. '85, 112; La. '97, 285b; Man. '86, 148b; Mass. '96, 201b; Minn. '80, 19; Mont. '95, 212b; N. D. '99, 161^a, 162^a, 165^a; N. E. '83, 162^a, 163^a; N. Y. '82, 256, '88, 173^b, '93, 270^b; Ore. '86, 163^b, '88, 141; Que. '90, 387, R. I. '83, 234^a; S. D. '85, 288; Tex. '82, 42, 224, '87, 184b, '92, 231b, 1900, 339; Wash. '92, 42b; W. I. '88, 61b.—hbt. '86, 89b, '88, 173b '93, 294b; meas. '80, 19; nst. '80, 19, '99, 165^a; plm. '92, 162^b (hyb.); syn. '88, 61^b, '99, 103.

Chauna, '96, 63.

chavaria, Argent., Urug., hbt. '84, 272.

chavaria (Chauna), see Chauna. Chebec, see Empidonax minimus. Chelidon, see Hirundo.

Chelidoptera tenebrosa, Braz. '91, 159. chemungensis (Collyrio), see Lanius ludovicianus.

Chen, '88, 58, '93, 107, '99, 104, 229. cærulescens (a Blue Goose), g. dist. '88, 394; La. '97, 287; Mass. '89, 68; Me. '97, 207; Minn. '93, 289; N. C. '88, 311; N. Y. '93, 270, '95, 70; R. I '94, 69ⁿ; S. D. '85, 287; W. I. '88, 59.—plm. '82, 117a, '84, 240; syn. '88, 59.

hyperborea (a Lesser Snow Goose, b Anser, c Anser albatus, d Chen albatus), Alas. '79, 53a, '85, 63d; Cal. '86, 90; Colo. '85, 18, '87, 264, G. Br. '80, 212° [= nivalis?]; g. dist. '93, 123; Helg. '95, 340; Jamaica, '91, 365; La. '97, 287; Mass. '97, 207; Me. '97, 207; Minn. '93, 289; Ore. '79, 198, '88, 142; Ore. '91, 367 (fossil), '93, 344 (fossil); S. D. '85, 287; Tex. '82, 224b, '87, 185, '92, 232; Va. '89, 195; W. I. '88, 58.—hbt. '80, 181b, '85, 287, '92, 384; mig. '85, 63d, '92, 385ª; plm. '84, 240; syn. '84, 386, '85, 207d, '88, 58; misc. '92, 196c, '96, 193.

nivalis (a Greater Snow Goose,

b hyperborea, c Anser hyperboreus), Cal. '86, 90; Del. '82, 117a; Fla. '88, 183, 379, '92, 211, g. dist. '82, 117°; Greenl. '96, 243; La. '97, 287; Man. '86, 149, Mass. '76, 54°, '78, 146°; Me. '90, 284; N. B. '82, 105°; N. E. '76, 73°; N. Y. '82, 128b, 251b, '84, 34b; Que. '82, 239b; Tex. 1900, 339. —nst. '96, 243, syn. '85, 207, '96, 162; misc. '92, 196°, '96, 193.

rossii (Ross's Snow Goose, b Anser), Cal. '79, 126b, '86, 90; g. dist. '93, 123; Mont. '86, 274, '92, 385, '95, 212; Ore. '76, 52°, '79, 126°.fd. '86, 274; hbt. '86, 274, song. '86, 90; syn. '99, 104.

Chenalopex, '93, 184.

ægyptiacus, Md. 1900, 64; N. Y. **'77**, 52.

Cheney, Simeon Pease.

Some bird songs, '91, 32-37.

Wood notes wild (rev.), '92, 280.

Chenomorphæ, '96, 162. Chenopsis, '83, 231, '99, 226. atrata, hbt. '83, 172.

cheriway (Falco), see Polyborus.

- (Polyborus), see Polyborus. Cherrie, George Kruck.

Notes on nesting habits of several birds of Costa Rica, '90, 233-237. Notes on habits and nesting of Vireo flavoviridis, '90, 329-331.

North American birds found at San José, Costa Rica, with notes on their migration, '90, 331-337.

Description of a new species of Rhamphocelus from Costa Rica, '91, 62-64.

Description of a new Myrmeciza, **'9**1, 191–193.

Preliminary list of birds of San José, Costa Rica, '91, 271-279, '92, 21-27, 247-251, 322-329.

Cedar Waxwing and American Dipper in Costa Rica, '91, 395.

Descriptions of new genera, species and subspecies from Costa Rica (rev.), '92, 173.

Notes on Costa Rican birds (rev.), '92, 173.

Notes on two Costa Rican birds, '93, 278-280.

Exploraciones zoológicas en la parte meridional de Costa Rica. (rev.), '94, 245.

[Note on his zoological work in Costa Rica], '94, 340.

North American bird notes from Costa Rica, '95, 87.

[Notice of his expedition to San Domingo], '95, 318.

Ardetta neoxena from Wisconsin, '96,

An apparently new Chordeiles from Costa Rica, '96, 135.

Contribution to ornithology of San Domingo (rev.), '96, 333.

Ægialitis nivosa in Florida, '97, 402. cherriei (Cypseloides), see Cypseloides. - (Elænia), see Elænia.

Cherry-bird, see Ampelis cedrorum. chersonensis (Struthiolithus). see Struthio.

Chersophilus, '91, 92.

duponti, syn. '91, 92.

Chewink, see Pipilo erythrophthalmus. Chiapas, Mexico.

'Nelson, E. W., '97, 45, 55, 61, 67, 70, 74, '99, 30, 1900, 257-258, 261, 266, 268.

chiapensis (Antrostomus), see Antrostomus.

 (Dactylortyx), see Dactylortyx. · (Guiraca), see Guiraca.

Chibia, '84, 340.

Chickadee, see Parus atricapillus. Alaskan, see Parus [evura =] hudsonicus.

Black-capped, see Parus atricapillus. Californian, see Parus neglectus. Carolina, see Parus carolinensis. Chestnut-backed, see Parus rufescens. Columbian, see Parus columbianus. Hudsonian, see Parus hudsonicus. Hudson's Bay, see Parus hudsonicus. Kowak, see Parus stoneyi. Long-tailed, see Parus septentrionalis. Mexican, see Parus sclateri. Mountain, see Parus gambeli. Oregon, see Parus occidentalis. Plumbeous, see Parus agilis. Siberian, see Parus alascensis. White-browed, see Parus gambeli. Yukon, see Parus [evura =] hudsonicus.

Chicago Field, titles (Nos. 49-54), '80, 180; (Nos. 161-164), '82, 115.

Chicken, Mother Carey's, see Oceanites oceanicus, also Fulica americana. Prairie, see Tympanuchus americanus.

Chicken-hird, see Galeoscoptes carolinensis.

Chief-bird, see Dendrogapus obscurus. Chihuahua, Mexico.

Allen, J. A., '94, 66.

Brewster, W., '88, 87-90, 92, '89, 86, 93-96.

Emmet, R. T., '88, 108. Ridgway, R, '94, 66, '98, 228. Childs, John Lewis.

Tree Swallows by the million, 1900,

Intelligence of Shrike, 1900, 68.

Mockingbird at Barnegat, N. J., and on Long Island, N. Y. 1900, 390. chilensis (Brachyspiza), see Brachy-

spiza.

- (Parra), see Vanellus.

--- (Vanellus), see Vanellus.

Chili.

Allen, J. A., '93, 354, '99, 292. Ridgway, R., '80, 81. Saunders, H., '83, 54.

chimango (Milvago), see Milvago.

Chim-chim, see Cœreba flaveola or Dendroica petechia.

chinensis (Diomedea), see D. nigripes. Chionidæ, '97, 102.

Chionididæ, '93, 158-165.

chionipectus (Agyrtria), see Agrytria. Chionis, '76, 48, '89, 333, '93, 158. minor, Kerguelen I. '76, 48, '94,

281 .- anat. '93, 158, 160, 165; nst. '77, 74, '94, 282; syn. '76, 49, '93, 158-165.

alba, anat. '93, 159, 160; syn. '76, 49, '93, 158-165.

Chionomorphæ, '76, 49.

chionoptera (Diomedea), see Diomedea. Chipping-bird, see Spizella socialis. Chippy, see Spizella socialis.

Chip-the red-oak-white-oak, see Antrostomus carolinensis.

chiricote (Aramides), see Aramides. chiriquensis (Geothlypis), see Geothly-

chiroleuca (Gymnocichla), see Gymnocichla.

Chiromachæris, see Manacus.

Chiroxiphia boliviana, Boliv. '90, 382. caudata, Braz., fd., hbt. 1900, 299. lanceolata, Venez. '97, 365. linearis, C. R. '92, 322.

pareola, Bras. '91, 25; W. I. '93, 220.

chirurgus (Hydrophasianus), see Hydrophasianus.

- (Parra), see Hydrophasianus. - (Tringa), see Hydrophasianus.

chivi (Vireo), see Vireo. Chlæphaga magellanicus, Argent., Urug. '84, 273.

poliocephala, anat. '88, 198. Chloris, see Ligurinus or Compsothlypis. chloris (Chloris), see Ligurinus. - (Halcyon), see Halcyon.

— (Ligurinus), see Ligurinus. chlorocephalus (Chloropicus), see Chloronerpes flavigularis.

chlorolæmus (Anthracothorax), see Eulampis holosericeus.

—— (Eulampis), see E. holosericeus.

— (Lampornis), see Eulampis holosericeus.

—— (Sericotes), see Eulampis holosericeus.

chlorolophus (Orthorhynchus), see Bellona exilis.

Chloronerpes flavigularis, Braz. '91, 30. rubiginosus, Venez. '97, 366; W. I. '93, 220.

selysi, Braz. '91, 30.

striatus (b Centurus), W. I. '81, 154b, '86, 378b, '96, 333.—meas., plm., syn. '86, 378b.

chloronota (Arremonops), see Arremonops.

Chloropeta similis, Africa, '97, 163*. chlorophæa (Rhinortha), see Rhinortha. chlorophæus (Cuculus), see Rhinortha. Chlorophanes, '86, 55.

atricapilla, W. I., meas., plm., syn. '86, 55; misc. '82, 134 ('atrocristatus').

cærulescens, syn. '90, 381. guatemalensis, syn. '90, 381. spiza, (b Merops), misc. '96, 266b. Chloropsis, '94, 235.

zosterops, Borneo, '90, 349.

chloroptera (Ara), see Ara.

—— (Conurus), see Conurus.

--- (Psittacea), see Conurus gundlachi.

chloropus (Gallinula), see G. chloropus or galeata.

chloropyga (Cœreba), see Cœreba.

chloropygius (Totanus), see Helodromas solitarius.

chlororhyncha (Diomedea), see Thalassogeron.

--- (Thalassogeron), see Thalasogeron.

Chlorospingus, '87, 149.

atriceps, '97, 65*, see postocularis canipileus, Venez. 1900, 185, 370. leotaudi, W. I. '93, 342*, '97, 362b. nigrifrons, Ecuador, '76, 47. olivaceus, Mex. '98, 157.

postocularis (b atriceps), g. dist. '98, 157; Mex. '97, 65b*.—syn. '98, 157.

Chlorostilbon angustipennis, C. R. '92, 325.

aureoventris (b splendens), Argent., Urug., hbt., meas., nst. '84, 22b. forficatus, Yucatan, '85, 295. salvini, C. R. '92, 325. chlorotica (Euphonia), see Euphonia. chlorotis (Anas), see Anas. chlorura (Fringilla), see Oreospiza.—(Oreospiza), see Oreospiza. chlorurus (Pipilo), see Oreospiza. Chondestes, '88, 40.

grammacus (a Lark Sparrow or Finch, b Emberiza), Ala. '91, 390; D. C. '78, 43, '80, 112, '86, 487; Fla. '86, 139, '87, 133, '88, 186, '89, 322, '92, 213; g. dist. '93, 133, Ia. '95, 122, 236; Ill. '78, 164, '90, 76, 241; Ind. '82, 16, 20, '89, 25; Ky '89, 314; Man. '86, 323; Mass. '78, 44, '80, 53, '83, 181; Miss. '99, 268; Mo. '79, 144; Mo. River, '95, 227; N. C. '87, 241, '93, 243; N. J. '86, 136, '89, 303; N. Y. '81, 58, 1900, 296; O. '92, 397; Pa. '99, 312; S. D. '85, 281; Tex. '82, 12, 38, '84, 121, '91, 108², '92, 338, 1900, 346; Va. '96, 84, 179. —nig. '91, 52, '95, 122, 236; nst. '82, 12, '85, 281, '91, 108², '93, 243; plm. '78, 121; song, '83, 181; syn. '80, 97, '87, 251, '90, 191; miss. '82, 117.

strigatus (a Western Lark Sparrow, b grammica), Ariz. '87, 199, '90, 259; B. C. '93, 16, 1900, 107; Cal. '78, 66b, '86, 182, '89, 220, '90, 296, '96, 120; Colo. '81, 139b, '83, 191, '85, 16, 141, '95, 153a; g. dist. '93, 134; Mont. '94, 306, '95, 217; N. M. '92, 365, '99, 309; Tex. '86, 139, '87, 291, '89, 240, '92, 338, '94, 222; Wash. '97, 178.—hbt. '94, 222; nst. '87, 291, '92, 338, '96, 120; song, '96, 120, syn. '81, 171, '87, 251, '90, 191; misc. '82, 243.

Chordeiles, '86, 340, 445, 447, 448, 449, 450, '95, 287.

acutipennis, Venez. '96, 333, '97, 366.—hbt. '96, 333; syn. '93, 68. aserriensis, C. R. '96, 136*.

chapmani (Florida Nighthawk, b minor), Fla. '80, 54b, '88, 186, 272, '89, 183b, 252, '90, 310, '92, 213, '93, 337, '95, 365; g. dist. '80, 37*, 396; W. I. '92, 276.—hbt. '80, 54b; meas. '80, 54b, '88, 186; nst. '88, 186, '89, 329; plm.' '88, 186; song, '80, 54b; syn.'85, 182b, '88, 396.

henryi (Western Nighthawk), Ariz. '86, 429, '90, 48, 254; Cal. '86, 180, '87, 86; Colo. '79, 95, '81, 140, '83, 196, '85, 17, 143, '94, 268; g. dist. '88, 37, '93, 134; Ill. '76, 40;

Man. '86, 156; Mont. '82, 62, '94, 303, '95, 215; Minn. '93, 290, N. M. '92, 362, '98, 308; Ore. '86, 165; S. D. '85, 283; Tex. '87, 299, '89, 239, '92, 235, 1900, 344; Wash. '92, 309, '97, 175.—fd. '89, 239, '90, 254; meas. '79, 95; nst. '79, 95, '86, 165, '90, 254; plm. '88, 37, '92, 235; syn. '85, 182.

minor, Bahamas, '91, 72, 350, 350, 1900, 288; Jamaica, '94, 125; W. I. '86, 340, '92, 276.—meas. '86, 340; song, '91, 72, syn. '80, 54, '85, 182 [= chapmani], '86, 340.

sennetti (Sennett's Nighthawk), g. dist. '88, 37*, 396, '97, 121; Ia. '99, 86; Minn. '98, 54; N. D. '96, 134. —fd. '98, 54; meas. '96, 135, '98, 54; nst. '96, 134; plm. '96, 134; syn. '88, 396, '97, 121.

texensis (Texan Nighthawk), Ariz. '83, 21, '86, 429; Cal. '87, 92; C. R. '90, 333, '92, 324; g. dist. '93, 134, 286; L. Cal. '95, 139; N. M. '92, 362; Tex. '79, 51, '82, 170, '87, 191, 1900, 344.—anat. '87, 81; hbt. '82, 170, '93, 362; mcas. '87, 92; nst. '87, 191; plm. '87, 27, song, '92, 362; syn. '94, 51, '95, 167.

virginianus (* Nighthawk, bpopetue), Ala. '79, 11; Argent. '84, 24, B. C. 1900, 106; D. C. '88, 21, '92, 308; Ga. '83, 40^b, '96, 215; g. dist. '88, 37; Hud. B. '90, 322; Ia. '95, 124, 235; Ida. '97, 354, 1900, 244; Ind. ³82, 17^b, ³89, 22; Ky. ³89, 314; La. ³82, 164^b, ³87, 303*, ³92, 205; Mass. ³88, 389, ³89, 44, 99; Me. ³82, 150^b, '87, 351"; Mich. '93, 224; Minn. '80, 16, '84, 246b; Miss. '82, 92b; Mo. '79. 146; N. B. '82, 150b, '89, 117; N. C. 286, 105; N. D. 296, 134; N. H. 288, 149, 151, 154b, '89, 77, 78; N. J. '94, 137; N. S. '87, 15°, 16; N. Y. '79, 31°, '81, 231b, '85, 257, '93, 53a; O. '89, 201, '95, 241; Ore, '79, 195", '88, 256; Pa. '92, 136, '93, 44, '96, 282; P. E. I. '86, 272*, '93, 9; Que. '82, 236b; S. C. '79, 215, '90, 38, '94, 32*; S. D. 285, 283b; Tenn. 286, 319, 287, 130; Tex. '82, 170b; Urug. '84, 24; Va. '86, 161a, '88, 314; Wash. 1900, 244; W. I. '86, 340, '92, 276; W. I'a. '98, 135.-mig. '85, 55b, '87, 351a, '94, 32", '95, 124, 235, 241, '97, 354; nst. '80, 16, '83, 40b, 118b, '87, 68x; plm. '78, 178, '85, 181*, '88, 37, 256, 314

(alb.), song, '85, 257, syn '85, 178, '86, 340; misc. '80, 192a, '96, 159.
Chordiles, see Chordeiles.
Chrœcocephalus, see Larus.
Chroicocephalus, see Larus.
chrysaetos (Aquila), see Aquila
chrysaetus (Aquila), see Aquila.
chrysia (Geotrygon), see Geotrygon.
chrysocaulosus (Colaptes), see Colaptes.

Chrysococcyx, '94, 233. Chrysocolaptes, '94, 234.

xanthocephalus, P. I. '94, 239. chrysogenys (Arachnothera), see Arachnothera.

chrysoides (Colaptes), see Colaptes, chrysolæma (Eremophila), see Otocoris chrysolæma, adusta, giraudi, or arenicola.

—— (Otocoris), see Otocoris.
Chrysolampis moschitus, W. I. '93, 220.

chrysomelas (Trogon), see Trogon. Chrysomitris, see Astragalinus or Spinus.

chrysonotus (Loriculus), see Loriculus, chrysoparia (Dendroica), see Dendroica.

Chrysophlegma malaccensis, Borneo, syn. '91, 7.

mentalis, Borneo, syn. '91, 7. chrysoptera (Gracula), see Gracula. —— (Helinaia), see Helminthophila.

--- (Helminthophila), see Helminthophila.

—— (Motacilla), see Helminthophila. chrysopterus (Agelaius), see A. xanthomus.

Chrysoptilus cristatus, Argent., Urug., hbt. '84, 25.

guttatus (b punctipectus, c speciosus), Braz. '91, 30.—meas. '91, 31, 31b, 31c; plm., syn. '91, 30.

punctigula, meas., plm. '91, 30.

Chrysotis, see Amazona.

caymanensis, '86, 497*, see Amazona. Chrysuronia cenone (h Thaumatius cæruliceps), Colom. '88, 264h, '89, 210; Venez. '97, 366.

Chubb, Samuel Harmstead.

Rough-winged Swallows (Stelgidopteryx serripennis) in Green and Ulster Counties, New York, '97, 408.

Chuck, see Melanerpes carolinus. Chuckle-head see Squatarola squatarola. Chuck-will's-widow, see Antrostomus carolinensis. chukar (Caccabis), see Caccabis. chucor (Caccabis), see Caccabis chukar. chunchotombo (Dendrorms), see Dendrornis.

Churchill, George B.

Great Gray Owl in Worcester Co., Mass. '91, 313.

European Goldfinch (Carduelis carduelis) breeding in Worcester Co., Mass. '91, 314.

cia (Emberiza), see Emberiza.

Cichlherminia, '84, 182, '86, 7. densirostris, W. I. '91, 43, 46, 47,

47, 49.—plm., syn. '91, 43.

dominicensis, W. I. '86, 8, '91, 44. -meas., plm. '86, 8; syn. '80, 165, '86, 8; syn. '80, 165, '86, 8, '91, 44. herminieri, W. I. '86, 7, '91, 43, 49, meas. '86, 7; plm. '80, 165, '86, 7; syn. '80, 165, '86, 7, '91, 43. lawrencei, W. I. '91, 44*.

sanctæ-luciæ (b Margarops), W. I.

'86, 8, '91, 44.—meas. '86, 8; plm. '80, 165b, '86, 8; syn. '80, 164b, 165b, '86, 8, '91, 44.

Cicinnurus regius, misc. '81, 111, '82,

Ciconia, '81, 78, 156, '96, 173. alba, Helg. '95, 337.

maguari, Argent., Urug., hbt. '84, 271.

nigra, Helg. '95, 337.

Ciconiidæ (a Storks), 78, 182, 183, 184, '81, 156°, 163, '88, 196°, '93, 107.

cincinnatiensis (Helminthophila), see Helminthophila.

Cincinnati Society of Natural History. Titles in Journal of (Nos. 241-258), '83, 171; (No. 812), '85, 211, (Nos. 2232-2243), '92, 189.

cincinatus (Phalacrocorax), see Phalacrocorax.

Cinclidæ, '83, 105.

Cinclodes fuscus, Urug., hbt. '83, 205. rivularis, Boliv. '90, 382.

Cinclocerthia, '86, 17.

gutturalis, W. I. '79, 229, '86, 18, '87, 95.—meas., plm., syn. '86, 18. macrorhyncha, W. I. '80, 166, '86,

17.—meas., plm., syn. '86, 17. ruficauda, W. I. '86, 17, '91, 48, 49.—meas., plm., syn. '86, 17.

cinclops (Zoothera), see Rhamphocinclus brachyurus.

Cinclus, '82, 213-221, '83, 104, '93, 112. melanogaster, Helg. '95, 333. merula (a European Water Ouzel), Germany, '96, 310a.—syn. '82, 179.

mexicanus (a American Dipper or

Water Ouzel), Alas. '85, 157; Aris. '82, 76; Cal. '78, 65, '86, 185, '87, 86, '94, 258; Colo. '79, 91, '80, 224, '81, 86, '83, 154, '85, 15, 140, '89, 75, '94, 269; C. R. '91, 395; g. dist. '93, 127; Ida. '98, 19; Mont. '82, 61, 118, '94, 307; N. M. '85, 234-236, 330, '98, 310; Ore. '88, 362, '91, 397, '92, 386ª; Wash, '92, 46, '97, 180,-anat. '82, 213 (fig.), fd. '82, 76; hbt. '80, 224, '81, 86, '82, 76, '85, 234; meas. '82, 76, 218, '89, 75; nst. '80, 224, '81, 86, '82, 118, '85, 330, '89, 75, '98, 310, plm. '79, 39, '81, 86, '82, 76; song '80, 224, '81, 86, '85, 234, 236; misc. '92, 386^a, '94, 69. pallasi, Helg. '95, 333.

rivularis, Colom. 1900, 82.

cinctus (Parus), see P. alascensis. cineracea (Megascops), see Megascops.

- (Pyrrhula), see Pyrrhula. —— (Sayornis), see Sayornis.

cinerascens (Certhidea), see Certhidea.

— (Circus), see Circus.

—— (Myiarchus), see Myiarchus.

— (Ornithion), see Ornithion.

--- (Orthotomus), see Orthotomus. cineraceus (Lophophanes), see Parus.

--- (Orthotomus), see Orthotomus.

- (Parus), see Parus.

cinerea (Amphispiza), see Amphispiza.

--- (Ardea), see Ardea.

- (Clivicola), see Clivicola.

--- (Emberiza), see Emberiza. --- (Fringilla), see Melospiza.

--- (Lathrix), see Lathrix.

--- (Melospiza), see Melospiza.

- (Peristera), see Peristera. —— (Procellaria), see Priofinus.

— (Scotiaptex), see Scotiaptex.

— (Strix), see Scotiaptex. — (Sylvia), see Sylvia.

---- (Ulula), see Scotiaptex. --- (Vireosylvia), see Vireo.

--- (Zonotrichia), see Melospiza.

cinereiceps (Creciscus), see Porzana. — (Porzana), see Porzana.

cinereiventris (Chætura), see Chætura.

--- (Myrmotherula), see Myrmotherula.

(Pachyramphus), see Pachyramphus.

cinerescens (Elænia), see Elænia.

— (Myiarchus), see M. nuttingi. cinereum (Syrnium), see Scotiapex.

- (Todirostrum), see Todirostrum. cinereus (Anser), see Anser. —— (Blacicus), see Blacicus.

— (Circus), see Circus.

```
—— (Coccyzus), see Coccyzus.
  — (Crypturus), see Crypturus.
 --- (Harporhynchus), see Harporhyn-
  - (Junco), see J. palliatus, phæonotus
      or dorsalis.

    (Myadestes), see Myadestes.

 --- (Pachyramphus), see Pachyram-
      phus.
 — (Platyrhynchus), see Blacicus.
--- (Priofinus), ese Priofinus.
 - (Puffinus), see Priofinus.
 — (Thryophilus), see Thryophilus.
 --- (Tyrannus), see Tænioptera nen-
      geta.
   — (Vireo), see Vireo.
cineritius
          (Empidonax),
                            see
                                 Empi-
      donax.
cinnamomea (Synallaxis), see Synal-
      laxis.
cinnamomeiventris (Piaya), see Hye-
      tornis pluvialis.
cinnamomeus (Helodromas), see Helo-
      dromas.
    - (Totanus), see Helodromas.
cinnamominus (Falco), see Falco.
Cinnicerthia, '90, 278.
Cinnyris, '94, 236.
    abbotti, Assumption I. '95, 71.
    aldabrensis, Aldabra I. '95, 71.
    jugularis, Borneo. syn. '90, 354.
    nectarinioides, Africa, '97, 158*.
Circaëtus, '85, 205.
    gallicus, Helg. '95, 329.
circia (Querquedula), see Q. querque-
      dula,
circumcineta (Ægialitis), see Ægialitis.
Circus, '87, 38, '97, 396, 1900, 167.
    æruginosus, Helg. '95, 329.
    cinerascens, Helg. '95, 329.
    cinereus, Argent., plm. '84, 30.
    cyaneus, Helg. '95, 329.
    gouldi, anat. '82, 87.
```

hudsonius (* Marsh Hawk or Harrier), Alas. '85, 157, '87, 12; Ariz. '86, 422; B. C. '93, 291, 382; Cal. '86, 92, '90, 296; Colo. '81, 141, '83, 197, '85, 17, '87, 121, '94, 267; Conn. '95, 265; C. R. '90, 333, '92, 328; Fla. '88, 271, '89, 247, '92, 212, '95, 364; Ga. '96, 212; Hud. B. '90, 322; Ia. '95, 121, 236; Ida. '97, 352; Ind. 288, 350; Ky. 289, 313; Man. 285, 22, '86, 153; Mass. '89, 44, '93, 370, '95, 188; Me. '80, 185, '82, 150; Mich. 293, 223; Minn. 280, 17, 284, 247; Mo. '79, 146, '95, 3", 11", 224"; Mont. '94, 302, '95, 214; N. B. '82, 150; N. F. 1900, 71; N. H. '88, 151, '89,

76, N. J. '79, 83, 224, '94, 136; N. M. '92, 361, '98, 307, N. S. '87, 16, N. Y. '79, 37, '81, 233, '89, 129; Ont. '83, 174, '84, 185, '87, 246*; Ore. '79, 195, '88, 145; P. E. I. '93, 8; Que. '82, 237, '89, 147; S. C. '85, 192; S. D. '85, 100a, 284, Tex. '82, 174, '84, 122, '87, 188, '89, 237, '92, 233, 1900, 342, Wash. '92, 355?, '93, 17, 291, 382, '97, 173, W. I. '87, 38, '92, 289; Wis. '82, 188.—anat. '81, 198, fig., '86, 133^a; fd. '82, 174, '85, 284, '87, 188, '89, 129, '90, 395; hbt. '80, 185, '85, 22, '94, 208^a, mg. '92, 361, '95, 121, 236, 265; nst. '80, 185, '83, 174, '85, 100^a, 284, '86, 92, 271^a, '87, 246a, '94, 136; song, '85, 22, syn. '87, 38, '99, 130; misc. '90, 82a, 86^a, '97, 396^a (fig.), 1900, 112^a. maculosus, Argent., hbt. '84, 30. swainsoni, Helg. '95. 329. ciris (Cyanospiza), see Cyanospiza. – (Emberiza), see Cyanospiza.

--- (Passerina), see Cyanospiza.

—— (Spiza), see Cyanospiza. cirlus (Emberiza), see Emberiza. cirrhata (Lunda), see Lunda.

--- (Mormon), see Lunda. cirrhatus (Picumnus), see Picumnus.

— (Thamnophilus), see Thamnophilus. cirrhocephalus (Larus), see Larus. cissa (Dryobates), see Dryobates.

Cissolopha pulchra, Mex. '97, 56*. Cisticola, '94, 238.

cisticola, P. I., hbt. '94, 238, exilis, P. I., hht. '94, 238. cisticola (Cisticola), see Cisticola. Cisticolæ, '84, 279.

Cistothorus, '84, 48, '93, 112.

griseus (Worthington's Wren), g. dist. '93, 216*, '94, 47; N. C. '99, 250; S. C. '99, 361. -meas. '93, 218; nst. '99, 250, 362; plm. '93, 219, '99, 362; syn. '94, 47.

marianæ (Marian's Marsh Wren), Fla. '88, 188*, 400, '90, 117, '92, 214; Ga. '88, 432; S. C. '91, 239, 240, '99, 361.--meas. '88, 188, '93, 218; plm. '93, 219, '99, 362; song, '90, 117.

paludicola (Tule Wren, b Telmatodytes, 'palustris), Cal. '87, 93', '89, 222, '90, 297; g. dist. '88, 400, '93, 135, '97, 193, '99, 126; Ore. '86, 171°, '88, 362; Wash. '82, 227b, '92, 357.-meas. '97, 194, 196; nst. '88, 362; plm. '97, 193; song, '92, 357; syn. '81, 175, '97, 193, '99, 126.

palustris (* Long-billed Wren, b Telmatodytes), Conn. '94, 80; D. C. '88, 24, '90, 291; Fla. '81, 15b, '88, 188, '90, 117, '91, 133, 138, '92, 214; Ga. '83, 38b, '88, 432; g. dist. '93, 133; Ia. '95, 123; Ind. '82, 17b, '89, 29, Ky. '89, 316; La. '82, 49a; Man. '86, 327; Mass. '90, 408; Minn. '79, 153a, '80, 13b, '84, 244b; Mo. '79, 141b, '95, 224a; N. B. '98, 192; N. J. '85, 96a, '92, 204, '94, 140, '99, 281; N. Y. '79, 32, '82, 255b, '84, 138b, S. C. '85, 190b, S. D. '85, 278b; Tex. '82, 87, '87, 298, '92, 343; —meas. '93, 218, '97, 196; mig. '95, 123, nst. '80, 13b, '83, 38b, '85, 96a, '88, 24, '92, 286, '94, 80, '99, 281; plm. '78, 22b, '93, 219, '96, 242 (mlt.), '97, 187; song, '84, 138b; syn. '97, 186; misc. '90, 83a, 83a, '85.

platensis, Urug. '83, 87.

plesius (Western Marsh Wren, b paludicola, c Telmatodytes paludicola, d Telmatodytes palustris), Ariz. 288, 165d; Colo. 281, 88d, 283, 155c; g. dist. 297, 189*, 299, 125; Ida. 298, 20b; Tex. 282, 8b, 27, 298b, 292, 343b.—meas. 297, 189, 196, syn. 297, 188, 299, 125.

stellaris (a Short-billed Marsh Wren), Ala. '78, 172; Conn. '92, 202; D. C. '90, 291; Fla. '82, 121, '90, 117, '91, 133a, 138, '92, 214, '95, 365; Ga. '83, 38, '96, 214; g. dist. '93, 133; Ia. '95, 124, 236; Man. '86, 327; Mass. '95, 89; Me. '99, 281-283; Mo. '95, 225a; Minn, '79, 153a, '80, 13, '84, 244; N. C. '94, 333; N. E. '76, 73, '77, 15; N. H. '82, 118; N. J. '92, 204; N. Y. '79, 6, '83, 179, '84, 59, 139, '90, 56; Ont. '92, 284ª?, '96, 347; Pa. '99, 313; S. C. '85, 190, '91, 173; S. D. '85, 278; Tenn. '96, 182; Tex. '82, 8, '92, 343; Wis. '82. 187.—hbt. '99, 281; mig. '95, 124, 236; nst. '83, 38, 179, '99, 281; plm. '78, 22; song, '84, 139; misc. '96, 194.

citrea (Motacilla), see Protonotaria.
—— (Protonotaria), see Protonotaria.
citreola (Motacilla), see Motacilla.
citrinella (Emberiza), see Emberiza.

- (Serinus), see Serinus.

—— (Spinus), see Serinus. citriniventris (Attila), see Attila. citrinifrons (Octhoca), see O. frontalis. citrinus (Celeus), see Celeus. Cittocincla. '94. 235.

Cittocincla, '94, 235. stricklandi, Borneo, syn. '90, 348. Clamatores, '76, 62, '81, 160. Clangula (b Glaucionetta), '80, 101, '86, 269b, '88, 67b, '93, 107b, '96, 163, '97, 124, 125.

americana (a American Goldeneyed Duck, Bucephala, Glaucionetta, d glaucion, e Bucephala clangula), Cal. '86, 90°; Colo. '79, 96°, '85, 18; Fla. '88, 379°; Ga. '96, 215; g. dist. '93, 125°; Ind. '88, 347°; Kan. '94, 260°; La. '97, 286; Man. '86, 149°; Mass. '94, 226°, '96, 202°, '97, 228; Me. 1900, 207-216 (illust.); Minn. '84, 249; Mont. '88, 16a, '95, 212°, N. B. '82, 151; N. D. '99, 161a, 162^a, 164, 165^a; N. F. 1900, 71°; N. Y. '81, 234, '83, 52^a, '84, 177; N. S. '91, 165°; Ont. '85, 372d; Ore. '79, 198b, '88, 142c, P. E. I. '85, 266a; Que. '82, 240d; S. C. '88, 203a; Wash. '92, 353°, '97, 172; W. I. '88, 67°. fd. '90, 396a; hbt. '99, 164, 1900, 207; mig. '84, 177; nst. '99, 164, 1900, 207; plm. '76, 23° (alb.), '80, 189°; syn. '80, 101°, '83, 62°, '86, 269°, '88, 67°, 97, 125, '99, 104, 129; misc. '77, 74b, '92, 335°.

clangula (b Glaucion, c Glaucionetta), Helg. '95, 326c; syn. '83, 62 [c glaucion'], '86, 269c, '96, 164; misc. '88, 422b.

islandica (*Barrow's Golden-eyed Duck, *Bucephala, *Glaucionetta), B. C. 1900, 104; Colo. '85, 18; D. C. '91, 112°; g. dist. '79, 148°, '93, 125°; Greenl. '89, 216°; Ida. '97, 350; Ill. '76, 41°, '97, 228; Ind. '88, 347°; Man. '86, 328°; Mass. '96, 202°; Mont. '79, 50°, '88, 16°; N. C. '93, 241°; N. Y. '93, 270°; O. '92, 397°; Ont. '85, 336°; Ore. '79, 198°, '88, 142°, '91, 367° (fossil), '93, 344° (fossil); Que. '81, 249, '82, 240; Wash. '92, 42°, '97, 172.—anat. '79, 126°; hbt. '79, 148–152°; meas. '79, 151°, 152°; nst. '79, 148°; plm. '80, 189°, '81, 162°, '93, 241°; syn. '80, 101, '86, 269°, '97, 125; misc. '97, 206.

clangula (Anas), see Clangula americana.

- --- (Bucephala), see Clangula ameri-
- cana. —— (Clangula), see Clangula.
- (Glaucion), see Clangula.(Glaucionetta), see Clangula.
- Clape, see Colaptes luteus. clara (Sitta), see Sitta. Clarin, see Myadestes unicolor.

clarionensis (Zenaidura), see Zenaidura.

Clark, Hubert Lyman.

Canada Jay in southern Vermont in summer, '87, 256.

Birds of Amherst and vicinity (rev.), '88, 105.

Coccothraustes vespertina at Amherst, Massachusetts, '90, 210.

A neglected branch of ornithology, '93, 93.

High plumage in Ptarmigan, '94, 177. Pterylography of certain Amer. Goatsuckers and Owls (rev.), '95, 287. Number of rectrices in Grouse, '99,

Feather-tracts of N. Am. Grouse and Quail (rev.), '99, 205.

Clark, John Nathaniel.

Nesting of Little Black Rail in Connecticut, '84, 393.

Summer Redbird at Saybrook, Conn., **'95**, 306.

Clark, Josiah Huntoon.

Notes on nesting of Palmer's Thrasher at El Plomo, Mexico, '98, 272-274.

Nest of Long-billed Marsh Wren lined with a snake skin, '99, 281.

Notes on nesting of Blue-throated Hummingbird, 1900, 294.

Clarke, Charles Kirk.

Notes on some Ontario birds, '97, 410.

Notes from Ontario, '98, 274.

Breeding habits of Solitary Sandpiper (Totanus solitarius), '98, 328. Green Heron breeding in Ontario, '99, 351.

Clarke, William Eagle.

Occurrence of Agelaius phaniceus in England, '87, 162.

of birds Collection from Fort Churchill, Hudson's Bay, '90, 319-

clarkii (Æchmophorus), see Æ. occidentalis.

- (Podiceps), see Æchmophorus occidentalis.

clarus (Catharus), see Catharus. Classification, see Taxonomy.

Claudia, see Cypselus.

Clayton, Henry Helm.

Velocity of flight of ducks (rev.), '97, 116.

clemenciæ (Cæligena), see Cæligena, clementæ (Amphispiza), see A. belli.

- (Melospiza), see Melospiza.

- (Pipilo), see Pipilo.

clementis (Carpodacus), see Carpodacus.

Climacteris, '94, 233.

Clivicola (b Cotile), '80, 96b, '82, 179, '86, 59, '87, 337, '93, 111, '98, 271, '99, 131, 281.

riparia (a Bank Swallow or Sand Martin, b Hirundo, c Cotyle, cinerea). Alas. '85, 63°; Aris. '88, 31, Ark. '82, 91°; B C. '93, 16; Cal '86, 183; Colo. '85, 15°, Conn. '95, 83, Dak. '85, 279°, D. C. '88, 23; Fla. '89, 325, '91, 132a, 138, '92, 213, '95, 365, Ga. '83, 39°; Germany, '96, 305°; Helg. '95, 337°; Ida. '98, 17; Ind. '89, 26; Jamaica, '93, 181; Ky. '89, 315, Man. '86, 325; Mass. '88, 389, '89, 45; Me. '81, 250°, '82, 110°, '95, 50°; Mich. '93, 226; Minn. '80, 14°; Mo. '79, 142°, '98, 25; Mont. '82, 62°, '94, 306, '95, 217; N. B. '82, 110°, '89, 118, 197; N. C. '86, 111", '89, 120, '93, 243, '94, 333; N. H. '88, 152, 154, '94, 335, '98, 194"; N. J. '85, 87ª; N. M. '92, 367; N. S. '87, 16; N. Y. '81, 229°, '82, 187°, '89, 130, '93, 53°; O. '89, 201, Ont. '87, 248°; Pa. '76, 9b, '96, 283; P. E. I. '93, 6°, 12; Que. '85, 315°, '89, 148; Tex. '82, 12°, '87, 294, '92, 340; Wash. '92, 46, 356, '93, 16, '97, 179, 1900, 356; W. I. '86, 59. anat. '87, 80b, '88, 329; hbt. '80, 112a, '98, 25, 194", '99, 287", 1900, 102"; mig. '76, 10", '85, 63°, 87", '87, 15", 294, '91, 135, '94, 306, '95, 50", 83; nst. '76, 9b, 96", '81, 250°, '83, 39°, 117°, '89, 130, '94, 306, '98, 17, 1900, 356; plm. '76, 21° (alb.), '78, 64°; syn. '80, 96°, '86, 59, 1274; misc. '90, 96. '95, 375".

Clucking-hen, see Aramus giganteus. clusiæ (Certhiola), see Correba bananivora.

clypeata (Anas), see Spatula.

- (Querquedula), see Spatula.

— (Rhyneaspis), see Spatula. — (Spatula), see Spatula.

Cnemiornis, '96, 109.

Cnipolegus cyanirostris, Urug., mig. '83, 141.

Coale, Henry Kelso.

McCown's Longspur in Illinois, '77,

Junco oregonus in Illinois, '77, 82. Notes on Nyctale acadica, '77, 83. Troplodytes aidon parkmani in Kansas, '83, 120.

Willow Thrush and Holboll's Linnet in Illinois, '83, 239.

New bird for Illinois, '85, 109.

Ornith. notes on flying trip through Kansas, New Mexico, Arizona and Texas, '94, 215-222.

coalei (Myiarchus), see Myiarchus tuberculifer.

cobanense (Glaucidium), see Glaucidium,

coccinea (Mellisuga), see Mellisuga.
—— (Pitta), see Pitta.

coccineus (Cardinalis), see Cardinalis. Coccornis agassizi, Cocco I. '96, 75. Coccothraustes (b Hesperophona), '88, 412b.

abeillii (b Hesperophona), syn. '79, 67b.

coccothraustes (b vulgaris), Helg. '95, 335.—anat. '88, 439b.

ferreirostris, Cal. '77, 92?. mexicanus, Mex. '97, 311*.

montanus (* Western Evening Grosbeak, b Hesperophona vespertina, c vespertinus), Ariz. '85, 174b, 349b, '87, 196c, '88, 113c, '90, 49c, 258; Cal. '78, 66b; Colo. '85, 15b, '94, 269; g. dist. '90, 246, '91, 85, '93, 126; Ida. '98, 14, Mont. '95, 216c; Neb. '88, 425c; N. M. 78, 93b, '79, 237b, '89, 72-74c, '90, 93c, Ore. '86, 168c, '88, 357c, '91, 391a; Wash. '82, 227b—anat. '89, 74c; fd. '86, 168c, '88, 357c, '425c, '89, 72c, '90, 258; hbt. '89, 72c, '90, 93c, '98, 14; meas. '90, 249; nst. '87, 342c, '88, 113c, '89, 178c, '92, 187c, '94, 248a; plm. '88, 357c, '89, 72c, '90, 93c (mlt.), 246; song, '88, 357c, syn. '91, 85.

vespertinus (*Evening Grosbeak, b Hesperophona), Conn. '90, 211, 396a, '93, 207; g. dist. '92, 238a, '93, 126, 155; Ia. '85, 296a, '88, 114; Ill. '81, 179b, '90, 238; Ky. '87, 257, '89, 314; Man. '86, 322; Mass. '90, 210, 210, 289, 396a, '91, 391a; Mich. '90, 396a; Minn. '79, 237b, '84, 244b, Mont. '95, 216 [= montanus?]; N. E. '90, 395a; N. H. '90, 397a; N. Y. '82, 250b, '89, 177a, 179a, '89, 331, '90, 209, 230, 395a, 395a, 396a, '92, 67a, 203, '99, 195; O. '95, 190; Ont. '83, 146a, '84, 85a, '85, 334b, '87, 256, '88, 208a, '90, 211, 395a, 396a, '94, 1a; Pa. '90, 396a, 397a, '92, 68a; Que. '90, 209, '92, 283; S. D. '85, 279b; Vt. '90, 210; Wis. '86, 487, '96, 259, 1900, 294.—anat. '92, 190b; fd. '81, 179b, '85, 279b, 334b, '88, 114, '90, 211, '92,

238a, 245a, '93, 155, 1900, 294; hbt. '79, 65b, '88, 114, '92, 238a, '93, 155; meas. '90, 249, mig. '94, 108a; plm. '79, 46b, '93, 155 (mlt.), song, '88, 114, '92, 244a, 245a, '93, 155, 1900, 294; syn. '79, 65b; misc. '90, 80a, 396b, '92, 190b, '95, 286a.

coccothraustes (Coccothraustes), see Coccothraustes.

cocoi (Ardea), see Ardea.
Coccycua, see Coccyzus.
Coccyges, '81, 73, '92, 184, '99, 110.
Coccyginæ, see Coccyzinæ.
Coccygins, see Coccyzus.
Coccygin, see Coccyzus.
Coccygin, see Coccyzus.
Coccygins, see Coccyzus.
Coccyzus, see Coccyzus.
Coccyzus, see Coccyzus.
Coccyzus, see Coccyzus.
Coccyzinæ, '97, 90, '99, 110.
Coccyzius, see Coccyzus.

Coccyzus, '84, 48, '85, 364, '93, 110, '97, 90, '99, 110.

abbotti, W. I. '99, 369.

americanus (Yellow-billed Cuckoo, b euleri), Ala. '79, 11; Bahamas, '91, 351, 352, 352, '92, 48; Belgium, '80, 73; Braz. '91, 159b; Colom. 1900, 364; Colo. '85, 17; C. R. '90, 333, '92, 327; D. C. '88, 20; Engl. '77, 107; Fla. '88, 271, '89, 250, '90, 310, '92, 212, '93, 337, '95, 364; France. '80, 73; Ga. '83, 40; G. Br. '80, 73; Greenl. '91, 320; Ia. '95, 124, 235; Ill. '78, 165; Ind. '82, 17, '89, 22; Jamaica, '92, 274, 372, '94, 124; Kan. '93, 368; Ky. '89, 313; La. '82, 164, '87, 303°, '92, 205; Labrabor, '85, 369; Mass. '82, 57, '95, 88; Me. '83, 113; Mass. '82, 57, '95, '88; Me. '83, 113; Mich. '93, 224; Minn. '84, 246a; Miss. '82, 93; Mo. '79, 146, '82, 56, '95, 114a; N. C. '86, 104, '89, 120, Neb. '85, 283; N. J. '94, 136; N. Y. '81, 232, '85, 260a; O. '95, 241, Ont. '85, 335, '91, 114; Pa. '92, 135, '93, 39, '96, 281; S. C. '79, 216, '90, 37, 211, 272, S. Dab. '85, 232, Tax, '22, '23, '24, 232, '75, 232, '7 '91, 327; S. Dak. '85, 283; Tex. '82, 171, '87, 190, '89, 238, '92, 234, '94, 70 (sp.?), 1900, 344; W. I. '86, 364, '91, 47, '96, 333.—fd. '99, 362"; hbt. '95, 114ª; mig. '95, 124, 129ª, 235, 93, 114, mg. 93, 124, 129, 231, 241; nst. '77, 110, '82, 56, 57, 171, '83, 40, 178, 237, '87, 190, 263, '88, 20, '89, 22, 121, '92, 234, 372, '93, 368, '94, 124, 1900, 344; song, '85, 260°, '98, 57°; syn. '86, 364.

cinereus, Argent. '84, 28. dominicæ, misc. '92, 184. erythrophthalmus (a Black-billed Cuckoo), Colo. '94, 183; C. R. '90,

333, '92, 327; Cuba, '86, 366; D. C. '88, 21; Fla. '89, 250, '92, 212, Ga. '83, 40, '96, 213, G. Br. '80, 73; Ia. '95, 124, 235; Ill. '78, 165; Ind. '82, 18, '89, 22; Italy, '77, 107, '80, 73; Ky. '89, 313; Labrador, '85, 369; Man '86, 155; Mass. '82, 57, '88, 389, '89, 44, 99; Me. '82, 150, '94, 69; Mich. '93, 224; Minn. '80, 16, '84, 246a, Mo. '79, 146, '82, 56; Mont. '95, 214, N. C. '89, 120, N. H. '88, 149, 151, '89, 76, 78; N. S. '87, 16 '91, 165, N. Y. '81, 232, '82, 188, '84, 178, 179, '85, 260", '91, 165; O. '79, 52, '95, 241; Pa. '92, 135, '96, 281, 293; P. E. I. '93, 9, S. C. '79, 216, S. D. '85, 283; Tex. '82, 172, '87, 190.—fd. '99, 362a; mig. '84, 178, 179, '95, 124, 129a, 235, 241; nst. '77, 110, '80, 16, '82, 18, 56, 57a, '83, 40, 117, 178a, 237a, '87, 263, '91, 302; plm. '78, 178, '79, 29a (alb.); song, '85, 260a; syn. '86, 366.

ferrugineus, Cocos I., '96, 75. maynardi (Maynard's Cuckoo), Bahamas, '88, 159, '91, 75, 294, 295, 297, 336, 337, 338, 351, 351, '92, 48, 1900, 288; Fla. '89, 250; g. dist. '87, 335, '88, 396, '93, 141; Jamaica, '92, 372 (sp.?).—fd. '91, 75; plm. '91, 394, 1900, 288; syn. '92, 184.

melanocoryphus, Argent. '84, 28; Galap. 1s. '96, 75.—hbt., nst. '84, 28. minor (a Mangrove Cuckoo), C. R. '92, 326; Fla. '87, 221", '88, 185, '89, 250, '92, 212; Jamaica, '92, 274, 372, '94, 124; W. I. '80, 169, '81, 154, '86, 365, 502, '87, 96, 180, '90, 375, 375, '91, 47, 48.-hbt. '92, 274; meas. '86, 366; nst. '92, 372; plm. '86, 365, '89, 250, '92, 326; syn. '86, 365, '92, 184. occidentalis (California Cuckoo, b americanus), Aris. '83, 26b, '86, 425b; B. C. 1900, 106; Cal. '96, 347; g. dist. '87, 335, '88, 396; Ida. '97, 353; Wash. '92, 44, 393, '97, 182. fd. '92, 393; meas. '83, 26", '92, 394, '96, 347 ; *plm.* '83, 26b.

pumilus, Argent., plm. '84, 28. Cock, Black Log, see Ceophiceus pileatus.

Chapparal, see Geococcyx californi Cus.

Johnny, see Ceophleus pileatus. Log, see Ceophlæus pileatus. Sage, see Centrocereus urophasianus. Wood, see Ceophlœus pileatus.

Cock-of-the-Plains, see Centrocercus urophasianus.

Cock-of-the-Woods, see Ceophlœus pileatus.

Cocoa-bird, see Pyrrhulagra violacea. Cocoa-nut-bird, see Icterus northropi. cœlebs (Fringilla), see Fringilla. cœlestis (Gallinago), see G. gallinago.

Cœligena clemenciæ (Blue-throated Hummingbird), Aris. '85, 85, 199, '94, 326; Mex. '95, 357, 1900, 294. meas. '85, 85, 1900, 294; plm. '85, 85, '99, 325; song, '95, 357; syn. '99. 325, nst, 1900, 294.

Cœreba (h Certhiola), '85, 293h, '86, 47b, 53, '87, 335, '91, 37-41, '93, 369. '94, 142, 143, 144, '96, 111, '99, 32. atrata (b Certhiola), IV. I. '79, 49b, '86, 53b, '91, 40.—meas. '86, 53; plm. '86, 53, '89, 219b; syn. '86, 53, '91,

40. bahamensis (Bahama Honey Creeper, b Certhiola), Bahamas, '87, Cremon, *Pattamas*, **70**, 47b, **91**, 37, 70, 294, 295, 296, 297, 297, 298, 334, 335, 336, 336, 337, 338, 338, 339, 350, 350, 351, 351, '92, 48, 48, 49, 1900, 293; g. dist. '93, 141.-meas., plm. '86, 47b; syn. '91, 37.

bananivora (b Certhiola, c Certhiola clusiæ), W. I. '81, 151°, '86, 49b, '91, 38.—hbt. '81, 151°; meas., plm. '86, 49h; syn. '86, 49h, '91, 38.

barbadensis (b Certhiola), W. I. '86, 52h, '91, 40.--meus. '86, 52h; plm., syn. '86, 52", '91, 40.

bartholemica (b Certhiola), IV, I. '86, 50^b, '91, 39, 46. -meas. '86, 50; plm., syn. '86, 50, '91, 39; misc. '93,

brevipes (b Cyanerpes), g. dist., plm., syn. '99, 33b.

caboti, W. I., plm., syn. '91, 41. cæruleus (h Cyanerpes, c Arbelorhina), Bolivia, '90, 382; Braz. '90, 266°; g. dist. '99, 34°; Peru, '90, 381; Penez. '97, 363°,—anat. '94, 142, 143, 144; fd. '94, 143; syn. '99, 34b.

carneipes (b ('yanerpes), g. dist., plm., syn. '99, 33b.

chloropyga, Braz. '90, 266, --- g. dist. plm. '91, 41.

columbiana, g. dist., plm., syn. '91, 41.

(b Cyanerpes, " Arbelocyanea rhina), C. R. '92, 23°; g. dist. '99, 32b; W. I. '86, 53, '93, 220a, 339,—anat. '94, 142, 143, 144; /d. '92, 23°, '94, 143°; meas., plm. '86, 53; syn. '86, 53, '99, 32".

dominicana (b Certhiola), II'. I.

'85, 293^b, '86, 51^b, '90, 374, '91, 39, 47, 47, 48, 49.—meas., plm. '86, 51; syn. '91, 39, '86, 51.

flaveola (b Certhiola), Jamaica, '86, 50b, '91, 38, '93, 339, '94, 127.—meas. '86, 50b, nst. '93, 339, '94, 127; plm. '86, 50b, '91, 38, '93, 339, syn. '86, 50b, '91, 38.

intermedia (b Certhiola), Ecuador, 1900, 81b.

longirostris (b Cyanerpes), g. dist., syn. '99, 34b.

lucidus (b Cyanerpes, c Arbelorhina), C. R. '92, 23c; g. dist. '99, 34b.—fd. '92, 23c; plm. '82, 133, 134; syn. '99, 34b.

luteola (b Certhiola godmani), g. dist. '91, 38; Venez. '97, 363; W. I. '89, 219b*, '93, 220.—meas. '89, 219b; plm., syn. '91, 38

magnirostris, Peru, plm., syn., '91, 41.

martinicana (b Certhiola, c Certhiola finschi), W. I. 79, 229b, 80, 166b, 85, 293b, 86, 52b, 87, 95b, 90, 274, 91, 40.—meas. 86, 52b; plm. 86, 52b, 91, 40; syn. 85, 293c, 86, 52b, 53c, 91, 40;

mexicana, g. dist., plm., syn. '91, 41.

newtoni (b Certhiola), W. I. '86, 51b, '91, 39, 48—meas., plm. '86, 51; syn. '86, 51, '91, 39.

nitidus (b Cyanerpes), g. dist. '99, 35b.

portoricensis (b Certhiola, c Certhiola sancti-thomæ), W. I. '86, 48b, 48c, '90, 374, 375, '91, 38.—hbt. '99, 361; meas. '86, 48b, 48c; plm. '86, 48b, 48c, '91, 38; nst. '99, 361; syn. '86, 48b, 48c, '91, 38.

peruviana, g. dist., plm., syn. '91, 41.

succharina (b Certhiola), W. I. '79, 49b, '86, 50b, '91, 39.—meas. '86, 50b; plm. '86, 50, 53b, '89, 219b, '91, 39; syn. '86, 50, '91, 39.

sharpei (b Certhiola), W. I. '86, 497b*, 501b, '88, 157b, '89, 31b, 31b.

tricolor (b Certhiola), W. I. '85, 291b, '87, 180, 181b, '91, 40.—plm., syn. '91, 40.

uropygialis, Curaçao I. '93, 355. wellsi (b Certhiola), W. I. '89, 219b*, '91, 40.—meas. '89, 219b; syn. '91, 40.

Cœrebidæ, '81, 28, 34, '87, 149, '95, 71. cœrulea (Ardea), see Ardea. cœruleus (Parus), see Parus.

Coffee-bird, see Pyrrhulagra violacea. cohuatl (Trochilus), see Calothorax lucifer.

Colaptes, '86, 380, '88, 214, 218, '91, 92, '92, 177.

agricola, Argent., Urug., hbt., nst., song, '84, 25.

auratus (Yellow-shafted Flicker or Golden-winged Woodpecker, Ala. '79, 11; Cal. '87, 91; Fla. '88, 271, '89, 252, '90, 223, '91, 138, '92, 213, '95, 365, Ga. '82, 97^a, '83, 40, '96, 213; g. dist. '92, 177, '99, 111, G. Br. '80, 74 [= luteus?]; La '82, 164, '87, 303a, '92, 205; Miss. '82, 93; Mo. '96, 220; N. C. '86, 104, 314, '87, 242; S. C. '79, 216, '90, 38, '91, 328, '92, 30a, 36a, 38a, Tenn. '86, 319; Tex. '82, 171, '87, 191, Va. '86, 160; W. Va. '98, 135 [= luteus?].anat. '87, 355; fd. '95, 380, '99, 362"; meas. '81, 121, '98, 177; mig. '82, 171, '92, 30^a, 36^a, 38^a; nst. '83, 40, '87, 68; plm. '76, 22 (alb.), 24 (melan.), '81, 161, '83, 177a, '88, 212b, '92, 66, 161, 163 (hyb.), 177, '93, 18, song, '81, 185, '85, 259, '87, 130a'; syn. '81, 169, '91, 93, '92, 177, '99, 111; miss. '81, 183, '82, 118, '89, 176, '90, 81a, 82a.

brunnescens (Brown Flicker), L. Cal. '95, 347*, '97, 120.

cafer (Red-shafted Flicker, b mexicanus, chybridus, dcollaris), Arız. '81, 183b, '83, 24b, '85, 174, 356, '86, 428, 428°, '90, 48, 254; B. C. '93, 18, 18°; Cal. '78, 67°, 67°, '86, 94, '87, 329, '89, 221, '90, 297, '96, 85, 118, '98, 234; Colo. '79, 95b, 141b, '83, 196b, '85, 17b, 143, '86, 284°, '87, 124, '89, 298°, '94, 268, '95, .152a; g. dist. '80, 87c, '92, 177-179, '93, 134, 1900, 123, 123^a; Ida. '97, 354, Mont. '82, 63^b, '88, 16^a, '94, 303, '95, 215, Mo. River, '95, 229^a; N. M. '85, 127^b, '86, 79^b, **'**98, 308; Ont. 362, 335b; Ore. '79, '88, 195°. 240, 256; S. D. '85, 284°; Tex. '82, 40°, 41°, '87, 191, 191°, '89, 239, '92, 235; Wash. '81, 128b, '82, 227b, 227c, ²93, 18, 18°, '97, 175, 1900, 244.— fd. '83, 24°, '85, 127°, '92, 235, '96, 77, 61b, 85, 118, '98, 234; meas. '77, 61b, '83, 24b; nst. '82, 63b, '90, 80a, '92, 99, '96, 118; plm. '78, 67c, '81, 183b, '83, 24b, 177a, 196b, '85, 302b (hyb.), 335 (hyb.), '86, 94 (alb.), 428, 429, '87, 329, '89, 239, 239°, '92,

161°, 163°, 177, '93, 18 (hyb.), '95, 171, 215 (hyb.), '97, 354, 1900, 10, 123^d; syn. '77, 60^b, 62^b, '81, 169^b, '91, 93, '92, 177, 1900, 123, 123d. chrysocaulosus, Cuba, '86, 380,

'92, 178, 272.-meas. '86, 380; plm. '86, 380, '97, 276; syn. '86, 380, '92,

178.

chrysoides (Gilded Flicker), Aris. '81, 73, '83, 24, '85, 226, '86, 429; g. dist. '92, 177-179, '93, 134, L. Cal. '95, 139; Mex. '85, 228 — meas. '83, 25; nst. '83, 24, '86, 429; plm. '83, 24, '85, 302 (hyb.), '86, 429, '92, 177; song, '83, 24; syn. '92, 177.

gundlachi, W. I. '86, 498*, 502, '88, 159, '92, 178.—syn. '92, 178.

Iuteus (a Northern Flicker or Golden-winged Woodpecker, bauratus), Cal. '85, 383b; Colo. '87, 264b, Conn. '95, 262b; D. C. '88, 21b; Fla. '88, 271b, '89, 252b, '92, 213b; g. dist. '92, 177b, '98, 177*, '99, 111; Hud, B. '90, 322b Ia. '95, 121b, 236b; Ill. '81, 121b; Ind. '89, 22b; Ky. '89, 314b; La. '92, 205b; Man. '86, 156b; Mass. '78, 139^b, '83, 149^a, '84, 6^a, '87, 346^b, '88, 389^b, '89, 44^b, 99^b, '95, 87^a; Me. '80, 241^b, '82, 150^b, '87, 66^a, '89, 281^b; Mich. '81, 196", '93, 224b, 1900, 174b; Minn. '80, 16b, '84, 246b; Mo. '79, 146b. '95, 4a, 115a; Mont. '95, 215b; N. B. '82, 150b, '83, 235a, '87, 264b 789. 117^h; N. C. '89, 119^h; N. F. 1900, 72^h; N. H. '88, 149^h, 151^h, 154^h, '89, 76^h, 78^h, '94, 335^h; N. J. '80, 56^h, 134^h, '92, 204^h, '94, 35^h, 137^h; N. S. '87, 16^b; N. Y. '79, 31^b, 37^b; '80, 47^b, '81, 232^b, 247^b, '82, 188^b, '84, 404^a, '85, 259^b, '89, 202^b; O. '95, 242b; Ont. '85, 335b; Pa. '92, 135b, '93, 44b, '96, 280s, 281b, 293b; P. E. 1. '93, 6a, 9b; Que. '82, 237b, '89, 147b, 1900, 174b; S. C. '92, 30a, 36a, 38ª; S. D. 81, 120b, '85, 284b; Tex. '89, 239", '92, 235", 1900, 344"; I'a. '89, 53"; Wis. '82, 188°, '88, 325°,--fd. '85, 284⁵, '89, 281⁵, '90, 391⁸, '95, 380⁵, '99, 362⁸; hht. '90, 391⁸, '95, 323⁵, 365⁸, '94, 278⁸; meas. '81, 121⁵, '85, 335⁵, '98, 177; mig. '80, 134⁸, '81, 196⁸, '88, 325⁵, '89, 281⁵, '91, 195⁵; 792, 30^a, 36^a, 38^a, 794, 103^a, 795, 121^b, 236b, 242b, '99, 144 [' Yellow-hammer '], 1900, 174h; nst. '80, 56h, 241h, '81, 120^b, '87, 68^a, 346^b, '88, 21^b, '89, 22^b, '93, 231^b, '94, 135^a; plm. '78, 181^b, '80, 26^a, 47^b, '81, 121^b, 247^b, '81, 121^b, 247^b, '81, 121^b, 247^b, '81, 121^b, 247^b, '81, '81^b, 121^b, 247^b, '81, '81^b, 121^b, 247^b, '81, '81^b, 121^b, 247^b, '81^b, 121^b, 121^b, 247^b, '81^b, 121^b, 121^b, 247^b, '81^b, 121^b, 121 '85, 335b (hyb.), '92, 66b, 161b, 163b,

177^b, '93, 18^b, 231^b, '95, 171^b (hyb), 215b, '97, 275b, song, '85, 259b, syn. '92, 177b, '98, 177, '99, 111; misc.
'81, 125a, '89, 176, 183, 1900, 393b. Guatemala, plm. mexicanoides, '92, 177; syn. '91, 94, '92, 177, 178. rufipileus (Guadalupe Flicker), g. dist. '92, 177 .- meas. '77, 61; plm. '92, 177; syn. '77, 62, 66, '92, 177. saturation (Northwestern Flicker, b cafer), Alas. '98, 127; g dist. '85, 207, '92, 177; Orc. '86, 165; Wash. '92, 44b, 309, 1900, 352.—plm. '92, 177, 196, 1900, 10, 124; syn. '92, 177. colardeaui (Chætura), see C. acuta. Colburn, William W.

Obituary of, 1900, 92.

Colburn, W. W., and Morris, R. O.

Birds of the Connecticut valley in Mass. (rev.), '91, 384.

colchicus (Phasianus), see Phasianus. Coleman, George Albert.

Coccothranstes vespertina braska, '88, 425.

Collidæ, '81, 74, 75, '93, 68.

Colinia, see Colinus.

Colima, Mexico.

Nelson, E. W., '97, 72.

colimæ (Aphelocoma), see Aphelocoma. Colinus (b Ortyx, c Turnix), '84, 141b, '85, 44, '87, 223, '93, 130, '94, 172, 233°.

atriceps, Mcx. '98, 122.

bahamensis, Bahamas, 1900, 187, 286.-plm. 1900, 286.

coyolcos, Mcx. '98, 117, 121.-hbt. '98, 117.

cubanensis (* Cuban Quail or Bobwhite, h Ortyx), Cuba, '91, 294, '92, 271*, 272; Fla. '89, 245 [sofloridanus, see '94, 3241; g. dist. '87, 223, 336, '88, 395; San Domingo, '95, 279. meas. '87, 224; plm. '87, 224, '89, 245, '91, 190b; syn. '87, 223, '94, 324, '95, 168.

floridanus (Florida Bob-white or Quail), Fla. '87, 283, '88, 270, '89, 245, '92, 212, '93, 337, '94, 324, '95, 364.—nst. '89, 245; plm. '87, 225, '89, 245, 1900, 45 (mlt.), 286; syn. '85, 45; misc. '87, 283*.

godmani, Mex. '97, 45*, '98, 115 (col. pl.), 120, 121.

graysoni, Mex. '98, 121; plm. '87, 74, 160, '88, 401, '89, 174.

insignis, g. dist. '98, 122; Guatemala, '97, 46*; Mex. '98, 119.

leylandi, C. R. '92, 329, maculatus, Mex. '99, 26*.

nigripectus, Mex. '97, 47*, '98, 116, 121.-song, '98, 116.

nigrogularis, Yucutan, '98, 122. pectoralis, Mex. '98, 117, 121.hbt '98, 117.

ridgwayi (a Masked Bob-white or Quail), Aris. '85, 199*, 227 [not 'Ortyx graysoni'], 231, 296 [not 'Ortyx virginianus'], 297 [not 'Ortyx graysoni'], '86, 275, 387, '87, 69, 69, 75, '89, 189, 1900, 32°; Mex. '85, 199, 228, '86, 275, '87, 159, '98, 121.—fd., hbt., song, '87, 159; meas. '85, 199; nst. '87, 74; plm. '86, 275, '87, 74, 159, '89, 189, 1900, 46 (mlt.), syn. '88, 401; misc. '86, 287, 483, '89, 174, 1900, 32.

salvini, Mex. '97, 45*, '98, 119, 122.

segoviensis, Honduras, '89, 172. texanus (Texan Bob-white Quail, h Ortyx), g. dist. '93, 134; Kan. '87, 9; Mex. '98, 121; Tex. '82, 11, 187, 24, 186, 189, 174, 237, 192, 233, 1900, 341.—hbt. 191, 389; nst. 186; plm. 187, 24, 1900, 46 (mlt.); syn. 185, 45; misc. 182, 41. virginianus (a Bob-white or Quail, ^b Ortyx), Ala. '79, 12^b; Ariz. '85, 296^b [= ridgwayi], '85, 296^b, [= ridgwayi]; Bahamas, '91, 294; Colo. '85, 14^b (introduced); C. R. '85, 297^b?, D. C. '88, 20, '92, 67; Europe. '80, 66^b; Ga. '83, 41^b, '96, 215; G. Br. '80, 144b; g. dist. '93, 133; Ida. '85, 315 (introd); Ind. '82, 22¹, '88, 349, '97, 245^a, Jamaica, '92, 120, '94, 123; Ky. '89, 313, La. '82, 165^b, '92, 204; Mass. '89, 42^a, 99, '90, 395^a, '95, 88; Mich. '93, 223; Minn. '84, 247^b; Miss. '82, 93^b; Mo. '79, 147^b, '96, 221; N. C. '86, 100, 103, 314, '88, 313^a, '89, 121; N. E. '76, 73^b, '77, 15^b; N. J. '94, 136; N. Y. '89, 178^a, '94, 71^a, '97, 226, 316, 1900, 178; O. '84, 186^a; Ont. '87, 246a; Ore. '86, 164 (introduced); Pa. '93, 37, 38, '96, 281, '99, 310, 1900, 396a; S. C. '79, 217b, '90, 35, '91, 326; S. D. '85, 285b; Tenn. '86, 319, '87, 129; Tex. '82, 175'; Va. '86, 161, '89, 53, '82, 114'; W. I. '79, 229', '81, 154', '87, 224, '91, 47. fd. '79, 111a, '90, 395a; hbt. '82, 175b, '90, 396, 398a, '91, 389, 390a, 390a, 391a (4 items), 392a, '94, 129 (pl.); meas. '87, 225; mig. '91, 390; nst. '83, 41b, '87, 246a, '88, 313a, '90, 392, '92, 385, '97, 226; plm. '76, 22b (alb.),

24b (melan.), '86, 103, '87, 224, '91, 387a, '98, 184, 1900, 43 (mlt.), 151 (pl.), 166, song, '92, 283; syn. '85, 45, '87, 224; misc. '79, 111a, '82, 116b, '83, 118b, 119b, '84, 188a, 287a, 287^a, 288^a, 288^a, '85, 213^b, 299^b, 300^a, 300^a, 301^a, '87, 68^a, '88, 313^a, 313^a, 317^a, '89, 175^a, 178^a, 178^a, '90, 390, 394, 394, 395, 396^a, **'91**, 388, 388, 389, 389, **'92**, 68^a, 384, 384, 385^a, 385°, '93, 130, 297, '94, 68, 68, 68, 68, 68°, 71°, 71°.

Colioideæ, '86, 406.

Coliomorphæ, '78, 78, '81, 33, 35.

Colius, '81, 74.

collaria (Amazona), see Amazona. - (Chrysotis) see Amazona collaria

or leucocephala.

collaris (Acanthylis), see Hemiprocne zonaris.

— (Ægialıtis), see Ægialitis.

--- (Anas), see Aythya.

—— (Aythya), see Aythya.

--- (Chætura), see Hemiprocne zonarıs.

--- (Colaptes), see C. cafer.

- (Cypselus), see Hemiprocne zon-

--- (Engyptila), see Leptotila.

—— (Fuligula), see Aythya. --- (Fulix), see Aythya.

—— (Hemiprocne), see H. zonaris.

--- (Lanius), see Lanius.

--- (Leptotila), see Leptotila.

--- (Muscicapa), see Muscicapa. —— (Nephocætes), Hemiprocne see zonaris.

--- (Nyroca), see Aythya.

- (Pallene), see Hemiprocne zonaris.

--- (Trogon), see Trogon.

collarius (Psittacus), see Amazona. Collectors' Illustrated Magazine, '88, 244.

Collett, Robert, and Nansen, Fridtjof. Norwegian North Polar expedition, 1893-1896-birds (rev.), 308-310.

colletti (Parus), see P. borealis. collies (Calocitta), see Calocitta.

Collins, Joseph William.

Notes on certain Laridæ and Procellariidæ of New England coast, '84, 236-238.

Notes on habits and methods of capture of sea birds of the fishing banks off eastern N. Am. (rev.), '84, 380. Collins, W. H.

Notes on breeding habits of some

110

Clair flats, water-birds of St. Michigan, '80, 61. Collins, William L. Note on Oporornis agilis, '80, 50. Tragic fate of a Summer Warbler, 78, 197. Collocalia, '89, 9, 11, '94, 236. fuciphaga, Borneo, '88, 333, '90, 358 .- anat. '89, 9, 11, meas. '89, 11, nst. '88, 335, '90, 358. linchii, Borneo, '90, 358. Collurio, see Lanius. collurio (Lanius), see Lanius. Collyrio, see Lanius. Colombia. Allen, J. A., '98, 339, '99, 90-91, 369, 1900, 82, 184, 306, 363-367. Bangs, O., '99, 135-139. Elliot, D. G., '89, 209-210. Lawrence, G. N., '85, 358. Richmond, C. W., '98, 326-327. Ridgway, R., '85, 291, '80, 81, 1900, 27. colombiana (Spermophila), see Sporophila. · (Sporophila), see Sporophila. colonus (Buteo), see Buteo. Colopterus, see Colopteryx. Colopteryx, '89, 172. inornatus, Bras. '89, 172. ornatus, Braz. '90, 270. pilaris (b Colopterus), Venez. '97, 3651. Colorado. Aiken, C. E., '76, 30, 1900, 298. Allen, J. A., '79, 113-114, '80, 90, '83, 151-161, 189-198, 1900, 396. Anthony, A. W., '87, 257-258, '95, 388, '96, 31-34. Beckham, C. W., '85, 139-144, '87, 120-125. Bendire, C. E., '88, 238, '89, 75, 226-230, 298-302, '90, 92. Brewer, T. M., '79, 239-240. Brewster, W., '83, 57, 123, 151-161, 189-198, '87, 146, '91, 139. Byers, W. N., '83, 117.
Chapman, F. M., '98, 340-341.
Coale, H. K., '94, 216.
Cooke, W. W., '94, 182-183, '95, 150-155, '97, 316, '98, 183-184, **'99**, 187-188. Coues, E., '77, 50, 51, 83, '80, 181-182, '83, 239, 240. Dartt, M., '79, 113-114. Deane, R., '79, 188, '95, 292-293. Dille, F. M., '90, 80, 80, 80. Drew, F. M., '81, 85-91, 115, 138-143, 244, 249, '82, 182-183, '85,

11-18.

Gaylord, H. A., '96, 258. Goss, B. F., '83, 43-44. Goss, N. S., '86, 114. Gould, A. C., '93, 297. Henshaw, H. W., '86, 79. Hersey, J. C., '77, 74. Ingersoll, E., '80, 121-122. Ingraham, D. P, '97, 403-404. Kellogg, V. L., '92, 193. Lamb, W. F., '77, 77-78. Lowe, W. P., '94, 266-270, 324, '95, 298. McGregor, R. C., '93, 205-206. Maxwell, M. A., '79, 113-114. Minot, H. D., '80, 223-232. Nash, H. W., '81, 49. Polk, B. H., '83, 118. Ridgway, R., '77, 75, '80, 112, 185, **'85**, 97. Scott, W. E. D., '79, 90-96. Smith, H. G., Jr., '86, 284-286, '93, Smith, W. G., '89, 183, 184, '91, 108. Sprague, U. A., '96, 85. Stone, D. D., '83, 176, 238, '85, 100. Thorne, P. M., '86, 489, '87, 264-265, '88, 112, '89, 276-277. Trefz, F, '83, 171. Colorado Ornith. Association, '99, 214. coloratus (Calcarius), see Calcarius. colubris (Melisuga), see Trochilus. (Orthorhynchus), see Trochilus. (Trochilus), see Trochilus. Columba, '84, 140, '87, 108, '93, 99, 109, '94, 61. albilinea, C. R. '92, 328. caribæa, Jamaica, fd. '92, 122; W. I., syn., meas. '87, 110; plm. '87, 110, '92, 122 (mlt.). corensis (b Patagicenas), Fla. '99, 272; W. I. '80, 169, '81, 155, '87, 96, 109, '91, 47.—meas., plm. '91,

190b (alb.). fasciata (Band-tailed Pigeon), Ariz. '85, 174, '86, 421, '90, 52; Cal. '86, 92; Colo. '85, 17, '94, 267; g. dist. '93, 134; Ida. '97, 349; N. M. '86, 80; Orc. '86, 164; Wash. '92, 43, 1900, 351.—fd. '86, 80, 92, 421, '94, 267, 1900, 351; nst. '89, 173; plm. '88, 86. flavirostris (Red-billed Pigeon),

Mex. '99, 287.—plm., syn. '80, 37.
inornata, W. I. '87, 110, '92, 122.
—meas., plm., syn. '87, 110.
intermedia, syn. '91, 99.

leucocephala (White-crowned Pigeon), Bahamas, '91, 295, 296, 297, 339, '92, 48; Cuha, '92, 272; Fla. '88, 185, '89, 246, '92, 212; g. dist. '93,

141; Jamaica, '92, 122, '94, 123; W. I. '81, 154, '87, 108, 180, '89, 32, '90, 375, '91, 47, 47.—meas. '87, 109, nst. '92, 122, '94, 123; plm. '87, 108, '88, 185, '92, 122, syn. '87, 108. livia, Helg. '95, 337.—misc. '92,

164. maculosa, Argent., Urug., hbt.,

nst. '84, 274. madrensis, Tres Marias I. '98, 340. (b Janthœnas), plm. '91, nitens

100b.

œnas, Helg. '95, 337.

palumbus (a Wood Pigeon), Helg. '95, 337.—fd. '97, 9, 12a.

picazuro, Argent., hbt. '84, 274. locutrix, Bras., plm. '91, 162. rufina, Bras. '91, 162; W. I. '92,

123, '93, 220.—syn. '87, 110. speciosa, Braz. '91, 161.

taczanowskii, Japan, '94, 170. vioscæ (Viosca's Pigeon), L. Cal. **'88**, 86*****, 395.

columba (Cepphus), see Cepphus.

—— (Fulmarus), see F. glacialis. —— (Uria), see Cepphus. Columbæ, '81, 30, 79, 83, '94, 60, 61.

columbarius (Æsalon), see Falco.

--- (Falco), see Falco.

--- (Hypotriorchis), see Falco. columbiana (Cœreba), see Cœreba.

- (Nucifraga), see Nucifraga. - (Sicalis), see Sicalis.

columbianus (Cygnus), see Olor.

—— (Mimus), see M. gilvus. —— (Neocrex), see Neocrex.

--- (Olor), see Olor.

—— (Parus), see Parus.

--- (Pediœcetes), see P. columbianus, campestris or phasianellus.

— (Picicorvus), see Nucifraga.

--- (Spinus), see Spinus.

- (Tetrao), see Pediœcetes.

Columbidæ (a Pigeons), '81, 80, '88, 196a, '92, 174, '93, 109a, '94, 61, '99, 319, 1900, 102ª.

Columbigallina, '87, 116, '93, 132, '94, 61, '97, 215.

bahamensis (b Chamæpelia), Bahamas, '87, 155b, '91, 294, 295, 296, 297, 298, 334, 336, 337, 338, 339, 339, 1900, 286.

insularis, W. I. '89, 172.

pallescens (a Mexican Ground Dove, b Chamæpelia passerina, c passerina), Arız. '83, 32b, '86, 421c, 1900, 33°; C. R. '90, 333°, '92, 329°; g. dist. '88, 395, '93, 134; Mex. '85, 229b; Tex. '82, 175b.-plm. '83, 32b; syn. '87, 336, '97, 215, '99, 108; misc. 1900, 33°.

passerina (b Chamæpelia), hamas, '91, 76, Bras. '91, 162; Cuba, '91, 294; Jamaica, '94, 123; Venez. '97, 366; W. I. '80, 169b, '81, 154b, '86, 502, '87, 96, 116, '90, 374, 375, 375, '91, 47, 48, 48, 48.—meas. '87, 116, nst. '94, 124, plm. '87, 116, '91, 190, syn. '80, 169b, '87, 116, 155, '94, 47.

perpallida, W. I. '93, 355.

rufipennis, Venes. '97, 366; W. I. **'93**, 220.

socorroensis, Revill. Is. '98, 316. talpacoti, Bras. '91, 162.

terrestris (a Ground Dove, b Chamæpeleia passerina, e passerina, d Chamæpelia purpurea, e insularis), Ala. '79, 12b; Aris. '86, 421c [= pallescens?], Bahamas, '92, 48°; Bernuda, '96, 239°; Cuba, '92, 272°, Fla. '88, 270°, '89, 246°, '91, 137°, '92, 212°, 795, 79°, 364; Ga. '83, 41°, '96, 215; g. dist. '93, 133°; Jamaica, '92, 124°; N. Y. '78, 147°; S. C. '92, 72°; Tex. '87, 183°, '92, 233°; W. I. '89, 32°, 172°.—fd. '92, 124°; hbt. '90, 84°, '92, 124°, '96, 239°; nst. '83, 41°, '88, 270°, '92, 72°, 124°, '95, 79°; plm. '92, 124°; syn. '87, 155d, '93, 62c, '94, 47; misc. '90, 81b.

columbinus (Larus), see Sterna hirundo. Columbula picui, Argent., Urug., hbt., mig., nst. '84, 275.

Colvin, Walter Scott.

Chestnut-sided Warbler in eastern Kansas, '98, 59. Colymbidæ, '81, 82, 163, '83, 62, '99,

Colymbus, '81, 156, '82, 179, '84, 140, '85, 96, '93, 99, 105, '97, 312, 313, **'99**, 202.

auritus (* Horned Grebe, b Podiceps cornutus, c Dytes, d Podicipes cornutus), Conn. '85, 96c; Fla '88; 373, '92, 211; g. dist. '93, 125; Helg. '95, 327; Hud. B. '90, 320; Man. '85, 314⁴, '86, 147; Minn. '80, 20⁵, '84, 249°; N. J. '79, 228⁵; N. Y. '82, 128c; Ont. '87, 247t; Ore. '91, 366 (fossil), '93, 344 (fossil); Que. '89, 145; S. C. '85, 193b; S. D. '85, 289c; Wash. '97, 171 .- nst. '87, 247"; plm. '97, 111d (mlt.), syn. '85, 34b.

brachyrhynchus, Braz., syn., 1900, 185.

californicus (American Eared d Podi-Grebe, b Podiceps, c Dytes,

cipes), Aris. '90, 48, 50, Cal. '86, 88; Colo. '79, 964, '83, 1984, '84, 19°, '85, 18°; Man. '86, 147; Minn. '93, 289, 1900, 281; Mont. '95, 212, N. M. '98, 307; Ore. '86, 163 ['nigricollis'], '91, 366 (fossil); S. Dak. '85, 289°; Wyo. '84, 18-20°.—hbt. '85, 96°, '92, 192, nst. '84, 18°, '90, 50, 1900, 281; plm. '85, 340°; syn. '85, 340°, '80, 88°. cristatus, Helg. '95, 341, N. S. '87, 68 [= holbœllii].

dominicus (St. Domingo Grebe, b Podiceps, c brachyptera), Bahamas, '91, 337, 350, 354 [c dominicensis']; Cal. '77, 97b?; g. dist. '93, 141b, Jamaica, '94, 119; Tex. '76, 88b, '77, 26b, '80, 91b, 1900, 185c; W. I. '81, 155b, '88, 155c.—hbt. '91, 354 [c dominicensis'], '94, 119, meas. '88, 156b; nst. '91, 354; plm. '88, 155b, '91, 354, syn. '84, 385b, '88, 155b, 1900, 185.

holbællii (* Holbæll's Grebe, * Podiceps cristatus, * Podiceps, d Podiceps), Alas. '86, 126; B. C. '93, 291; 384; Colo. '85, 18°; Conn. '78, 47°; Europe, '80, 220°; g. dist. '93, 125; Ida. '97, 349; Man. '85, 314°, '86, 147, Mass. '97, 327, Mich. 1900, 293; Minn. '90, 213; N. Am. '78, 52°, '85, 93°, N. C. '93, 242; N. D. '99, 165°; N. Y. '81, 235°, '84, 177°, '94, 168°, '99, 193; Ont. '97, 411; Ore. '91, 366 (fossil), '93, 344 (fossil); Pa. '99, 309; Que. '82, 241°; Wash. '93, 16, 291, 384, '97, 171; W. I. '88, 156 [sp.?].—mig. '84, 177°; nst. '97, 171, 349; plm. '86, 126 (alb.); syn. '78, 52°, '84, 385.

minor (a Little Grebe, b Podiceps), Helg. '95, 341; Ore. '77, 97b?.—nst. '97, 335a.

griseigena, Helg. '95, 327.

nigricollis, g. dist. '85, 340; Helg. '95, 341.—syn. '85, 340.

rollandi (b Podiceps), Argent., hbt. '84, 317b.

comata (Dendrochelidon), see Dendrochelidon.

—— (Sterna), see S. elegans. comatus (Cypselus), see Dendrochelidon.

— (Merganser), see Merganser. Comeau, Napoleon Alexander.

Yellow-nosed Albatross (Thalasso-geron culminatus), '88, 318.

Additional notes on probable breeding of Saxicola ananthe near Godbout, Quebec, Canada, '90, 294.

Robin wintering at Godbout, Quebec, '91, 317.

comeri (Porphyriornis), see Porphyriornis.

Commander Islands.

Ridgway, R., '98, 320.

Steineger, L., '84, 35-36, 81-82, 231-232, '85, 95, '86, 126-129, '88, 197, '98, 183.

communis (Coturnix), see C. coturnix.
—— (Falco), see F. anatum.

complexus (Pipilo), see Pipilo.

compressirostris (Camarhynchus), see Camarhynchus.

compressus (Picolaptes), see Picolaptes.

Compsothlypis (b Parula), '85, 366b, '84, 168-170, '86, 26, '90, 194, '93, 111, 112, 130.

americana (a Parula or Blue Yellowbacked Warbler, b Parula), Ala. '78, 172b, Ark. '82, 90b; Bahamas, '91, 67, 295, 296, 297, 335, 338, 338, '92, 48; Cuba, '92, 273; D. C. '88, 24; Fla. '81, 40^a [=usneæ?], '85, 62^b, '88, 275, '90, 18, 313, '91, 127^a, 132^a, 785, 275, 90, 18, 515, 91, 127, 1527, 133, '92, 213, '93, 338, '95, 365; Ga. '80, 48b, '82, 95a, '83, 38b, '96, 214; g. dist. '96, 45; Jamaica, '93, 340; La. '82, 161b, '87, 301a; Miss. '82, 90b; Mo. '79, 141b, '85, 377b; N. C. '86, 173; S. C. '79, 211b, '90, 127, '91, 127, ' 331, '92, 31a, 35a, 37a, 38a; Tenn. '86, 316, Tex. '82, 8b, 36b, '92, 303, 340, 1900, 347; Va. '86, 160; W. I.'81, 151 [= usneæ?], '86, 26, '87, 180, '90, 374, 375, 375, '91, 47, 48, 48.—meas. '85, 377^b; mig. '85, 62^b, '90, 18, '91, 69^a, '92, 31^a, 35^a, 37^a, 38^a, 303, '94, 14, 15a; nst. '80, 48b, '82, 95a, '83, 38b, '85, 97a, 377b; plm. '76, 21b (alb.), '78, 22h, '84, 169, '96, 45; syn. '84, 170, '86, 26, '96, 45; misc. '83, 235ª.

graysoni, Revill. Is. '98, 317. inornatus, Mex. '98, 159; syn. '84, 170.

insularis, syn. '84, 170.

nigrilora (Sennett's Warbler, ^b Parula), *Tex*. '78, 144^b, '80, 46^b, 89^b.—
plm. '84, 169; syn. '84, 170; misc. '93, 141.

pitiayumi (b Parula), Urug. '83, 87b; Venez. '97, 363.—hbt., mig. '83, 87b; flm. '83, 87a (alb.); syn. '84, 170; misc. '83, 87b.

pulchra, Mex. '89, 93*.

usneæ (* Northern Parula or Blue Yellow-backed Warbler, * Parula

americana, camericana), Bahamas, '92, 48°; Colo. '85, 15b; Conn. '80, 114b, '88, 431a; Cuba, '92, 273c, D. C. '92, 308°; Fla. '85, 62°, '93, 338°, '95, 365°; g. dist. '86, 26°, '96, 44*, '97, 123; Ia. '95, 122b, 235b; Ill. '88, 433°; Ind. '82, 16b, '89, 27c; Jamaica, '93, 340°; Ky. '89, 315°; Mass. '88, 389°, '89, 45°, 103°, '90, 217°; Mich. '93, 227°; Mo. '95, 117°, 350°, N. H. '88, 150°, 152°, '89, 77°; N. J. '94, 139b, '97, 289-294°; N. Y. '81, 227b, '83, 176b, '84, 175b, 176b, 178b, 212c; Pa. '92, 138°, '93, 36°, 40°, 42°, 43°, 45°, '95, 190a, '96, 284c, 295c; P. E. I. '93, 5a, 13c; S. C. '92, 31a, 35a, 37a, 38ª; Tex. '92, 303°, 340°, W. I. '86, 26°, '87, 180°, '89, 31°; *Wis.* '83, 66°, 67°, '88, 326° — mig. '83, 66°, 67°, '84, 175°, 176°, 178°, '85, 62°, '88, 326°, 433°, '90, 18°, '91, 69°, '92, 31a, 35a, 37a, 38a, 303c, '94, 14c, 15a, '95, 122c, 235c; nst '80, 114b, '83, 176b, '94, 134a, '96, 284c, '97, 289c, plm. '78, 22b, '84, 169c; song, '84, 212°; syn. '83, 26°, '84, 170°, 212°, '96, 45, '97, 123. Comstock, Frank Mason. Cleveland, Parasitic Jaeger near Ohio, '96, 171, Concepcion Island, West Indies. Ridgway, R., '91, 337. concolor (Porzana), see Porzana. ---- (Rallus), see Porzana. — (Rufirallus), see Porzana. concreta (Dacelo), see Halcyon. -(Halcyon), see Halcyon. concretus (Caridagrus), see Halcyon. condoni (Anser), see Anser. Condor, see Sarcoramphus gryphus. Condor, The (magazine), 1900, 93. confinus (Merula), see Merula. —— (Oreortyx), see Oreortyx. — (Poœcetes), see Poœcetes. Congdon, Herbert Wheaton. Notes from Pennsylvania, '95, 189. congicus (Lybius), see Lybius. Conirostres, '81, 33, 35. conirostris (Embernagra), see Arremonops venezuelensis. - (Geospiza), see Geospiza. Conirostrum, '77, 64. Conklin, Charles E. Breeding of Carolina Wren (Thryoludovicianus) Iong thorus on Island, N. Y. '97, 97. connectens (Junco), see Junco. Connecticut.

Allen, J. A., '81, 114, 183, '87, 154-155. Austin, E. H., '90, 389. Averill, C. K., Jr., '88, 319, '89, 74, 189, 192, **'90**, 211, **'9**1, 307–308. Bishop, L. B., '89, 192-193, '94, 74. Brewer, T. M., '80, 48-49. Brewster, W., '76, 99. Brockway, A. W., '98, 53, 192, 274, '99, 351. Brown, N. C., '82, 60, 124. Browne, F. C., '87, 99. Canfield, J. B., '95, 77. Case, C. M., '96, 343. Chadbourne, A. P., '89, 257. Chapman, F. M., '98, 284. Clark, J. N., '83, 174, 176, 177, 234, 235, 235, 237, '84, 393-394, '85, 98, 100, 100, '86, 272, '95, 306. Coues, E., '82, 59-60. Deane, R., '80, 116, 117, 118, '81, 60. Eames, E. H., '88, 427-428, 431-432, '89, 305-310, 338, '93, 89-90. Flint, H. W., '93, 86. Gates, H. T., '80, 114, '85, 96. Goff, J. L., '85, 100. Grinnell, G. B., '81, 49. Holbrook, S. T., '83, 75. Howe, R. H., Jr., '99, 360, 1900, 389. Ingersoll, E., '81, 184. Jencks, F. T., '80, 114. Job, H. K., 1900, 294. Jones, C. M., '76, 11-13, '83, 174, 176, '85, 98. McCook, P. J., '97, 402. Merriam, C. H., '76, 52, '77, 107-108, 78, 47, '86, 475. Minot, H. D., '84, 86. Morris, R. O., '94, 181. Munson, S. A., '83, 178. Neff, C. H., '84, 286, 287. Neff, C. H., '84, 286, 287.
Platt, F., '87, 154, '92, 193, 193.
Porter, L. H., '92, 302, '95, 76, 86.
Purdie, H. A., '79, 61.
Rawson, C. L., '90, 84, '97, 215-216.
Sage, J. H., '80, 113, 114, '81, 188, '83, 117, 120, 173, 179, 235, '84, 91, '85, 96, 100, 305, '86, 135, 487, 489, '87, 253-254, '89, 279, '90, 283, 394, 396, '91, 115, '93, 206-209, 303, 371, '94, 181, '95, 83 209, 303, 371, '94, 181, '95, 83, 310-311. Shelton, G. H., '90, 388. Stannis, J. A., '79, 119. Taylor, H. H., '95, 179, '96, 84. Thompson, C. A., '85, 96. Treat, W. E., '87, 78, 256, 259, '88,

323, '91, 112, '92, 389, '93, 206, '94, 74, '95, 177.

Trowbridge, C. C., '95, 259-270, '97, 209-210.

Verrill, A. E., '97, 89. Verrill, A. H., '93, 207-208, 305, 371.

Verrill, G. E., '92, 301.

Voorhees, C. G., '93, 86, '94, 259-260. Wallace, N., '94, 70. Whipple, J. M., '80, 113, 113, 114 (7 items), '81, 48, '83, 175, 176, '85, 97, 98.

Wood, W., '80, 113, 114, '83, 177.

Woodruff, C. G., '90, 89, '92, 202.

Woolsey, G., '80, 116, 117, 121.

Zerega, L. A., '80, 205.

Conopophaga browni, Colom. 1900, 82. rusbyi, Bolivia, '90, 382.

Conopophagidæ, '90, 379.

conradi (Merula), see Merula.

- (Turdus), see Merula. consobrina (Drymophila), see Drymophila.

consobrinus (Odontophorus), see Odontophorus.

-(Pıpilo), see Pipilo.

conspersus (Catherpes), see Catherpes. constanti (Floricola), see Floricola. Contopus (b Nuttallornis), '86, 234, '87,

335b, '93, 110, '99, 330, 331. ardosiacus (b Horizopus), g. dist.

syn. '99, 332b.

borealis (a Olive-sided Flycatcher, h Nuttallornis), Ariz. '82, 205, '87, 18, '90, 48, 255; Cal. '87, 88, '96, 85; Colom. 1900, 365b; Colo. '79, 94, '80, 231, '81, 140, '83, 195, '85, 17, '94, 268; C. R. '90, 334, '92, 251; g. dist. '81, 237°, '93, 126; '99, 331°; Ida.
'97, 355; Ky. '89, 314; Man. '86, 320; Mass. '84, 15, '88, 389, 390, '89, 43ⁿ, 100, 105ⁿ, '95, 88; Me. '82, 149; Mich. '79, 186, '93, 225; Mont. '82, 62, '94, 304; N. B. '82, 149, '89, 117; N. C. '86, 104, 105, '89, 122; N. E. '76, 73, 92, '77, 16; N. H. '88, 151, 154; N. J. '91, 105; N. M. '86, 75, '92, 363; N. S. '91, 165; N. Y. '78, 53, '80, 46, 116, '81, 231, '83, 244; Tex. '87, 192, '92, 236; Va. '88, 148; Vt. '83, 237*, '84, 7*; Wash. '97, 176, 1900, 353; W. Va. '98, 135. -fd. '96, 85; hbt. '86, 75, 105, 166; mig. '89, 137; nst. '83, 237", '84, 74, '88, 390, '95, 88, '96, 282; plm. '78, 177, song, '80, 231, '86, 75, 105, '97, 176, 1900, 353; syn. '87, 335, '99, 331b.

(b Horizopus), brachyrhynchus Argent., syn. '99, 332b.

frazari, '83, 94*, see Blacicus hispaniolensis.

lugubris (b Horizopus), g. dist., syn. '99, 332b.

ochraceus (b Horizopus), C. R., syn. '99, 332b, misc. '84, 386.

pallidiventris (Coues's Flycatcher, b pertinax, 'Horizopus), Ariz. '82, 205b, '85, 356b, '87, 19b, '90, 256b; Colo. '87, 264b, g. dist. '93, 134b, '97, 310*, '99, 112, 331°; L. Cal. '90, 215. -hbt. '85, 356b; meas. '82, 205b, '91, 315b, '97, 310; nst. '91, 315b; plm. '82, 205b; song, '85, 356b; syn. '91, 89b, '99, 112, 331°.

peninsulæ (Large-billed Wood Pewee, b Horizopus), L. Cal. '91, 144*, '92, 106, '99, 333b.—plm. 1900,

117; syn. '92, 106, '99, 333b. pertinax (b Horizopus), g. dist., syn. '99, 112, 331b.

plebeius, syn. '99, 332.

richardsonii (Western Wood Pewee, b Horizopus, c saturatus), Aris. '82, 206, '87, 19, '90, 49, 256; Cal. '78, 67, '86, 180, '96, 120; Colo. '79, 94, '80, 231, '81, 140, '83, 195, '85, 17, 143, '94, 268; C. R. '90, 334, '92, 17, 143, '94, 268; C. R. '90, 334, '92, 251; g. dist. '93, 134, '99, 333b, 1900, 116°*; Ida. '97, 355, Man. '86, 320. Mont. '82, 62, '94, 304, '95, 215; N. D. 1900, 118; N. M. '86, 75, '92, 363, '99, 189; Ore. '79, 195, '86, 166, '88, 257; Tex. '87, 193, '89, 239, '92, 236; Wash. '92, 44, '97, 176, 1900, 353.—hbt. '86, 166, '99, 189; meas. '82, 206, 1900, 117, 117°, 118; nst. '79, 94, '86, 166, '87, 19, '88, 257, '96, 120, '97, 176; plm. '82, 206; song, '80, 231, '88, 257; syn. '99, 333^{b}

vicinus (b Horizopus), W. I. '89, 172, '99, 333b .- syn. '99, 333b.

virens (* Wood Pewee, b Horizopus, calbicollis), Ala. '79, 10; Ark. '82, 92; Colom. 1900, 365; C. R. '90, 334, '92, 251; Cuba, '86, 236; D. C. '88, 21, '92, 308; Fla. '88, 272, '89, 319, '92, 213, '93, 337, '95, 365; Ga. '83, 40, '96, 214; g. dist. '93, 133, '99, 332b; Ia. '95, 123, 235; Ind. '82, 17, '89, 23; Ky. '89, 314; La. '82, 163; Labrador, '85, 369; Man. '86, 320; Mass. '84, 6*, '88, 389, '89, 44, 100; Me.

'82, 149; Mich. '85, 65, '93, 225; Minn. '80, 16; Miss. '82, 92; Mo. '79, 145, '95, 3511; N. B. '89, 117; N. C. '86, 106, '89, 121; N. H. '88, 150, 151, 154, '89, 77, 78; N. J. '90, 328, '94, 137; N. Y. '81, 231, '82, 188, '85, 255; O. '95, 241; Pa. '92, 136, '93, 39, 44, '96, 282, 293; P. E. I. '93, 5a, 9; S. C. '79, 215, '90, 39, '91, 328; Tenn. '86, 319, '87, 130; Tex. '82, 169, '87, 192, '92, 236, 1900, 345; Va. '89, 53*; Wis. '82, 188; W. Va. '98, 135; Yucatan, '85, 290°.—hbt. '78, 25a; mig. '85, 65, '95, 123, 235, 241; nst. '80, 179, '83, 40, '88, 21, 272, '89, 23; plm. '78, 177, '79, 29a (alb.); song, '85, 255, '86, 106; syn. '86, 236, '95, 159, '99, 332b; misc. '85, 210a.

Contributions to Science (mag.), '89, 206.

Conuropsis, see Conurus.

Conurus, '86, 455, '92, 278, '93, 63, 110, 132, '94, 49.

æruginosus, Venez. '97, 366. arubensis, W. I. '93, 355. aureus, Braz. '91, 160. brevipes, Revill. Is. '98, 317.

carolinensis (a Carolina Paroquet or Parakeet), Ala. '79, 11; Colo. '77, 50, '85, 17; D. C. '88, 148; Fla. '81, 16, 42, '87, 68a, '88, 185, '89, 249, 336, '90, 388, '91, 136, '92, 212, 218, 385a, '95, 188, 367; Ga. '83, 40 (sp.?); g. dist. '91, 369-379 (map), '92, 49-56, '93, 133; Ill. '81, 121a; Kan. '77, 50; Ky. '89, 313, '92, 206; La. '82, 164, '87, 303a; Miss. '82, 93, 127a, '89, 201; Pa. '95, 171; O. '83, 127a, '89, 201; Pa. '95, 171; S. C. '86, 408.—anat. '86, 479; fd. '91, 369, '92, 49, 218, 301, '98, 28a; hbt. '81, 42, '89, 249, 336, '91, 369, '92, 49, 56, '98, 28-32a; meas. '83, 41, '91, 373; mst. '83, 40, '89, 336, '91, 369, '98, 28a; plm. '98, 28a; syn. '92, 278a, '94, 49; misc. '80, 114, '86, 408a, '92, 384a, 385a, '97, 105a, 245a.

chloroptera (b gundlachi), W. I. '81, 155, '86, 457, 457b, '92, 228, '95, 279.—meas., plm. '86, 457, 457b; syn. '86, 457, 457b, '92, 228, 229b.

cyanopterus, Braz. '91, 160. euops, W. I., meas., plm., syn. '86,

455. finschi, C. R. '92, 327. nanus, W. I. '86, 456, '92, 128. meas. plm., syn. '86, 456. pavua, Braz. '91, 159. patagonus, Argent., Urug., hbt. '84, 28.

pertinax (b Nantholæmus), W. I. '86, 456b, '93, 355.—meas., plm., syn. '86, 456b.

petzii, C. R. '92, 327.

roseifrons, Bras. '91, 160 convexus (Anthracoceros), see Anthracoceros.

--- (Buceros), see Anthracoceros.

Cook, Albert John.

Birds of Michigan (rev.), '93, 351.

Food of Woodpeckers and Flycatchers, '96, 85.

Cook, Frederick Albert.

[Notice of his 'Miranda' expedition to Greenland], '94, 341.

Cooke, Wells Woodbridge.

Migration of birds in Mississippi valley, '83, 64.

Bird migration in Mississippi valley (rev.), '83, 230.

Least Bittern in northwestern Minnesota, '81, 186.

Bird nomenclature of Chippewa Indians, '84, 242-250.

Distribution and migration of Zonotrichia querula, '84, 332-337.

Notes on occurrence of certain birds in Mississippi valley, '85, 31-33. Indian bird names, '85, 222.

Report on bird migration in Miss. valley (rev.), '89, 58-61, 270-272.

Evening Grosbeaks in Vermont, '90, 210.

Ten new birds for Colorado, '94, 182, Summer range of Colorado birds, '95, 150-155.

Scarlet Ibis in Colorado, '97, 316. Birds of Colorado (rev.), '97, 331.

Scarlet Ibis—a correction, '98, 183. Further notes on birds of Colorado

(rev.), '98, 340, 1900, 396. More new birds for Colorado, '99, 187.

Cooke, W. W., and Widmann, O. Bird migration in Mississippi valley (rev.), '84, 206.

Coombs, Frank E.

Notes on a few Louisiana birds, '92, 204-206.

Cooper, James Graham.

Nesting habits of California House Wren (Troglodytes aedon var. parkmani), '76, 79-81.

New facts relating to Californian ornithology (rev.), '77, 76.

Seventy-five doubtful West-coast birds, '77, 88-97.

California Prairie Chicken, '78, 96.
Migrations and nesting habits of
West-coast birds (rev.), '80, 232.
Water-birds of North America—a

few corrections, '86, 124-126.

Water-birds of North America—explanations, '86, 401.

Additions to birds of Ventura Co., California. '87. 85-94.

Notes on Pacific coast birds, '90, 214-216.

Cooper, William A.

Notes on breeding habits of Carpodacus purpureus var. californicus, with descr. of nest and eggs, '78, 8-10.

Notes on breeding habits of Hutton's Vireo (Vireo hutton) and the Gray Titmouse (Lophophanes inornatus) with descr. of nest and eggs, '78, 68.

Notes on breeding habits of Californian Pygmy Owl (Glaucidium californicum) with description of its eggs '79, 86.

Cooper Ornithological Club, '94, 89, '99, 212.

cooperi (Accipiter), see A. cooperi or gundlachı.

- (Actodromas), see Tringa.

(Astur), see Accipiter gundlachi.

—— (Buteo), see Buteo.

—— (Megascops), see Megascops.

—— (Melospiza), see M. samuelis.

— (Muscicapa), see Contopus borealis.

--- (Myıarchus), see M. magister.

—— (Piranga), see Piranga.

--- (Scops), see Megascops.

- (Tringa), see Tringa.

— (Tyrannula), see Myiarchus magister.

Coot, see Fulica americana.

American, see Fulica americana. Bald-head, see Fulica americana. European, see Fulica atra. Plantain, see Ionornis martinica. Red-head, see Gallinula galeata. White-head. see Fulica americana.

Coots, see Fulicariæ.

Cope, Edward Drinker.

Obituary of, '97, 342.

copei (Phœnicopterus), see Phœnicopterus.

Copsychus, '94, 233.

adamsi, Borneo, meas., plm. '90, 348; syn. '91, 117.

inexpectatus, Madagas. '97, 417. Copurus funebris, plm., syn. '89, 267. Coracias garrulus, Helg. '95, 336. Coraciidæ, '81, 74, 75, '93, 68.

Coracioideæ, '86, 406.

Coracocichla, see Mellopitta. Coracomorphæ, '81, 30, 203.

Coracopitta, see Mellopitta.

Coragyps, '80, 80.

corallipes (Dendrophila), see Dendrophila.

Corapitta, see Mellopitta.

corax (Corvus), see C. corax, principalis or sinuatus.

coraya (Thryothorus), see Thryothorus. Cordeaux, John.

Obituary of, '99, 377.

Cordeaux, J., and Harvie-Brown, J. A., see Harvie-Brown and Cordeaux.

Cordeaux, J., Harvie-Brown, J. A., and Newton, A., see Harvie-Brown, Cordeaux and Newton.

cordifera (Parra), see Jacana spinosa. corensis (Columba), see Columba.

(Patagiœnas), see Columba.

Corethrura, '94, 317.

reichenovi, misc. '94, 243.

Coriphilus kuhli, Fanning Is. '78, 81. Cormorant, see Phalacrocorax carbo. Baird's, see Phalacrocorax resplendens.

Brandt's see Phalacrocorax penicillatus.

Common, see Phalacrocorax carbo.
Double-crested, see Phalacrocorax dilophus.

Farallone, see Phalacrocorax albociliatus.

Florida, see Phalacrocorax floridanus. Mexican, see Phalacrocorax mexicanus.

Pallas's see Phalacrocorax perspicillatus.

Pelagic, see Phalacrocorax pelagicus. Red-faced, see Phalacrocorax urile. Violet-green, see Phalacrocorax robustus.

White-crested, see Phalacrocorax cincinatus.

Cormorants, see Phalacrocoracidæ. corniculata (Fratercula), see Fratercula

— (Mormon), see Fratercula. cornix (Corvus), see Corvus.

Corn-planter, see Harporhynchus rufus. cornuta (Chimerina), see Cerorhinca monocerata.

—— (Eremophila), see Otocoris alpestris or praticola.

— (Palamedea), see Palamedea.

— (Tadorna), see T. damiatica. cornutus (Colymbus), see C. auritus.

—— (Podiceps), see Colymbus auritus. - (Podicipes), see Colymbus auritus. coromandus (Alcedo), see Halcyon. --- (Callialcyon), see Halcyon. - (Halcyon), see Halcyon. coronata (Cyanocitta), see Cyanocitta. - (Dendrochelidon), see Dendrochelidon. - (Dendroica), see Dendroica. —— (Hirundo), see Petrochelidon fulva - (Lophocitta), see Platylophus. - (Macropteryx), see Dendrochelidon. — (Motacilla), see Dendroica. - (Phylloscopus), see Phylloscopus. --- (Pitta), see P. brachyura. - (Sylvia), see Dendroica. - (Sylvicola), see Dendroica. - (Tænioptera), see Tænioptera. - (Zonotrichia), see Zonotrichia. coronatus (Anthus), see Seiurus aurocapillus. - (Lanius), see Platylophus. — (Phylloscopus), see Phylloscopus. --- (Platylophus), see Platylophus. --- (Rhimamphus), see Dendroica. —— (Turdus), see Seiurus aurocapillus. Corone, see Corvus. corone (Corvus), see Corvus. correndera (Anthus), see Anthus. coruscans (Petasophora), see Petasophora. Corvidæ (a Crows), '78, 78, '81, 28, 34, '85, 206, '88, 413, '90, 280, '92, 282, '93, 110, '96, 158, '97, 105a, 1900,

Corvina (Sporophila), see Sporophila. Corvus (b Corone), '85, 96, 206, '86, 227, '93, 99, '94, 233b, 235.

americanus (a American or Common Crow, b Corone, c frugivorus, a hesperus), Ariz. '87, 21, '90, 49, 256; Ark. '82, 92c; B. C. '93, 18-21; Bermuda, '96, 239a; Cal. '86, 181, '87, 86, 92, Colo. '81, 143, '85, 16c; D. C. '88, 21; Europe, '80, 66; Ga. '95, 212; g. dist. '87, 335a, '88, 397a; Ia. '95, 236; Ida '97, 349, 356; Ind. '89, 23; Kan. '85, 21a; Ky. '89, 314; La. '82, 163c; Man. '86, 321; Mass. '76, 53, '84, 5a, '85, 300a, '88, 389, 44, 100; Me. '82, 149, '83, 59a; Mich. '93, 225; Minn. '84, 245c; Miss. '82, 92c; Mo. '79, 145, '80, 191, '95, 4a, '98, 27a; Mont. '94, 305, '95, 215; N. B. '82, 149, '83, 7a, '84, 92a, '89, 117; N. C. '86, 106, 314, '89, 121; N. E. '76, 72, '77, 14, 45; N. H. '87, 104, '88, 150, 151, 154, '89, 77,

78, N. J. '79, 223, '90, 328, '94, 138, 228-231°; N. M. '78, 94, '86, 75°; N. S. '87, 15°, 16, '98, 196, '99, 252; N. Y. '79, 32, '81, 231°, '82, 188, '85, 253°, '88, 179°, '89, 129, 202, '93, 53°. '94, 228-231a; O. '89, 201; Ont. '83, 145°, '84, 160°, '85, 334; Ore. '79, 166, '86, 166, '88, 262d; Pa. '89, 140°, 141, '92, 136, '93, 39, 44, '96, 283, 294; P. E. I. '85, 265", '93, 6", 10; Que. '82, 236c, '85, 107c, '89, 147; S. C. '79, 215, '90, 124, '91, 328, '92, 33°; S. D. '85, 282°; Tenn. '86, 319, '87, 130; Tex. '82, 40°, 168°, '87, 290, '89, 240, '92, 231, 1900, 345; Va. '76, 25, '81, 118a, '82, 250c, '86, 161a, '89, 52a, 96, 288, Vt. '98, 241a; Wash. '82, 227, '93, 18-21, '97, 177, 1900, 354; Wis. '82, 188.—anat. '88, 414ª, fd. '83, 59ª, '84, 92ª, 160°, 391°, '85, 93°, 98°, 108°, 213°, '£IZ '£IZ 214a, 265a, '86, 475, 485, '88, 312a, '92, 222, 318a, 332a, '93, 10, '94, 228a, 222, 318", 332", '93, 10, '94, 228", '95, 287a, 381, '96, 287a, 337a, '97, 11, 421a, hbt. '76, 76, 77, 74, 75, '80, 191a, '83, 59a, '84, 92a, 188*, 188*, 188*, 189*, 391c, '85, 373*, '87, 70a, '89, 180a, 181a, '90, 83a, 391*, '91, 109, '92, 69a, 222, 283*, 287*, 317a, 318a, 332*, '93, 10, '94, 228-231a, 305, '96, 287a, '98, 27a; meas. '87, 92, '93, 10, 21, mia, '80, 141 231", 305, '96, 287", '98, 27"; meas.
'87, 92, '93, 19, 21, mig. '89, 141,
'92, 33", '93, 247, '95, 236; nst.
'79, 24, '88, 21, 262", '89, 23,
147, '90, 397", '94, 261", '95, 287",
'97, 177; plm. '76, 22" (alb.), '78,
71, '80, 26" (alb.), '81, 160, '85, 107"
(alb.), 334 (alb.), '93, 21, '98, 196
(alb.); song, '85, 253"; syn. '78, 79",
'80, 106' '84, 115", '87, 335", '93, 20. '80, 106, '84, 115°, '87, 335°, '93, 20; misc. '76, 54ⁿ, '84, 288^a, '88, 316^a, '89, 129, '90, 82^a, 392^a, '91, 106^a, '94, 69^a, '95, 385^a, 1900, 94.

annectens (fossil sp.), Ore. '91, 368, '93, 344.

caurinus (Northwest Crow, b carnivorus), Alas. '98, 128; B. C. '93, 18-21; Cal. '86, 181, '87, 86, 92 (sp.?); g. dist. '93, 134; Ore. '77, 93 [not 'ossifragus'], '86, 166b; Wash. '92, 45, '93, 18-21, 1900, 354.—fd. '83, 116, '98, 128, 1900, 354; hbt. '92, 45; meas. '93, 19, 21; plm. '93, 21; syn. '80, 106, '87, 92, '93, 20, '94, 50. corax, Helg. '95, 330.

cornix (a Hooded Crow), Helg. '95, 330.—plm. '93, 282 (hyb.), '96, 149a mlt.).

corone (a European Carrion Crow),

Germany, '96, 309°; Helg. '95, 330.—
plm. '93, 282 (hyb.).

cryptoleucus (a White-necked Raven), Ariz. '82, 201, '87, 21, '89, 173, '94, 220a, Colo. '85, 16, '95, 152a; Kan. '84, 100; N. M. '81, 118, '92, 364, Tex. '87, 290.—fd. '81, 118; hbt. '87, 290, meas. '81, 119, '82, 201; nst. '87, 290, '89, 173, '92, 364; plm. '81, 118, '82, 201, '93, 194; song, '82, 201.

dominicensis, W. I., plm., syn. '86, 228.

frugilegus, Helg. '95, 330.—fd. '97, 8.

grebnitzskii, Kamts. '85, 95.

hawaiensis, misc. '92, 282.
ossifragus (a Fish Crow, b Coleeus,
a maritimus), Ala. '79, 10, Conn. '83,
54, '89, 338, '93, 89; Cuba, '86,
230?; D. C. '88, 21; Fla. '87, 138,
214a, '88, 272, '89, 319, '90, 223, '92,
213, '95, 365; Ga. '83, 39; g. dist.
'80, 205-208, '93, 133; Mass. '76,
19, '87, 162, '97, 100; Minn. '93, 289;
N. E. '76, 72, '77, 13, 46; N. I. '79,
82, 239, '90, 329, '94, 138; N. Y. '78,
45, 47, 131, '80, 240, '83, 54, '85,
253c, '89, 199, '93, 89; Ore. '77, 93,
E= caurinus]; Va. '76, 25, '81, 118a,
'82, 250.—fd. '87, 214a, '89, 319; hbt.
'80, 205, 240, '93, 89, mcas. '79, 239,
'80, 338, '90, 81a, 329, '93, 89,
'94, 138; syn. '78, 79b, '93, 20; misc.
'83, 50

jamaicensis, W. I. '81, 155?, '86, 228, '93, 178.—meas., plm., syn. '86, 228.

leucognaphalus, W. I. '81, 153?, '86, 227.—meas., plm., syn., '86, 227. minutus, W. I., meas., plm., syn. '86, 229.

monedula (a Jackdaw), Helg. '95, 330.—nst. '97, 335a.

nasicus, W. I., meas., plm., syn. '86, 229.

orientalis, syn. '88, 196, '91, 99.

pascuus (Florida Crow, b floridanus), Ala. '79, 10b; Fla. '88, 272b, '89, 319b, '90, 311b, 341b, '91, 138b, '92, 213b, '95, 365b?.—fd., hbt. '90, 341b; syn. '99, 84, 112.

principalis (* Northern Raven, b corax, c carnivorus, d sinuatus), Alas. '98, 128 [= sinuatus]; Arctic Am. '78, 86b; g. dist. '88, 397, '93, 126; Greenl. '89, 211a, 293; Ill. '96, 83; Ind. '99, 91a; Ky. 89, 314d, '94,

244b; Mass. '76, 53b, '77, 74a, '89, 100b; Me. '81, 249b, '82, 149b, '98, 55; Mich. '93, 230; Minn. '84, 245°; N. B. '81, 249b, '82, 149b; N. C. '86, 106^d, 314^d; N. F. 1900, 72, N J. '79, 82b, 223b, '94, 137; N. S. '87, 15a, 16d, '99, 252, N. Y. '78, 53b, '81, 231c, '83, 52a, '93, 276d; Ont. '84, 160c; Pa. '92, 136d, 385, '99, 311d; P. E. I. '93, 10; Que. '82, 236b, '89, 147; S. C. '89, 277a, '90, 124b, 328b; S. D. '85, 282°; Tenn. '82, 192°, '86, 3194; Va. '81, 118a, '89, 52a; Vt. '82, 64c; W. Va. '98, 135.—fd. '81, 249b, '86, 106^d, '89, 277^a, 293, '98, 55, 135; hbt. '84, 188a, '89, 293, '98, 55, 128; meas. '94, 138, '96, 84; nst. '81, 249b, '89, 293, '94, 137, '98, 55, '99, 91"; plm. '80, 28b (alb.), '96, 83, '98, 55 (mlt); syn. '87, 335, '89, 277"; misc. '91, 391ª.

sinuatus (a American Raven, b corax, c carnivorus, d cacalotl), Alas. '80, 34a, '85, 157c, '87, 12; Aria. '82, 201c, '85, 174c, '87, 21, '90, 256, '94, 138; Cal. '87, 92, 329, '90, 296, '94, 138, '98, 235; Colo. '79, 94b, '81, 139b, '83, 193b, '85, 16c, '94, 269; Ida. '97, 356; Ind. '89, 23; L. Cal. '88, 241, '95, 140; Man. '86, 321; Mex. '95, 538; Mont. '95, 215; N. M. '81, 118b, '86, 75c, '92, 364, '98, 309; Ore. '79, 166b, '86, 166, '88, 262; Revill. Is '98, 315, 318; Tex. '82, 40c, '87, 188a, 290; Wash. '92, 45, '97, 182.—anat. '88, 198, 329, '92, 62a; fd. '87, 92, 329, '88, 262; hbt. '77, 74b; meas. '87, 92, '94, 138; nst. '87, 290, 329; song, '80, 34a; syn. '85, 371, '89, 277; misc. '80, 87d. solitarius, W. I. '86, 229, '95, 279.

-meas., plm., syn. '86, 229.

Cory, Charles Barney.
Black Gyrfalcon (Falco sacer labradora) in Massachusetts, '77, 27.
Glossy Ibis in Mass. '78, 152.

Capture of Kirtland's Warbler (Dendraca kirtlandi) in Bahama Is. '79, 118.

A naturalist in the Magdalen Islands (rev.), '79, 171.

Birds of Bahama Islands (rev.), '80, 107.

Beautiful and curious birds of world (rev.), '80, 236, '81, 111, 240, '83, 55, '84, 81.

Descr. of a new species of the Procellariidæ, '81, 84. 119

Descr. of four new species of Haitian birds, '81, 129 (col. pl.).

List of birds of Haiti, etc. '81, 151-155 (map).

Capture of Larus leucopterus near Boston, '82, 60.

Turkey Buzzard in New Hampshire, **'82**, 184.

Descriptions of new species of birds from Santo Domingo, '83, 94.

Descr. of new birds from Santo Domingo, '84, 1-5 (col. pl., figures). Thryothorus ludovicianus in Massa-

chusetts, '84, 91.

Bernicla brenta nigricans in Massa-

chusetts, '84, 96.
Birds of Haiti and San Domingo (rev.), '84, 285, '85, 295.

Generic name Ligea, '84, 290.

Birds of West Indies, excepting Tobago and Trinidad, '86, 1-59, (7 cuts), 187-245 (5 cuts), 337-381 (4 cuts), 454-471 (cut), '87, 37-51, 108-120, 223-232, 311-328, '88, 48-82, 155-159.

Descr. of a new N. Am. species of Ardetta, '86, 262.

Descr. of new species of birds from

West Indies, '86, 381. see Goss, N. S., 'revised cat. of birds of Kansas' (rev.), '86, 399. e Capen, E. A., 'oology of New

see Capen, E. A., 'oology England' (rev.), '86, 400.

More news of Ardetta neoxena, '86, 408.

Another specimen of Ardea wuerdemanni?, '86, 408.

Thirteen new species from Grand Cayman, W. I. '86, 497-501.

List of birds collected on Grand Cayman, West Indies, '86, 501.

New Vireo from Grand Cayman, West Indies, '87, 6.

Collection of birds from several littleknown islands of West Indies (rev.), '87, 66.

New species of Rhamphocinclus from St. Lucia, West Indies, '87, 94.

List of birds collected by Richardson in Martinique, '87, 95.

More news of Ardea wuerdemanni, **'87**, 159.

Descr. of six supposed species from Old Providence and St. Andrews, '87. 177.

List of birds taken by Henderson in Old Providence and St. Andrews, **'87**, 180–181.

Descr. of new Euethia from Old Providence Island, '87, 245.

Description of supposed new Margarops from Dominica, '88, 47.

An apparently new Elainea from Barbadoes, '88, 47.

European Kestrel in Massachusetts, '88, 110, 205.

Description of new Mylarchus from West Indies, '88, 266.

List of birds collected by Maynard in Little Cayman and Cayman Brac, West Indies, '89, 30-32.

Notes on West Indian birds, '89, 218. Birds of the West Indies (rev.), '89, 265.

Buteo brachyurus in Florida, '89, 275. Antrostomus vociferus in Rico, '89, 276.

A new Duck for Massachusetts, Nomonyx dominicus, '89, 336.

Eggs of Florida Dusky Duck, '90, 204.

Collection of birds made in the islands of St. Thomas, Tortola, Anegada, and Virgin Gorda, West Indies. '90, 373-375.

West Indian species of Genus Certhiola or Careba, '91, 37-41.

Notes on West Indian birds, '91, 41-

Collection of birds taken in the islands Anguilla, Antigua, and St. Eustatius, West Indies, '91, 46-47.

List of birds collected in St. Croix and St. Kitts, West Indies, and in Guadeloupe, 1890, '91, 47-49.

List of birds taken and observed in Cuba and Bahama Islands, 1891, '91, 292-296.

List of birds collected in Caicos Islands and Inagua, Bahamas, and in Abaco, 1891, '91, 296-298.

Birds of the Bahama Islands, revised ed. (rev.), '91, 300.

Capture of a fourth specimen of Ardetta neoxena, '91, 309.

Descr. of new birds from Bahama Islands, with remarks on species of Spectyto which occur in West Indies, '91, 348-349.

List of birds obtained on Great Bahama and Abaco, Bahama Islands, and on Eleuthera, 1891, '91, 350-351.

List of birds collected on Inagua, Bahama Islands, 1891, '91, 351. Collection of birds made on Anguilla and Cay Sal, or Salt Cay, Bahama Islands, 1891, '91, 352.

Abnormal specimen of Coccysus maynardi, '91, 394.

Another Massachusetts record for Mockingbird, '91, 395.

English Sparrow (Passer domesticus) in Nassau, N. P. '91, 395.

Note regarding islands of Maraguana and Samana, Bahamas, '91, 399.

List of birds taken on Maraguana, Watling's Island, and Inagua, Bahamas, 1891, '92, 48.

Collection of birds made on Mona and Porto Rico, 1892, '92, 228.

Descr. of new *Centurus* from Great Bahama I. '92, 270.

In Cuba with Dr. Gundlach, '92, 271-273.

Catalogue of West Indian birds (rev.), '93, 69.

List of birds collected on Tobago, West Indies, 1892, '93, 220.

[Sale of his collection to Field Columbian Museum], '94, 264.

Florida notes, '95, 187.

Descr. of two new species of birds from San Domingo, '95, 278.

Hunting and fishing in Florida including a key to water-birds known to occur in the State (rev.), '96, 196, 246.

List of birds of Florida (rev.), '97, 247.

List of birds of eastern North America (rev.), '97, 248.

How to know the shore-birds (Limicolæ) of North America (rev.), '97, 418.

How to know the Ducks, Geese and Swans of North America (rev.), '98, 278.

Kirtland's Warbler (Dendroica kirtlandi) in Florida, '98, 331. Birds of eastern North America

(rev.), '99, 366, pt. ii, 1900, 78. Corydomorphæ, '88, 207.

Corydon sumatranus, Borneo, syn. '90, 358.

coryi (Euetheia), see Euetheia.

- (Geothlypis), see Geothlypis.

—— (Pyrrhulagra), see Pyrrhulagra.

--- (Rallus), see Rallus.

- (Sula), see S. piscator.

— (Synallaxis), see Synallaxis. Corypha, '84, 229.

Corythaix, '81, 156.

albocristatus, plm. '82, 114. Coscoroba, '83, 231.

coscoroba, syn. '96, 163.

coscoroba (Coscoroba), see Coscoroba. Cosmetornis, '97, 419

Cosmonessa, see Histrionicus. Cosmonetta, see Histrionicus.

Cossyphopsis, '84, 182.

costæ (Calypte), see Calypte.

—— (Certhia), see Certhia.
—— (Trochilus), see Calypte.

Costa Rica.
Allen, J. A., '83, 228, '84, 84, '85, 370.

Allen, J. A., '83, 228, '84, 84, '85, 370. Berlepsch, H. von, '88, 449.

Cherrie, G. K., '90, 233-237, 329-337, '91, 62-64, 191-193, 271-279, 395, '92, 21-27, 247-251, 322-329, '93, 278-280, '94, 245, '95, 87, '96, 135-136.

Ridgway, R., '83, 228, '84, 84, '85, 297, '92, 173, '94, 169, '99, 255.

costaricensis (Campylorhynchus), see Heleodytes.

—— (Dendrornis), see D. nana.

- (Heleodytes), see Heleodytes.

—— (Ramphocelus), see Ramphocelus. —— (Zonotrichia), see Brachyspiza peruviana.

costototl (Hyphantes), see Icterus cucullatus.

Cotile, see Clivicola.

Cotinga cærulea, Bras. '91, 25.

cayana, Bras. '91, 25. cuprea, misc. '96, 266. ridgwayi, C. R. '88, 194. rubra, misc. '96, 266.

Cotingidæ, '81, 29, 31, 36, '89, 267. cotta (Elænia), see Elænia.

Cotton-head, see Lophodytes cucullatus. Coturnicops, see Porzana.

Coturniculus, see Ammodramus.

coturniculus (Porzana), see Porzana. Coturnix, '93, 99, '97, 214.

coturnix (a European or Migratory Quail, b communis, dactylisonans), Maine (introd.), '83, 112b, '84, 186a, '88, 314b; Helg. '95, 337, N. Am. '82, 243° (introd.); plm. '97, 107b; misc. '85, 301a.

coturnix (Coturnix), see C. coturnix.

Cotyle, see Clivicola.

couchi (Aphelocoma), see Aphelocoma.

—— (Tyrannus), see Tyrannus.

Coues, Elliott.

Tarsal envelope in Campylorhynchus and allied genera, '76, 50.

Number of primaries in Oscines, '76, 60-63.

Peculiar nesting-site of Bank Swallow, '76, 96.

Note on Podiceps dominicus, '77, 26. Eastward range of Ferruginous Buz-

zard (Archibuteo ferrugineus), '77.

Correction of nomenclature in genus Siurus, '77, 29-33.

see Minot, H. D., 'land-birds and game-birds of New England' (rev.), '77, 49.

Western range of Conurus carolinensıs, '77, 50.

Note on Cinnamon Teal (Querquedula cyanoptera), '77, 51.

Leptoptila albifrons, a Pigeon new to United States, '77, 82.

Melopelia leucoptera in Colorado, '77,

Notes on Passerculus bairdi and P. princeps, '78, 1-3 (col. pl.).

Northern Phalarope in North Carolına, '78, 40.

Willow Grouse in New York, '78, 41. Pipilo erythrophthalmus with spotted scapulars, '78, 41.

Melanism of Turdus migratorius, '78,

see Bureau, L., 'mue du bec Frater-cula arctica' (rev.), '78, 87-91.

Habits of Kingfisher (Ceryle alcyon), **'78**, 92.

Nest and eggs of Selasphorus platycercus, '78, 95.

Nesting of Vireo olivaceus, '78, 95. Meaning of word 'Anhinga,' '78, 101.

The Eave, Cliff, or Crescent Swallow (Petrochelidon lunifrons), '78, 105-

see Saunders, H., 'Sterninæ or Terns' (rev.), '78, 140-144.

Swallow-tailed Kite in Dakota in winter, '78, 147.

A hint to egg-collectors, '78, 191, fig. Nest and eggs of Helminthophaga pinus, '78, 194.

see Jones and Shulze, 'illustrations of nests and eggs of birds of Ohio' (rev.), '79, 52, 228, '80, 39, '82, 45, 112, '83, 112, 166, '85, 289, '86, 400, '87, 150–152.

Field notes on birds observed in Dakota and Montana along 49th parallel (rev.), '79, 49.

Birds of the Colorado valley (rev.), ³79, 54-57.

Bibliography of ornithology (rev.), '79, 56, 175, '80, 40, '81, 44-46, 46, History of Evening Grosbeak, '79, 65-75.

see Langdon, F. W., 'revised list of Cincinnati birds' (rev.), '79, 112. Note on Dendræca townsendi, '79, 117.

Note on Bucephala islandica, '79, 126. Note on trinomials, '79, 171.

[Memorial relating to the hibliography of ornithology], '79, 176-178.

Note Black-capped on Greenlet (Vireo atricapillus), '79, 193 (col.

Obituary of Miss Genevieve E. Jones. '79, 228.

Southward range of Centrophanes lapponica, '79, 238.

A correction.—[Buteo aguilmus], '79, 242.

Note on Alle nigricans, '79, 244.

Nesting in Missouri of Empidonax acadicus and Empidonax trailli, '80, 20-25.

Description of female Dendraca kirtlandi, '80, 49.

see Ingersoll, E., 'nests and eggs of American birds' (rev.), '80, 38.

Present status of Passer domesticus in America, with special reference to the western States and Territories (rev.), '80, 41.

Note on Limosa hæmastica, '80, 59. Capture of Phaethon flavirostris in western New York, '80, 63.

Notes and queries concerning nomenclature of N. Am. birds, '80, 95-

Further light on moult of bill in certain Mormonidæ, '80, 127.

Shufeldt's memoir on osteology of Spectyto cunicularia hypogæa, '80, 129 (pll.).

see Gentry, T. G., 'nests and eggs of birds of Penn.' (rev.), '80, 179.

see Ober, F. A., 'camps in the Caribbees' (rev.), '80, 179.

Nest and eggs of Catherpes mexicanus conspersus, '80, 181.

Number of eggs of Ardea herodias, '80, 187.

Note on Grus fraterculus of Cassin, **'80**, 188.

'Behind the veil,' '80, 193-204 (engraving).

see Marsh, O. C., 'Odontornithes' (rev.), '80, 234-236.

A curious Colaptes, '81, 183. A correction, [re Trogonidæ], '81, 188.

Probable occurrence of Sarcorhamphus papa in Arizona, '81, 248.

see Forbes, W. A., 'collected scientific papers of Garrod' (rev.), '82,

see Hatch, P. L., 'birds of Minnesota' (rev.), '82, 47.

122

see Roberts, T. S., 'water-birds of Minn.' (rev.), '82, 47. Nesting of White-bellied Wren

(Thryothorus bewicki leucogaster), **'82**, 52

Note on Mitrephanes, a new generic name, '82, 55.

Wilson's Plover (Ægialites wilsonius), in New England, '82, 59.

Snake-bird in Kansas, '82, 61.

Check-list of N. Am. birds, 2d ed.

(rev.), '82, 111, 242-246. see Macoun, J., 'report of exploration '[ın Canada] (rev.), '82, 113.

see Bailey, H. B, 'forest and stream,' bird notes, an index (rev.), '82, 175-176.

see Stejneger, L., 'generic and specific appellations of N. Am. birds' (rev.), '82, 178-179.

'Tidal wave' of birds in Washing-

ton [D. C.], '82, 185. Evening Grosbeak in New York, '82,

250. Compliments of the season, '83, 1-6. see Ottawa Field Naturalists' Club,

Trans. 1881 (rev.), '83, 55, 115. Note on 'Passerculus caboti,' '83, 58.

Burrowing Owl in Florida, '83, 61. Note on Mississippi Kite, '83, 61.

Occurrence of Swallow-tailed Kite in Massachusetts, '83, 61.

Caspian Tern in Ohio, '83, 62.

Polygamy among Oscines, '83, 63.

see Forbes, S. A., 'regulative action of birds upon insect oscillations' (rev.), '83, 105-107.

see King, F. H., 'economic relations of Wisconsin birds' (rev.), '83, 107-110.

see Wheaton, J. M., 'birds of Ohio'

(rev.), '83, 110-112. see Brown, N. C., 'birds of Portland, Maine' (rev.), '83, 112.

Barn Owl in Canada West, '83, 122. Wintering of Sora Rail at the north, '83, 124.

see Shufeldt, R. W., 'anatomy of birds' (rev.), '83, 166-168.

see Tuelon, J. A., 'birds of Bradford, Pa.' (rev.), '83, 171.

Susceptibility of a bird to color, **'83**, 181.

Breeding of Mallard in New England, '83, 186.

Nest and eggs of Myiadestes townsendi, '83, 239.

Nest and eggs of Parus montanus, **'83**, 240.

Ornithophilologicalities, '84, 49-58, 140-144.

see Nelson, E. W., 'birds of Bering Sea' (rev.), '84, 76-81.

Hearing of birds' ears (rev), '84, 182. Trinomials are necessary, '84, 197.

Key to North American birds, 2d ed. (rev.), '84, 282, 3d ed. '84, 106, '86, 415, '88, 101-104.

Egg of Cowbird in nest of Carolina Dove, '84, 293.

New terms recommended for use in zoological nomenclature, '84, 320-322.

Strickland as an advocate of Linnæus at '58, '84, 400.

see Shufeldt, R. W., 'the patella in birds' (rev.), '85, 96.

Possible occurrence of Diomedea exulans in Florida, '85, 387.

[Record of 'Passerculus caboti'], '86,

see McIlwraith, T., 'birds of Ontario' (rev.), '87, 245.

see Ridgway Ornith. Club, Bulletin (rev.), '87, 251.

New forms of North American Chordiles, '88, 37.

see Shufeldt, R. W., 'review of muscles used in classification of birds' (rev.), '88, 104.

see Snow, F. H., 'fossil bird-track in Dakota sandstone' (rev.), '88, 105.

see Chamberlain, M., 'cat. of Canadıan birds' (rev.), '88, 189.

Note on Rostratulinæ, '88, 204. Corydomorphæ, '88, 207.

see Trumbull, G., 'names and portraits of birds' (rev.), '88, 414-

see Allen, J. A., 'structure of birds in relation to flight' (rev.), '88, 418-421.

Notes on nomenclature of muscles of volation in birds' wings, '88, 435-

New generic name for Elf Owl, '89, 7.1.

see Nehrling, H., 'N. Am. birds'

(rev.), '90, 78. Scenopæetes dentirostris, '91, 115.

Wintering of Canvasback in Arizona, **'92**, 198.

Nesting of Golden Eagle in Arizona, '92, 201.

Original description of Lewis's Woodpecker, '92, 394.

see Nehrling, H., 'our birds of song and beauty' (rev.), '94, 166, '97, 335, Diomedea exulans on the Columbia in 1813, '95, 178.

Gatke's Heligoland, '95, 322-346. see Elliot, D. G., 'North American

shore-birds' (rev), '96, 64-67.

An early description of *Phalacrocorax* dilophus, '96, 78.

Name of Large-billed Puffin, '96, 255. Merrem's work, '96, 265.

Mandt's inaugural dissertation, '96, 266.

Throthorus or Thryothorus?, '96, 344.

Zamelodia against Habia, '97, 39-42. Asarcia spinosa, '97, 88.

Cuculidæ of A. O. U. list, '97, 90.

Authority for name Myiarchus mexicanus, '97, 92.

Ammodramus (Passerculus) sanctorum, '97, 92.

Rectification of synonymy in genus Junco, '97, 94.

Characters of Dendroica carulescens cairnsi, '97, 96.

Note on genus Lucar of Bartram, '97, 97.

Uria lomvia in South Carolina, '97, 203.

Type locality of Fuligula collaris, '97, 206.

Dafilula, a new subgenus, '97, 207.
Branta bernicla glaucogastra, '97, 207.
A North American Snipe new to A. O. U. list, '97, 209.

Status of *Helodromas ochropus* in A. O. U. list, '97, 210.

Status of Redshank as a North American bird, '97, 211.

Validity of genus Lophortyx, '97, 214. Notes on Mexican Ground Dove, '97, 215.

Note on Elanus glaucus, '97, 216. How the Chimney Swift secures twigs for its nest, '97, 217.

Probable first description of Empidonax flaviventris, '97, 218.

How about the genus Pipilo now?, '97, 221.

see Newton, A., 'dictionary of birds' (rev.), '97, 234-244.
The Turkey question, '97, 272-275.
Note on Pagophila alba '97, 313.

Onychoprion, not Haliplana, '97, 314. Remarks on certain Procellariidæ, '97, 314.

Rectrices of Cormorants, '97, 316. Concordance of Merganser americanus, '97, 316.

Bibliographical note, '97, 327-329.

Early notice of Gavia adamsi, '97, 402.

Untenability of the genus Sylvania, '97, 223.

The most general fault of A. O. U. check-list, '97, 229-231.

William Swainson to John James Audubon (a hitherto unpublished letter), '98, 11-13.

see Elliot, D. G., 'N. Am. shore-birds,' 2d ed. (rev.), '98, 63.

see Elliot, D. G., 'gallinaceous gamebirds of N. Am.' (rev.), '98, 63-65. see British Ornith. Club, Bulletin

XLIX (rev.), '98, 208. Notes on generic names of certain

Swallows, '98, 271.

Notes on Meleagris gallopavo fera, '99, 77.

The finishing stroke to Bartram, '99, 83.

Certain generic and subgeneric names in A. O. U. check-list (rev.), '99, 297.

Very early record of Cliff Swallow, '99, 359.

Pipile vs. Pipilo, 1900, 65.

Strix vs. Aluco, 1900, 65, 66.

The 'Churca' (Geococcyx californianus), 1900, 66.

Date of discovery and type locality of Mountain Mockingbird, 1900, 68. Obituary of, 1900, 91.

Coues, E., and Audubon, M. R., see Audubon, M. R.

Coues, E., and Prentiss, D. W.

Avifauna columbiana (rev.), '84, 386. Coues, E., and Rood, I., see Rood and Coues.

Coues, E., and Stearns, W. A. New England bird-life (rev.), '81, 236-240.

Coues, E., and Wright, M. O., see Wright and Coues.

Coues, Elliott Baird.

Nesting of Prairie Warbler (Dendroica discolor) in vicinity of Washington, D. C. '88, 405-408.

Coues, George Hughes.

List of birds observed in Naval Hospital grounds in Brooklyn City, '79, 31-33.

Coues, William Pearse.

Passer domesticus in Cape Breton, '90, 212.

couesi (Arquatella), see Tringa.

—— (Chaulelasmus), see Chaulelasmus. —— (Tringa), see Tringa.

Courlan, see Aramus giganteus.

Covert, Adolphe Boucard.

craveri (Brachyramphus), see Brachy-

--- (Tyrannus), see Tyrannus.

— (Vireonella) see Vireo. Crateropodes, '84, 279.

--- (Vireo), see Vireo.

rhamphus.

Baird's Sandpiper in Michigan, '96, 255. Cowbird, see Molothrus ater. Bronzed, see Callothrus robustus. Dwarf, see Molothrus obscurus. Red-eyed, see Callothrus robustus. Small Red-eyed, see Callothrus assımılıs. Cow-herd, see Amblycercus solitarius. Little, see Icterus pyrrhopterus. Cox. Philip, Jr. Rare birds of New Brunswick, '87, 205-213. A bird wave, '89, 241-243. Cox, P., Jr., and Brittain, J. Notes on summer birds of New Brunswick, '89, 116-119. Cox, Ulysses Orange. Description of new Pipilo from Mt. Orizaba, Mexico, '94, 161. A collection of birds from Mt. Orizaba, Mexico, '95, 356-359. coyolcos (Colinus), see Colinus. cozumelæ (Attila), see Attila. Crab-catcher, see Ardea virescens or Ardetta exilis. Cracidæ, '81, 80, '97, 341. Crake, Carolina, see Porzana carolina. Corn, see Crex crex. Little Red-eyed, see Porzana jamaicensis. Minute, see Porzana flaviventris. Spotted, see Porzana porzana. Striated, see Porzana carolina. Crane, see Ardea herodias. Big Blue, see Ardea herodias. Blue, see Grus canadensis. Brown, see Grus canadensis. Crowned, see Balearica pavonina. Little Blue, see Ardea cærulea. Little Brown, see Grus canadensis. Little White, see Ardea cærulea. Sandhill, see Grus mexicana or canadensis. White, see Ardea egretta. Whooping, see Grus americana. Cranes, see Gruidæ. Craniorrhinus, '94, 234. crassipes (Lestornis), see Lestornis. crassirostris (Arremonops), see Arremonops. — (Embernagra), see Arremonops. - (Euphonia), see Euphonia. --- (Lanivireo), see Vireo. --- (Quiscalus), see Q. jamaicensis. (Quiscalus), see Q. brachypterus. --- (Rallus), see Rallus. — (Totanus), see Symphemia semipalmata.

— (Tringa), see Tringa.

- (Endomychura), see Brachyrhamphus. - (Micruria), see Brachyramphus. Craxirex, '77, 72. Creagrus, '91, 88. furcatus (Swallow-tailed ^b Xema), Cal. '77, 96^b, '95, 291; Co-233b, '88, 401b. Creaker, see Tringa maculata. creatopus (Puffinus), see Puffinus. crecca (Anas), see Nettion. - (Nettion), see Nettion. — (Querquedula), see Nettion. Creciscus, see Porzana. Creeper, American Brown, see Certhia fusca. Bahama Honey, see Cœreba bahamen-Black-and-white, see Mniotilta varia. Brown, see Certhia fusca. California, see Certhia occidentalis. European Brown, see Certhia familiaris. Jalisco Rufous-tailed, see Sittasomus jaliscensis. Mexican, see Certhia albescens. Rocky Mountain, see Certhia montana. Tree, see Certhia fusca. Creepers, see Certhiidæ. crenirostris (Pyrrhula), see Melopyrrha nigra. Creogenys, '97, 215. crepidatus (Stercorarius), see S. parasiticus or longicaudus. crepitans (Rallus), see R. crepitans or caribæus. Crex, '94, 317, '96, 173. crex (a Corn Crake, b pratensis), Bermuda, 85, 297b; Greenl. '84, 399b; Helg. '95, 339; Mc. '96, 173; N. Atlantic Ocean, '84, 399b; N. F. '85, 297b; N. S. '99, 75; N. Y. '85, 296b, '86, 435, '88, 177; Revill, Is. '86, 271a.—mlt. 1900, 332. crex (Crex), see Crex. Criniger, '94, 238. phæocephalus. Borneo, syn. '90, 349. sordidus, Siam, 1900, 305.

crinigera (Irena), see Irena. crinita (Muscicapa), see Myiarchus. crinitus (Myiarchus), see Myiarchus. — (Turdus), see Myiarchus. ---- (Tyrannus), see Myiarchus crinitus or validus. crissalis (Haliplana), see Sterna fuliginosa. (Harporhynchus), see Harporhynchus. --- (Pipilo), see Pipilo. — (Pyrrhulagra), see Pyrrhulagra. - (Toxostoma), see Harporhynchus. crissoleucus (Picoides), see Picoides. cristata (Aythya), see Aythya. --- (Bellona), see Bellona. --- (Columba), see Geotrygon. —— (Cyanocitta), see Cyanocitta. —— (Eucometis), see Eucometis. —— (Galerita), see Galerita. --- (Geotrygon), see Geotrygon. —— (Lophostrix), see Lophostrix. ---- (Mellisuga), see Bellona. --- (Musophaga), see Musophaga. --- (Ornismya), see Bellona ---- (Parra), see Metopidius indicus. - (Sterna), see S. maxima. cristatella (Gubernatrix), see Gubernatrix. -(Phaleris), see Simorhynchus. cristatellus (Simorhynchus), see Simorhynchus. - (Trochilus), see Bellona exilis. cristatus (Chrysoptilus), see Chrysoptilus. (Colymbus), see Colymbus. — (Cyanurus), see Cyanocitta. —— (Eupsychortyx), see Eupsychortyx. ---- (Hydralector), see H. gallinaceus or Metopidius indicus. — (Lanius), see Lanius. — (Myiarchus), see M. crinitus. - (Opisthocomus), see Opisthoco-- (Orthorhynchus), see Bellona. - (Parus), see Parus. --- (Pavo), see Pavo. -- (Podiceps), see Colymbus holbællii; [European references, see Podiceps cristatus]. ---- (Regulus), see Regulus. —— (Tachyphonus), see Tachyphonus. — (Tetrao), see Callipepla squamata. – (Trochilus), see Bellona. (Vanellus), see V. vanellus. Crithagra affinis, Africa, '97, 156*. flaviventris (b butyracea), Mass. '80, 109^b (cage), 120^b (cage). kilimensis, Africa, '97, 155*. croceus (Spinus), see Spinus.

croconotus (Icterus), see Icterus.
Crolius, Anne Augusta.
Nesting of Robin, '98, 332.
Crossbill, American, see Loxia minor.
American Red, see Loxia minor.
Common, see Loxia minor.
European, see Loxia curvirostra.
Mexican, see Loxia stricklandi.
Red. see Loxia minor.
White-winged, see Loxia leucoptera.
Crotophaga, '86, 361.

ani (Anı), Bahamas, '91, 74, 294, 295, 296, 297, 298, 335, 338, 1900, 287. Brazıl, '91, 159; Cuba, '91, 294, '92, 272. g. dıst. '93, 141; Iamauca, '92, 273, 369, '94, 124; Trinidad, '95, 202; Venez. '97, 366; W. I. '80, 107, 169, '81, 154, '86, 361, 502, '87, 96, '89, 32, '90, 374, 375, 375, '91, 48, '93, 220.—fd. '81, 154, '92, 369; hbt. '81, 154, '92, 369; meas. '86, 362, '92, 371; nst. '81, 154, '92, 369, '94, 124; plm. '86, 361, '91, 190; song, '81, 154, '92, 369; syn. '86, 361; misc. '80, 87 ('rugirostris').
major, Braz. '91, 159.

sulcirostris (Groove-billed Ani), Ariz. '91, 313; C. R. '90, 333, '92, 325; Fla. '91, 313; g. dist. '93, 141, 142; Nicaragua, '95, 20; Tex '80, 90, '87, 190.—fd., hbt., meas., nst., song, '92, 325.

Crotophaginæ (a Anis), '97, 91, 105a. Crow, see Corvus americanus. American, see Corvus americanus. Barking, see Corvus caurinus. Blue, see Cyanocephala cyanocephala

Blue, see Cyanocephala cyanocephala.
California, see Corvus [hesperis =]
americanus.
Carrion see Cathorista uruhu

Carrion, see Catharista urubu.
Clarke's, see Nucifraga columbiana.
Common, see Corvus americanus.
European Carrion, see Corvus corone.
Fish, see Corvus ossifragus.
Florida, see Corvus pascuus.
Gabbling, see Corvus jamaicensis.
Jabbering, see Corvus jamaicensis.
Hooded, see Corvus cornux.
John, see Cathartes aura.
Northwest, see Corvus caurinus.
Rain, see Saurothera bahamensis or
Coccyzus americanus.

Western Fish, see Corvus caurinus. Crows, see Corvidæ. crucirostra (Loxia), see L. curvirostra. crudelis (Tyrannus), see T. melano-

cholicus.
cruenta (Querula), see Querula.
cruentatus (Melanerpes), see Melaner-

cubensis (Ardea), see A. rufescens.

—— (Ortyx), see Colinus cubanensis.

CRUENTUS. cruentus (Rhodospingus), see Rhodospingus. Crying-bird, see Aramus giganteus. Crymophilus, '85, 182, '96, 65. fulicarius (a Red Phalarope, b Phalaropus), Alas. '85, 63b; Arctic Am. '78, 86b; Conn. '87, 78 [not 'Phalaropus lobatus,' see '94, 74], '95, 77; D. C. '86, 140 [not 'Phalaropus lobatus,' see '86, 482]; g dist. '93, 123; Hawaian Is. 1900, 203; Helg. '95, 339; Hud. B. '90, 321, Mass. '91, 120, '92, 294-298, 298, '94, 181, 225; Me. '96, 173; Mich. '90, 204, '92, 67^a; N. F., Grand Banks, '79, 127^b; N. S. '91, 233-235; N. Y. '80, 117^b, '84, 33^b, '86, 436, '89, 134, '90, 230, '95, 313; Que. '82, 238^b; R. I. '89, 194; Siberia, 1900, 309.—hbt. '77, 42b, '92, 294, 298, '93, 293; mig. '85, 63b, '91, 233, '92, 294, 298; plm. '92, 294, 1900, 370 (mlt.), 373 (mlt.); song, '92, 298; syn. '84, 142b, '85, 183. cryptoleuca (Progne), see P. cryptoleuca or subis. cryptoleucura (Cymochorea), see Oceanodroma. — (Oceanodroma), Oceanodroma. cryptoleucus (Corvus), see Corvus. Cryptolopha, '94, 233. Crypturi, '81, 30, 80, 82, 83, 109, '82, 47, '83, 232, '96, 162, 163. Crypturus cinereus, Bras. '91, 163. inornatus, Mex. 1900, 253*. mexicanus, Mex. 1900, 254. occidentalis, Mex. 1900, 254. parvirostris, Braz., meas. '91, 163. soui (b pileatus), Braz. '91, 163b .syn. 1900, 179. sp?, Brazil, plm., meas. '91, 164. cryptus (Thryomanes), see T. leucogaster. Cuba, West Indies. Chapman, F. M., '94, 67. Cory, C. B., '91, 292-294, '92, 271-273. Gundlach, J., '91, 187-191. Stone, W., '98, 330. cubæ (Fringilla), see Spinus cucullatus. - (Pyrrhomitris), see Spinus cucullatus.

cuhana (Dendroica), see D. gundlachi.

cubanensis (Antrostomus), see Antro-

stomus.

--- (Colinus), see Colinus.

— (Ortyx), see Colinus.

cubanus (Rallus), see Rallus.

- (Mimus), see M. orpheus.

--- (Tyrannus), see Tyrannus. Cuckoo, Andros Ground, see Saurothera andria. Bahama, see Saurothera bahamensis. Black-billed, see Coccyzus erythrophthalmus. California, see Coccyzus occidentalis. European, see Cuculus canorus. Kamtschatkan, see Cuculus phonus. Mangrove, see Coccyzus minor. Maynard's, see Coccyzus maynardi. Yellow-billed, see Coccyzus americanus. Cuckoos, see Cuculidæ. Cuculidæ (* Cuckoos), '81, 29, 73, 75, '85, 212a, '93, 110a, '97, 90, 105a, 421ª. Cuculiformes, '88, 190. Cuculinæ, '97, 90, 91, '99, 110. cucullata (Aglaia), see Calliste. — (Calliste), see Calliste. ---- (Carduelis), see Spinus. — (Geothlypis), see G. nelsoni. — (Loxia), see Spermestes. —— (Paroaria), see Paroaria. ---- (Pitta), see Pitta. —— (Pyrrhomitris), see Spinus. --- (Spermophila), see Sporophila. --- (Sporophila), see Sporophila. --- (Sylvia), see Geothlypis. cucullatus (Chroïcocephalus), see Larus franklinii. - (Cyanocorax), see Cyanocorax. — (Geothlypis), see Geothlypis. - (Icterus), see I. cucullatus or nelnelsoni. — (Lophodytes), see Lophodytes. --- (Mergus), see Lophodytes. - (Pyrrhomitris), see Spinus. — (Spermestes), see Spermestes.
— (Spinus), see Spinus. Cuculoideæ, '86, 406. cuculoides (Cymindis), see Regerhinus uncinatus. Cuculus, '97, 90, '99, 110. canorus, Helg. '95, 336.-fd., hbt., nst. '98, 337. peninsulæ, Kamts, '86, 127. telephonus (Kamtschatkan Cuck-00), Alas. '94, 325; g. dist. '95, 164.fd. '94, 325; syn. '91, 99, '95, 164, **'9**7, 90. cujubi (Cumana), see Pipile. Culbertson, Glenn. An instance of bird ferocity (rev.), '99, 91. Culicicapa, '94, 233.

Cursorius gallicus, Helg. '95, 337.

Cursores, '83, 232, Cursorudæ, '97, 102.

culicivorus (Basileuterus), see Basileuculminata (Ceblepyris), see Lalage. --- (Diomedea), see Thalassogeron. --- (Lalage), see Lalage. culminatus (Thalassogeron), see Thalassogeron. Cultirostres, '81, 35. Cumana, 1900, 65*, see Pipile. cumanensis (Cumana), see Pipile. — (Pipıle), see Pipile. - (Thryophilus), see Thryophilus. cuneatus (Glyphorhynchus), see Glyphorhynchus. - (Puffinus), see Puffinus. cunicularia (Athene), see Speotyto dominicensis. --- (Geositta), see Geositta. --- (Speotyto), see S. cunicularia or dominicensis. cuntur (Sarcoramphus), see S. gryphus. cupido (Cupidonia), see Tympanuchus cupido or americanus. - (Tetrao), see Tympanuchus. — (Tympanuchus), see Tympanuchus. Cupidonia, see Tympanuchus. pinnata, '85, 82*, see Tympanuchus americanus. cupidini-columbiana, '77, 67 (hyb.). cuprea (Cotinga), see Cotinga. - (Parra), see Metopidius indicus. cupreiventris (Errocnemis), see Errocnemis. Curação Island, West Indies. Chapman, F. M., '93, 355-357. Ridgway, R., '98, 321. curaçoensis (Icterus), see Icterus. Curæus,'88. 414. Curlew, Black, see Numenius longi-Bristle-bellied, see Numenius tahitiensis. Bristle-thighed, see Numenius tahiti-Copper-colored, see Plegadis autumnalis. Eskimo, see Numenius borealis. European, see Numenius arquatus. Foolish, see Numenius hudsonicus. Hudsonian, see Numenius hudsonicus. Jack, see Numenius hudsonicus. Long-billed, see Numenius longiros-

Pink, see Ajaja ajaja.

Mountain, see Guara alba. Curlew, The (magazine), '89, 207.

curruca (Sylvia), see Sylvia.

rostris.

Sickle-billed, see Numenius longi-

curtipes (Tyrannula), see Blacicus cine-Curtis, Charles P., Jr
The Double-crested Cormorant, '94, curucui (Trogon), see Trogon collaris. cuvieri (Ramphastos), see Ramphastos. ---- (Regulus), see Regulus. curvirostra (Columba) see Treron nascica. — (Loxia) see L. curvirostra or minor. Curvirostres, '81, 35. curvirostris (Harporhynchus), see Harporhynchus. cuyubi (Pipıle), see Pipile. cyanea (Arbelorhina), see Cœreba. — (Certhia), see Cœreba. --- (Cœreba), see Cœreba. --- (Cyanerpes), see Cœreba — (Cyanocompsa), see Cyanocompsa. - (Cyanospiza), see Cyanospiza. —— (Guiraca), see Cyanocompsa. — (Passerina), see Cyanospiza. --- (Spiza), see Cyanospiza. — (Tanagra), see Cyanospiza. Cyanecula, '84, 182. abbotti, Asia, '96, 331. suecica (a Red-spotted Bluethroat, b leucocyanea), Alas. '79, 53, '85, 240?; Helg. '95, 331, 331b.-mig. '96, 142, 143ª. wolfi, Helg. '95, 331. cyanella (Cyanospiza), see Porphyrospiza cærulescens. -- (Emberiza), Porphyrospiza cærulescens. - (Porphyrospiza), see P. cærulescens. cyaneocapillus (Psittacus), see Amazona bouqueti. cyaneocephalus (Chrysotis), see Amazona bouqueti. cyaneoviridis (Callichelidon), see Callichelidon. - (Hirundo), see Callichelidon. — (Tachycineta), see Callichelidon. Cyanerpes, '99, 32*, see Cœreba. cyanescens (Cyanocompsa), see Cyanocompsa. cyaneus (Circus), see C. cyaneus or hudsonius. - (Cyanerpes), see Cœreba. -- (Garrulus), see Aphelocoma. - (Trochilus), see Eulampis jugularis.

cyanicollis (Galbula), see Galbula.

cyanirostris (Ardea), see A. ruficollis. --- (Cnipolegus), see Cnipolegus. cyanocephala (Aglaia), see Sporathraupis.

— (Columba), see Starnænas.

- (Estrilda), see Estrilda.

--- (Gymnocitta), see Cyanocephalus. --- (Gymnokitta), see Cyanocephalus.

— (Starnænas), see Starnænas.

Cyanocephalus, '84, 44, 229.

cyanocephalus (Piñon Jay, b Gymnokitta), Arız. '87, 21, '90, 49, 257, Cal. '98, 198; Colo. '81, 139b, '83, 43b, 193b, '85, 16b, '94, 269; g. dist. '93, 126; Kan. '94, 260; N. M. '83, 43b, '86, 75b, '98, 309; Ore. '88, 262. -anat. '88, 413; fd. '78, 112b; hbt. 783, 43^b, '87, 21, '88, 262, '98, 198; meas. '78, 114^b, '83, 44^b; mig. '87, 21; nst '76, 30^b, '78, 112^b, '83, 43^b; song, '87, 21; syn. '80, 98^b, '84, 230. cyanocephalus (Cyanocephalus), Cyanocephalus.

--- (Nycticorax), see Nycticorax.

- (Scolecophagus), see Scolecophagus.

cyanochlora (Psittacula), see Psittacula. Cyanocitta, '80, 99, '96, 73.

annectens (Black-headed Jay), B. C. 1900, 106; g. dist. '88, 396, '93, 126; Ida. '97, 356, 1900, 244, Mont. '82, 61 [not 'macrolopha'], '94, 304, Wash. '82, 227, 229, '97, 177.-plm. '82, 229, syn. '82, 229, '87, 336. azteca, Mex. '99, 256*.

beecheyi (b Cyanocorax geoffroyi),

Cal. '77, 93, 93b.

coronata, syn. '99, 256.

cristata (a Blue Jay, b Cyanurus), Ala. '79, 10^b; Ark. '82, 92; D. C. '88, 21; Ga. '82, 96^a, '83, 39, '96, 212; 21; Ga. '82, 96", '83, 39, '96, 212; g. dist. '93, 133; Ia. '84, 86", 86", '86, 475", '95, 236; III. '78, 165, '99, 182; Ind. '82, 18", '89, 23; Ky. '89, 314; La. '82, 163, '87, 303"; Man. '86, 321; Mass. '83, 149", '84, 11", '88, 389, '89, 44, 100, '98, 289; Me. '82, 149; Mich. '81, 196", '93, 225; Minn. '84, 245; Misr. '82, 22; Mar. '84, 245; Misr. '84 '84, 245; Miss. '82, 92; Mo. '79, 145, '96, 221; N. B. '82, 149, '89, 117; N. C. '86, 106, 314; N. H. '87, 103*, 104, '88, 150, 151, 154, '89, 77, 78; N. J. '94, 137; N. S. '87, 16, '99, 251; N. Y. '79, 32b, '81, 231, '82, 155*, '85, 253, '89, 197, 202; Ont. '84, 160; Pa. '92, 136, '93, 39, 44, '96, 282, 294; P. E. I. '85, 265*, '93, 10; Que. '82, 236; S. C. '79, 215*, '90, 124, '91, 328, '94, 101°; S. D. '85, 282; Tenn. '86, 319, '87, 130; Tex. '82, 168, '87,

289, '89, 239, '92, 231, '94, 260°; Wis. '82, 188b, '88, 434; W. Va. '98, 135.—fd. '97, 421a; hbt. '79, 10b, '83, 175b, '84, 160, '87, 303a, '88, 434, '89, 184a, '90, 82a, 200, 200a, '94, 261° 278°, '96, 221, '98, 269, '99, 182: 22^b (alb.), '82, 133^a (pl.), 135; song, '85, 253; syn. '78, 79^b, '80, 98; misc. '79, 111^a, '84, 85^a, '85, 101^a.

florincola (a Florida Blue Jay), Fla. '88, 272, '89, 319, '91, 127a, 138, '92, 213, '95, 365; La. '88, 324; Tex. '88, 112.—hbt. '82, 102a, '88, 272; plm. '88, 112; song, '88, 272; syn. '81, 170a; misc. '94, 70.

frontalis (Blue-fronted Jay, b Cyanurus), Cal. '85, 217, '86, 181, '87, 86; g. dist. '93, 126, 320, Ore. '79, 194b; Wash. '92, 355; hbt. '79, 194b, '85, 217; meas., nst. '85, 217, plm. '88, 261; syn. '80, 98.

macrolopha (a Long-crested Jay, ^b Cyanurus stelleri, e diademata), Aris. '82, 201, '85, 174, 355, '87, 20 ['stelleri'], '90, 49, 256; Cal. '90, 215; Colo. '79, 94, '81, 139, '83, 193, '85, 16, 142, '87, 124, '94, 268, '95, 153a; g. dist. '93, 126; N. M. '85, 125, '86, 75, '94, 217, '98, 309, '99, 189; Wyo. '89, 193.—hbt. '82, 201; '85, 125, 142, ret. '82, 232, ['Stelleri'] '85, 125, 142; nst. '83, 238 ['Stellar's Jay']; plm. '82, 201; song, '85, 125; syn. '80, 98, '99, 256°.

pulchra, Ecuador, '76, 47.

stelleri (Steller's Jay, b littoralis), Alas. '98, 128; g. dist. '93, 126; Orc. '86, 166, '88, 261, '91, 397; Wash. '92, 45, 309, 355, 1900, 353.—hbt. '98, 128, 1900, 353; nst. '86, 166; plm. '82, 229, '88, 261, '90, 91b; syn. '80, 98, '82, 229, '90, 65b, 91b; misc. '92, 80.

Cyanocompsa argentina (b Guiraca), syn. '88, 412°.

cyanea (b Guiraca), Bras. **'90.** 268b; Venez. '97, 364b; syn. '88, 412b.

cyanescens, g. dist. '98, 229*. cyanoides (b Guiraca), syn. 229°.

parellina (b Cyanospiza), Canada '84, 88b (cage).—syn. '98, 322; misc. **'80**, 88b.

sanctæ-martæ, Colom. '98, 339. Cyanocorax, '78, 79, '80, 98. affinis, syn. '99, 255. cyanomelas, syn. '92, 282.

129

cyanopogon, syn. '92, 282. cayanus, syn. '92, 282. cucullatus, C. R. '85, 293. heilprini, syn. '92, 282. ortoni, Peru, '76, 47. pileatus, Urug. '83, 136; W. I. '86, 230 (cage), '93, 178. sclateri, syn. '99, 255. zeledoni, g. dist. '99, 255*. cyanodorsalis (Xanthoura), see Xanthoura. (Certhia), cyanogastra see Cœreba cyanea. cyanogenys (Psilorhinus), see P. mexicanus. cyanoides (Coccoborus), see Cyanocompsa. - (Cyanocompsa), see Cyanocompsa. - (Guiraca), see Cyanocompsa. cyanolæmus (Oxypogon), see Oxypogon. Cyanolesbia, '85, 46. nehrkorni, Colom. '88, 200. cyanoleuca (Atticora), see Atticora. Cyanolyca angelæ, Ecuador, 1900, 81. quindiuna, Colom. 1900, 27. ornata (b mitrata), syn. '99, 255, cyanomelas (Cyanocorax), see Cyanocorax. - (Trochilus), see Eulampis jugularis. Cyanomyia salvini, Mex. '93, 214*. Cyanomyias, '94, 236. cyanopectus (Ceyx), see Ceyx. cyanopogon (Cyanocorax), see Cyanocorax. cyanops (Dysporus), see Sula. --- (Numenius), see Numenius. - (Sula), see Sula. cyanopsis (Chrysotis), see Amazona versicolor. cyanoptera (Anas), see Querquedula. - (Pitta), see P. moluccensis. - (Querquedula), see Q. cyanoptera or Nettion carolinensis.

- (Tanagra), see Tanagra.

cyanopterus (Conurus), see Conurus. cyanopyga (Psittacula), see Psittacula. Cyanospiza (b Passerina), '80, 96, '84, 229, '86, 210b, '88, 412, '98, 323, '99, amœna (a Lazuli Bunting or Finch, b Passerina), Ariz. '82, 199b, '87, 205^b; Cal. '86, 183^b, '96, 121^b; Colo. '80, 230, '83, 191^b, '85, 16^b, 142^b; g. dist. '93, 135b; Ida. '98, 17b; Mont. *82, 62, '94, 306b, '95, 217b; Mo. River. '95, 230a; N. M. '86, 75b, '92, 366b; Ore. '79, 165, '86, 169b, '88,

359b, S Dak. '85, 281b; Tex. '92, 231b, '94, 222b; Wash. '97, 178b.-nst. '96, 121b; plm. '82, 199b; song, '80, 230; syn. '80, 96b, '98, 324, '99, 121. ciris (a Painted Bunting or Finch, or Nonpareil, ^b Passerina), Bahamas, '86, 210^b, Cuba, '86, 210^b, '91, 294^b; Europe, '80, 66 ['Spiza ciris']; Fla. '89, 324b, '92, 213b, Ga. '82, 99a, '83, 39b, g. dist. '93, 133b; Gulf of Mex. '81, 251a; Kan. '85, 276b, '86, 114b, 115b, La. '82, 163b, '87, 302a, '92, 205b; Mass. '78, 139, '96, 261b; Miss. '82, 92b; N. Y. '78, 132, '85, 298"; '82, 92°; N. Y. '78, 132, '85, 298°; R. I. '86, 271°; S. C. '85, 72°a, '91, 395°; Tex. '78, 144°a, '82, 13, '87, 293°b, '88, 119°a, '89, 240°b, '92, 339°b, '94, 222°b, 1900, 346; W. I. '91, 295°b. —fd. '96, 261°b; hbt. '82, 100°a, 163°b, '88, 119°a; mig. '81, 251°a, nst. '82, 13, 163°b, '83, 39°b, '87, 293°b; plm. '79, 46, '87, 290°a, 293°b, '91, 395°b; song, '82, 100°a, sum, '80, 96°b, '86, 210°b, '98 '82, 100°; syn. '80, 96°, '85, 210°, '98, 324, '99, 122; misc. '90, 81b.

cyanea (a Indigo Bunting or Indigo-bird, b Passerina), Ala. '79, 9, Ark. '82, 91b, Bahamas, '86, 211b, '91, 337b; Colo. '85, 16; C. R. '90, '91, 337b; Colo. '85, 16; C. R. '90, 334b, '92, 247b; Cuba, '86, 211b; D. C. '88, 22b, '92, 308b; Fla. '88, 274b, '89, 324b, '92, 213b, '93, 338b, '95, 365b; Ga. '96, 213b; g. dist. '93, 133b; Gulf of Mex. '81, 251a, Ia. '84, 86a, '95, 124b, 235b, Ill. '90, 243b, Ind. '82, 17b, '89, 25b; Ky. '89, 315b; La. '80, 136a, '82, 163b, '87, 302a; Mass. '84, 6a, '88, 389b, '89, 45b, 101b, Mach.' '93, 226b, Mice.' '82, 21b, Ma Mich. '93, 226b; Miss. '82, 91b; Mo. '79, 144, '95, 351a, N. B. '82, 105b, '83, 9a, 176a; N. C. '86, 110b, '89, 121^b, N. H. '88, 150^b, 152^b, 154^b, '89, 77^b, 78^b, N. J. '94, 139^b; N. Y. '81, 77°, 78°, N. J. '94, 139°; N. Y. '81, 230°, '82, 188, '83, 174, '85, 151°, O. '95, 241°, Pa. '92, 138°, '93, 40°, 45°, '96, 283°, 291°, 295°, 1900, 396°, Que. '84, 295°; S. C. '79, 214, '90, 125°, '91, 329°, '94, 32°; S. D. '85, 289°; Tenn. '86, 318°, '87, 131°; Tex. '82, 13, '87, 293°, '92, 339°, 1900, 346; Va. '86, 161°, '89, 53°; Wis. '82, 188, 291°, '80, 136°, '81, 251°, '94 188.—mig. '80, 136a, '81, 251a, '94, 32°, '95, 124°, 129°, 235°, 241°, nst. '80, 40, '82, 18°, '83, 174, '84, 194°, '88, 22°, '89, 24, '96, 283°; plm. '78, 122, '79, 29a (alb.), '82, 133, 135 (pl.), '93, 153b, '96, 242a (mlt.), 1900, 327 (mlt.); song, '85, 151b, '92, 283b; syn. '80, 96b, '86, 211b, '98, 324, '99, 121. leclancheri (b Passerina), syn. '80, 96b, '98, 324.

121.

Cymodroma, see Fregetta.

Cynanthus, see Cyanolesbia.

pulchra (Beautiful Bunting, b Passerina), g. dist. '87, 336b, '88, 399.syn. '98, 324, '99, 122. rositæ (b Passerina), syn. '80, 96b, **'98**, 324. versicolor (Varied Bunting, b Passerina), Aris, '85, 198b; g. dist. '93, 135b, L. Cal '90, 215; Tex. '77, 109. —syn. '80, 96b, '98, 324, '99, 121 Cyanotis azaræ, Urug., fd., hbt., mig., song, '83, 200. cyanotis (Aphelocoma), see Aphelocoma. cyanura (Ardea), see Butorides. - (Pitta), see Eucichla guaiana. Cyanurus, see Cyanocorax. cyanurus (Butorides), see Butorides. cyanus (Monticola), see Monticola. Cyclarhis, see Cyclorhis. Cyclopsitta, '94, 234. Cyclorhis, '90, 382. atrirostris, syn. '90, 383. canticus, Colom. '98, 339. flavipectus, Trinidad, '95, 203: Venes. '97, 362, 364.—syn. '90, 383. flaviventris, syn. '90, 383. guianensis, Braz. '90, 266; syn. **'90**, 383. insularis, Yucatan, '85, 295; syn. **'90**, 383. ochrocephala (b viridis), Urug., hbt., mig., song, '83, 88b, syn. '89, 269, '90, 383. subflavescens, C. R. '92, 23.—hbt. '92, 23, syn. '90, 383. trinitatis, syn. '90, 383. viridis, syn. '90, 383. yucatanensis, Yucatan, '87, 156.syn. '90, 383. Cyclorrhynchus (b Phaleris), '99, 203, 286ъ. psittaculus (Paroquet Auklet, ^b Phaleris, ^c Ombria), Alas. '85, 159, '98, 124; g. dist. '93, 125; Sweden. '85, 388.—mlt. '80, 126b, 127b, 128c; syn. '84, 385. Cygninæ (* Swans), '83, 231, '87, 339*, '91, 391, 98, 278. Cygnus, '83, 231, '96, 162, '99, 129, 226-229, 298, see also Olor. nigricollis (b Sthenelides melanocoryphus), Argent., Urug. '84, 273.syn. '84, 235b. olor, Helg. '95, 340. cygnus (Olor), see Olor.

- (Cygnus), see Olor.

neo, syn. '90, 357.

lineatus, Bras. '91, 28. Cymborhynchus macrorhynchus, Bor-

Cymbilanius fasciatus, Nicar. '85, 294.

Cyphorinus griseolateralis, Bras. '89, 172, '90, 137. Cypseli (a Swifts), '81, 30, 36, 75, 76, 163, '86, 414, 492, '87, 80, 170*, 171*, 265**, 339**, '89, 8-13**, '90, 279, '93, 110**, 345**, '97, 105**. Cypselidæ, '81, 29, 36, 37, '86, 404, 444, **'93**, 67, **'97**, 419. Cypseliformes, '92, 176. Cypselinæ, '89, 8, '97, 419. Cypseloides (b Nephœcetes), '84, '86, 345, '93, 131, 365, '94, 156, '96, borealis (Black Swift, b Nephœcetes, e niger), B. C. '93, 17c, 291c, 384°, 1900, 106°; Colo. '81, 140b, '82. 182", '85, 17; C. R. '90, 333°, '92, 324°; g. dist. '93, 134°, '97, 126; L. Cal. '95, 139°; N. M. '86, 78; Wash. '88, 424°, '93, 17°, 291°, 384°, '97, 175.—anat. '93, 365°, '95, 157° (fig.); fd. '82, 182b; hbt. '82, 182b, '97, 175; meas. '82, 183^b, '88, 424^c; nst. '88, 424^c; plm. '82, 182^b; syn '97, 126, '99, 78, 111. cherriei, C. R. '93, 346. niger, W. I. '79, 229, '86, 345, '91, 48, '92, 276.-meas., plm. '86, 345; syn. '86, 345, '97, 126. Cypselus (b Micropus), '80, 178, '84, 230, '86, 344, 404, 446, '87, 80, '89, 9^b, '93, 67, '94, 233^b, '95, 156^b, 187^b, '96, 83^b, '97, 419^b. apus (b Micropus), Germany, '96, 304; Helg. '95, 336 -anat. '86, 451, '87, 171, '88, 329, '89, 11b, '95, 157b; hbt. '96, 304; meas. '89, 11b; nst., song, '96, 304. griseifrons, Mex. 1900, 262*. melba, Helg. '95, 336.—misc. '87, phœnicobius, W. I. '81, 153, '86, 344, '91, 294, '92, 272, 276, '94, 125. -meas. '86, 344; nst. '94, 125; plm. '86, 344; syn. '86, 344. squamata, syn. '93, 68. subfurcatus (b Micropus), Borneo, '91, 16 .- anat. '89, 9b. Cyrtonyx, '93, 130. meleagris, syn. '97, 48. merriami, Mex. '97, 48*. montezumæ (* Massena Partridge, b massena, c mearnsi), Aris. '83, 35b, '86, 389, '90, 48, 52, 1900, 32"; g. dist. 1900, 255°*; N. M. '78, 94°, '92, 360; Tex. '87, 187, '92, 231.—hbt. '86, 389; meas. '83, 35°, 1900, 255°;

plm. '83, 35b, '86, 389, 1900, 50

(mlt.); song, '83, 35b, syn. '85, 46. '97, 48 , misc. 1900, 32°.

D

Dabchick, see Podilymbus podiceps. Dacelo, '81, 161.

gigas, plm. '99, 322.

Dacnis æquatorialis, syn. '90, 381. aureinucha, Ecuador, '80, 42. cayana, Bras. '90, 266. napæa, Colom. '98, 339. plumbea, Braz. '90, 266; Venez.

'97, 363. dactylatra (Sula), see S. cyanops. dactylisonans (Coturnix), see C. co-

turnix.

Dactylortyx, '98, 340. chiapensis, Mex. '98, 340. devius, Mex. '98, 340. lineolatus, syn. '98, 340. thoracicus, syn. '98, 340. Dafila, '88, 62, '93, 107.

acuta (a Pintail Duck), Alas. '81, 131^a, '85, 63, 201, 241, '87, 12; Arız. '86, 384, '90, 48, 51, '92, 198^a; Cal. '86, 89; Colo. '85, 18; Fla. '88, 269, 378, '92, 211, '95, 364; g. dist. '93, 125; H. I. 1900, 2031; Helg. '95, 340; Ida. '97, 350; Ind. '88, 346; Jamaica, '91, 364; Ky. '89, 312; La. '97, 286, 1900, 170; Man. '86, 149; Mass. '92, 74, '94, 84, '96, 200; Minn. 784, 248; N. D. '99, 161*, 162*, 165*, New E. '83, 163*; N. Y. '82, 256; Ont. '85, 372; Ore. '79, 198, '86, 163, '88, 142, '91, 367 (fossil), '93, 344 (fossil); Que. '82, 239, S. C. '85, 193. S. D. '85, 288, The '93, 264 193; S. D. '85, 288; Tex. '82, 224, '87, 184, '92, 232, 1900, 339; Wash. '92, 353, 1900, 350; W. I. '88, 62.— hbt. '92, 384, '93, 294; mig. '85, 63; nst. '83, 176, '99, 165a; plm. '84, 287a (hyb.), '85, 241 (mlt.), '88, 316 (hyb.), '92, 191 (hyb.), 1900, 170 (hyb.), 183^a (mlt.); syn. '83, 62, '88, 62; misc. '85, 301a.

spinicauda, Argent., hbt. '84, 274.

Dafilula, '97, 207. Daggett, Frank Slater.

Cold storage as an aid to the bird collecter, '95, 195. Dakin, John Allen.

Obituary of, 1900, 196.

Dakota (see also North Dakota and South Dakota).

Abbott, W. L., '81, 49, '83, 116. Agersborg, G. S., '81, 120, '85, 100, 101.

Allen, J. A., '8C, 42-43.

Brewster, W., '83, 54, 55. Coues, E., '80, 59-60. Frazar, M. A., '80, 184. Hoffman, J. W., '83, 238. Jencks, F. T., '86, 270. Judd, E. T., '92, 69. McChesney, C. E., '77, 76. Roberts, T. S., '83, 119. Snow, F. H., '92, 192. Talbot, D. H., '82, 59, '84, 96-97. Wilder, G., '90, 80.

Dalgleish, John James.

List of occurrences of North American birds in Europe, '80, 65-74, 141-150, 210-221, 81, 63-64.

Occurrence of Siurus navius in Greenland, '83, 179.

Occurrence of Royal Tern (Sterna regia) at Tangiers, Morocco, '84, 97.

A newly-discovered breeding place of Leach's Petrel (Cymochorea leucorrhoa) in Scotland, '84, 98. Discovery of nest of Larus rossii in

Greenland, '86, 273.

Dalla-Torre, Karl Wilhelm von, and Tschusi zu Schmidhoffen, Victor Ritter von.

[Migration report for 1883, Austria and Hungary] (rev.), '86, 416. damacensis (Tringa), see Tringa.

damiatica (Tadorna), see Tadorna. Damon, J. L.

Cowbird wintering in western New York, '85, 309.

danbyi (Junco), see J. aikeni. Daniel, John Warwick, Jr.

Bachman's Sparrow in Virginia, 1900, 296.

Dapper, Diving, see Colymbus dominicus or Podilymbus podiceps.

Daption, '97, 315.

capensis (Pintado Petrel or Cape Pigeon), g. dist., fd., hbt. '87, 4; anat. '88, 198.

Darter, see Anhinga anhinga. Blue, see Falco columbarius. Blue-tailed, see Accipiter velox.

Dartt, Mary.

On the plains and among the peaks (rev.), '79, 113. Dasycrotopha, '94, 233, 234.

Dasylophus, '94, 233, 234.

Daulias Iuscinia, Helg. '95, 331. philomela (b Luscinia), Helg. '95, 331.—syn. '82, 53b.

daulias (Microcerculus), see Microcerculus.

dauma (Turdus), see Turdus.

Davenport Acad. of Nat. Hist., Pro-

ceedings, title (No. 2244), '92, 190

Davie, Oliver.

Capture of Golden Eagle (Aquila chrysaetus canadensis) near Columbus, O. '82, 123.

Nests and eggs of N. Am. birds, 2d ed. '86, 416; 3d ed. '89, 328; 5th ed. (rev.), '98, 334.

Davis, Minot.

Lapland Longspur (Calcarius lapponicus) in Massachusetts in winter, '99, 80.

Davis, William Morris.

The soaring of birds and currents of air, '96, 92.

Davis, William Thompson.

Staten Island Crows and their roosts, '94. 228-231.

Davison, John Lester.

Wilson's Petrel in western New York, '84, 294.

First nest and eggs of Eremophila alpestris found in Niagara Co., N. Y. '85, 217.

Breeding of Cerulean Warbler (Dendroica cærulea) in Niagara Co., New York, '88, 430.

Breeding of Habia ludoviciana in Niagara Co., New York, '89, 191. Geothlypis philadelphia breeding in

western New York, '91, 396.

Ardea egretta in Niagara Co., N. Y.

'87, 159.
Birds laying eggs in nests of other

birds, '87, 263. Can birds count their eggs? (rev.), '87, 340.

Dawson, William Leon.

Nesting of larger White-cheeked Goose (Branta canadensis occidentalis) in Okanogan Co., Washington, '97, 87.

Hepburn's Leucosticte (Leucosticte tephrocotis littoralis) in summer in Okanogan Co., Wash. '97, 92.

Occurrence of Baird's Sparrow (Ammodramus bairdi) in Wash. '97, 93. Natural breeding haunts of Barn Swallow (Che'idon crythrogaster). '97, 95.

Preliminary list of birds of Okanogan Co., Washington, '97, 168-182.

dawsonis (Falco), see F. obsoletus. Dead-limb Bird, see Contopus virens. Deane, Ruthven.

Albinism and melanism among North American birds, '76, 20-24.

Philadelphia Vireo in New England, '76, 74.

Unusual abundance of Snowy Owl (Nyctea scandiaca) in New England, '77, 9-11

Occurrence of Sooty Tern in Massachusetts, '77, 27.

[Ornithological lists in 'Forest and Stream'] (rev.), '77, 75-76. Probable breeding of Acadian Owl

Probable breeding of Acadian Owl (Nyctale acadica) in Mass. '77, 84. Coturniculus henslowi in New Hampshire, '78, 39.

Blue-gray Gnatcatcher (Polioptila cæ-rulea) in Mass. '78, 45.

Deadly combat between an albino

Robin and a mole '78, 104. Blue-winged Yellow Warbler (Hel-minthophaga pinus) in Mass. '78, 188.

Sooty Tern in New Hampshire, '78, 195.

Additional cases of albinism and melanism in N. Am. birds, '79, 27-30. Breeding of Winter Wren at Houlton, Maine, '79, 37-39.

Vireo atricapillus in Texas, '79, 58.

Occurrence of western variety of Yellow Redpoll Warbler in Mass. '79, 60 [see correction, '79, 186]. Great White Egret in New Brunswick, '79, 63.

Frigate Pelican in Nova Scotia, '79, 64.

Capture of Loggerhead Shrike in winter in New Hampshire, '79, 119. Record of breeding of Crossbills in

northern Vermont in 1796,'79, 121. Nesting of Black-throated Bunting (Euspiza americana), in Mass. '79,

Additional captures of Curlew Sandpiper in New England, '79, 124.

Great Carolina Wren breeding on Long Island, N. Y. '79, 184.

Additional capture of Cærulean Warbler in New England, '79, 185.

Correction [Dendroica palmarum for D. hypochrysea], '79, 186.

Capture of third specimen of Flammulated Owl (Scops flammcola) in United States, and first discovery of nest, '79, 188.

Black Skimmer (Rhynchops nigra), in New England, '79, 242.

Additional cases of albinism and melanism in N. Am. birds, '80, 25-30.

Blue-gray Gnatcatcher in Massachusetts, '80, 47.

Additional record of Loggerhead Shrike in Maine, '80, 50.

Black-backed Three-toed Wood-pecker in Massachusetts, '80, 56.

Marsh and Sooty Terns in Maine, and other birds rare to the State, '80, 63.

Large-billed Water Thrush (Surus motacilla) in eastern Rhode Island, '80, 116.

A new Warbler (Mysodioctes mitratus) for Massachusetts, '80, 117. Bohemian Waxwing in northern New

York, '80, 118.

Little Blue Heron in Rhode Island, '80, 123.

European Widgeon in United States, '80, 126.

Destruction of birds by drowning, '80, 192.

Breeding of Wild Pigeon in confinement, '81, 60.

European Widgeon (Anas penelope) in Indiana, '95, 179, 292, 292, '96, 255, '99, 270.

Old Squaw (Clangula hyemalis) in Colorado, '95, 292, 293.

Additional records of Passenger Pigeon in Illinois and Indiana, '95, 298-300.

Strange habits of Rusty and Crow Blackbirds, '95, 303.

Additional records of Passenger Pigeon (Ectopistes migratorius) in Wisconsin and Illinois, '96, 81.

Notes on Passenger Pigeon (Ectopistes migratorius) in confinement, '96, 234-237.

Additional records of Passenger Pigeon (Ectopistes migratorius), '97, 316.

[Report on bird protection in Illinois], '98, 96, '99, 67.

Passenger Pigeon (Ectopistes migratorius) in Wisconsin and Nebraska, '98, 184.

Old Squaw (Clangula hyemalis) in Indiana, '99, 178.

Habits of the Blue Jay (Cyanocitta cristata), '99, 182.

Notes on breeding of Wilson's Snipe (Gallinago delicata) in Illinois and Indiana, '99, 270-272.

Dearborn, Ned.

Preliminary list of birds of Belkmap and Merrimac counties, N. H. (rev.), '99, 204.

Death Valley, expedition to, '91, 122-123, 321-322.

decipiens (Homoptila), see Leptotila ochroptera.

Deconychura, '92, 173.

decora (Dendroica), see Dendroica.
— (Pipreola), see Pipreola.
decumanus (Ostinops), see Ostinops.
defilippiana (Æstrelata), see Æstrelata.
defilippii (Sturnella), see Sturnella.
Degen, Edward.

Main features in evolution of the bird's wing (rev.), '95, 286. deglandi (Oidemia), see Oidemia.

De Haven, Isaac Norris.

Brunnich's Murre at Cape Charles, Virginia, '96, 171.

deiroleucus (Falco), see Falco.

delafieldi (Trichas), see Geothlypis cucullatus

delattri (Basileuterus), see Basileuterus.
—— (Dryotomus), see Ceophlœus scap-

Delattria henrici, Mex. '97, 51. margarethæ, Mex. '97, 51. pringlei, Mex. '97, 51*.

Delaware.

133

Dwight, J., Jr., '85, 105.

Gibson, C. D., '85, 100, 100. Delaware Valley Ornith. Club, '90, 298, '91, 244, '94, 191, '95, 200, '96, 193, '98, 215, 341, '99, 214, 1900, 197; Abstr. of Proc. (rev.), '98, 341, 1900, 395.

delawarensis (Larus), see Larus. delicata (Dendroica), see Dendroica

—— (Gallinago), see Gallinago. —— (Scolopax), see Gallinago. deliciosa (Psittacula), see Psittacula. Delothraupis, '87, 150.

Deltarhynchus, '94, 168.

Demiegretta, see Ardea. Dendragapus, '85, 372, '86, 269, '98,

fuliginosus (* Sooty Grouse), B. C. '90, 392; g. dist. '89, 32, '93, 125; Ore. '79, 197 [' Canace obscura '], '86, 164, '88, 145, 367; Wash. '92, 43, 309, '97, 172, 1900, 351.—fd. '89, 32; hbt. '86, 164, '89, 32, '92, 43, '97, 172; meas. '89, 39; nst., song, '86, 164, '89, 32; plm. '99, 180 (hyb.), 1900, 10a, 143 (mlt); misc. 1900, 55a.

obscurus (* Dusky Grouse, * Tetrao, * Canace), Ariz. '90, 48, 52; Cal. '87, 88; Colo. '79, 96*, '81, 142*, '85, 17°, '94, 267; g. dist. '93, 125; Mont. '94, 302; N. M. '86, 80°, '98, 307.—fd. '81, 142*, '94, 267; hbt. '81, 142*; nst. '89, 39, '98, 307; plm. 1900, 143 (mlt.); syn. '86, 269*; misc. '89, 177*, '92, 385.

richardsoni (Richardson's Grouse, b Tetrao), g. dist. '93, 125; Ida. '97, 352, 1900, 243; Mont. '82, 63b.—hbt

'97, 352, 1900, 243; mig. 1900, 243; nst. '89, 39; plm. 1900, 143 (mlt.), 243; song, '82, 63b. Dendragopus, see Dendragapus. Dendrobates, '94, 171. kirki, W. I. '93, 220. Dendrobiastes, '94, 233. Dendrochelidon (b Macropteryx), '89, 9, 10, 11, 12, '94, 233b, '95, 156, '96, 86b. comata, Borneo, syn. '90, 358. coronata (bMacropteryx), anat. '89, 11, '94, 114b, '95, 157b. longipennis, Borneo, syn. '90, 359. mystacea, anat. '87, 117, '89, 9, 11; meas. '89, 11. wallacei, anat. '89, 9, 11; meas. '89. 11. Dendrochelidonidæ, '89, 12, 13, '95, 155. Dendrocincla, '88, 195. anguina, Colom. '98, 339. castanoptera, Braz. '91, 26 .- syn. '91, 26, misc. '88, 195. fuliginosa, Braz., syn. '91, 26. lafresnayei, misc. '88, 195. rufo-olivacea, misc. '88, 195. Dendrocolaptes certhia, Bras., syn. '91, 27. obsoletus, Braz. '89, 172. Dendrocolaptidæ, '76, 51, '81, 29, 36, '90, 379. Dendrocopus, see Dryobates. purus, '84, 35*, see Dryobates cissa. Dendrocygna, '88, 59, '93, 107. arborea, Bahamas, '91, 79; Cuba, '92, 272; Jamaica, '91, 365; W. I., meas., plm., syn. '88, 59. autumnalis (Black-bellied Treeduck), g. dist. '93, 134; Jamaica, '91, 365; La. '97, 286; Tex. '79, 51, '87, 185; W. I. '88, 60.-syn. '88, 60. discolor, Bras. '91, 161. fulva (a Fulvous Tree-duck), Cal. '87, 88; g. dist. '93, 134; La. '97, 286; Mo. '92, 69a; Nev. '78, 138; Tex. '87, 185.—plm. '79, 30a. viduata, W. I., meas., plm., syn. **'88**, 60. Dendrœca, see Dendroica. Dendroica, '77, 64, '80, 154, '84, 47, 54, '85, 365, '86, 28, '87, 309, '93, 112,

achrustera (b bahamensis), Baha-

adelaidæ, W. I. '80, 166, '86, 37.—

æstiva (* Yellow Warbler or Sum-

mer Yellow-bird, b morcomi), Ala. '78, 173; Ariz. '82, 137; Bahamas, '86, 29; B. C. '92, 65b; Cal. '86, 184,

'94, 142.

syn. '86, 37.

mas, 1900, 187b, 292*.

'87, 94, '94, 78^b, '99, 156, *Colom*. 1900, 366; *Colo*. '80, 226, '83, 158, '85, 15, 141; C. R. '90, 335, '91, 279; Cuba, '86, 29, D. C. '88, 21, 24, '92, 307; Fla. '90, 18, '92, 213, '95, 365; Ga. '96, 214; g. dist. '88, 399b; Gulf. of Mex. '81, 251a; Hud. B. '90, 322; Ia. '95, 123, 235; Ida. '98, 18, Ill. '78, 163, '88, 433; Ind. '82, 17, '89, 27, Ky. '89, 316; La. '82, 161, '87, 301a; Man. '86, 326; Mass. '84, 6a, '88, 389, '89, 42 [see correction, '89, 107^a], 45, 103, '90, 217; *Me.* '82, 109; Mich. '81, 196^a, '93, 227; Minn. '80, 13, '84, 244; Mo. '79, 141; Mont '88, 16, '94, 307, '95, 218; N. B. '89, 118; N. C '86, 174, '89, 120; N. F., Grand Banks, '79, 128; N. H. '88, 150, 152, 154, '89, 77; Nicar. '95, 20a; N. J. '94, 140; N. M. '85, 331, '92, 367, '98, 310; N. S. '87, 16, '91, 166°; N. W. T. '94, 78°; N. Y. '79, 32, '81, 227, 245°, '82, 187, '84, 175, 176, 212, '89, 130; O. '95, 242; Orc. '79, 164, '86, 170, '88, 361°; Pa. '92, 138, '93, 40, 45, '96, 284, 295, 1900, 396a; P. E. I. '93, 13; Que. '82, 234, '89, 148; S C. '79, 212, '90, 127; S. D. '85, 278; Tenn. '86, 316; Tex. '82, 9, '87, 296, '89, 240, '92, 340, 1900, 347; Va. '86, 161a; Wash. '92, 46, '94, 78^b, '97, 179; Wis. '83, 66, 69.—anat. '81, 7; fd. '99, 362^a; hbt. '79, 180; meas. '82, 137; mig. '81, 196a, 251a, '83, 66, 69, '84, 175, 176, '88, 433, '89, 130, '94, 104, '95, 123, 128*, 235, 242; nst. '80, 13, '88, 22, 361b, '90, 81a, 82a, 82a, '92, 286, '98, 18; plm. '82, 137, '83, 69, '86, 33 (hyb.), '91, 279; song, '80, 226, '84, 212, '86, 174; syn. '77, 63, '85, 371, '86, 29, '88, 399^b; misc. '78, 197, '87, 251^b, 264^a, '89, 24^a. albilora (a Sycamore or White-

2644, '89, 24".

albilora (a Sycamore or Whitebrowed Warbler), Fla. '88, 276, '90, 20, 313, '97, 247; Ill. '78, 163; Ind. '82, 16, 19, '89, 27; Jamaica, '93, 340; Kan. '91, 116; Ky. '89, 316; La. '82, 49", 161; Mich. 1900, 391; Mo. '95, 350"; N. C. '93, 242; S. C. '86, 139, '90, 127, '91, 51, 171; Tenn. '86, 316; Tex. '78, 144, '82, 9, 36, '92, 303, 341, 1900, 347.—meas. '90, 128; mig. '91, 51; nst. '91, 116 [not 'albilora']; plm. '82, 20, 161, 85, 367; song, '82, 9, 36; syn. '81, 175. auduboni (a Audubon's Warbler),

auduboni ("Audubon's Warbler), Aris. '82, 138, '85, 352, '88, 34, '90, 49, 261, '94, 218, 221a, '95, 17a; Cal. '83, 187 bis, '86, 184, '89, 221, '90,

297, '96, 121, '98, 236, '99, 156; Colo. '79, 92, '80, 227, '81, 88, '83, 158, '85, 15, 141, '87, 125, '94, 269; Conn. '93, 305°; g. dist. '93, 127; Ida. '98, 18; Kan. '83, 186°, '84, 100; L. Cal. '95, 142; Mass. '77, 27; Mont. '81, 205, '82, 62, '88, 16, '84, 104, 207, N. W. '85, 21, 102, '87, 177, 181, 205, '82, 62, '88, 16, 181, 205, '82, 62, '88, 16, 181, 205, '82, 62, '88, 16, 181, 205, '82, 1 '94, 307; N. M. '85, 331, '92, 367; Ore. '79, 164, '86, 170, '88, 361; Tex. '87, 296; Wash. '83, 187 bis, **'92**, 46, 310, 357, **'97**, 170, 179, **1900**, 357; Wyo. '81, 205 .- anat. '81, 88; plm. '79, 28ª (alb.), '82, 138, '85, 352 (mlt.), '89, 96; song, '80, 227, '81, 88, '88, 361.

aureola, Cocos Is. '96, 75; syn. ³77, 63.

aurocapilla, W. I. '89, 31. bahamensis, W. I. '91, 348*, 350.

blackburniæ (* Blackburnian Warbler), Bahamas, '86, 36, '92, 49; Colom. 1900, 367, C. R. '90, 336, '91, 278; D. C. '92, 308; Fla. '90, 20, 223, '92, 213; g. dist. '93, 127; Ia. '95, 89; Me. '79, 106, '82, 109; Mich. '85, 376, '93, 228; Minn. '97, 223; N. B. '82, 104; N. C. '86, 98, 100, 174, '89, 120; N. E. '77, 48; N. H. 787, 106, '88, 150, 153; N. M. '78, 93; N. S. '95, 90; N. Y. '78, 53, '81, 227, '83, 52*, '84, 178, 213, '85, 103, '90, 231, '96, 179*; O. '95, 240*, 241; Pa. '91, 398, '92, 132a, 133a, 134, 139, '93, 36°, 37, 41, 42°, 43, 45, '95, 190, '96, 291ª, 292, 296; Que. '82, 234; S. C. '79, 212, '90, 127, '91, 170, '92, 35a, 37a, 38a, '94, 26a; Tenn. '86, 316, '87, 132; Tex. '82, 9, 36, '84, 121?, '87, 183°, '92, 341, 1900, 347; Va. '89, 51; Wis. '83, 66, 69, '88, 326. by, 51; Wis. 83, 60, 69, '88, 326.—
hbt. '86, 174; meas. '85, 103, '88, 392; mig. '83, 66, 69, '84, 178, '87, 269, '88, 326, 433, '92, 35*, 37*, 38*
'94, 26*, 27*, '95, 124, 241; nst. '81, 242*, '85, 100, 103, '88, 391, '90, 231; plm. '78, 58, '86, 33, 174, '91, 278; cmg. '84, 212,' '25, 26* 278; song, '84, 213; syn. '86, 36. bryanti, misc. '93, 142.

cærulescens (* Black-throated Blue Warbler), Ala. '78, 173; Bahamas, '91, 68, 298, 335, 337, 339, 352; Co-

lombia 1900, 367; Colo. '94, 183; Conn. '76, 11-13, '83, 176, '89, 45; Cuba, '92, 273; D. C. '92, 308; Fla. Cuba, '92, 273; D. C. '92, 308; Fia. '85, 62, '88, 276, '90, 18, 313, '92, 213, '93, 338; Ga. '96, 214; g. dist. '93, 127, '95, 283"; Ill. '88, 433; Ind. '82, 17, '89, 27; Jamaica, '93, 340; Kan. '94, 260; Mass. '78, 139, '84, 12°, 15, '87, 251, '88, 389, 391, '89, 41°, 43°, 45, 103, '90, 217; Me. '82, 109; Mich. '85, 65, '93, 227, 1900, 201. Mins. '84, 244. N. B. '82, 109. 391; Minn. '84, 244; N. B. '82, 109; N. C. '86, 98, 100, 174, '89, 122; N. E. '81, 238; N. H. '87, 106, '88, 149*, 150, 153, 154; N. Y. '78, 53, '80, 238, '81, 227, '83, 53*, '84, 177, 179, 213, '90, 231, '96, 179*; O. '95, 241. Pa '01, 202, '02, 122*, 123* 241; Pa. '91, 398, '92, 132", 133", 134, 138, '93, 36*, 37, 40, 42*, 43, 45, '94, 182, '96, 292, 295; P. E. I. '93, 5ª, 13; Que. '83, 244, S. C. '79, 11, '86, 174; meas. '76, 12, '80, 238; mig. '83, 66, 69, '84, 177, 179, '85, 62, 65, '88, 326, 326, 433, '91, 69, '92, 36*, 37*, 38*, '94, 27, '95, 241; nst. '76, 11, '80, 238, '83, 176; song, '84, 12*, 213, '86, 160; plm. '78, 57, '82, 133, '93, 153, 154, '96, (mlt.); syn. '86, 33.

cairnsi (Cairn's Warbler), Ga.'98, 192, g. dist. '97, 96, 123; W. Va. '98, 136.-plm. '97, 96, '98, 136, 192; syn. '97, 123.

capitalis, W. I., meas., plm., syn. '86, 31.

carbonata (* Carbonated Warbler, ^b Perissoglossa), Ky. '94, 244.—plm. '81, 225^b; misc. '81, 167^b, 168^a, '87, 310, '88, 401.

castanea (* Bay-breasted Warbler), Colombia, 1900, 367; Conn. '93, 90°, g. dist. '93, 127; Ill. '88, 433; Ind. '82, 17, 19, '89, 27; Man. '86, 326; Mass. '82, 252, 253, '87, 269, '89, 106; Me. '76, 95"; Mich. '85, 65, '93, 228, N. B. '82, 104; N. C. '98, 275; N. H. '87, 103*, 106, '88, 153, '89, 42*; N. J. '89, 198; N. S. '91, 165; N. Y. '81, 227, '84, 213, '85, 272, '89, 138, '92, 307*, '96, 88, O. '95, 240°, 241; Pa. '91, 398, Que. '85, 315; S. C. '91, 170, '93, 155; Tenn. '96, 181; Tex. '82, 9; Wis. '83, 67, 70, '88, 326, 326.—mig. '82, 252, 253, '83, 67, 70, '85, 65, 272, '87,

269, '88, 326, 326, 433, '89, 138, '95, 241, '99, 275; plm. '76, 21 (alb.), '78, 58, '93, 155; song, '84, 213. castaneiceps (Mangrove Warbler, bryantı), L. Cal. '82, 257b, '85, 371. chrysoparıa (Golden-cheeked Warbler), Cal. '90, 215 (sp.?); g. dıst. '93, 135; Tex. '79, 60, 77-79, '82, 36, '84, 121, '87, 296, '89, 174, '92, 341.—fd. '87, 296, '92, 341; hbt. '79, 77, '92, 341; meas. '79, 78; nst. '79, 77; plm. '82, 36; song, '82, 36, '92, 341.

(a Myrtle or coronata Yellowrumped Warbler, bhooveri), Ala. '78, 173; Alaska, '87, 13; Arız. '82, 137, '88, 34; Bahamas, '91, 294, 295, 296, 297, 297, 298, 334, 338; Cal. '78, 65; Colo. '83, 158. '85, 15; Conn. '93, 305°; C. R. '90, 336, '91, 278; Fla. '88, 276, 430, '89, 279, '90, 19, 223, 313, 342, '91, 127a, 138, '92, 213; Ga. '82, 95a, '96, 214; g. dist. '93, 127, '95, 283a, '99, 343b; Gulf of Mex. '81, 251a; Hud. B. '90, 322; Ill. '88, 433; Ind. '89, 27; Jamaica, '93, 340; Ky. '89, 316; La. '82, 49a, '87, 306; Man. '86, 326; Mass. '78, 76, '79, 118, '86, 136a, 278, '87, 269, '88, 388a, 389, 391, '89, 42a, 43a, 103, '90, 229, '95, 89, '97, 326; Md. '80, 182; Me. '82, 109, 119, '85, 216, 307a, 381^a, '86, 136^a, '89, 280; Mich. '93, 227; Mo. '79, 142, '96, 220; Mont. '88, 16, '95, 218; N. B. '82, 109, '89, 118; N. C. '80, 134, '86, 98, 101 314; N. H. '84, 192, '87, 106. '88, 149^a, 150, 153, 154, '89, 77, 78, N. J. '79, 81, '89, 199, '92, 204; 78, N. J. '79, 81, '89, 199, '92, 204; N. S. '87, 15°, 16, '91, 166°; N. Y. '78, 53, '79, 32, 34, '81, 227, '83, 52°, '84, 176, 177, 213, O. '85, 98°, '95, 242; Pa. '89, 141, '92, 132°, 'P. E. I. '93, 5°, 13; Que. '82, 234, '89, 148; C. '79, 212, '86, 138°, '92, 33°, 5°, 126, 128°, 37ª; S. Dak. '85, 278; Tenn. '86, 37'; S. Dan. 85, 278; 1enn. 86, 296, 316; Tex. 82, 9, 36, '84, 121, '87, 296, '92, 303° ['Yellowrumps'], 340, 1900, 347; Va. '82, 48; Wash. '93, 17; W. I. '81, 151, '86, 34, '87, 180; Wis. '83, 66, 69, '88, 326.—fd. '79, 34, '85, 216, '89, 199, 279, '90, 279, 34, '85, 216, '89, 199, 279, '90, 279, '90, 279, 34, '85, 216, '89, 199, 279, '90, 279, '90, 279, 34, '85, 216, '89, 199, 279, '90, 279, 342; hbt. '97, 412"; meas. '82, 137, 342; hot. '91, 412'; meas. '82, 137, '99, 343'b, 344, 344b; mig. '80, 134, '81, 251", '82, 119, '83, 66, 69, '84, 176, 177, '87, 269, '88, 326, 433, '89, 27, 141, '92, 33", 37", '95, 242; nst. '89, 148; plm. '76, 21 (alb.), '78, 58, '79, 34 (mlt.), '82, 137, '87, 306 (mlt.), '91, 278, '99, 217 (col. pl.,

mlt.), 343^b, song, '84, 213, '97, 326, syn. '86, 34, '99, 212^b, misc. '77, 74, '85, 99^a.

decora, Mex '98, 159.

delicata, W. I. '84, 83, '86, 37.—

meas., plm., syn. '86, 37.

meus., pim., syn. 80, 37.
discolor (a Prairie Warbler), Ala.
'78, 173; Bahamas, '91, 68, 294, 295, 296, 297, 298, 298, 334, 335, 336, 336, 337, 338, 338, 339, '92, 48, 49, 1900, 293; Cuba, '92, 273; D. C. '88, 224, '92, 307; Fla. '85, 62, '87, 134, 221, '88, 276, '90, 21, 314, '91, 138, '92, 214, '95, 365; Ga. '96, 214, g. dist. '93, 133; Ind. '82, 16, 20; Jamaca, '93, 341; Mass. '90, 217, Mich. '79, 186, '93, 228; N. C. '86, 175; Neb. '85, 278; N. H. '84, 189a; N. J. '89, 198, '94, 134a, 140; N. Y. '84, 176, '89, 198, '94, 134a, 140; N. Y. '84, 176, '89, 198, '94, 134, '140; N. Y. '85, 278; Tenn. '86, 316; Va. '76, 25, '88, 405-408; W. I. '81, 151, '86, 39, '89, 31, 31, '90, 375, 375, '91, 47, 48, 48.—meas. '87, 135; mig. '84, 176, '85, 62, '91, 69, '92, 35a; nst. '84, 189a, '88, 22, 24, 405; plm. '78, 59, '87, 134; syn. '86, 39.

dominica (a Yellow-throated Warbler), Ala. '78, 173; Bahamas, '91, 295, 296, 298, 298, 335, 350, '92, 48, 49; Conn. '77, 108; C. R. '92, 21; Cuba, '92, 273; D. C. '96, 343; Fla. '81, 40, '88, 276, '90, 20, 313, '91, 127a, 132a, 138, '92, 213, '95, 365; Ga. '82, 99a, '83, 38, '96, 214; g. dist. '93, 133; Jamaica, '93, 340; Mass. '78, 146; N. C. '86, 100, 174, '89, 120, '90, 325-326; N. Y. '93, 277; S. C. '79, 212, '85, 72a, '86, 139, '87, 165, '90, 97, '92, 31a, 32a, 35a, '94, 31a; Va. '82, 253, '89, 195, 339; W. I. '81, 155, '86, 36, 501, '87, 7.—hbt. '77, 102; meas. '77, 105, '83, 38, '87, 165; mig. '92, 31a, 32a, 35a, '94, 31a; nst. '77, 102, '78, 43, '83, 38, '90, 323, '96, 343; plm. '82, 20, '87, 165, '90, 97; song, '77, 102; syn. '81, 175, '86, 36; misc. '76, 81, '84, 189a, dugesi, Mex. '87, 251.

eoa, W. I. '86, 32, '93, 340.—meas., plm., syn. '86, 32.

flaviceps, W. I. '94, 67. flavida, W. I. '87, 179*, 181. flavivertex, Bahamas, 1900, 292. goldmani, Guatemala, '97, 66*. graciæ (* Grace's Warbler), Aris. '81, 72, '85, 352, '86, 256*, '88, 34, '90, 50, 261; Cal. '86, 185, '87, 86;

Colo. '81, 142, '85, 15, g. dist. '93, 135; N. M. '85, 331, '98, 310.—hbt., song, '85, 352; meas, nst. '91, 315, mig. '85, 331.

gundlachi, W. I. '86, 30, 501, '91, 297, 298, 335, 336, 337, 338, 339, 350, 351, '92, 48.—meas., plm., syn. '86, 30.

hypochrysea (* Yellow Palm or Red-poll Warbler), Ala. '78, 173, Cuba, '92, 273; Fla. '88, 276, '90, 20, 223, 314, '91, 128*, 138, '92, 214, '95, 365; Ga. '96, 214; g. dist. '76, 84*, '80, 89, '93, 127; Jamaica, '93, 341; La. '80, 182, Mass. '79, 60 [= palmarum, see'79, 186], '90, 229; N. C. '87, 241, '93, 244; N. F. 1900, 72; N. Y. '88, 182; N. S. '91, 165, N. Y. '84, 213, '88, 182; O. '92, 397; Ont. '91, 396; P. E. I. '93, 13; Que. '85, 315; S. C. '85, 190, '91, 171, '94, 26*—meas. '76, 84, 86, 87; mig. '88, 182, '94, 26*; song, '84, 213; syn. '76, 85, '85, 367; misc. '95, 286*kirtlandi (* Kirtland's Warbler),

Bahamas, '79, 118, '86, 38, '91, 295, 297, 298, 337, 338, 1900, 292; D. C. '91, 52; Fla. '98, 331; g. dist. '93, 133, '98, 289-293 (col. pl.); Ill '94, 258, '95, 286, '99, 81, 359; Mich. '77, 75, '79, 185, '84, 389, '85, 376, '89, 279; Minn. '93, 86; Mo. '85, 382; N. J. '91, 105; O. '79, 58, '80, 233, '91, 102?, '98, 331 (corr.); S. C. '86, 412, '89, 74, '91, 171; Va. '88, 148.—hbt. '85, 382, '86, 412, '88, 148, '98, 289, '99, 359; meas. '79, 118, '80, 49; mig. '91, 52, '98, 289; plm. '79, 118, '80, 49, '84, 389, '98, 289; song, '86, 412, '99, 359; syn. '86, 38.

maculosa (* Magnolia or Black-and-Yellow Warbler), Bahamas, '92, 49; B. C. '93, 16; Colo. '85, 15; Fla. '90, 19, '92, 213; g. dsst. '93, 127, '95, 283*; Greenl. '91, 320; Ia. '95, 123; Ill. '88, 433*; Ind. '82, 17, 19, '89, 27; Man. '86, 326; Mass. '84, 14, 15, '87, 269, '88, 388*, 389, 391, '89, 43*, 103, 106, '90, 217, '95, 89; Me. '79, 106, '82, 109; Mich. '85, 65, 376, '93, 228; Mo. '79, 142; N. B. '82, 109, '83, 121, '89, 118; N. C. '86, 98, 101?, '89, 120; N. E. '77, 1-7; N. H. '88, 153, '89, 77, '94, 335; N. S. '87, 15*, 16, '91, 166*; N. Y. '78, 53, '81, 227, '82, 154, '83, 52*, 53*, '84, 176, 213, '96, 179; O. '95, 241; Pa. '91, 116, 398, '92, 133*, 134, 139, '93, 36*, 37, 40, 42*, 43, 45, '95, 190,

'96, 284, 292, 295, P. E. I. '93, 5*, 13, Quc. '82, 234, '89, 148; S. C. '79, 212, '91, 170; S. D. '85, 278, Tex. '82, 9, '92, 340, 1900, 347; Wash. '93, 16, W. I. '86, 34; Wis. '82, 185, '83, 66, 70, '88, 326, 326; W. Va. '98, 136.—anat. '94, 142, 144 (fig.); hbt. '77, 1-7, mig. '83, 66, 70, '84, 176, '85, 65, '87, 269, '88, 326, 326, 433, '95, 123, 241; nst. '77, 1, '83, 121, '88, 391, '91, 116, '96, 295, plm. '78, 59; song, '84, 213, '93, 228; syn. '86, 34.

montana, Cal. '77, 91?; misc. '81, 167.

nigrescens (a Black-throated Gray Warbler), Ariz. '82, 138, '85, 197, 352, '88, 34, '90, 48; Cal. '86, 185, '87, 86, '89, 223, '98, 197, '99, 156; Colo. '85, 15, '88, 104; g. dist. '93, 135; N. M. '92, 367, Ore, '86, 170, '88, 361?; Wash. 92, 46, 357, '97, 182.—hbt. '86, 170; nst. '88, 104, '99, 157a; plm. '85, 197, 352, '88, 34. nigrifrons, Mex. '89, 94*, '92, 1 (col. pl.), 207.—meas. '89, 95, 96.

occidentalis (Hermit Warbler), Arız. '88, 35; Cal. '78, 65, '83, 188, '86, 185, '87, 86, 166, '99, 156-161; g. dıst. '93, 135; L. Cal. '95, 142; Ore. '88, 361; Wash. '87, 167?, '92, 46, '97, 179.—hbt. '88, 361, '99, 156; meas. '87, 166, '99, 159; mig. '83, 188; nst. '87, 166, '99, 156; plm. '78, 65, '87, 166, '88, 361; song, '88, 361, '99, 156.

olivacea (Olive Warbler, b Peucedramus), Ariz. '80, 89, '82, 135b, '85, 172b, 349b, 352b, '88, 34, '90, 49, 261, '95, 17, 19; Mex. '95, 258...hbt. '82, 135b, '85, 172b; meas. '82, 136b, '95, 18, 19; nst. '95, 17: plm. '82, 135b; song, '85, 172, '95, 17.

palmarum (a Palm Warbler), Ala.

'78, 173; Bahamas, '91, 68, 294, 295, 296, 297, 334, 335, 336, 336, 337, 338, 338, 339, 351, '92, 49, 1900, 292; Conn. '94, 181; Cuba, '92, 273; Fla. '88, 276, '90, 20, 223, 314, '91, 128a, 138, '92, 214, '95, 365; Ga. '96, 214; g. dist. '76, 84, '93, 127; Hud. B. '90, 322; Ia. '95, 122, 236, Ill. '88, 433; Ind. '82, 17, '89, 28; Jamaica, '93, 341; Man. '86, 326; Mass. '79, 60 [not 'hypochrysea,' see '79, 1861, '82, 54, '89, 183, '90, 229; Ind. '94, 338; Mich. '93, 228; N. H. '85, 104, 338; Mich. '93, 28; N. H. '85, 104, 37, '82, 249, '88, 170, 182 [= hypochrysea], 324, '90, 232, '96, 343, '99, chrysea], 324, '90, 232, '96, 343, '99,

195; O. '95, 241; S. C. '79, 212, '85, 190, '91, 51, 171, '92, 29a, 36a, '94, 26a, Tenn. '96, 182; Va. '94, 333, W. I. '81, 151, '86, 39, '87, 180, '89, 31, 31, '91, 386 ['ignota']; Wis. '83, 31, 31, '91, 386 L'ignota']; Wis. '83, 66, 71, '88, 326, 326.—hbt. '88, 276; meas. '76, 83, 84, 87; mig. '83, 66, 71, '88, 182, 326, 326, 433, '91, 51, 69, '92, 29a, 36a, '94, 26a, 27a, 38a, '95, 122, 128a, 236, 241, '99, 275; plm. '76, 83, 84, '88, 276 (mlt.); syn. '76, 81, '85, 367, '86, 39; misc. '95, 2852.

pensylvanica (* Chestnut-sided Warbler), Bahamas, '86, 35; Conn. '89, 41°; C. R. '90, 336, '91, 278, Fla. '93, 338, '93, 133; Greenl. '91, 320; Gf. of Mex. '81, 251a; Ia. '95, 123, 235; Ill. '88, 433; Ind. '82, 17, '89, 27; Kan. '98, 59; Ky. '89, 316; La. '87, 306; Man. '86, 326, '87, 353"; Mass. '84, 6*, '88, 389, '89, 41*, 46, 103, '90, 217; Me. '82, 109; Mich. '93, 228; Mo. '79, 142, '92, 396; N. B. '82, 104, 109; N. C. '86, 174, '89, 120; N. H. '88, 150, 153, 154, '89, 77, 78; N. Y. '79, 32, '81, 227, '84, 213; O. '95, 240°, 241; *Pa.* '91, 398, '92, 133°, 139, '93, 37, 41, 42°, 43, 45, '94, 182, '96, 280°, 284, 291°, 292, 296; S. C. '79, 212, '90, 127, '91, 170, 331, '92, 35a, 36a, '94, 26a; Tenn. '87, 128, 132, Tex. '82, 9, Va. '86, 160, '89, 50; Wis. '82, 185, '83, 66, 70, '88, 326; W. Va. '98, 136; Wyo. '89, 341.—hbt. '86, 174, '90, 404*; mig. '81, 251*, '83, 66, 70, '88, 326, 326. 433, '92, 35*, 36*, '94, 26*, '95, 123, 128*, 235; nst. '83, 70, '92, 396, '96, 284; plm. '78, 59, 71; song, '84, 213; syn. '86, 35; misc. '86, 477, '87, 353*.

'93, 340.—meas., plm., syn. '86, 35.

pityophila, W. I., meas., plm., syn. '86, 38.

plumbea, W. I. '79, 48, '86, 40,

'91, 49.—meas., plm., syn. '86, 40.
rara (a Cerulean Warbler, b cærulea), Colo. '85, 15b; Conn. '77, 21b, '88, 431; C. R. '91, 272b, '92, 21b; Cuba, '86, 35b; D. C. '80, 112b, '88, 323b; Fla. '90, 19b, 313b, '92, 213b; g. dist. '93, 133b; Ill. '78, 163b; Ind. '82, 17^b, 19^b, '89, 27; La. '87, 306^b, '88, 325^b; Labrador, '85, 369^b; Md. '93,

372b; Mich. 1900, 391b, Mo. '79. 142b, '95, 117a, 350a; N. C. '93, 244b, N. E. '77, 14b, 48b; Neb. '85, 278b; N. J. '97, 326; N. Y. '78, 35^b, 46^b, '79, 175^b, '82, 119^a, '83, 238^a, '88, 430, '93, 277^b, '94, 163^b, 1900, 178^b; O. '95, 241^b, Ont. 1900, 358–362; Ore. '77, 91^b?; Pa. '91, 238^b, 398^b, '85, '86 '93, 37^a, 38^b, 41^b, '99, 313^b; R. I. '79, 185^b; S. C. '91, 170^b, '92, 35^a, S. D. '85, 278^b?; Tenn. '87, 128^b, 132^b; Tex. '87, 296°, Va. '90, 291°, '96, 179°; W. I. '86, 501°—meas. '79, 25°, '88, 431°, 432°, 1900, 360°, 361°, 362^a; mig. '91, 52°, '92, 35^a, '95, 241^b, nst. '79, 25^b, '83, 238^a, '88, 430^b, '91, 238^b, 1900, 358^b, plm. '88, 430b; song, '91, 238b; syn. '86, 35b, '97, 97, 131.

rubiginosa (Alaskan Yellow Warbler, b æstiva), Alaska, '80, 35b, '81, 3^a, '87, 13^b, '98, 129, g dist. '97, 76*, 123.—meas. '97, 77, 79; syn. '97, 123. ruficapilla (b melanoptera), W. I. '86, 31, 31b, '90, 374, 375, '91, 47, 48, 48, 49b.—meas, plm., syn. '86, 31, 31b.

rufigula, W. I. '79, 229, '86, 32, '87, 95.—meas., plm., syn. '86, 32. rufivertex, Yucatan, '85, 295.

rufopileata, W. I. '85, 291.

sonorana (a Sonora Yellow Warbler, b morcomi), Ariz. '88, 34b, '90, 48, '94, 218, 221a; g. dist. '88, 137*, 400.—meas. '88, 138; plm. '88, 34b. (a Black-poll Warbler), striata Alaska, '81, 3ª, 4ª, '87, 13; Bahamas, '91, 68, 298, 335, 351, 352, '92, 49; Colom. 1900, 366; Colo. '80, 227, '83, 158, '85, 15; D. C. '94, 79; Fla. '85, 61, '88, 276, '90, 19, 313, '92, 213, '93, 338, '95, 365; Ga. '82, 95^a, '96, 214; g. dist. '93, 127, '95, 283^a; Hud. B. '90, 322; Ia. '95, 124; Ind. '89, 27; Jamaica, '93, 340; Man. '86, 326; Mass. '78, 138, '90, 217; Me. '98, 61; Mich. '93, 228; Mo. '79, 142; Mont. '95, 218; N. C. '89, 120; N. F. 1900, '92, 307°; O. '95, 240°; Ont. '87, 248°, 1900, 391, 392; Ore. '77, 91?; Pa. '88, 432; Que. '82, 234, 253, '89, 149; S. C. '79, 212, '92, 37", 38"; S. D. '85, 278; Tex. '82, 9; Vt. '82, 114. '96, 345; W. I. '80, 166, '86, 35; Wis. '83, 67, 70, '88, 326.—anat. '85, 27; meas. '82, 254; mig. '83, 67, 70,

'84, 176, 177, 178, 179, '85, 61, '88, 182, 326, '92, 37^a, 38^a, '94, 109^a, '95, 124, '99, 275; nst. '82, 253, '89, 149; plm. '83, 126 (alb.), '87, 106 (mlt.), '88, 182 (alb.), 432 (alb.); song, '82, 156, '84, 213; syn. '78, 105, '86, 35; misc. '81, 225, '90, 19, '91, 108^a

tigrina (*Cape May Warbler, b Perissoglossa), Bahamas, '91, 68, 294, 295, 296, 297, 334, 335, 338, 38, '92, 49, 1900, 292; D. C. '82, 186, '84, 398; Fla. '87, 221*, '88, 187, 275, '90, 18, 313, '92, 213, '93, 338; Ga. '96, 207, 214; Ia. '88, 211, '95, 124, 235; g. dist. '93, 127, Ind. '82, 17b, 19b, '89, 27; Jamaica, '93, 340; Man. '86, 326; Mass '81, 242*, '82, 252, 253; Me. '82, 110; Mich. '93, 227; N. B. '85, 33; N. E. '76, 3b, 92b, '77, 16b; Neb. '85, 32b; N. J. '89, 198; N. Y. '84, 59, 213, '93, 303*, '96, 87; Ont. 1900, 391; Pa. '91, 398, '99, 313; S. C. '79, 212, '91, 170, '92, 37*, '96, 84, Tenn. '96, 28; W. J. '81, 151, '86, 28, '91, 48; Wis. '83, 66, 67, 70.—anat. '94, 141, 144 (fig.), '95, 187*; hbt. '85, 33; mass. '85, 36; mig. '82, 186, 252, 253, '83, 66, 67, 70, '90, 18, '91, 69, '92, 37*, '95, 124, 235; nst. '81, 242*, '85, 33; plm. '78, 60b, '81, 225b, '83, 70; song. '84, 213; syn '86, 28.

townsendi (a Townsend's Warbler), Alas. '98, 129; Ariz. '82, 138, '88, 35; Cal. '79, 117, '83, 188, '98, 197; Colo. '83, 158, '85, 15, '94, 269; g. dist. '93, 127; Ida. '98, 19; L. Cal. '95, 142; N. M. '85, 331, '92, 367; Ore. '86, 170, '88, 361; Tex. '87, 183a, 296.—hbt. '79, 117, '98, 19; meas., plm. '82, 138; mig. '85, 331; song, '98, 19.

vigorsii (a Pine or Pine-creeping

vieilloti, syn. '77, 63.

Warbler, b pinus), Ala. '78, 173b; Bahamas. '91, 68, 334, 335, 350, 350, 352; D. C. '88, 24; Fla. '88, 276, '90, 20, '91, 128a, 138, '92, 213, '95, 365; Ga. '77, 103b, '82, 95a, '83, 38b, '96, 214; g. dist. '93, 133; Ind. '82. 17b, 20b, '89, 28; La. '82, 161b, '87, 301a; Man. '86, 326; Mass. '82, 119b, '83, 120b, 233b, '84, 14b, '90, 217, '95, 89, '97, 229; Me. '79, 107b; Mich. '93, 228; Minn. '80, 13b; Miss. '99, 269; N. C. '91, 199; Neb. '85, 278b; N. H. '89, 77; N. J. '89, 198, '94, 140; N. L. '88, 77; N. J. '89, 198, '94, 140; N. L. '82, 128b, '84, 178b, '89, 198, '90, 232; O. '98, 331; Pa '92, 139, '95, 190a; S. C. '79, 212b, '90, 128, '91,

332, '92, 28a, 29a, 30a, '99, 198; S. D '85, 278b?; Tenn. '86, 316, '87, 128, 132; Tex. '82, 95, '92, 341; W. I. '86, 39; Wis. '83, 66b, 71b, '88, 326, 326. -fd. '91, 199, hbt. '94, 134°; meas. '83, 71^b, 1900, 292; mig. '83, 66^b, 71^b, '88, 326, 326, '92, 28^a, 29^a, 30^a, '94, 14, 15, '99, 198; nst. '83, 38^b, '91, 199; plm. '83, 71b, 1900, 292; song. '78, 173b; syn. '85, 343, '86, 39. (a Black-throated virens '89, 27, Jamaica, '93, 341; Ky. '89, 316; Mass '84, 9a, '88, 389, 391, '89, 46, 103, '90, 217, '99, 196a; Me. '79, 106, '82, 109, '89, 74; Much. '93, 228; Mo. '79, 141; N. B. '89, 118; N. C. '86, 98, 100 174, '89, 120, N. H. '87, 102a, 106, '88, 150, 153, 154, '89, 77, 78, N. S. '87, 15a, 16; N. Y. '81, 227, '84, 178, 213, '95, 179a: O '95, 240°; Pa. '91, 398, '92, 132, 133, 139, '93, 37, 41, 42a, 43, 45, '96, 284, 292, 296; P. E. I. '93, 5*, 13; Que. '82, 234, '89. 149; S. C. '79, 212, '90, 22, 23+, 69, 149; 3. C. 73, 212, 90, 128, '91, 171, 331, '92, 31s, 36s, 37s, 38s; Tenn. '82, 192, '86, 316, '87, 132, Tex. '82, 9, 37, '87, 296, '92, 341, 1900, 347; Va. '89, 51; W. I. '79, 230, '86, 37; Wis. '83, 66, 69, '88, 326; W. Va. '98, 136.—hbt. '88, 391, '93, 41; mig. '83, 66, 69, '84, 178, '88, 326, 433, '92, 31ª, 36ª. 37°, 38°, '95, 123, 235, '99, 196°; nst. '89, 74, '95, 184°, '96, 284; plm. '78, 57, '86, 412; song, '84, 213, '85, 98°; syn, '86, 37; misc. '80, 112°, '86, 477, '87, 165.

vitellina, W. I. '86, 497*, 501, '88, 157, '89, 31, 31.

Dendromus arizelus, Liberia, 1900, 186.

Dendrophila corallipes, Borneo, '90,

Dendroplex longirostris, Venez. '96, 333.

picus, Braz. '91, 27.

Dendrornis, '90, 160-189, 207.

chunchotambo, Peru, meas. '90, 176, plm. '90, 167, 176; syn. '90, 164, 176.

d'orbignyanus, g. dist. '90, 182. meas. '90, 183; plm. '90, 168, 183; syn. '90, 164, 182.

elegans, g. dist., meas. '90, 177;

plm. '90, 167, 177; syn. '90, 165, 177. erythropygia, g. dist. '90, 187 .meas. '90, 188; plm. '90, 168, 188, syn. '90, 165, 187.

eytoni, Bras. '91, 27; g. dist. '90, 182.—meas. '90, 182; plm. '90, 168,

182; syn. '90, 165, 182.

flavigaster, g. dist. '90, 178; Mex. 1900, 265.—meas. '90, 179, 180; plm. '90, 167, 179; syn. '90, 164, 178.

fraterculus, Braz. '89, 172.-syn **'90**, 165, 171.

guttata, Bras. '90, 185.—meas. '90, 185; plm. '90, 168, 185; syn. '90, 164, 185.

guttatoides, g. dist., meas. **9**0. 186; plm. '90, 168, 186; syn. '90, 164, 186.

kieneri, Braz. '90, 169.-plm. '90,

167, 169; syn. '90, 165.

lacrymosa, g. dist., meas. '90, 181; plm. '90, 167, 181; syn. '90, 165, 181. megarhynchus, Mex. 1900, 265*. mentalis, Mex. 1900, 265.—hbt. **'92**, 288.

multiguttata, Braz. '91, 27; g. dist. '90, 175.—meas. '90, 175, '91, 27, plm '90, 167, 175; syn. '90, 164, 175.

nana (blawrencei, costaricensis), C. R. '89, 171°, '92, 173; g. dist. '90, 174; Panama, '89, 171°,—meas. '90, 174; plm. '90, 167, 174; syn. '90, 165, 174, '92, 173

obsoletus (b Dendrocolaptes), Bras., plm. '90, 189; syn. '90, 164b, 189.

ocellata (b Dendrocolaptes), Bras., meas. '90, 170; plm. '90, 167, 170; svn. '90, 164b, 170.

palliata, Peru, meas. '90, 178; plm. '90, 167, 178; syn. '90, 165, 178.

pardalotus, g. dist., meas. '90, 173; plm. '90, 167, 173; syn. '90, 164, 173. polysticta, Brit. Guiana, meas. '90, 182; plm. '90, 167, 182, syn. '90, 165,

punctigula, g. dist. '90, 188.—plm. '90, 168, 188; syn. '90, 165, 188.

rostripallens, g. dist., meas. '90, 184, plm. '90, 168, 184; syn. '90, 165, 184.

spixi (b Dendrocolaptes tenuirostris), Braz., meas. '90. 178; plm. '90, 167, 178; syn. '90, 164b, 177.

striatigularis, Mex. 1900, 305. susurrans (b Dendrocolaptes), Bras. '91, 27; g. dist. '90, 171; Venes. '97, 365, W. I. '93, 220.—meas. '90, 172; plm. '90, 167, 171; syn. '90, 164b, 165, 171, '91, 27.

triangularis, g. dist., meas. '90, 187, plm. '90, 168, 187, syn. '90, 164, 187

weddelli, dist.? '90, 169.-plm. '90, 167, 168, syn. '90, 165, 168.

Dendrortyx dilutus, 1900, 254*, see macrourus.

grisespectus, '97, 44*, see macrourus.

macrourus (b dilutus, c grisespectus, doaxacæ, estriatus), Mex. '97, 43d*, 44c*, 44e*, 1900, 254b*.

oaxacæ, '97, 43*, see macrourus. striatus, '97, 44%, see macrourus. denigratus (Myiarchus), see Myiarchus. Denison University, Bull. of Scientific Laboratories, titles (Nos. 2245-

2246), '92, 190.

Denmark.

Dalgleish, J. J., '80, 72, 215, '81, 64. densirostris (Cichlherminia), see Cichlherminia.

--- (Margarops), see Margarops.

- (Turdus), see Cichlherminia. - (Turdus), see Margarops.

Dentinostres, '81, 35.

dentirostris (Scenopæetes), see Scenopœetes.

depressirostris (Contopus), see Blacicus andinus.

derbianus (Oreophasis), see Oreophasis. - (Pitangus), see Pitangus. derbyanus (Nyctidromus), see Nyctidromus.

- (Pitangus) see Pitangus. deserti (Saxicola), see Saxicola. deserticola (Amphispiza), see Amphi-

spiza. -(Callipepla), see Lophortyx gam-

deserticolus (Falco), see Falco.

desmaresti (Calliste), see Calliste. Desmognathina, '81, 30.

despotes

(Muscicapa), see Tyrannus melancholicus.

Destruction of birds.

Allen, J. A., '76, 53-60, '80, 131.

Brown, H., 1900, 31. Henshaw, H. W., '81, 189.

Mackay, G. H., '91, 340.

Scott, W. E. D., '87, 135, 213, 273. devius (Dactylortyx), see Dactylortyx. D'Hamonville, Jean Charles Louis

Tardif.

Catalogue des oiseaux d'Europe (rev.), '77, 106.

Diablotin, see Puffinus auduboni. diabolica (Procellaria), see Æstrelata hasitata.

diadema (Asturina), see Buteo brachy-

diademata (Cyanocitta), see C. macrolopha.

diadematus (Cyanogarrulus), see Cyanocitta macrolopha.

diardi (Harpactes), see Harpactes.

--- (Pyrotrogon), see Harpactes.

- (Trogon), see Harpactes. diazi (Anas), see Anas.

Dicæidæ, '81, 34, '85, 365. Dicæum, '94, 236.

trigonostigma, Borneo, syn. '90, 354; misc. '95, 174.

Dichromanassa, see Ardea.

Dichrozona, '89, 172.

zonata, Bras. '89, 172, '91, 29. Dickerssel, see Spiza americana.

Dicruridæ, '81, 34, 35. Dicrurus, '94, 234.

atactus, Liberia, 1900, 187.

Didunculidæ, '81, 80, '94, 61. Didunculus, '81, 80, '99, 319.

Didus, '94, 60.

ineptus (a Dodo), misc. '80, 236, '86, 144a, '99, 319a.

Die-dapper or Die-dipper, see Podilymbus podiceps.

difficilis (Empidonax), see Empidonax. Diglossa nocticolor, Colom. '99, 91. sittoides, syn. '90, 381.

dilophus (Graculus), see Phalacrocorax. - (Phalacrocorax) Phalacrosee corax.

dilutus (Atlapetes), see Atlapetes.

- (Dendrortyx), see D. macrourus. dimidiatus (Aulacorhamphus), see Aulacorhamphus),

Dinornis elephantopus, misc. '96, 62. giganteus, anat. '92, 84.

Dinornithes (a Moas), '83, 173a, '85, 209ª, '96, 61ª.

diodon (Harpagus), see Harpagus. Diomedea albatrus (Short-tailed Albatross, b brachyurus), Alas. '85, 158, 175^b; Cal. '86, 89, '95, 105, '98, 267. —anat. '85, 175-178^b, '89, 333; hbt. '95, 105; plm. '85, 175b; syn. '84, 385; '91, 99.

chionoptera, syn. '96, 161.

exulans, Fla. '85, 387?; Ore. '95, 178?; S. Atlantic Ocean, '87, 1; S. Pacific Ocean, '87, 3, '95, 291.-fd. '87, 3; nst. '94, 282; misc. '80, 88, '84, 384, '88, 394.

immutabilis (Laysan Albatross), Mex. '98, 38; g. dist., syn. '99, 99.

melanophrys, Cal. '82, 258; Cape Horn, '87, 3; Faroë Is. '95, 288.—

hbt. '87, 3; misc. '84, 384, '88, 394. nigripes (Black-footed Albatross. b chinensis), Cal. '95, 105 ['nigriceps']; H. I. 1900, 202b, Revill. Is. '98, 317.—hbt. '95, 105, 1900, 202b, 403b.

Diomedeidæ, '97, 315.

Dionne, Charles Eusebe.

Catalogue des oiseaux de Québec (rev.), '90, 387.

Abundance of Murres in environs of Quebec, '94, 175.

A Black Vulture near Quebec, Canada, '98, 53.

Diplopterus, '97, 90.

nævius (b galeritus), Argent. '84, 27b; C. R. '92, 326; Venez. '97, 366. hbt., plm., song, '84, 27. Diplopteryx, '88, 292.

Dipper, see Cinclus mexicanus or Charitonetta albeola.

American, see Cinclus mexicanus. European, see Cinclus merula.

discolor (Dendroica), see Dendroica. —— (Dendrocygna), see Dendrocygna.

— (Haliplana), see Sterna anætheta. — (Molothrus), see M. cabanisi or venezuelensis.

-- (Passerina), see Molothrus bonariensis.

- (Rhimamphus), see Dendroica.

— (Sylvia), see Dendroica.

- (Sylvicola), see Dendroica. discors (Anas), see Querquedula.

— (Cyanopterus), see Querquedula. — (Pterocyanea), see Querquedula.

— (Querquedula), see Querquedula. dispar (Hesperornis), see Hesperornis. (Ichthyornis), see Ichthyornis.

Dissemurus brachyphonus, Borneo, hbt., syn. '90, 351.

Distribution.

Abbot, J. (Faxon), '96, 204. Agersborg, G S., '85, 276. Allen, F. H., '91, 164. Allen, J. A., '80, 85, 163, 1900, 363.

Allen, J. A., and Brewster, W., '83, 151-161, 189-198.

Allison, A., '99, 266.

Anthony, A. W., '86, 161, '92, 357, '95, 134, '98, 38, 311.

Attwater, H. P., '92, 229, 337. Bagg, E., '94, 162. Baily, W. L., '96, 289.

Bangs, O., '99, 135, 1900, 283.

Barrows, W. B., '83, 82-94, 129-143, 198-212, '84, 20, 109, 270, 313. Batchelder, C. F., '82, 106-111, 147,

'85, 121, 233, '86, 307.

Goss, N. S, '86, 112, '87, 7, '88, 240,

Beckham, C. W., '82, 159, '85, 139, '87, 120, 299. Berier, de L., '81, 11. Beyer, G. E., 1900, 97. Bicknell, E. P., '78, 128. Bishop, L. B., 78, 144. Blake, E. W., Jr., '87, 328. Brewer, T., '76, 89-93, '77, 44, '78, Brewster, W., '76, 17-20, '81, 65, '82, 65–86, 135–147, 193–212, 225, '83, 21–36, '84, 5, '85, 84, 196, '86, 94, 173, '88, 386, '93, 236, '98, 211. Brewster, W., and Chapman, F. M., '91, 125. Brimley, C. S, '93, 241. Brittain, J., and Cox, P., Jr., '89, 116. Brooks, A., 1900, 104. Brown, N. C., '78, 168-174, '79, 7, 106, '82, 33, '84, 120. Browne, F. C., '87, 97. Butler, A. W., '97, 197. Carroll, J. J., 1900, 337. Chadbourne, A. P., '87, 100. Chamberlain, M., '82, 104, '83, 6, '89, 211, 291. Chapman, F. M., '88, 267, 393, '89, 302, '90, 39, '98, 289. Cherrie, G. K., '90, 331, '91, 271, '92, 21, 247, 322. Clarke, W. E., '90, 319. Coale, H. K., '94, 215. Collins, J. W., '84, 236. Cooke, W. W., '85, 31. Cooper, J. G., '77, 88, '87, 85. Cory, C. B., '81, 151, '86, 1, 187, 337, 454, 501, '87, 37, 95, 108, 180, 223, 311, '88, 48, 155, '89, 30, '90, 373, '91, 46, 47, 292, 296, 350, 351, 352, '92, 48, 228, 271, '93, 220. Coues, G. H., '79, 31. Cox, P., Jr., '87, 205. Cox, U. O., '95, 356. Dalgleish, J. J., '80, 65-74, 141-150, 210-221. Dawson, W. L., '97, 168: Drew, F. M., '81, 85-91, 138. Dutcher, B. H., '89, 124. Dutcher, W., '84, 31, '85, 36, '86, 432, '88, 169, '89, 131, '93, 265, 267 Dwight, J., Jr., '87, 13, '92, 129, '93, 1. Dyche, L. L., '86, 258. Elliot, D. G., '90, 346, '91, 7. Evermann, B. W., '86, 86, 179, '88. 344, '89, 22. Faxon, W., '89, 39, 99, '96, 204 (Abbott). Faxon, W., and Allen, J. A., '88, 149. Field, G. W., '94, 117. Fox, W. H., '86, 315.

'89, 122. Grinnell, J., '98, 122, 233. Hay, O. P., '82, 89. Hasbrouck, E. M, '89, 236. Henshaw, H. W., '85, 231, 326, '86, 73, **1900**, 200 Jeffries, W. A., '89, 218. Jeffries, W. A., and Jeffries, J. A., '89, 119. Job, H. K., '96, 197. Knight, O. W., '97, 371. Kobbé, W. H., 1900, 349. Langdon, F. W., '87, 125. Lawrence, N. T., '84, 240, '87, 36. Lawrence, N. T., '85, 272. Lawrence, R. H., '92, 39, 352. Lloyd, W., '87, 181, 289. Loomis, L. M., '79, 209, '85, 188, '90, 30, 124, '91, 49, 167, 323, '94, 265. Lowe, W. P., '94, 266. Mackay, G. H., '94, 18, 223, '98, 210. McIlhenny, E. A., '97, 285. McIlwraith, T., '83, 143. McKinlay, J., '85, 39. Mearns, E. A., '78, 45, '79, 33, 161-166, 194, '90, 45, 55, 251. Merriam, C. H., '78, 52-56, 123-128, '79, 1-7, '81, 225-235, '82, 228, 233, '83, 213, '84, 58.

Merriam, F. A., '96, 115. Merrill, J. C., '76, 88, '88, 139, 251, 357, '97, 347, '98, 14. Miller, G. S., Jr., '98, 75. Minot, H. D., '80, 223. Mitchell, W. I., '98, 306. Morrell, C. H., '99, 250. Murdoch, J., '85, 200. Nelson, E. W., '76, 39-44, '85, 239, '98, 155. Nehrling, H., '82, 6-13, 166-175, 222. Northrop, J. I., '91, 64. Palmer, W., '97, 297. Pearson, J. G., '99, 246. Phelps, W. H., '97, 357. Pindar, L. O., '89, 310. Poling, O. C., '90, 238. Prentiss, D. W., '96, 237. Purdie, H. A., '77, 11-17, 20. Ragsdale, G. H., '89, 224. Ralph, W. L., and Bagg, E., '90, 229. Rhoads, S. N., '93, 16, '99, 308. Richmond, C. W., '88, 18, '97, 345. Richmond, C. W., and Knowlton, F. H., '94, 298. Ridgway, R., '77, 58, '78, 64-68, 162, '80, 30, '81, 207, '82, 15, '91, 333, Riker, C. B., and Chapman, F. M., '90, 131, 265, '91, 24, 158.

143

Rives, W. C., '86, 156, '89, 50, '98, 131. Roberts, T. S., '79, 152. Roberts, T. S., and Benner F, '80, 11. Scott, W. E. D., '79, 90, 139, 222, 369, '93, 177, 339. Scott, W. L, '84, 156. Sennett, G. B., '87, 240. Shick, C. S., '90, 326. Smith, H. M., and Palmer, W., '88, 147. Snyder, J. O., 1900, 242. Steere, J. B., '94, 231. Stephens, F., '84, 353, '85, 225. Stone, W., '94, 133 Thompson, E. S., '85, 21, 267, 334, '86, 145, 320, 453, '93, 49.
Thorne, P. M., '95, 211.
Todd, W. E. C., '93, 35. Townsend, C. H., '87, 11. Turner, L. M., '85, 154. Wayne, A. T., '87, 287, '93, 336, '95, 362. White, S. E., '93, 221. Williams, R. S., '88, 14. Young, R. T., '96, 278. Zerega, L. A., '80, 205. District of Columbia. Allen, J. A., '84, 386, '99, 87-88. Bartsch, P., '97, 312-313, 326. Brown, E. J., '94, 73, 79. Coues, E., '82, 186, '84, 386. Coues, E. B., '88, 405. Elliott, H. W., '89, 72. Fisher, A. K., '90, 96, 400. Hasbrouck, E. M., '88, 323-324, '90, 291, '91, 313, '93, 91-92. Henshaw, H. W., '86, 487, '87, 347. Jouy, P. L., '80, 112. Langille, J. H., '90, 83. Lucas, F. A., '92, 395 Matthews, R. S, '94, 325. Maynard, L. W., '99, 87-88. McCormick, L. M., '84, 396-398. Merriam, C. H., '87, 339. Palmer, W., '85, 304, '88, 147-148, '89, 71, 74, '94, 325, 333, '96, 343. '97, 297-299. Richmond, C. W., 189, 339, '91, 112. Ridgway, R., '78, 43, '79, 238, '82, 253, **'92**, 307-308. Roberts, W. F., '80, 112. Shoemaker, G., '81, 113-114.

Shufeldt, R. W., '90, 91, '92, 69, '93, 77-78, 88, 303-304. Smith, H. M., '85, 379-380, '86, 139-140, 482, '88, 147-148. Todd, W. E. C., '93, 206. Webster, F. S., '87, 161. districta (Metallura), see Metallura. Diver, Black-throated, see Gavia arctica. Great Northern, see Gavia imber. Pacific Black-throated, see Gavia pacifica. Red-throated, see Gavia lumme. Dixon, Charles. The migration of birds, '93, 70-73; 2d ed. (rev.), '98, 67-70. Diuca minor, Urug., hbt., mig., song, **'83**, 131. Doan, William D. Birds of West Virginia (rev.), '90, Doctor-bird, see Aithurus polytmus or Lampornis mango. Dodo, see Didus ineptus. dohertyi (Mezotreron), see Mezotreron. dolei (Chasiempis), see Chasiempis sclateri). Doleromya fallax, Venes. '97, 359, 366. -plm. '95, 370. pallida (* Buff-breasted Hummingbird), Venez. '95, 369*, '96, 333.-fd. '96, 332ª. doliatus (Thamnophilus), see Thamnophilus. Dolichonyx, '86, 220, '88, 413, 414, 441, '93, 111, 130, '96, 241, '97, 341. oryzivorus (a Bobolink, Reedbird, or Ricebird, balbinucha), Ala. '84, 286a; Bahamas, '91, 351, 352, 352, '92, 48; B. C. 1900, 106b, Colo. '83, 192, '85, 16; Colom. 1900, 365; Del. '92, 286; Fla. '85, 62, '87, 139, '88, 272, '89, 319, '90, 311, '92, 213, '93, 338, '95, 365; Ga. '82, 99a, '96, 213; g. dist. '90, 39-45, '93, 133; Helg. '80, 72, '91, 300, '95, 335, Ia. '95, 235; Ida. '98, 14; Ill. '87, 333; Ind. '89, 23, '85, 98a; Jamaica, '93, 178; Man. '86, 321b; Mass. '81, 117, '84, 8a, '87, 339a, '88, 389, '89, 44, 100; Me. '82, 148; Minn. '79, 153a, '80, 15, '84, 245; Mo. '79, 145; Mont. '94, 305; N. B. Mo. 79, 145; Mont. '94, 305; N. B. '85, 266a, '87, 238; N. H. '88, 150, 151, 154, '89, 77, 78; N. S. '85, 266a, '87, 15a, 16; N. Y. '79, 32, '80, 137a, '81, 230, '82, 188, '84, 176, '85, 152, '87, 340a, '93, 303a; O. '95, 242; Pa. '96, 294, '99, 312; P. E. I. '85, 266a; Que. '83, 244; S. C. '79, 215, '80, 135a, '85, 189, '92, 33a, 35a, 72, '94, 27a, 179a, 255a; S. D. '85, 282; Vt.

```
'83, 237a; Wis '82, 188, '99, 141a, W.
                                                              - (Falco), see Falco.
    I. '86, 220, '89, 31.—anat, '87, 333
                                                              - (Hirundo), see Progne.
    (fig.), fd. '85, 189, '86, 476a, '87, 59a,
                                                                - (Icterus), see I. dominicensis, hy-
    341°, 360, '88, 272,'94, 179°, '97, 421°, hbt. '80, 180, '85, 282, '94, 305, mig.
   hbt. '80, 180, '85, 282, '94, 305, m1g.
'80, 135<sup>a</sup>, 137<sup>a</sup>, '84, 176, '85, 62, 189,
'87, 139<sup>a</sup>, '88, 272, '89, 319, '90, 39-
45, '92, 33<sup>a</sup>, 35<sup>a</sup>, 72, '94, 27<sup>a</sup>, 29<sup>a</sup>,
32<sup>a</sup>, 70<sup>a</sup>, 102<sup>a</sup>, 179<sup>a</sup>, 255<sup>a</sup>, '95, 235,
242, '96, 158<sup>a</sup>, '99, 141<sup>a</sup>, nst. '80,
15, '81, 117; plm. '76, 22 (alb.), '79,
42, '86, 321<sup>b</sup>, '90, 120-124 (mlt.), '28, 230, 311, 'mlt. cel. pl.) '94, 180
    '93, 309-311 (mlt., col. pl.), '94, 180
    (mlt), '97, 137-149a (mlt.; col. pl.),
   (mit.), 97, 137–149" (mit.; col. pl.), 149–154" (mlt.), '99, 307", song, '84, 64", '85, 152, '90, 199; syn. '86, 220, '93, 311", '94, 48, 48"; misc. '77, 64, '85, 97", '87, 340", '88, 314.
                                                                      philus.
 domestica (Anas), see Anas.
   - (Chrysotis), see Amazona ama-
                                                                       olensis.
          zonica.
     - (Fringilla), see Passer.
 — (Spizella), see S. socialis.
domesticus (Passer), see Passer.
                                                                      color.
      - (Troglodytes), see T. aedon.
Dominica, West Indies.
    Allen, J. A., '91, 217-218, 317.
    Chapman, F. M., '94, 246.
    Cory, C. B., '88, 47.
    Lawrence, G. N., '79, 48-49, '81, 49.
   Ridgway, R., '98, 323.
Verrill, A. H., '94, 246.
                                                                      melas.
dominica (Anas), see Nomonyx.
  — (Dendroica), see Dendroica.
--- (Erismatura), see Nomonyx
- (Hypophania), see Lampornis.
- (Motacilla), see Dendroica.
- (Tanagra), see Dulus.
dominicæ (Coccyzus), see Coccyzus.
dominicana (Cœreba), see Cœreba.
—— (Certhiola), see Cœreba.
                                                                      elegans.
—— (Chætura), see C. acuta.
--- (Pyrrhulagra), see Pyrrhulagra.
--- (Tænioptera), see Tænioptera.
—— (Vireo), see V. barbadensis.
   - (Vireosylvia), see Vireo barba-
         densis or calidris.
dominicanus (Larus), see Larus.
    - (Myadestes), see Myadestes.
                                                                      orpheus.
dominicensis (Athene), see Strix glau-
         cops.
     – (Callichelidon),
                                  see
                                            Hirundo
                                                                      drornis.
                                                            Doricha, '86, 355.
         sclateri.
    - (Chrysomitris), see Loximitris.
    – (Chrysotis), see Amazona vittata.
    (Cichlherminia),
                                  see
                                           Cichlher-
         minia.
   - (Coccygus), see Saurothera.
  — (Colymbus), see C. dominicus.
                                                               syn. '86, 355.
 --- (Corvus), see Corvus.
```

```
pomelas or portoricensis.
   - (Lanius), see Tyrannus.
 —— (Loximitris), see Loximitris.
  --- (Margarops), see Cichlherminia.
  — (Melanopsar), see Icterus.
 —— (Melittarchus), see Tyrannus.
 - (Muscicapa), see Tyrannus.
 —— (Myiarchus), see Myiarchus.
 — (Œdicnemus), see Œdicnemus.
 —— (Oriolus), see Icterus.
 —— (Phænicophilus),
                       see
                              Phænico-
  — (Picus), see Chloronerpes striatus.
--- (Progne), see Progne.
--- (Psittacus), see Amazona vittata.
--- (Saurothera), see Saurothera,
--- (Sayornis), see Blacicus hispani-
  - (Speotyto), see Speotyto.
---- (Spizampelis), see Spindalis multi-
--- (Strix), see S. glaucops.
— (Tinnunculus), see Falco.
--- (Todus), see T. subulatus.
- (Tyrannula), see Mylarchus.
--- (Tyrannulus), see Tyrannus.
—— (Tyrannus), see Tyrannus.
- (Xanthornus), see Icterus hypo-
dominicus (Coccyzus), see Coccyzus
      americanus or minor.
   - (Charadrius), see Charadrius.
--- (Colymbus), see Colymbus.
--- (Dulus), see Dulus.
--- (Lampornis), see Lampornis.
--- (Mimus), see Mimus orpheus or
--- (Nomonyx), see Nomonyx.
--- (Podiceps), see Colymbus.
--- (Podilymbus), see Colymbus.
—— (Sylbeocyclus), see Colymbus.
—— (Tachybaptes), see Colymbus.
--- (Trochilus), see Glaucis hirsuta,
      or Lampornis dominicus.
  - (Turdus), see Mimus dominicus or
Donacobius atricapillus, Braz. '90, 137.
d'orbignyanus (Dendrornis), see Den-
    evelynæ, Bahamas, '86, 355, '91,
  73, 294, 295, 296, 297, 298, 334, 335,
  336, 337, 337, 338, 339, 339, 350, 351, '93, 315, 1900, 288.—fd. '93, 315; hbt. '91, 73, 387; meas., plm.,
    lyrura, W. I. '86, 355, '91, 297,
```

351.—hbt. '91, 387, meas., plm., syn. '86, 355.

dorsale (Ramphomicron), see Ramphomicron.

dorsalis (Junco), see Junco.

- (Picoides), see P. arcticus or americanus.

Dotterel, see Eudromias morinellus. Doubleday, Nellie Blanchan De Graft (pseudonym, 'Neltje Blanchan'). Bird-neighbors (rev.), '98, 66.

Birds that hunt and are hunted (rev.), '99, 88.

dougalli (Sterna), see S. dougalli or hirundo.

Doughbird, see Numenius borealis. douglasi (Lophortyx), see L. californicus.

Dove, see Zenaidura macroura.

Bahama Ground, see Columbigallina bahamensis.

Blue, see Geotrygon cristata.

Blue-headed, see Starnænas cyanocephalus.

Blue-headed Quail, see Starnænas cyanocephalus.

Carolina, see Zenaidura macroura. Clarion Island, see Zenaidura clarionensis.

Common, see Zenaidura macroura. European Turtle, see Turtur turtur. Grayson's, see Zenaidura graysoni. Ground, see Columbigallina terrestris. Inca, see Scardafella inca.

Key West Quail, see Geotrygon chrysia.

Mexican Ground, see Columbigallina pallescens.

Mourning, see Zenaidura macroura or Columbigallina terrestris.

Partridge, see Geotrygon montana. Pea, see Zenaida zenaida.

Prairie, see Larus franklinii.

Ruddy Quail, see Geotrygon montana. Sea, see Alle alle.

Socorro Ground, see Columbigallina socorroensis.

Tobacco, see Columbigallina passer-

Trinidad, see Zenaida rubripes.

Turtle, see Zenaidura macroura or Turtur turtur.

White-fronted, see Leptotila brachyp-

White-winged, see Melopelia leucoptera.

Zenaida, see Zenaida zenaida. Dovekie, see Alle alle.

Dowitcher, see Macrorhamphus griseus.

White-tail, see Macrorhamphus gri-

Long-billed, see Macrorhamphus scolopaceus.

Downer, E. D.

White-crowned Sparrow Song of (Zonotrichia leucophrys), '99, 355.

Downs, Andrew.

Birds of Nova Scotia (rev.), '89, 64. Dowse, William Baldwin.

White-bellied Nuthatch concealing food, '79, 61.

Drepanididæ, '81, 34, '94, 143, '96, 111. dresseri (Parus), see Parus.

- (Somateria), see Somateria.

Drew, Frank M.

Field notes on birds of San Juan Co., Colorado, '81, 85-91, 138-143.

Song of White-bellied Swallow (Iridoprocne bicolor), '81, 115.

Golden-crested Wren breeding in the Colorado valley, '81, 244.

Lobipes hyperboreus at 9500 feet, '81, 249.

Notes on plumage of Nephacetes niger borealis, '82, 182.

Notes on Lagopus leucurus, '84, 392. Vertical range of birds in Colorado, **'85**, 11–18.

Driopicus, see Dryopicus. Dromæognathæ, '81, 82.

Dromæognathina, '81, 30.

Dromæus, '81, 8.

Drymocataphus capistratoides, Borneo, syn. '90, 350.

drymœcus (Thryomanes), see T. spilurus.

Drymophila, '84, 229, '99, 353. bicolor, syn. '99, 354.

boucardi, syn. '99, 354.

caudata, syn. '99, 354. consobrina, syn. '99, 354.

ferruginea, syn. '99, 354.

genei, syn. '99, 354.

grisea, syn. '99, 354. intermedia, syn. '99, 354.

malura, syn. '99, 354.

quixensis, syn. '99. 354.

rufatra, syn. '99, 354. speciosa, syn. '99, 354.

squamata, syn. '99, 354.

striata, syn. '99, 354.

strigilata, syn. '99, 354. virgata, syn. '99, 354.

Drymornis bridgesi, Argent., Urug., hbt , mlt. '84, 20.

Dryobates, '85, 372, '86, 375, '88, 214, 216, 218, '91, 92, 94, '93, 110, '96,

arizonæ (* Arizona Woodpecker,

^b Picus stricklandi, ^c stricklandi), Ariz. '80, 90^b, '81, 72^b, '83, 22^b, '85, 199^b, '86, 84^a, 256^a, 426^c; g. dist. '93, 134, Mex. '95, 357^c.—hbt. '86, 426^c; meas. '83, 23^b; nst. '83, 22^b, '86, 426^c; plm. '83, 22^b, '85, 199^b, '86, 426^c (mlt.); syn. '86, 426^c, '87, 335.

audubonii (* Southern Hairy Woodpecker, * Picus villosus, * villosus), Ala. '79, 11b, Fla. '88, 271, '89, 251, '91, 138, '92, 212, '95, 364; Ga. '82, 97a, '83, 40b, '96, 213; La. '87, 303b, 304c, N. C. '86, 104, 313, 314, '87, 242, S. C. '79, 216b, '90, 37, '91, 327; Tenn. '86, 319; Tex. '82, 170b.—meas. '90, 37; nst. '83, 40b, syn. '91, 94.

bairdi (Texan Woodpecker, b Picus scalaris, c scalaris), Ariz. '83, 22b, '86, 426c, '90, 48; Cal. '90, 297; g. dist. '93, 134c; N. M. '92, 358, 362, '99, 188, Tex. '82, 40b, 170b, '87, 190c, '89, 238c, '92, 234, 1900, 344; Utah, '93, 286.—hbt. '86, 426c; nst. '83, 22b, '86, 426c, '87, 190c, '92, 362; plm. '83, 22b; syn. '87, 335.

borealis (* Red-cockaded Wood-pecker, b Picus, c Picus querulus), Ala. '79, 11b; Fla. '88, 271, '89, 251, '91, 138, '92, 212, '95, 365; Ga. '82, 97a, '83, 40c, '96, 206a, 210, 213; g. dist. '93, 133; Ky. '89, 313; N. J. '94, 137; Tenn. '86, 319; Tex. '82, 170b, —nst. '82, 98a, '83, 40c; plm. '96, 210; song, '82, '98a; syn. '80, 38b, cissa (b Dendrocopos purus).

cissa (b Dendrocopos purus), Kamts. '84, 35b*.

gairdnerii (a Gairdner's Woodpecker, b Picus, c Picus turati), Ariz.

'86, 426 [homorus?]; Cal. '78, 67b
[homorus?], '86, 94, '89, 221, 254c;
g. dist. '93, 126; N. M. '86, 78 [homorus?]; Ore. '86, 165, '88, 240,
252; Wash. '93, 17, 291, 382, 384,
1900, 352.—meas. '89, 254, 255; plm.
'87, 156a (hyb.), 1900, 10a; syn. '89,
254c, '90, 65b, '91, 94.

harrisii (* Harris's Woodpecker, b Picus), Alas. '98, 127; Cal. '96, 85 [hyloscopus?]; Ore. '79, 195b, '86, 165, '88, 240, 251; Wash. '92, 44, 309, '97, 174, 1900, 352.—anat. '88, 254; fd. '96, 85; hbt. '88, 228b, 251; flm. '78, 179b, '88, 213 (figs.), 214, 215, 218a, 252; syn. '88, 252, '91, 94.

homorus (a Batchelder's Woodpecker, b Picus gairdneri, c gairdneri, d oreœcus), Ariz. '86, 426b, '90, 48d, 252d; Cal. '78, 67b; Colo. '79, 95b, '81, 141b, '83, 196b, '85, 17b, 143b, '87,

124°, '94, 268°; g. dist. '89, 253°, '90, 62°, '93, 126°, Ida. '97, 354; Mont. '88, 16°, '94, 303°, '95, 214 ['pubescens']; N. M. '85, 126°, '86, 78°, Wash. '82, 227°, '97, 174.—meas.'89, 254°, syn. '90, 62°, '91, 94°, '97, 126, 233.

hyloscopus (Cabanis's Woodpecker, b harrisi, c Picus), Cal. '86, 93°, '96, 85°; g. dist. '93, 126.—fd. '96, 85°; plm. '88, 252°, syn. '88, 252°, '91. 94.

immaculatus (b Dendrocopos), Kamts. 85, 95b.

intermedius, Mex. 1900, 259*. japonicus (b Picus), syn. '99, 100b. jardinii, C. R. '92, 327.

leucomelas (Northern Hairy Woodpecker), B. C. 1900, 106, g. dist. '93, 126; Hud. B. '90, 322; Man. '86, 155; Mont. '95, 214 [monticola?]; N. F. 1900, 72; Ont. '84, 161 [' villosus'].—syn. 86, 104; misc. '82, 243.

leuconotus, *Helg.* '95, 336. leucotos, *syn.* '91, 99.

lucasanus (Saint Lucas Woodpecker), g. dist. '93, 142; Cal. '94, 178; L. Cal. '95, 138.—nst. '94, 178, '95, 138.

macei (b Picus), plm. '88, 212b, major, Helg. '95, 336.—syn. '96, 190.

maynardi (binsularis), Bahamas, '86, 375b, '91, 75, 298, 334, 335, 350, 350, 1900, 288; Fla. '91, 94?.—meas. '86, 375b; plm. '86, 375b, 1900, 288; syn. '86, 375b, '91, 94.

medianus (a Downy Woodpecker, b Picus pubescens, c pubescens, d meridionalis), D. C. '88, 21c; g. dist. '96, 330d, '97, 120; III. '81, 122b; Ind. '89, 22c; Kan. '94, 215*; Ky. '89, 313; Man. '86, 155c; Mass. '83, 149a, '84, 9a, '89, 44c, 99c, '95, 87*, '96, 346c; Me. '82, 150b; Mich. '81, 196a, '93, 224c; Minn. '84, 246b; Ma. '96, 220c; N. B. '82, 150b, '89, 117c; N. C. '86, 104c, 309a, 310a, 314c, '87, 242c, '89, 121c; N. F. 1900, 72c; N. H. '87, 104c, '89, 76c, 78c, '88, 151c, 154c, '92, 114a; N. S. '87, 16c, '99, 251; N. I, 13b, 231b, '85, 257b; Ont. '83, 145*, '84, 181b; P. E. I. '85, 265a, '93, 9c; Pa. '92, 135c, '93, 39c, 44c, '96, 281c, 293c; Que. '82, 236b, '89, 147c; S. D. '79, 188b, '85, 283b, 52c; Vt. '82, 63b; Wis. '82, 188b.—

fd. '79, 111", '95, 380°; meas. '89, 254°, mig. '81, 196°, '92, 37°; nst. '93, 231°; plm. '78, 71°, 179°; song, '85, 257b; syn. '97, 80, 120.

minor (b Picus), syn. '87, 62b. mixtus (b Picus), Argent., Urug., hbt. '84, 25°.

montanus, '96, 32*, see monticola. monticola (Rocky Mountain Hairy Woodpecker, b Picus harrisi, c harrisi. d hyloscopus, * montanus), Aris. '83, 22b, '85, 174b, '85, 356b, '86, 423c, '90, 48d, 251d; Colo. '79, 95b, '81, 140b, '83, 196b, '85, 17b, '87, 121c, '94, 268d; g. dist. '96, 32e, '99, 110; Ida. '97, 353d, 1900, 244e; Mont. '94, 303d, N. M. '85, 127°, '86, 78°, '98, 308°, '99, 188^d, S. D. '85, 283^b.—hbt. '87, 121°; meas. '83, 22b, '96, 33e; nst. '97, 353^d; plm. '83, 22^b; syn. '96, 31^e, 190^e, '97, 135°, '98, 54, '99, 110.

nelsoni (Nelson's Downy Woodpecker), Alas. '81, 5°; g. dist. '96, 330, '97, 120.—hbt. '81, 5°; syn. '97, 80, 82, 120.

nuttallii (Nuttall's Woodpecker. b Picus), Cal. '78, 67b, '85, 213b, '86, 94. '89, 221, '98, 196; g. dist. '93, 134.—hbt. '85, 213b; plm. '87, 156a (hyb.); misc. '87, 251, '99, 172b.

oreœcus, '89, 253*, see homorus. pubescens (* Southern Downy Woodpecker, b Picus), Ala. '79, 11b; Cal. '78, 67b; Engl. '77, 107b [medianus?]; Fla. '88, 271, '89, 251, '91, 138, '92, 212, '95, 364; Ga. '82, 97^a, '83, 40^b, '96, 213; G. Br. '80, 74 [medianus?]; La. '82, 164^b, '87, 303^a; Mo. '79, 146^b, '95, 115^a; Miss. '82, 92^b; S. C. '79. 216b, '90, 37, '91, 327, '92, 37a; Tex. '82, 170b, '84, 122b, '87, 190, '89, 238; W. Va. '98, 135.—hbt. '92, 195a; meas. '89, 254; mig. '92, 37a; nst. '83, 40b; plm. '78, 67; syn. '97, 80, 120; misc. '92, 69a.

sanctorum, g. dist. '97, 50*.

(* Hairy Woodpecker, villosus ^b Picus), Conn. '85, 100^b; D. C. '88, 21; Engl. '77, 107^b, '85, 373^b; g. dist. '93, 133, 134; Gt. Br. '80, 73^b; Ill. '81, 122b; Ind. '82, 18b, '89, 22; Ky. '89, 313; Mass. '84, 9a, '88, 389, 390, '89, 42a, 99, '96, 346; Me. '82, 150b; Mich. '93, 426b, '96, 220; N. B. '82, 150b, '89, 117. N. C. '26, 104, 214. 150°, '89, 117; N. C. '86, 104, 314; N. E. '76, 72^b, '77, 14^b, 45^b; N. H. '87, 104, '88, 149, 151, 154, '89, 76; N. S. '87, 16, '99, 251; N. J. '94,

136; N. Y. '79, 31b, '81, 13b, '81, 231b; Ont. '84, 161b [leucomelas?]; Pa. '92, 135, '93, 44, '96, 281, 293; P. E. I. '85, 2651, '93, 9; Que. '82, 236, '89, 147; S. C. '90, 37, [audubonii?];
Tenn. '87, 128, 130; Tex. '89, 238;
Va. '86, 160, '89, 52; Vt. '82, 63b; Wis. '82, 188b; W. Va. '98, 134.anat. '96, 174; fd. '79, 111a, '95, 380; hbt. '84, 87b, 87a; nst. '82, 18b, '85, 100b; plm. '78, 179b, '80, 28b (alb.), '87, 304, '90, 395 (alb.), '96, 210, syn. '85, 115b, '91, 94. Dryococcyx, '94, 233, 234.

Dryopicus, '85, 52.

Dryotomus, see Picus or Ceophlœus. Dryotriorchis spectabilis. 1900, 187.

dubia (Ægialitis), see Ægialitis. dubius (Amydrus), see Amydrus.

—— (Centurus), see Centurus. --- (Melanerpes), see Centurus.

---- (Pyrocephalus), see Pyrocephalus. - (Simorhynchus), see S. cristatellus.

Dubois, Alphonse.

Variabilité des oiseaux du genre Loxia (rev.), '83, 170. Synopsis avium, fascicule i. (rev.),

1900, 81.

bæa.

Duck, American Scaup, see Aythya marıla.

Barrow's Golden-eyed, see Clangula islandica.

Bimaculated, see Anas 'glocitans.' Black, see Anas obscura.

Black-bellied Tree, see Dendrocygna

autumnalis. Black-bellied Whistling, see Dendro-

cygna arborea. Black-masked, see Nomonyx domini-

Blue-eyed, see Arctonetta fischeri. Blue Mountain, see Æstrelata carib-

Booby, see Æstrelata caribbæa.

Buffle-head, see Charitonetta albeola. Canvas-back see Aythya vallisneria. Chicken-footed, see Fulica imericana. Crow, see Phalacrocorax dilophus.

Dusky, see Anas obscura.

Eider, see Somateria dresseri.

European Eider, see Somateria mollissima.

Fiddler, see Dendrocygna autumnalis. Fish, see Merganser serrator. Florida, see Anas fulvigula. Florida Black, see Anas fulvigula.

French, see Anas boschas.

Fulvous Tree, see Dendrocygna fulva.

Gadwall, see Chaulelasmus streperus. Golden-eyed, see Clangula americana. Gray, see Dafila acuta. Greater Black-head, see Aythya ma-

Greater Scaup, see Aythya marila. Harlequin, see Histrionicus histrioni-

Isle of Shoal, see Somateria spectabilis.

King Eider, see Somateria spectabilis.

Labrador, see Camptolaimus labra-

dorius. Lesser Black-head see Aythya affinis. Lesser Scaup, see Aythya affinis. Little Black-head, see Aythya affinis. Long-necked, see Dafila acuta. Long-legged, see Dendrocygna fulva. Long-tailed, see Harelda hyemalis. Mallard, see Anas boschas. Masked, see Nomonyx dominicus. Mottled, see Anas maculosa. Muscovy, see Carrina moschata. Northern Black, see Anas obscura. Pied, see Camptolaimus labradorius. Pintail, see Dafila acuta. Quail, see Nomonyx dominicus. Raft, see Aythya collaris. Red-billed Whistling, see Dendro-

Red-head, see Aythya americana. Ring-billed, see Aythya collaris. Ring-necked, see Aythya collaris. Ruddy, see Erismatura jamaicensis. Rufous-crested, see Netta rufina. Sea, see Somateria dresseri. Shoal, see Somateria dresseri. Shoveller, see Spatula clypeata. Spirit, see Charitonetta albeola. Spoon-bill, see Spatula clypeata. Spunk, see Nettion carolinensis. Steller's, see Eniconetta stelleri. Summer, see Aix sponsa. Surf, see Oidemia perspicillata.

cygna autumnalis.

Wood, see Aix sponsa. Yellow-bellied Fiddler, see Dendrocygna fulva.

Tree, see Dendrocygna arborea.

Whistling, see Anas americana.

Ducks, see Anatidæ.

Dugès, Alfredo.

Émigration accidentelle d'oiseaux, '99, 287.

Hirondelles de Guanajuato, Mexico, **'99**, 357-359.

dugesi (Basileuterus), see Basileuterus. -(Dendroica), see Dendroica. Dugmore, Arthur Radclyffe.

Bird-homes (rev.), 1900, 306.

Dulus, '86, 191.

dominicus, W. I. '81, 152, '85, 191, '96, 333.—fd. '81, 152; meas. '86, 191; nst. '96, 333; plm., syn. '86, 191.

nuchalis, W. I., plm., syn. '86, 191. dumetoria (Upucerthia), see Upucerthia.

dumicola (Polioptila), see Polioptila. Dunlin, see Tringa alpina.

American, see Tringa pacifica.

Dunn, James Oregon.

Passenger Pigeon in upper Mississippi valley, '95, 389.

Henslow's Sparrow in Indiana, '95, 391. Notes on some birds of northeastern

Illinois, '95, 393-395. duperreyii (Megapodius), see Megapodius.

duponti (Alauda), see Chersophilus. - (Chersophilus), see Chersophilus.

Durango, Mexico.

Berlepsch, H. von, '88, 450. Nelson, E. W., '99, 29, 1900, 263.

Dury, Charles.

Fecundity of Carolina Wren (Thryothorus ludovicianus), '77, 50.

Dutcher, Basil Hicks.

Bird notes from Little Gull I., Suffolk Co., N. Y. '89, 124-131.

Dutcher, William.

Wilson's Plover on Long Island, N. Y. '79, 242.

Wilson's Plover (Ægialıtıs wilsonia), on Long Island, '80, 186.

Bird notes from Long Island, New York, '84, 31-35, 174-179, '85, 36-39, '86, 432-444, '88, 169-183, '89, 131-139, '93, 265.

The Canada Goose, '85, 111.

Megalestris skua, '87, 158.

The Labrador Duck: a revised list of extant specimens in N. Am., with some historical notes, '91, 201-216 (pl.).

Black Vulture in Maine, '93, 82. Swainson's Hawk in the East, '93, 83.

Rare birds in collection of Long Island Historical Society, '93, 267-

The Labrador Duck-another specimen with additional data respecting extant specimens, '94, 4-12.

In re Dutcher on the Labrador Duck, '94, 175.

The Labrador Duck,-an overlooked specimen and record, '94, 176. Great Gray and Hawk Owls in St.

Lawrence Co., N. Y., '95, 181. Gavia alba on Long Island, N. Y. '95, 290.

Chen hyperborea and C. nivalis, '96, 193.

Report [1896] of A. O. U. Committee on Protection of N. Am. Birds, '97, 21-32; [1897], '98, 81-114, 288; [1899], 1900, 198-200.

Dutcher, W., and Marshall, W. B., see Marshall and Dutcher.

duvauceli (Bucco), see Xantholæma.

(Harpactes), see Harpactes.

— (Trogon), see Harpactes. — (Xantholæma), see Xantholæma. Dwight, Jonathan, Jr.

Stilt Sandpiper (Micropalama himantopus) on the New Jersey coast, 79, 63.

Buteo brachyurus-a correction, '82,

Ipswich Sparrow (Passerculus princeps) in Delaware, '85, 105.

Summer birds of Cape Breton Island, Nova Scotia, '87, 13-16.

New race of Sharp-tailed Sparrow, '87, 232-239.

Two records for Long Island, '88, 324.

see Thurber, E. C, 'birds of Morris Co., N. J.' (rev.), '88, 421.

Sterna paradisæa—a correction, '89, 186.

Horned Larks of North America, '90, 138-158 (map.).

Junco carolinensis shown to be a subspecies, '91, 290-292.

Summer birds of crest of Pennsylvania Alleghanies '92, 129-141.

Prairie Horned Lark in northeastern Pennsylvania, '92, 202. Summer birds of Prince Edward

Island, '93, 1-15.

see Chapman, F. M, 'birds of vicinity of N. Y. city' (rev.), '95, 69.

The Ipswich Sparrow (Ammodramus princeps) and its summer home (rev.), '95, 377.

see Chapman, F. M., 'changes of plumage in Dunlin and Sanderling' (rev.), '96, 164.
see Chapman F. M., 'changes of

plumage in Snowflake, '96, 165.

see Allen, J. A., 'changes of color in feathers without molting,' '96, 166.

The Sharp-tailed Sparrow (Ammodramus caudacutus) and its geographical races, '96, 271-278 (col. pl.).

The Mockingbird (Mimus polyglot-

tos) in Canada, '96, 344. Spisa americana near Kingston, New York, '97, 95.

The whistled call of Parus atricapillus common to both sexes, '97, 99.

see Millais, J. G., 'change of plumage without a moult,,' '97, 109-111.

A study of the Philadelphia Vireo (Vireo philadelphicus), '97, 259-

272 (col. pl.). Absence of Turdus aonalaschkæ pallasu at Tadousac, Quebec, in 1896, '97, 325.

An untrustworthy observer, '98, 213. Sequence of plumages; illustrated by Myrtle Warbler (Dendroica coronata) and Yellow-breasted Chat (Icteria virens), '99, 217-220.

Moult of the North American Tetra-(Quails, Partridges and onidæ Grouse), 1900, 34-51, 143-166 (2 plates).

Moult of the North American shorebirds (Limicolæ), 1900, 368-385. dybowskii (Acrocephalus), see Acro-

cephalus.

Dyche, Lewis Lindsay.

Loxia curvirostra stricklandi in Kansas, '86, 258-260.

Dytes, see Colymbus.

Dysithamnus semicinereus, W. I. '93, 220.

\mathbf{E}

Eagle, Bald, see Haliæetus leucocepha-

Caracara, see Polyborus cheriway. Golden, see Aquila chrysaetos. Gray Sea, see Haliæetus albıcilla. Harpy, see Thrasaetos harpyia. Mexican, see Polyborus cheriway. Northern Bald, see Haliæetus alascanus.

Sparrow, see Falco anatum.

Washington Sea, see Haliæetus [washingtoni =] leucocephalus.

White-headed, see Haliæetus leucocephalus.

White-headed Sea, see Haliæetus leucocephalus.

Eagle, Clarence Henry.

Fish Crow (Corvus ossifragus) on Long Island, N. Y.' '78, 47.

Capture of Ægialitis meloda circumcincta on Long Island, '78, 94.

Eames, Edwin H.

Notes on Helminthophila leucobron-chialis, '88, 427.

Dendroica carulea at Seymour, Connecticut, '88, 431.

Notes on Blue-winged Warbler and its allies (Helminthophila pinus, leucobronchialis, lawrencei and chrysoptera) in Connecticut, '88, 305-10.

Fish Crow (Corvus ossifragus) in Connecticut, '88, 338.

Food and habits of Ruby-throated Hummingbird, '90, 286-288.

Notes from Connecticut, '93, 89.

Earle, Charles.

Lark Finch on Long Island, N. Y. '81, 58.

Eastman, Charles Rochester.

Remains of Struthiolithus chersonensis from north China (rev.), '98, 338.

Eastman, Harry Dean.

Phalaropus lobatus off Scituate, Mass. '91, 310.

Three birds rare at Framingham, Massachusetts, '97, 327.

Eaton, Elon Howard.

Bird notes from Erie Co., New York, '96, 178.

eatoni (Querquedula), see Querquedula. eburnea (Pagophila), see P. alba. eburneirostris (Dendrornis), see D.

flavigaster.

(Dryocopus), see Dendrornis flavigaster.

Eclectus, '93, 196.

polychlorus, plm. '82, 183.

Ectopistes, '80, 99, '87, 113, '93, 109. migratorius (a Passenger or Wild Pigeon), Ala. '79, 12; Cuba, '87, 113; Engl '77, 107; Europe, '80, 144; Fla. '88, 270; Ga. '83, 41, '96, 215; Hud. B. '90, 322, Ida. '97, 349; Ill. '95, 80, 298, 389, '96, 81; Ind. '88, 349, '95, 298, 389; I. T. '88, 314"; Ky. '89, 313; Man. '86, 153, '93, 50°; Mass. 76, 54, 56, '88, 389, '90, 393*, 394*, '92, 385, '93, 293, 294*, '98, 333; Md. '90, 393*; Me. '90, 393*, '94, 70; Mich. '80, 180", '89, 285, 291, '92, 286*, '93, 223, '95, 389, '97, 317; Minn. '80, 17, '84, 247, '95, 80; Mo. '79, 147, '97, 316; Mont. '90, 216; N. B. '82, 151; N. C. '86, 103, 179; N. D. '92, 386"; Neb. '98, 185; N. E. 77, 17; Norway, '77, 107; N. H. '93, 295°; N. J. '89, 302, '96, 341; N. S. '85, 40; N. Y. '79, 37, '81, 233, '84, 186°, '89, 201, '90, 284°, '91, 390°, '93, 274, 294°, '97, 88; Pa. '87, 339, '88, 314°, '96, 290, '99, 310; Que. '82, 238, '84, 91*, 185; Russia, '77, 107; S. C. '79, 216; S. D. '85, 285; Tex. '82, 174, '87, 187; Va. '92, 67", '94, 70:

Wash. '91, 310; Wis. '96, 81, 341, '98, 184.—fd. '82, 174, '85, 40°, '87, 187, '95, 80, '96, 234, 291°; hbt. '76, 56, '80, 180°, '85, 40°, '87, 187, '89, 285—291, '90, 284, '96, 234; mig. '89, 201, 285, '94, 38°; nst. '81, 60°, 122°, '83, 41, '85, 40°, '89, 285, '90, 199, 394°, '96, 234, plm. '76, 22 (alb.), '93, 194, '96, 234 (mit.), '99, 320°; song, '89, 285; syn. '80, 99, '87, 113; misc. '82, 117, '87, 339, '90, 389, 395°, '91, 391°, 391°, '94, 70, 70, '97, 245°.

Ecuador.

Allen, J. A., '88, 287-288, 1900, 81-82, 303.

Ridgway, R., '90, 380-381.

Eddy, Newell Avery.

Nest and eggs of Yellow-bellied Flycatcher (Empidonax flaviventris), '80, 241.

Editor, see Allen, J. A.

Edoliisoma, '94, 234.

Edson, John M.

Birds of Chautauqua Co., N. Y. (rev.), '86, 479.

Parasitic Jaeger at Bellingham Bay, Washington, '94, 73.

Egg-bird, see Sterna fuliginosa. Eggs, see Nidification.

Egret, American, see Ardea egretta.

Blue, see Ardea cærulea.

Great White, see Ardea egretta.
Little White, see Ardea candidissima.
Louisiana, see Ardea ruficollis.
Muffleriawed see Ardea [pealii --]

Muffle-jawed, see Ardea [pealii ==] rufescens.

Peale's, see Ardea rufescens. Reddish, see Ardea rufescens. Snowy, see Ardea candidissima. White, see Ardea occidentalis.

egretta (Ardea), see Ardea.

—— (Herodias), see Ardea. Eider, American, see Somateria dres-

Black-throated, see Somateria v-nigra. Dresser's, see Somateria dresseri. Greenland, see Somateria borealis. King, see Somateria spectabilis. Pacific, see Somateria v-nigra. Spectacled, see Arctonetta fischeri.

Steller's, see Eniconetta stelleri. Elænia, '86, 230, '90, 385.

albiceps, Urug. '83, 200.—syn. '89, 269.

albiventris, Venes. '97, 365, 368*. barbadensis, W. I. '88, 47*, 158. browni, Colom. '98, 339. cherriei, San Domingo, '95, 279*, '96, 334.

cinerescens, W. I. '85, 291, '87,

cotta, Jamaica, '86, 231, '93, 178, '94, 126.—meas., plm., syn. '85, 231. fallax, W. I. '86, 231, '93, 178.—

meas., plm., syn. '86, 231. gaimardi, Venes. '97, 365.

martinica, W. I. '80, 166, '86, 230, 502, '87, 7?, 96, 181?, '89, 31.—meas., plm., syn. '86, 230.

modesta, Urug., nst. '83, 200; syn.

'89, 269, '90, 385, 386.

pagana, Braz. '90, 270, C. R. '90, 235, Venez. '97, 365, 368; W. I. '88, 158, '90, 374, 375, '91, 46, 47, 48, 158, '90, 374, 3/5, 54, ..., 49, '93, 220.—meas. '90, 237; nst.

sororia, Colom. '99, 91. subpagana, C. R. '92, 250.—syn. '90, 386.

Elachura, '93, 112.

Elainea, see Elænia.

Elanoides, '85, 205, '87, 46, '92, 174, **'93**, 130.

forficatus (a Swallow-tailed Kite or Hawk, b Nauclerus furcatus), Engl. '77, 107b; Fla. '81, 17b, 40a, '88, 270, '89, 246, '91, 129a, 137, '92, 212, '95, 364, Ga. '82, 103a; g. dist. '93, 133; G. Br. ⁵80, 141^b; Ill. ⁸80, 32, Jamaica, ⁹92, 126; Kan ⁸5, 19; La. ⁸7, 304; Man. '86, 328; Mass. '83, 61, '89, 182b; Me. '85, 288a, 289a; Mich. '82, 250; Minn. '84, 247 [' Elanus']; Mo. '79, 146, '95, 116a; N. D. '82, 59; N. J. '84, 189a, '95, 171; N. Y. '81, 126b, '86, 484, 1900, 386; O. '79, 62, '83, 118a, 127; Ont. '84, 85a; S. C.
'79, 210b, '85, 192, '90, 36; S. D. '78,
147, '85, 284b; Tenn. '89, 313; Tex.
'82, 117b, 173, '92, 233, 1900, 342;
Va. '97, 326; Venez. '97, 366, W. I. '87, 46.—fd. '82, 173, '83, 127, '93, 200°; hbt. '81, 40°, '82, 103°, '85, 19, '86, 484; meas. '85, 19, '86, 484; nst. '85, 19, '89, 246; syn. '80, 98, '87, 46. Elanus, '94, 233.

(a White-tailed leucurus b glaucus), Argent. '84, 111; Cal. '85, 100°, '86, 87°, 92, '97, 14–21; Fla. '89, 247, '92, 212, L. Cal. '95, 137; Tex. '82, 173^b, '87, 188, '92, 233; Urug. '84, 111.—fd. '93, 200^a; hbt. '82, 173^b, '97, 14; meas. '97, 18; nst. '85, 100^b, '86, 92, '97, 14; syn. '85, 205, '97, 216^b, '99, 130.

Elasmonetta, '96, 162.

elegans (Buteo), see Buteo. ---- (Calodromas), see Calodromas.

— (Carduelis), see C. carduelis.

--- (Chlorestes), see Sporadinus.

--- (Dendrornis), see Dendrornis. --- (Hylocharis), see Sporadinus.

--- (Lampornis), see Sporadinus.

--- (Lanius), see Lanius.

--- (Lophortyx), see Lophortyx. --- (Megascops), see Megascops.

—— (Mimus), see Mimus.

--- (Progne), see P. elegans or subis. --- (Rallus), see R. elegans or carib-

- (Sporadicus), see Sporadinus.

--- (Sporadinus), see Sporadinus.

--- (Sterna), see Sterna. --- (Thalasseus), see Sterna.

—— (Trochilus), see Sporadinus.

elegantıssıma (Euphonia), Euphonia.

eleonoræ (Falco), see Falco. Eleopicus, see Dendrobates.

elephantopus (Dinornis), see Dinornis.

Eleuthera Island, West Indies.

Cory, C. B., '91, 348, 350-351. Ridgway, R., '86, 335, '91, 336.

Elisha Mitchell Scientific Society, Journal, titles (Nos. 2247-2248), '92, 190.

elizabeth (Muscicapa), see Myadestes. (Myadestes), see Myadestes.

elizabethæ (Myiadestes), see Myadestes elizabeth.

Elliot, Daniel Giraud.

Remarks on Selasphorus alleni Henshaw, '77, 97-102 (fig.).

Review of the Ibidinæ (rev.), '78, 182. Classification and synopsis of the Trochilidæ (rev.), '79, 230-232. see Kingsley, J. S., 'standard natural

history' (rev.), '86, 473.

Descr. of a new species of Hummingbird of genus Agyrtria, '88, 263.

The Jacanidæ, '88, 288–305. Descr. of supposed new species of Amazilia and Eriocnemis, '89, 209.

A study of the genus Dendrornis and its species, '90, 160-189.

Remarks on certain species of Dendrornis, '90, 207.

List of birds from northeast Borneo, with field notes by Adams, '90, 346-359, **'91**, 7-16.

Note on Copsychus adamsı—correction, '91, 117.

The inheritance of acquired characters, '92, 77-104.

Hybridism and description of hybrid between Anas boschas and Anas americana, '92, 160-166.

Pitta granatina Temminck et auctores, '92, 218-221. Genus Pitta Vieillot, '93, 51. 'Analyse' and Buffon's Vieillot's ' Brève,' '93, 184-188. Monograph of Pittidæ or family of Ant-thrushes' (rev.), '94, 62, 173, 243, '95, 65, '96, 60. [Appointment as director of department of zoology in Field Columbian Museum of Chicago], '94, 341. In memoriam: George Newbold Lawrence, '96, 1-10 (engraving). Descr. of an apparently new species and a new subspecies of Ptarmigan from Aleutian Islands, '96, 24-29 (col. pl.). North American shore birds (rev.), '96, 64-67; 2d ed. (rev.), '98, 63. Catalogue of collection of birds obtained by expedition into Somaliland (rev.), '97, 245. Gallinaceous game birds of North America (rev.), '98, 63-65. Canon XL, A. O. U. code, '98, 294-298. Truth versus error, '99, 38-46. Some genera and species, '99, 226-Wild fowl of North America (rev.), '99, 288. The spelling of names, '99, 300. ellioti (Atthis), see Atthis. --- (Epimachus), see Epimachus. --- (Eucichla), see Eucichla. —— (Lampornis), see L. virginalis. --- (Meleagris), see M. intermedia. - (Uranomitra), see Uranomitra. Elliott, Henry Wood. Cowbird (Molothrus ater) as a flydestroyer, '89, 72. Quiscalus quiscula æneus killing and catching goldfish, '90, 208. Elliott, Samuel Lowell. Obituary of, '89, 206. Elliott Society of Sciences and Arts, Proceedings, titles (Nos. 2249-2257), '92, 191. Emberiza, '84, 118. aureola, Helg. '95, 334. cæsia, Helg. '95, 334. cia, Helg. '95, 335. cinerea, Helg. '95, 334. cirlus, Helg. '95, 334. citrinella (a European Yellow-hammer), Germany, '96, 303, 3061; Helg. '95, 326.—fd., nst., song, '96, 303.

hortulana, *Helg.* '95, 334. ijimæ, Japan, '94, 170.

leucocephala, Helg. '95, 335; Japan, '92, 176. luteola, Helg. '95, 335. melanocephala, Helg. '95, 335. miliaria, Helg. '95, 334. pusilla, Helg. '95, 335. pyrrhuloides, Helg. '95, 335. rustica, Helg. '95, 335. scheniclus (a Reed Bunting), Helg. '95, 334.—plm. '97, 335a. Emberizoides macrurus, Venez. '97, 364. Embernagra, '90, 193. platensis, Urug., hbt., nst., song, '83, 132. emigrans (Orthorhynchus), see Bellona cristata. eminentissima (Foudia), see Foudia. Emmet, R. T. Black Duck in Chihuahua, '88, 108. Empidochanes, see Empidonax. Empidonax, '79, 232, '84, 42, '85, 212, '86, 233, '87, 66, '93, 110. alnorum (a Alder or Traill's Flycatcher, b traillii), Conn. '93, 371b; D. C '89, 71^b, '93, 92^b; g. dist. '76, 15^b, '80, 24^b; Ind. '89, 23^b; Ky. '89, 314b; Mass. '89, 44b, 100b, '95, 302a; Md. '89, 71b; Me. '82, 149b, '95, 161*; Mich. '93, 225b; N. B. '82, 149b; N. C. '94, 322b; N. H. '88, 151b, 154b, '89, 78b, N. Y. '81, 231b, '85, 256b, '88, 422b; N. S. '87, 16b; Pa. '92, 136a?, '97, 326, 410; P. E. I. '93, 6a, 10b; Que. '83, 244b; Tex. '87, 193b; Va. '89, 71b.-hbt. '76, 14b; nst. '76, 14b, 75b, '80, 24b, '95, 302a; plm. '78, 177^b, '95, 161; song, '85, 256^b; syn. '95, 161, '97, 127; misc. '94, 66^a. bairdi, Mex.. syn. 1900, 264. bimaculatus (b furcatus), syn. '87, 66b. bolivianus, Boliv. 90, 382. cineritius (Saint Lucas Flycatcher), Cal. '95, 390; g. dist. '93, 142; L.

Cal. '88, 90*, 396, '95, 140.—hbt., song, '95, 140. difficilis (Western Yellow-bellied Flycatcher, binsulicola), Alas. '83, 231, '98, 128; Ariz. '82, 206, '87, 19, '90, 49, 256; Cal. '81, 119, '87, 92, 329, '89, 222, '96, 85, '97, 300"*,

405b; Colo. '80, 231, '81, 140, '83,

195, '85, 17; g. dist. '93, 126; L. Cal.

'88, 91; Mex. '89, 87; N. M. '86, 75,

'92, 363, '98, 309; Ore. '88, 258; Wash. '92, 44, 352, '97, 176.—hbt. '78, 137, '80, 231, '97, 405b; meas. '82, 206, '97, 300b, 302b; nst. '78, 168,

'81, 119, 140, '86, 75, '87, 329, '97,

405^b, plm. '82, 206, '97, 301; song, '80, 231, '90, 256, '97, 176; syn. '99, 132^b.

flaviventris (a Yellow-bellied Fly-catcher), Conn. '93, 90a, '95, 86; C. R. '90, 334, '92, 251; Greenl. '91, 319, g. dist. '93, 126, '95, 284; Ind. '89, 23, Ky. '89, 314; La. '87, 304, Man. '86, 321; Mass. '78, 101, '84, 12a, 15, '87, 269, '89, 42a; Me. '79, 240, 241, '80, 241, '82, 149; Mich. '85, 65, '93, 225, Mo. '79, 146, N. C. '93, 242; N. F. 1900, 72; N. H. '87, 103a, 104, '88, 151; N. S. '87, 16; N. Y. '81, 231, '82, 154, '85, 256, '89, 332a, '94, 78, 82, 168, '95, 70, '99, 192, 195, Ont. 1900, 392; Pa. '88, 3, '92, 134, 136, '99, 311; P. E. I. '93, 5a, 10; Que '82, 236, '84, 295; Tex. '89, 239, '92, 236. —meas. '79, 241, 242, '80, 241; mig. '85, 65, '87, 269; nst. '78, 166, 187, '79, 232, 240, 241; 80, 25, 241; plm. '78, 178, '97, 218; song, '84, 12a, '85, 256, syn. '97, 218, '99, 192.

fulvifrons (Fulvous Flycatcher, Mitrephanes, Muscicapa), g. dist. '93, 134.—syn. '82, 55b, '85, 207, '92, 196c.

fulvipectus, Mex. '95, 357.

griseus (Gray Flycatcher), g. dist '89, 87*, '90, 62, '93, 142.—meas. '89, 87; syn. '89, 89, '90, 62.

hammondi (Hammond's Flycatcher), Ariz. '82, 206, '87, 19; Cal.'78, 67, '86, 180, '87, 86, '95, 390; Colo.'80, 231, '83, 195, '85, 17, 143; g. dist.'93, 126; Ida.'97, 355; Mont.'94, 304, '95, 215; N. M.'92, 364; Ore.'88, 258; S. D.'80, 184, '85, 283; Tex.'87, 193; Wash.'97, 176.—meas.'82, 206; nst.'80, 184, '85, 283, '97, 355; plm.'82, 206, '89, 88; song, '80, 231, '97, 176.

lawrencei, Braz., syn. '90, 384.

minimus (* Least Flycatcher, Least Pewee or Chebec, b gracilis), Conn. '94, 257*; Colo. '83, 195, '85, 17; g. dist. '93, 126; Ia. '95, 123; Ill. '88, 434; Ind. '82, 16, '89, 23; Ky. '89, 314; Man. '86, 321; Mass. '84, 6*, '88, 389, '89, 44, 100; Me. '82, 149, '89, 71; Mich. '93, 225; Minn. '80, 16; Mo. '79, 145; Mont. '94, 304, '95, 215; N. B. '82, 149, '89, 117; N. C. '86, 106, '89, 121, N. H. '89, 77, 78, '88, 150, 151; N. J. '82, 55; N. Y. '79, 31, '81, 231, '82, 188, '85, 256; N. S. '91, 165; O. '95, 241; Pa. '82, 55; 88, 3, '92, 136, '93, 37, 39, 43, 44, '96, 282, 293, P. E. I. '93,

10; Que. '83, 244, '89, 144, 147; S. D. '85, 283, Tex. '82, 169, '87, 193, '92, 236; Va. '86, 160; Wis. '82, 185; Yucatan, '85, 295b.—fd. '99, 362; hbt. '86, 106; mig. '88, 434, '95, 123, 129a, 241; nst. '78, 25a, '79, 124, '80, 16, 25, '82, 55, '83, 233, '94, 257a, '96, 282, 293; plm. '78, 178; song, '85, 256, '86, 160.

nanus, W. I. '76, 47, '86, 233, 383.
—meas., plm., syn. '86, 233, 383
occidentalis, Mex., syn. '97, 53*, 1900, 264.

perplexus, Mex., syn. 1900, 263*. pulverius, Mex. '89, 86*.

pygmæus (Buff-breasted Flycatcher, b pallescens, c Mitrephanes pallescens, d Mitrephorus pallescens), Ariz. '81, 73b, '82, 207b, N. M. '82, 207b, '92, 364.—meas., plm, song, '82, 207b; syn. '82, 55c, '85, 207, '92, 196d.

rubicundus, Mex. '85, 207. salvini, Guatemala, '87, 66. timidus, Mex. 1900, 263*.

traillii (a Traill's or Little Flycatcher, b pusillus), Arız. '82, 206, '87, 19b' '90, 256b'; Cal. '78, 67b', '87, 92b, '95, 390b, '96, 85b'; Colo. '80, 231b, '81, 140b'; g. dıst. '76, 15b, '93, 126b, '95, 159-161; Greenl. '91, 319b [flaviventris], Ia. '95, 124, 235; Kan. '87, 9, 10; Man. '86, 321, Mının. '80, 16; Mo. '80, 20-25; Mont. '95, 215b', N. M. '92, 363b'; Ore. '86, 166b, '88, 258b'; Tex. '82, 169, '87, 193b, '92, 236; Wash. '92, 44b, '97, 176.—hbt. '76, 14, '80, 231b'; meas. '80, 16, 24, '87, 10; mıg. '95, 124, 128a, 235; nst. '76, 14, '78, 25a, 137b, '80, 16, 21, 24, '81, 140b, '82, 206b, '83, 235a, '86, 166b, '87, 9, '90, 81a [=alnorum], 84a [=alnorum]; plm. '82, 206; song, '80, 22, 231b, '97, 176, syn. '95, 159; misc. '94, 66b' [=alnorum].

virescens (a Green-crested or Acadian Flycatcher, b acadicus), Ala. '79, 10b; Colom. 1900, 365; Conn. '77, 108, '89, 199b, '94, 259b; C. R. '90, 334b, '92, 251b; Cuba. '86, 234b; D. C. '88, 21b; Ga. '82, 97a, '83, 40b; g. dist. '76, 14-17b, '93, 133b; Fla. '88, 272b, '89, 319, '92, 213b' '93, 338b, '95, 365b; Ia. '95, 124b, 235b; Ind. '82, 18b, '89, 23b; Kan. '85, 112b; Ky. '89, 314; La. '82, 49a, 163b, '87, 303a; Man. '86, 321b; Mich. '83, 175b, '93, 225b; Miss. '82, 92b; Mo. '79, 145b, '80, 20-25b, '95, 351a, N. C. '86, 106b' '89, 120b; N. E. '86, 400b'; N. J. '94, 137b; N. S. '80,

44°; N. Y. '78, 131°, 195°, '79, 175°, '85, 256°, '88, 422°, '89, 199°, '94, 82°, Pa. '91, 399°, '93, 38°, 39°, '99, 311°, S. C. '79, 215°, '90, 39°, '91, 328°, Tex. '82, 169°, '92, 236°, —hbt. '76, 14b, '86, 106b, '94, 82b; meas. '80, 70, 14, 80, 100, 91, 92, 124, 235, 81, 175, 95, 124, 235, 81, 176, 146, 78, 25a, 131b, 80, 21b, 23b, 82, 18b, 83, 40b, 88, 21b, 272b, 89, 23, 90, 81a, 84a, 84a, 84a, 94, 82^b, 137^b, 255^b; plm. '78, 177^b, song. 23^b; nug. '83, 175^b, '95, 124^b, 235^b; '94, 83^b, syn. '86, 234^b, '95, 157, 160, '97, 127; misc. '89, 24°.

viridescens, C. R. '85, 291. (Wright's Flycatcher, wrightii b obscurus), Arız. '82, 206b, '87, 19b; Cal. '78, 67b, '86, 87b, 180b, '87, 85b, 92^b; Colo. '79, 95^b, '83, 195^b, '85, 17^b, '94, 268^b; g. dist. '93, 134; Ida. '97, 356; Mont. '94, 304; N. M. '86, 75^b, '92, 364, '98, 309; Ore. '88, 258b; Tex. '87, 183a, 193; Wash. '97, 176. meas. '86, 180^b, '88, 258^b; nst. '86, 87^b, 180^b, '88, 258^b; plm. '82, 206^b, '88, 258^b, '89, 88^b, 89^b; song, '97, 176; syn. '89, 88^b, 89^b, '90, 65.

Empidonomus varius, Brasil, '90, 270. enano (Scops), see Megascops trichopsis.

Endocimus, see Guara. Endomychura, see Brachyrhamphus. England.

Aplin, O V., '85, 373. Backhouse, J., Jr., '85, 374. Bailey, H. B., '77, 110. Barrer, W., '85, 374. Clarke, W. E., '87, 162-163. Cordeaux, J., '85, 374, 375. Dresser, H. E., '85, 375. Gurney, J. H., Jr., '92, 290. Hart, E., '92, 290. Harting, J. E., '85, 374, '92, 290. Malcolm, G. H., '92, 290. Mathew, M. A., '92, 289. Nelson, T. H., '85, 375. Reed, J. T. T., '85, 98. Shufeldt, R. W., '85, 240. Smith, C., '85, 374, 374. Stevenson, H., '85, 374. Wolstenholm, C. D. '85, 374.

Engyptila, see Leptotila. collaris, '86, 498*, see Leptotila.

neoxena, '87, 179*, see Leptotila. wellsi, '84, 180*, see Leptotila.

Enicocichla, see Seiurus.
Eniconetta, '82, 179.
stelleri (* Steller's Eider Duck, ^b Polysticta), Alas. '84, 80^b, '85, 63^b,

158; g. dist. '93, 123; Helg. '95, 340; Que. 1900, 65.—mig. '85, 63b; plm. 1900, 183ª (mlt.); syn. '84, 385. Enicornis striata, Boliv. '90, 382.

enicura (Doricha), see Calothorax lucifer.

ensipennis (Campylopterus), see Campylopterus.

enucleator (Pinicola), see P. enucleator, canadensis or montana.

Entomodestes, '84, 182. eoa (Dendroica), see Dendroica. - (Sylvicola), see Dendroica. Ephialtes, see Megascops.

Epimachus ellioti, misc. '83, 55. magnus, misc. '83, 55. episcopus (Tanagra), see Tanagra. epops (Upupa), see Upupa. eques (Motacilla), see Compsothlypis

usneæ. eremœca (Aimophila), see Aimophila. - (Peucæa), see Aimophila. Eremomelæ, '84, 279.

Eremophila, see Otocoris.

eremophilus (Thryomanes), leucogaster.

Ereunetes, '87, 313, '88, 193, 331, '93, 108.

occidentalis (a Western Sandpiper, occuentalis (* western Sandpiper, b pusillus), Alas. '81, 5a, '85, 63b, 201b, 241b, '87, 12b, '98, 126; Ariz. '86, 386; B. C. 1900, 104; Cal. '86, 91, '94, 95a; Colo. '83, 198b, '85, 18b, 143b; Conn. '92, 389; Fla. '88, 184, 187, '92, 212. a dist '92, 122. '89, 157, '92, 212; g. dist. '93, 123; Ida. '97, 351; Mass. 85, 384, '89, 69, '90, 227, '96, 88; Md. '85, 385; N. J. '95, 171, '96, 174; N. Y. '99, 191; Tex. '87, 186; Va. '85, 110, 385, '94, 325; Wash. '92, 43, 354; W. I. '87, 313.—mig. '85, 63^b, 1900, 104; syn. '87, 313, '97, 103. pusillus (*Semipalmated *Sand-

piper, b Tringa), Bahamas, '91, 351, 1900, 286; B. C. 1900, 104; Colo. '83, 198 [occidentalis?]; Colom. 1900, 364; Conn. '92, 389; Engl. '77, 107b; Fla. '88, 185, '89, 157, '92, 212; g. dist. '93, 123; G. Br. '80, 146; Hud. B. '90, 321; Ill. '95, 394; Ind. '88, 349; Jamaica, '92, 13; La. '97, 288; Man. '86, 151; Mass. '81, 127, '85, 385, '89, 69; Mich. '93, 223; Minn. '80, 18; Mont. '95, 213; N. C. '99. 246*; N. J. '79, 225, '96, 174; N. S. '87, 16; N. Y. '82, 60, '89, 128, '95, 179ª; Pa. '99, 310; Que. '82, 238; S. D. '85, 286; Tex. 1900, 340; Va. '85, 110, '94, 325, 325"; W. I. '86, 502, '87, 313, '90, 374, '91, 48.-hbt.

'93, 293, mig. '86, 132, '89, 128, '94, 98a, 1900, 104; plm. 79, 29a (alb.), '81, 162, 1900, 370 (mlt.); syn. '87, 313.

Ergaticus, '93, 112.

ruber (Red Warbler, b Cardellina), Mex. '95, 358.—misc. '80, 88b.

versicolor, Mex. '98, 159

Eribates, '94, 168.

magnirostris (b Myiarchus, c Myiobius), syn. '77, 63b, '94, 168c, '96, 75.

Eriodora, see Drymophila.

Eriocnemis aurea, Colom. '90, 315*. cupreiventris, meas., plm. '90, 315. incultus, Colom. '89, 210*.

Erismatura, '88, 67, '93, 107. æquatorialis, Ecuad., syn. '96, 162. jamaicensis (a Ruddy Duck, brubida), Arız. '83, 36b, '86, 385b, '90, 48b, 51b; Cal. '86, 90b, Colo. '85, 18b, 144b; Conn. '93, 371b; Fla. '88, 269b, 779, '92, 211b; Ida. '97, 350; Ill. '77, 68b; Ind. '88, 347b; Jamaica, '91, 364b; La. '97, 286; Mass. '81, 127b, '91, 117b, '96, 203b; Man. '86, 149b, 329b; Mich. '93, 223b, Minn. '96, 79^a; Mont. '95, 212^b; Ore. '79, 198b, '88, 142b; N. D. '99, 161a, 162a, 164, 165°; N. F. 1900, 71°; Pa. '99, 309; S. D. '85, 288b; Tex. '82, 225b, '87, 185b, '92, 345b; Wash. '92, 42b; W. I. '88, 68b.—hbt. '99, 165a; nst. '83, 176a, '96, 79a, '99, 164; syn. '88, 68b, '96, 163, '97, 125; misc. '82, 115b, '88, 416b, '89, 184a.

Erithacus, '84, 117.

rubecula (a European Redbreast or Robin), England, '87, 163; Germany, '96, 300, 308°; Helg. '95, 332; N. Y. '80, 120ª (introduced).—hbt. '96, 300, '97, 412a; syn. '82, 53.

erithacus (Liosceles), see Liosceles. erythrinus (Carpodacus), see Carpodacus.

erythrocephala (Piranga), see Piranga. erythrocephalus (Melanerpes) see Melanerpes.

(Myiarchus), see erythrocercus Μ. mexicanus or oberi.

- (Philydor), see Philydor.

erythrogaster (Chelidon), see Hirundo. —— (Hirundo), see Hirundo. erythrogastra (Chelidon), see Hirundo.

erythrognathus (Phænicophæus), see Phænicophæus.

— (Rhamphococcyx), see Phænicophæus.

- (Rhopodytes), see Phænicophæus. erythromelas (Piranga), see Piranga.

erythronota (Amazılıa), see Amazilia erythronota or Agyrtria tobaci. erythronotus (Buteo), see Buteo. erythrophthalmus (Coccyzus), see Coc cyzus.

- (Cuculus), see Coccyzus.

--- (Pipilo), see P. erythrophthalmus or alleni.

Erythropitta, '94, 234, 235. erythropus (Anser), see Anser. erythropygia (Dendrornis), see Den drornis.

erythrorhynchos (Pelecanus), see Pelecanus.

- (Sterna), see S. maxima. erythrorhynchus (Falcinellus), see Plegadıs autumnalıs.

- (Rhamphastos), see Ramphastos. erythrothorax (Columba), see Leptotila reichenbachı.

- (Engyptila), see Leptotila reichenbachi.

- (Leptotila), see L. reichenbachi. espinachi (Icterus), see Icterus. Essex Institute, Bulletin, title 970), '85, 372,

Estrilda cyanocephala, Africa, 157*.

Eucephala cærulea, Braz. '91, 30. euchrysea (Callichelidon), see Tachycineta.

- (Herse), see Tachycineta.

- (Petrochelidon), see Tachycineta. — (Tachycineta), see Tachycineta.

Eucichla, '93, 52, 182, '96, 60.

boschi, syn. '96, 60. ellioti, syn. '96, 60.

guiana (b Pitta cyanura, c Pitta), nst. '94, 243; plm. '94, 243; syn. '93, 182°, 187°, '96, 60.

gurneyi, syn. '96, 60. schwaneri, syn. '96, 60.

Eucometis affinis, Venez. '88, 451*. cristata, Colom. '88, 454. pallida, Yucatan, '88, 451*.

spodocephala, Nicar., meas., plm. '88, 451, 453.

stictothorax, Colom. '88, 451*. Eucorystes wagleri, C. R., plm. '92, 249.

Eudocimus, see Guara.

Eudromias modestus, Argent., hbt. '84, 313.

morinellus (a Dotterel), Helg. '95, 338.—mig '93, 73; nst. 1900, 307°.
veredus, Borneo, syn. '91, 15.
Eudynamis, '94, 234, 235.
Eudyptes, '81, 108.
Euetheia, '85, 48, '86, 208, '88, 412.

bicolor (Grassquit, b Phonipara,

^e marchi), Bahamas, '91, 71, 294, 295, 296, 297, 297, 298, 334, 335, 336, 337, 337, 338, 339, 339, 351, 351, '92, 48, 48, 1900, 293; g. dist. '93, 141; Fla. '79, 115⁵; Jamaica, '93, 179, '94, 126; W. I. '80, 166⁵, '81, 152⁵, '86, 209, '87, 96, 180, 181, '90, 374, 374, '91, 46, 47, 47, 48, 48, 49, '93, 220, 356.—meas. '86, 210; nst. '94, 126, plm. '86, 209; syn. '85, 48, '86, 209, 210°, '93, 356. bryanti, Porto Rico, '98, 322*. (Melodious Grassquit), canora Cuba, '86, 209, '92, 272; Fla. '88, 322, 399.—meas., plm., syn. '86, 209; mıg. '88, 322. coryi, W. I. '98, 322*. grandior, W. I. '87, 245*. intermedia, Yucatan, '85, 295. olivacea (b adoxa, c lepida), W. I.

'81, 152, '86, 208, 210b, 502, '87, 7,
'89, 31, '91, 294c, '92, 272b, '93, 179.

—meas.. sym. '86, 208, 210b; plm. '86, 208, 210^b, '91, 189° (alb.), '93, 179. omissa, g. dist. '93, 356; Venez. **'97**. 359, 364. pusilla, C. R. '92, 247; Mex. '95, 357. sharpei, Curação, '93, 355. Euethia, see Euetheia. Eugenes fulgens (Rivoli Hummingbird, b Trochilus papantzin), Arız. '85, 199, '90, 402, '94, 326.—hbt., nst. '90, 402; meas. '90, 403; plm., syn. '99, 324b. Eulampis, '86, 350. holosericeus (b chloræmus), W. I. '80, 167, '86, 351, '87, 96, '90, 374, 375, 375, '91, 47, 47, 48, 48, 48, '93, 314b. -fd. '93, 314b; meas., plm., syn. '86, jugularis, W. I. '80, 167, '86, 350, '87, 96, '91, 48, 48.—meas., plm., syn. '86, 350. euleri (Coccyzus), see C. americanus. Eumomota superciliaris, plm. '83, 238. Eumyas, '94, 233. euops (Conurus), see Conurus. - (Psittacara), see Conurus. --- (Psittacus), see Conurus. -- (Sittace), see Conurus. Euornithæ, '92, 176. Eupetomena macroura, Braz. '91, 30. Euphona, see Euphonia. Euphone, see Euphonia. Euphonia, '86, 192, '87, 149, '92, 23, '93, 111. affinis, C. R., plm. '92, 23, 24.

annæ, C. R., plm. '92, 23, 24.

chlorotica, Braz., meas. '90, 267.

crassirostris (b lanurostris), Colom. '90, 382, C. R. '92, 24b; Venez. 97, 364.—plm. '92, 24b. elegantissima (Blue-headed Euphonia), C. R. '90, 334, '92, 24; g. dist. '93, 141.-plm. '92, 24; misc. '80, 88. flavifrons, W. I. '80, 166, '86, 193, '87, 95.—meas., plm., syn. '86, 193. gnatho, C. R., plm. '92, 24. godmani, Mex. '89, 90*. gouldi, C. R., plm. '92, 23. gracilis, C. R., plm. '92, 24. hirundinacea, C. R., meas., nst., plm. '92, 24, 25. jamaica, W. I. '86, 194, '93, 180, '94, 127.—meas. '86, 194; nst. '94, 127; plm., syn. '86, 194. laniirostris, Boliv. '90, 382; C. R., plm. '92, 24. luteicapilla, C. R., plm. '92, 23, 24. minuta, C. R. '92, 23, 25.-meas., blm. '92, 23, syn. '89, 91 [' minima']. musica, W. I., '81, 152, '86, 192, '95, 279.—meas. '86, 192; plm. '81, 152, '86, 192; syn. '86, 192. sclateri, Porto Rico, meas., plm., syn. '86, 194. trinitatis, Venez. '97, 364. violacea, Braz., meas. '90, 266. Euphonia, Blue-headed, see Euphonia elegantissıma. Godman's, see Euphonia godmani. Euplocamus albocristatus, plm. '92, 162 (hyb.). horsfieldi, plm. '92, 162 (hyb.). ignitus, Borneo, syn. '91, 15. lineatus, plm. '92, 162 (hyb.). melanonotus, plm. '92, 162 (hyb.). Eupsychortyx, '87, 225. cristatus, g. dist. '77, 95?. pallidus, W. I., song, '96, 332. sonninii, Venes. '97, 367; W. I., meas., plm., syn. '87, 225. Euptilotis neoxenus, Mex. '94, 1900, 122. eurhinus (Totanus), see Totanus. Eurhipiduræ, '86, 474. eurhyncha (Guiraca), see G. lazula. eurizonoides (Euryzona), see Rallina. – (Gallinula), see Rallina. -(Rallina), see Rallina. europæa (Pyrrhula), see Pyrrhula. europæus (Caprimulgus), see Caprimulgus. Europe (see also countries of). Allen, J. A., '80, 173-174.

Becher, E. F., '85, 374.

Brewer, T. M., '77, 106-107.

Dalgleish, J. J., '80, 65-74, 141-150, 210-221. D'Hamonville, J. C. L. T., '77, 106. Olphe-Galliard, L., '87, 336-337. Stejneger, L., '87, 336-337. Euryceros, '81, 31. Eurylæmidæ, '81, 31, 36, '89, 267. Eurylæmus, see Eurylaimus. Eurylaimus, '81, 31. javanicus, Borneo, syn. '90, 357. ochromelas, Borneo, syn. '90, 357. Eurynorhynchus pygmæus (Spoonbill Sandpiper), Alas. '83, 231, '84, 78, 81; g. dist. '82, 116.—hbt. '83, 11; plm. '84, 78; syn. '84, 384; misc. '84, Eurypygidæ, '81, 81, '94, 242. Eurystomus, '94, 233. orientalis, Borneo, syn. '91, 11. eurythyma (Ardetta), see Ardetta. Euryzona, '94, 317. amauroptera, India, '89, 173. sepiaria, Japan, '88, 196. euryzona (Gallinula), see Rallina fasciata. Euscarthmus ochropterus, Boliv. '90, 384. pelzelni, Braz. '90, 384. striaticollis, Bras. '90, 270. Euspiza, see Spiza. Euthyrhynchus fulvigula, misc. '86, 480. Euxenura, '78, 183. Evans, Arthur Humble. Birds (rev.), '99, 203. Evans, Evan M. Calamospiza melanocorys on Long Island, N. Y. '89, 192. evelinæ (Lucifer), see Doricha evelynæ. evelynæ (Calothorax), see Doricha. – (Doricha), see Doricha. - (Trochilus), see Doricha. everetti (Sasia), see Sasia. - (Tanygnathus), see Tanygnathus. Evermann, Barton Warren. List of birds of Ventura Co., California, '86, 86-94, 179-186. List of birds of Ventura Co., California (rev.), '86, 407, 480. Birds of Carroll Co., Indiana, '88, 344-351, '89, 22-30. Wood Ibis in Indiana, '89, 186. evermanni (Lagopus), see Lagopus. evillina (Calothorax), see Doricha evelynæ. Evolution. Allen, J. A., '83, 80, '93, 97. Elliot, D. G., '92, 77. Williams, J. B., '99, 318.

evops (Conurus), see C. euops.

- (Evopsitta), see Conurus euops. evura (Parus), see P. hudsonicus. Exanthemops, '99, 104, 229, 289. Excalfactoria, '94, 233. excellens (Tigrisoma), see Tigrisoma. excubitor (Lanius), see Lanius. excubitorides (Collurio), see Lanius. - (Lanius), see L. excubitorides, ludovicianus, gambeli or anthonyi. exilipes (Acanthis), see Acanthis. - (Ægiothus), see Acanthis. exilis (Ardea), see Ardetta. ---- (Ardeola), see Ardetta. --- (Ardetta), see Ardetta. --- (Bellona), see Bellona. -- (Botaurus), see Ardetta. --- (Cisticola), see Cisticola. --- (Mellisuga), see Bellona. — (Orthorhynchus), see Bellona exilis or cristata. - (Trochilus), see Bellona exilis or cristata. eximia (Arbelorhina), see Cœreba brevi--(Bleda), see Bleda. — (Cœreba), see Cœreba brevipes. eximius (Thalassogeron), see Thalassogeron. exquisita (Psittacula), see Psittacula. exsul (Pelecanoides), see Pelecanoides. (Spindalis), see S. benedicti. exulans (Diomedea), see Diomedea exulans or albatrus. eytoni (Dendrornis), see Dendrornis. F fabalis (Anser), see Anser.

faceta (Piranga), see Piranga. Fairbanks, Franklin. Obstuary of, '95, 315. Falcinellus, see Plegadis. falcinellus (Ibis), see Plegadis autumnalis. - (Plegadis), see P. autumnalis. - (Tantalus), see Plegadis autumnalis. Falco (b Cerchneis), '78, 78b, '84, 44, '86, 134, '87, 43, '93, 99, '94, 234, 235. æquatorialis, Ecuador, '92, 257, 269*; plm. '92, 254. albigularis (b rufigularis), Bras. '91, 161b; C. R. '92, 327.—syn. '85,

205. alaudarius, plm. '97, 107. anatum (a Duck Hawk or Pere-

grine Falcon, b communis, c nævius, d peregrinus), Alas. '84, 79°; Arız. '90, 54; B. C. 1900, 105; Cal. '87,

91 [pealei]; Colo. '85, 17°; Conn. '95, 86, 266; Fla. '81, 174, '89, 248, 276, '90, 309, '92, 212, '95, 364; Greenl. '89, 293; Hud. B. '90, 322; Ill. '78, 165°; Jamanca, '92, 127; Ky. '85, 212°; L. Cal. '95, 138 [pealei]; Man. '85, 267°, '86, 154; Mass. '85, 209°, '89, 44, Me. '83, 113°, N. C. '86, 103; N. F. 1900, 72; N. J. '79, 224°; N. Y. '84, 391°, '97, 226, '99, 85; O. '95, 191; Ore. '88, 146, Que. '84, 295°; R. I. '84, 94°; S. C. '90, 37, S. D. '85, 285°; Tex. '92, 234, 1900, 343; Vt. '80, 57°, Wash. '92, 355 [pealei], W. I. '87, 43, '90, 375. —fd. '81, 17°, '87, 91, '93, 201°, '95, 86, '99, 85; hbt. '78, 32, '85, 267°, '89, 293; meas. '78, 33; mig. '95, 266; nst. '78, 32, 165°, '80, 57°, '84, 391°, '85, 209°, '86, 103, '95, 138, 266, '97, 226, 396°, (fg.); plm. '88, 146; song, '85, 267°; syn. '78, 78°, '87, 43; misc. '87, 340°.

australis, g. dist. '92, 257, 267. meas., plm. '92, 268.

brevipennis, W. I. '93, 355. cenchris, Helg. '95, 329.

caribbæarum (b Tinnunculus), W. I '80, 169b, '87, 46, 96, '90, 374, '91, 46, 47, 47, 48, 48, 48, '92, 253, '93, 70—meas. '87, 46; plm. '80, 169b, '87, 46, '92, 253, 254; syn. '87, 46.

columbarius (a Pigeon Hawk, American Merlin, b Æsalon), Alas. '80, 34 [suckelyi?], '81, 6ª [suck-leyi?], '87, 12; Ariz. '86, 423b?; Bahamas, '91, 76, 334, 337, 339; B. C. 1900. 105; Cal. '87, 91; Colo. '85, 17b, '94, 267; Conn. '95, 264, 266; C. R. '91, 272, '92, 328; Del. '85, 100ª, 100ª; Fla. '88, 271, '89, 248, '90, 310, '92, 212; Gulf of Mex. '81, 252a; g. dist. '93, 126; Gulf of St. Law-rence, '77, 79; Hud. B. '90, 322; Ida. '97, 349, 1900, 244; Ind. '88, 350; Jamaica, '92, 127; Ky. '89, 313; La. '92, 205; Man. '86, 154; Mass. '81, 242°; N. Ailantic, '84, 399; N. C. '87, 241, '93, 243; N. F. 1900, 72; N. H. '87 103; N. M. '86, 80b; N. Y. '79, 31, '81, 232b, '90, 231; Ore. '86, 165 [suckleyi?], '88, 146; P. E. I. '93, 9. Que. '82. 237, 255, '89, 147; S. C. '79, 216; S. D. '85, 285b: Tex. '82, 173b, '87, 189, 1900, 343; Wash. '92, 43 [sucklevi?], '97, 174, 1900, 244; W. I. '87, 43, 96, '90, 375, '91, 48, '92, 127, '94, 246.—fd. '77, 79. '92. 127. 1900, 343 · hbt. '92, 127; meas. '82, 255; mig. '81, 252a, '95,

264, 266; nst. '81, 242a, '82, 255, '85, 100a a, plm. 1900, 10; syn. '87, 43; misc. '79, 111a, '87, 341a, '97, 396a (fig.).

cinnamominus, g. dist. '92, 257, 268. meas, plm. '92, 269.

deiroleucus, Braz. '91, 161.

deserticolus (Desert Sparrow Hawk, b sparverius, c Tinnunculus), Aris. '83, 29b, '86, 423b, '90, 54b, B. C. '93, 236, 1900, 105b; Cal. '86, 93°, '89, 221b, '90, 297b, '96, 116; Colo. '83, 197b, '85, 17c, 143°, '87, 124b, '94, 268b; g. dist. '92, 257-263, 263*, '93, 60; Ida. '97, 353; L. Cal. '94, 138°, '95, 138; Mont. '94, 303b, '95, 214; N. M. '86, 80c, '92, 361b, '98, 308b, '99, 188; Ore. '79, 196b, '86, 165b, '88, 146b, Tex. '87, 189b; Wash. '82, 227b, '97, 174.—hbt. '96, 116; fd. '81, 141b; meas. '92, 265; nst. '86, 93°, 423b, '87, 189b, '88, 146b, '96, 116; plm. '83, 29b; syn. '93, 60.

dominicensis (Cuban Sparrow Hawk, b sparverioides, cantillarum), Cuba. '91, 294b; W. I. '81, 154c, '87, 44, '90, 374, 375, '92, 253, '93, 70.—meas. '87, 45; plm. '87, 44, '92, 253, 254, 260, 261; syn. '87, 44, '91, 88, 113, 123, 252, '102, 70

113, '92, 252, '93, 70.

eleonoræ, Helg. '95, 329.

feldeggi (a Lanier Falcon, b lanarius), *Helg.* '95, 329.—syn. '80, 94b; misc. '87, 341a.

fusco-cœrulescens (Aplomado Falcon, ^b femoralis), Ariz. '89, 173; Cal. '90, 216^b; N. M. '92, 361; Tex. '79, 51.—nst. '89, 173.

gyrfalco (a Gyrfalcon, b sacer, e Hierofalco sacer), Alas. '81, 3a, '84, 79e; g. dist. '93, 124; Greenl. '92, 282a; Helg. '95, 329, '90, 322; Hud. B. '90, 322; Me. '79, 188b; N. Y. '80, 117b; R. I. '84, 94e, '86, 270e, —fd. '79, 188b, '93, 201a; syn. '80, 94, 143, '85, 90, 184, 187, 204e.

islandus (a White Gyrfalcon or Iceland Faclon, b candicans, a Hierofalco islandicus), Alas. '84, 79b; Arctic Am. '78, 86b; Europe, '80, 142-143b; g. dist. '93, 124; Greenl. '89, 292, 1900, 387; Helg. '95, 329; Labrador, '85, 373a, '91, 236; Me. '83, 112, '95, 180; N. E. '76, 73c; N. Y. '93, 274c, '95, 180; Que. '85, 315; S. D. '85, 284c, —plm. 1900, 387; syn. '80, 94b, 143, '85, 90, 185, 187, 205, '95, 180; misc. '87, 63b.

mexicanus (Prairie or Lanier Falcon, b polyagrus, c Hierofalco polya-

grus), Aris. '86, 65, 423, '90, 53; B. C. 1900, 105; Cal. '81, 194b, '87, 91; Colo. '79, 96, '83, 197, '85, 17°, '94, 267; g. dıst. '93, 134; Ida. '97, 353; N. M. '92, 361, '98, 308, Ore. '79, 196b, '88, 139; S. D. '85, 285°; Tex. '82, 173b, '87, 183; Wash. '97, 174. fd. '77, 26b, '82, 173b; hbt. '82, 173b, '87, 91; nst. '97, 174; syn. '85, 205; misc. '79, 111a, '81, 194b.

obsoletus (Black Gyrfalcon, blabradoria), g. dist. '93, 124; Greenl. 791, 320; Man. '93, 49; Mass. '77, 27b, '83, 184; Me. '87, 75, '99, 182; N. Y. '81, 126, 247, '92, 203; Que. '82, 237, R. I. '92, 300, '98, 54,—fd. '92, 300, meas. '80, 92, 94, '92, 203; plm. '80, 92; syn. '85, 187, 205b.

pealei (Peale's Falcon), Alas. '84, 79, '85, 157, '95, 275, 276ª; Japan, '92, 176; Wash. '93, 17.-fd. '95,

peninsularis (Saint Lucas Sparrow Hawk), L. Cal. '92, 257, 267*, '93, 60.—syn. '93, 60.

peregrinus (b nigriceps), Helg. '95, 329.—misc. '80, 87b, syn. '78, 78 ['communis'].

regulus (Merlin, b æsalon), Greenl. '87, 345^b, '88, 395^b; Helg. '95, 329^b; Siberia, 1900, 309^b.—syn. '99, 182, 1900, 173.

richardsonii (Richardson's Merlin, b Æsalon), B. C. 1900, 105; Colo. '82, 231, '83, 197, '85, 17', '94, 267; g. dist. '93, 126; Ida. '97, 353; Man. '86, 154; Mont. '94, 303, '95, 214; S. D. '85, 285b; Tex. 1900, 343; Wash. '81, 128b, '82, 227, 230.—fd. '94, 303, meas. '82, 231; plm. '82, 231; syn. '85, 205b.

rusticolus (Gray Gyrfalcon), B. C. 1900, 105; Greenl. '89, 292; Siberia, '88, 197; Wash. '97, 352.—hbt. '89, 292, 1900, 105; meas., nst., song, '89, 292; plm. '89, 292, 1900, 387; syn. '85, 184, 187, 188, '95, 180. sparverioides (b Tinnunculus),

Cuba, '87, 45, '92, 272, '93, 70.— meas., plm. '87, 45; syn. '87, 45, '92, 252, '93, 70; misc. '81, 171b.

sparverius (a American Sparrow or Kestrel, b Tinnunculus, Hawk c isabellinus, ^d Tinnunculus isabellinus), Argent. '84, 23, 110; Bahamas, '93, 70; Colo. '79, 96, '81, 141, '85, 143'; Conn. '93, 207, '95, 263, 264, 266; C. R. '90, 333, '92, 328; D. C. '88, 20; Del. '85, 100'; Engl. '85, 372; Fla. '88, 271, '89, 248, '90,

223, 310, '92, 212, '93, 337, '95, 364; Ga. '83, 41b, '96, 212; g. dist. '92, 252-270; Ia. '95, 121, 236; Ida. 1900, 244; Ind. '88, 350; Ky. '89, 313; La. '92, 205; Man. '86, 154; Mass. '95, 86, '96, 88, '99, 85; Me. '82, 151; Mex. '99, 359b; Mich. '93, 224; Minn. '84, 247b; Mo. '95, 115a, '96, 222a, N. B. '82, 151; N. C. '86, 90, 222-, 18. B. 62, 131, 18. C. 60, 179, 187, 241; N. H. '87, 103; N. J. '79, 85a, '94, 136; N. S. '87, 16, '91, 165; N. Y. '79, 31, '81, 233b, '82, 188; Pa. '92, 135, '96, 281, 293; Que. '82, 237; S. C. '79, 216, '90, 37; S. D. '85, 285b; Tenn. '86, 319, '87, 128, 129; Tex. '82, 41b, 173b, '89, 237, '81, 212, 192, 241, 1908, 2 '91, 312, '92, 234, 1900, 343; Urug. '84, 110; Venez. '97, 366; Wash. '92, 43; W. I. '81, 152b, '87, 43—fd. '87, 338a, 338a, 338a, 339a, '94, 303; hbt. '83, 177^b, '84, 23; meas. '78, 41^b, '92, 263; mig. '95, 121, 125°, 236, 263, 264, 266, '96, 88, '99, 144°; nst. '78, 41°, '91, 108°, '83, 41°, 173°, '85, 100°, '87, 241, '95, 86, '99, 85; plm. '92, 252, 258, 260, 262°, 328, 1900, 10a; song, '95, 115a; syn. '85, 205d, '87, 43, '92, 252, '93, 70; misc. '79, 111a, '87, 341a, '97, 396a (fig.), 1900, 111ª.

subbuteo, Helg. '95, 329. suckleyi (Black Merlin, b Æsalon), Alas. '98, 123?; B. C. '93, 291, 384, 1900, 105; Ore. '86, 146; Wash. '81, 128b, '82, 227, 230, '93, 17, 291, 384, 1900, 352.—fd. 1900, 352; plm. '82, 230, 1900, 10.

tinnunculus (a Kestrel), Helg. '95, 329; Mass. '88, 110, 205 (corr.), 395; N. Atlantic, '84, 398.-plm. '97, 107a. vespertinus, Helg. '95, 329.

Falcon, Aplomado, see Falco fuscocœrulescens.

Greenland, see Falco islandus. Iceland, see Falco islandus.

Jer, see F. gyrfalco.

Lanier, see Falco feldeggi; F. mexicanus (American references).

Peale's, see Falco pealei.

Peregrine, see Falco anatum.

Prairie, see Falco mexicanus.

Falcones (* Hawks), '77, 70, '78, 77, '79, 111a, '81, 194a, '83, 48a, 175a, '84, 186a, '85, 212a, '86, 477a, '87, 161^a, 167^a, 277^a, 283^a, 338^a, 340^a, 351^a, '93, 199^a, '95, 318^a, '96, 73^a, '97, 396°, 1900 53°, 95°, 102°, 111ª.

Falconi, '80, 172. Falconidæ, '77, 70-73, '78, 77, '81, 77,

163, 200, 203, '82, 14, '83, 168, '86, 133, '93, 109, 210, '95, 156. Falconinæ, '77, 70, '97, 396.

Falculia, '81, 32.

falklandica (Ægialitis), see Ægialitis. **Falkland** Islands.

Allen, J. A., '99, 292.

fallax (Doleromya), see Doleromya.

—— (Elænia), see Elænia.

- (Melospiza), see M. fallax or montana.

familiaris (Aëdon), see Aëdon.

- (Certhia), see Certhia familiaris, fusca or montana.

Familiar Science and Fancier's Journal, titles (Nos. 26-48), '80, 113.

Fannin, John.

Check list of British Columbia birds (rev.), '92, 65.

Canada Goose and Osprey laying in same nest, '94, 322.

Emperor Goose in British Columbia, **'95**, 76

Harris's Sparrow in British Columbia, **'95**, 305.

California Vulture in Alberta, '97,

Abundance of owls on coast of British Columbia, '97, 89.

Fanning Islands.

Allen, J. A., '78, 80-81.

Streets, T. H., '76, 46-47, '77, 74, '78, 80-81.

Faroë Islands.

Dalgleish, J. J., '80, 212, 217, 219.

Farley, John A. White-throated Sparrow in winter near Worcester, Mass. '82, 122,

Breeding of Traill's Flycatcher in eastern Massachusetts, '95, 302.

Breeding of Seaside Sparrow in Massachusetts, '97, 322. Farr, Marcus Stults.

Check list of New York birds (rev.). 1900, 313.

Farrington, Oliver Cummings.

Fossil egg from South Dakota (rev.), **'99**, 370.

fasciata (Columba), see Columba.

- (Chamæa), see Chamæa.

--- (Fringilla), see Melospiza,

— (Melospiza), see M. fasciata or montana.

- (Rallina), see Rallina.

fasciatus (Cymbilanius), see Cymbilanius.

— (Ortvx), see Philortvx.

- (Philortyx), see Philortyx.

- (Picoides), see P. alascensis.

--- (Rallus), see Rallina.

Fat-eater, see Auriparus flaviceps. fatıgata (Geospiza), see Geospiza.

Faxon, Charles Edward.

Translation of Grundtvig's 'birds of Shiocton, Wisconsin' (rev.), '95, 173.

Faxon, Walter.

Another black Robin, '86, 284.

Summer birds of Berkshire Co., Mass. 89, 39-46, 99-107.

Molothrus ater in Massachusetts in December, '89, 72.

Observations on Robin roosts, '90, 367.

Hudsonian Chickadee (Parus hudsonicus) in Vermont and Massachusetts, '90, 407.

Long-billed Marsh Wren, Maryland Yellow-throat, Nashville Warbler and Great Blue Heron in eastern Mass. in winter, '90, 408-410.

Prairie Horned Lark (Otocoris alpestris praticola) breeding in New Hampshire and Mass. '92, 201.

Vireo philadelphicus in Cambridge, Mass. '95, 84.

Rough-winged Swallow (Stelgidopteryx serripennis) breeding in North Adams, Berkshire Co., Mass. **'95**, 392.

Turdus alicia bicknelli and Otocoris alpestris praticola as summer residents of Berkshire Co., Mass. '95, 392.

John Abbott's drawings of the birds of Georgia, '96, 204-215.

Helminthophila rubricapilla vs. Helminthophila ruficapilla, '96, 263.

Louisiana Water-Thrush breeding in Berkshire Co., Mass. 96, 344.

Seaside Sparrow (Ammodramus maritimus) in Massachusetts, '97, 320. What is Fringilla macgillivraii Aud.?, **'**97, 321.

Purple Martins (Progne subis) breeding in electric arc-light caps, '97,

Names of two Mexican Wrens, '97, 409.

Hemiura leucogastra (Gould)-a correction, '98, 60.

Faxon, W., and Allen, J. A.

Notes on summer birds of Holderness, Bethlehem and Franconia, N. H. '88, 149-155.

Faxon, W., and Hoffman, R.

Birds of Berkshire Co., Mass. (rev.), 1900, 187.

Feather, The (magazine), '96, 195.

Feather trade, see Destruction.

FEDOA. fedoa (Limosa), see Limosa. --- (Scolopax), see Limosa. Feilden, Henry Wemyss. List of birds observed in Smith Sound and in the Polar basin (rev.), '78, 86. feldeggi (Falco), see Falco. felix (Thryothorus), see Thryothorus. femoralis (Falco), see F. fusco-cærulescens. - (Numenius), see N. tahitiensis. — (Pholidauges), see Pholidauges. fera (Meleagris), see Meleagris. ferina (Aythya), see Aythya. – (Fuligula), see Aythya. ferinoides (Fuligula), see Fuligula. Fernald, Charles Henry, and Forbush, E. H., see Forbush and Fernald. fernandinæ (Anabates), see Teretistris. --- (Colaptes), see Nesoceleus. --- (Geopicus), see Nesoceleus. —— (Geothlypis), see Teretistris. —— (Nesoceleus), see Nesoceleus. --- (Picus), see Nesoceleus. --- (Teretistris), see Teretistris. ferox (Buteo), see Buteo. (Myiarchus), see Myiarchus. Ferrari-Perez, Fernando. Catalogue of animals collected by geographical and exploring commission of Mexico (rev.), '87, 65. ferrariperezi (Amphispiza), see Aimophila. ferreirostris (Coccothraustes), see Coccothraustes. ferruginea (Drymophila), see Drymophila. — (Muscicapa), see Muscicapa —— (Nyroca), see Nyroca. — (Tringa), see Tringa. ferrugineicollis (Totanus), see Macrorhamphus griseus. ferrugineum (Glaucidium), see G. phalænoides. ferrugineus (Archibuteo), see Archibuteo. — (Coccyzus), see Coccyzus. --- (Gallus), see Gallus. --- (Scolecophagus), see S. carolinus. ---- (Trochilus), see Glaucis hirsuta. --- (Trogon), see Trogon. ferus (Anser), see A. anser. Festa, Enrico, and Salvadori, T., see Salvadori and Festa. festæ (Ramphocelus), see Ramphocelus.

festatus (Pharomachrus), see Pharo-

festiva (Amazona), see Amazona.

Do Crows carry objects in their claws? '84, 92.

Ducks transporting fresh-water clams, '84, 195.

fiber (Dysporus), see Sula sula.

--- (Sula), see S. sula.

Fiddler, see Colaptes luteus.

Field, George Wilton.
Notes on birds of Port Henderson,

Jamaica, West Indies, '94, 117-127. Field and Forest (magazine), titles, '76, 71, '77, 75, (Nos. 19-25), '80, 112.

Field Columbian Museum, African expedition, '96, 196.

Fieldfare, Field-fair or Fieldfear, see Merula migratoria, '83, 74.

field: (Hyetornis), see Hyetornis. Figgins, Jesse Dade.

Bachman's Sparrow in Maryland, '97, 219.

Figures, in text, see Plates.

fimbriata (Anas), see Pæcilonitta bahamensis.

Finch, Bachman's see Peucæa bachmani.

Bahama Fruit, see Spindalis zena. Black, see Melopyrrha nigra.

Black Sea-side, see Ammodramus nigrescens.

Blanding's, see Oreospiza chlorura. California House, see Carpodacus frontalis.

California Purple, see Carpodacus californicus.

Cassin's Purple, see Carpodacus cassini.

Cinereous, see Melospiza cinerea. Crimson-fronted House, see Carpodacus frontalis.

Dusky Seaside, see Ammodramus nigrescens.

European Green, see Ligurinus chloris

Gambel's, see Zonotrichia gambelii. Grass, see Poœcetes gramineus or confinis.

Gray-crowned, see Leucosticte tephrocotis.

Green-tailed, see Oreospiza chlorura. Guadalupe House, see Carpodacus amplus.

Harris's, see Zonotrichia querula. Hepburn's Gray-crowned, see Leucosticte littoralis.

House, see Carpodacus frontalis. Indigo, see Cyanospiza cyanea. Lark, see Chondestes grammacus. Lazuli, see Cyanospiza amœna. Lincoln's, see Melospiza lincolnii.

machrus.

Fewkes, Jesse Walter.

162

McGregor's House, see Carpodacus mcgregori.

Nelson's Sharp-tailed, see Ammodramus nelsoni.

Painted, see Cyanospiza ciris.

Pine, see Spinus pinus.

Purple, see Carpodacus purpureus.

Rufous-crowned Summer, see Aimophila scottii.

Saint Lucas House, see Carpodacus ruberrimus.

San Clemente House, see Carpodacus clementis.

Seaside, see Ammodramus maritimus. Serin, see Serinus serinus.

Sharp-tailed, see Ammodramus caudacutus.

Townsend's see Spiza townsendi.

Western Grass, see Poœcetes confinis. Western Purple, see Carpodacus cas-

Yellow-backed, see Loxipasser anoxantha.

Finches, see Fringillidæ.

finschi (Conurus), see Conurus.

— (Certhiola), see Cœreba martini-

fischeri (Arctonetta), see Arctonetta. — (Lampronetta), see Actonetta. Fisher, Albert Kenrick.

Robin's eggs, spotted, '78, 97.

Kentucky Warbler (Opororms formosus) at Sing Sing, N. Y. '78, 191.

Occurrence of several rare birds near Sing Sing, N. Y. '79, 61.

Helminthophaga leucobronchialis in New York, '79, 234. Large-billed Water Thrush at Lake

George, N. Y. '80, 117.

Two more specimens of Helminthophaga leucobronchialis from Sing Sing, N. Y. '81, 245.

Another specimen of Surus motacilla at Lake George, N. Y. '81, 245.

Dendraca palmarum at Sing Sing, New York, '82, 249.

Snow Goose (Chen hyperboreus) at Sing Sing, New York, '82, 251.

Capture of Ægiothus linaria holbælli in lower Hudson valley, '83, 121.

Nesting of Chrysomitris pinus at Sing Sing, N. Y. '83, 180.

Wood Ibis (Tantalus loculator) in eastern New York, '85, 221.

Ammodramus caudacutus nelsoni in lower Hudson valley, New York, **'85**, 306.

Helminthophila leucobronchialis Sing Sing, New York, '85, 378.

Interbreeding of Helminthophila chrysoptera and H. pinus, '85, 378.

Rallus longirostris crepitans breeding on coast of Louisiana, '88, 108.

Megascops floridanus in Louisiana, '88, 111.

Quiscalus quiscula aglæus in Louisiana, '88, 113.

Capture of a specimen of Orangecrowned Warbler (Helminthophila celata) in vicinity of Washington, D. C. '90, 96.

Appearance of Razor-billed (Alca torda) on coast of North Carolina, '90, 203.

A correction [of record of Hawk Owl, '90, 91], '90, 400.

Myiarchus nuttingi in Arizona, '92, 394.

Our Hawks and Owls in their relation to agriculture (rev.), '93, 199-201. Ornith. of Death Valley expedition (rev.), '93, 285-288.

Capture of Basilinna leucotis in southern Arizona, '94, 325.

Occurrence of Aphelocoma cyanotis in western Texas, '94, 327.

Masked Duck (Nomonyx dominicus) in lower Rio Grande valley, Texas, '95, 297.

Occurrence of Helinaia swainsoni in the Dismal Swamp, Virginia, '95,

Hawks and Owls from the standpoint of the farmer (rev.), '96, 73.

Rank of the Sage Sparrow, '98, 190. Obituary of J. L. Fowler, '99, 377.

Occurrence of Steller's Eider (Eniconetta stelleri) in the Gulf of St. Lawrence, 1900, 65.

Fisher, George Jackson.

Polydactylism in birds, '88, 218.

Fisher, William Harmanus.

The Redpoll in Maryland, '97, 219. fisheri (Æstrelata), see Æstrelata.

- (Ammodramus), see Ammodramus.

· (Glaucidium), see Glaucidium. Fish-hawk, see Pandion carolinensis. Fishkill Standard (newspaper), title (No. 450), '83, 238.

fissipes (Hydrochelidon), see H. surinamensis.

- (Sterna), see Hydrochelidon surinamensis, nigra or leucoptera. Fissirostres, '81, 28-30.

Flagg, Wilson.

Obituary of, '84, 306.

flavigula (Chloronerpes), see C. flavi-

nothera.

Flamingo, American, see Phœnicopterus | ruber. Flamingos, see Phænicopteridæ. flammea (Setophaga), see Setophaga. - (Strix), see Strix pratincola, flammea, glaucops or nigrescens. flammeata (Ulula), see Surnia ulula. flammeola (Megascops), see Megascops. flammeolus (Scops), see Megascops. flammeus (Aluco), see Strix perlata. --- (Trogon), see Trogon. flammigerus (Ramphopis), see Ramphocelus. - (Ramphocelus), see Ramphocelus. flammula (Pinicola), see Pinicola. --- (Selasphorus), see Selasphorus. flammulatus (Myiarchus), see Myi-Flat-bill, see Myiarchus barbirostris. Buff-winged, see Blacicus pallidus. flava (Budytes), see B. flava or leucostriatus. — (Fringilla), see Sicalis flaveola. - (Motacilla), see Budytes flava or leucostriatus. - (Sicalis), see flaveola. flaveola (Capsiempis), see Capsiempis. —— (Cœreba), see Cœreba. - (Certhia), see Certhiola bahamensis. — (Certhiola), see Cœreba flaveola, portoricensis, or newtoni. - (Cœreba), see C. bartholemica or portoricensis. — (Fringilla), see Sicalis. ---(Nectarinia), see Cœreba portoricensis. — (Sicalis), see Sicalis. flavescens (Vireo), see Vireo. flavicans (Celeus), see Crocomorphus flavus. flaviceps (Auriparus), see Auriparus. —— (Dendroica), see Dendroica. —— (Geothlypis), see Geothlypis. --- (Paroides), see Auriparus. --- (Pipra), see Pipra flavicollis. flavicollis (Pipra), see Pipra. flavida (Dendroica), see Dendroica. flavifrons (Auriparus), see Auriparus. ---- (Emberiza), see Euphonia. - (Euphonia), see Euphonia. ___ (Lanivireo), see Vireo. --- (Tanagra), see Euphonia. —— (Vireo), see Vireo. flavigaster (Anthreptes), see Arachnothera. — (Basıleuterus), see Basileuterus. — (Dendrornis), see Dendrornis. - (Pendulinus), see Icterus dominicensis.

gularis. flavigularis (Chloronerpes), see Chloronerpes. flavipectus (Cyclorhis), see Cyclorhis. flavipes (Gambetta), see Totanus. — (Hylophilus), see Hylophilus. --- (Scolopax), see Totanus. --- (Totanus), see Totanus. flavirostris (Acanthis), see Acanthis. --- (Columba), see Columba. --- (Gecinus), see Gecinus. --- (Merula), see Merula. — (Phaethon), see P. americanus. --- (Phaeton), see Phaeton americanus. ---- (Querquedula), see Querquedula. —— (Turdus), see Merula. flaviventris (Conurus), see C. nanus. --- (Porzana), see P. flaviventris. (Rallus), see Porzana flaviventris. —— (Arachnothera), see A. flavigastra. —— (Blacicus), see Blacicus. - (Crithagra), see Crithagra. ---- (Cyclorhis), see Cyclorhis. --- (Empidonax), see Empidonax. — (Hapalocercus), see Hapalocercus. - (Octhœca), see Empidonax lawrencei. --- (Ortygometra), see Porzana. --- (Porzana), see Porzana. --- (Sphecotheres), see Sphecotheres. - (Vireo), see V. flavifrons. flavivertex (Dendroica), see Dendroica. — (Heterocercus), see Heterocercus. --- (Setophaga), see Setophaga. flavovelata (Geothlypis), see Geothlypis flavoviridis (Vireo), see Vireo. flavus (Agelaius), see Agelaius. --- (Picus), see Crocomorphus. — (Xanthosomus), see Agelaius. Fleming, James Henry. Ontario bird notes, 1900, 176. Flicker, see Colaptes auratus or luteus. Brown, see Colaptes brunnescens. Common, see Colaptes auratus or lu-Gilded, see Colaptes chrysoides. Guadalupe, see Colaptes rufipileus. Hybrid, see Colaptes cafer. Malherbe's, see Colaptes chrysoides. Northern, see Colaptes luteus. Northwestern, see Colaptes saturatior. Red-shafted, see Colaptes cafer. Yellow-shafted, see Colaptes auratus

or luteus.

Flint, Harry Welling. Capture of Louisiana Tanager at New Haven, Connecticut, '93, 86. Flint, William. The metric system, '87, 357, floresi (Lampornis), see L. mango. --- (Selasphorus), see Selasphorus. --- (Trochilus), see Selasphorus. floriceps (Anthocephala), see Anthocephala. Florida, see Ardea. Florida. Allen, J. A., '80, 89, 135, 178, '88, 284-287, 426, 96, 246-247. Atkins, J. W., '99, 272. Baily, H. B., '84, 95. Baker, C. F., '92, 194. Bangs, O., '98, 174-183. Batchelder, C. F., '81, 58-60. Beckham, C. W., '82, 250. Bendire, C. E., '88, 355. Boardman, G. A. '80, 64. Brewster, W., '78, 40, '81, 38-44, '82, 121-122, '83, 185-186, '86, 481, 737 - 121-122, '87, 148-149, 160, '89, 279, 336-338, '91, 125-138, 149-157, '93, 215-219, '97, 221-222, '98, 185. Chapman, F. M., '88, 267-277, 319, '89, 278-279, '90, 9-14, '91, 125-138, '96, 11-19. 136, 96, 11-19.
Cherrie, G. K., '97, 402-403.
Clarke, S. C., '87, 68.
Cory, C. B., '86, 262, 408, '87, 159, '89, 275, '90, 204, '91, 309, '95, 187-188, '98, 331.
Coues, E., '83, 61, '85, 387, '88, 37. Goss, N. S., '86, 134. Gunn, C. W., '83, 234. Hasbrouck, E. M., '92, 286. Heilprin, A., '92, 195. Hopkins, C. L., '88, 249-251. Ingersoll, E., '81, 184. Jamieson, H. K., '91, 233. Jencks, F. T., '86, 271. Kline, H. A., '87, 338, 341, '89, 174, 177. Koch, A., '92, 385, '99, 277-278. Lawrence, R. H., '91, 231-232. Mackay, G. H., '97, 325. Maynard, C. J., '76, 30, 75, '79, 114–115, '80, 170, '89, 183. McCrary, J. M., '92, 385. McPherson C. S., '90, 85, '91, 110, 110. Merriam, C. H., '85, 60-63, 104, '87, 262, '88, 322, '89, 276. Merrill, J. C., '79, 114-115. Mortimer, D., '90, 337-343. Packard, A. S., '91, 313.

Palmer, W., '96, 99-108. Pearson, T. G., '90, 85, '97, 99. Pennock, C. J., '90, 56-57. Rhoads, S. N., '92, 1-8, '93, 362-363. Ridgway, R., '80, 122-123, '81, 207-214, '82, 1-6, 116, '86, 134, '94, 324, '97, 88-89. Scott, W. E. D., '81, 14–21, '87, 133– 135, 135–144, 213–222, 273–284, 348, '88, 183–188, 373–379, 428– 430, '89, 13-18, 152-161, 243-252, 317-326, '90, 14-22, 90, 114-120, 221-226, 264-265, 301-314, 376, 400, '91, 309-310, 318-319, '92, 141-142, 209-218. Sennett, G. B., '88, 305-306. Shufeldt, R. W., '89, 182. Simons, M. H., '82, 116. Smith, G., '80, 54. Ward, C. W., '84, 161–163. Wayne, A. T., '93, 336–338, '95, 362– 367. Wheeler, J. B., '91, 109. Florida Museum of Nat. Hist. '96, 268. Florida Naturalist (magazine), '90, 219. floridana (Aphelocoma), see A. cyanea. - (Speotyto), see Speotyto. floridanus (Agelaius), see Agelaius. --- (Cardinalis), see Cardinalis. --- (Colinus), see Colinus. ---- (Corvus), see C. pascuus. - (Graculus), see Phalacrocorax. - (Megascops), see Megascops. (Parus), see P. bicolor. — (Phalacrocorax), see Phalacrocorax. - (Scops), see Megascops. florincola (Cyanocitta), see Cyanocitta. Floyd, Harry Webb. Wintering of Towhee (Pipilo crythrophthalmus) at Rockaway Beach, L. I., '98, 190. fluviatilis (Locustella), see Locustella. - (Motacilla), see Seiurus noveboracensis. — (Sterna), see S. hirundo. Fluvicola pica, Venez. '97, 365. Flycatcher, Acadian, see Empidonax virescens. Alder, see Empidonax alnorum. Arizona Crested, see Myiarchus magister. Arkansas, see Tyrannus verticalis.

Ash-throated, see Myiarchus cine-

Black-crested, see Phainopepla nitens.

Baird's, see Empidonax difficilis.

Beardless, see Ornithion imberbe. Black-capped, see Wilsonia pusilla.

rascens.

Buff-breasted, see Empidonax pyg-Canada, see Wilsonia canadensis. Cassin's see Tyrannus vociferans. Cooper's, see Myiarchus magister. Couch's Tyrant, see Tyrannus couchii. Coues's, see Contopus pallidiventris. Crested, see Myiarchus crinitus.

Derby, see Pitangus derbianus. Durango, see Empidonax timidus. Fork-tailed, see Milvulus tyrannus. Fulvous, see Empidonax fulvifrons. Giraud's, see Myiozetetes texensis. Gray, see Empidonax griseus.

Great-crested, see Mylarchus crinitus. Green-crested, see Empidonax virescens.

Hammond's, see Empidonax ham-

Island, see Empidonax [insulicola =] dıfficilis.

Jalisco, see Myiopagis jaliscensis. Lawrence's, see Myiarchus lawrenceii. Lead-colored, see Polioptila plumbea. Least, see Empidonax minimus.

Least Bahama, see Blacicus bahamensis.

Lesser Crested, see Empidonax virescens.

Little, see Empidonax traillii.

Little Western. see Empidonax traillii.

Mexican Crested, see Myiarchus mexicanus.

Northern Crested, see Myiarchus crinitus.

Nutting's, see Myiarchus nuttingi. Oaxaca Green, see Empidonax per-

Olivaceous, see Myiarchus olivascens. Olivaceous Crested, see Myiarchus olivascens.

Olive-sided, see Contopus borealis. Pluma, see Empidonax occidentalis.

Red-eved, see Vireo olivaceus. Ridgway's, see Ornithion ridgwayi. Rio Grande, see Pitangus derbianus.

Rufous-tailed, see Myiarchus leucaysiensıs.

St. Lucas, see Empidonax cineritius. Say's, see Sayonnis nigricans.

Scissor-tailed, see Milvulus forficatus. Sierra Madre, see Empidonax pul-

Slender-billed, see Mitrephanes tenui-

Small Green-crested, see Empidonax virescens.

Sulphur-bellied, see Myiodynastes luteiventris.

Swallow-tailed, see Milvulus forficatus.

Texas, see Myiozetetes texensis.

Texas Great-crested, see Myiarchus mexicanus.

Townsend's, see Myadestes townsendii.

Traill's see Empidonax traillii or alnorum.

Vermilion, see Pyrocephalus mexicanus.

Western, see Empidonax difficilis.

Western Yellow-bellied, see Empidonax difficilis.

Wilson's, see Wilsonia pusilla.

Wright's, see Empidonax wrightii.

Yellow-bellied, see Empidonax flaviventris.

Flycatchers, see Tyrannidæ.

Flysnapper, Black-crested, see Phainopepla nitens.

Fly-up-the-creek, see Ardea virescens. fœda (Limosa), see L. fedoa.

fœtidus (Gymnoderus), see Gymnoderus

Food of birds. Allen, J. A., '81, 22.

Beal, F. E. L., '97, 8.

Judd, S. D., '96, 285. Lucas, F. A., '93, 311. Sanderson, E. D., '98, 144.

Foote, Fannie Huberta.

Carolina Wren (Thryothorus ludovicianus) at Inwood-on-Hudson, N. Y. city, '97, 224.

A provident Nuthatch, '99, 283.

Forbes, Stephen Alfred.

Studies of food of birds, insects and fishes (rev.), '81, 110.

Snowbird (Junco hyemalis) in southern Illinois in June, '81, 180.

Regulative action of birds on insect oscillations (rev.), '83, 105-107.

forbesi (Agelaius), see Agelaius.

Forbush, Edward Howe.

Evening Grosbeak in Hampden Co., Massachusetts, '90, 210.

as protectors of orchards (rev.), '95, 383.

The Crow in Massachusetts (rev.), '96, 337.

[Bird protection in Massachusetts], '98, 89, '99, 66.

Forbush, E. H., and Fernald, Charles Henry.

The Gypsy Moth (Porthetria dispar) (rev.), '96, 336.

Forest and Stream (mag.), titles, '77, 75, (Nos. 1-14) '80, 43, (Nos. 71-100) '81, 48, (Nos. 142-159) '81,

112, (Nos. 165-182) '82, 115, (Nos. 190-235) '83, 116, (Nos. 609-668) '84, 285, (Nos. 846-963) '85, 295, (Nos. 1069-1126) '87, 66, (Nos. 1127-1199) '87, 337, (Nos. 1287-1388), '89, 174, (Nos. 1678-1932) '90, 388, (Nos. 2113–2203) '92, 66, (Nos. 2266-2517) '92, 384, (Nos. 2611-2697) '94, 67.

forficatus (Chlorostilbon), see Chlorostilbon.

- (Elanoides), see Elanoides.

--- (Falco), see Elanoides.

--- (Milvulus), see Milvulus.

—— (Nauclerus), see Nauclerus. Formicariidæ, '81, 29, 36, '90, 379, '96,

159.

Formicarius, '94, 169. albicrissus, W. I. '94, 173. analis, Boliv. '90, 322; syn. '94, 170. glaucopectus, syn. '94, 170. grisea, Braz. '91, 29. nigricapillus, syn. '94, 170. nigrifrons, syn. '94, 170. pallidus, Yucatan, '83, 114.

trinitatis, W. I. '94, 173.
Formicivora, '99, 354, see also Drymophila.

intermedia, Venez. '97, 365; W. I. **'93**, 220.

rufa, Bras., syn. '91, 29.

formicivorus (Melanerpes), see Melanerpes.

formisivorus (Melanerpes), see М. bairdi.

formosa (Fringilla), see Fringilla.

—— (Geothlypis), see Geothlypis.

- (Setophaga), see Geothlypis. —— (Sylvia), see Geothlypis.

formosus (Myiodioctes), see Geothlypis.

- (Myioctonus), see Geothlypis.

—— (Oporornis), see Geothlypis. —— (Phrygilus), see P. gayi.

fornsi (Geothlypis), see Teretistris.

--- (Teretistris), see Teretistris. forsteri (Sterna), see Sterna.

fortirostris (Holoquiscalus), see Quiscalus.

- (Quiscalus), see Quiscalus. Foster, Lyman Spalding.

Widgeon (Anas penelope) near Baltimore, Md. '90, 283.

Published writings of G. N. Law-rence (rev.), '93, 202.

Black-capped Petrel (Estrelata hasitata) in Ulster Co., New York, '95, 179.

Pinicola enucleator in Westchester Co., N. Y. '96, 175.

Black Tern (Hydrochelidon nigra

surinamensis) in New York harbor. '99, 351.

Foudia eminentissima, syn. '91, 92.

Fowl, Sage, see Centrocercus urophasi-

Fowler, H. Gilbert, and Rathbun, F. B., see Rathbun and Fowler.

Fowler, Henry Weed.

Rare birds in vicinity of Philadelphia [not by 'W. Stone,' see corr. '97, 452], '97, 326, 410.

Fowler, Joshua Lounsbury.

Obituary of, '99, 377. Fox, William Henry.

Capture of Philadelphia Vireo in New Hampshire, '77, 78.

Stray notes from Lookout Mountain, Tenn. '82, 191.

Richardson's Owl in southern New Hampshire, '83, 61.

Dendræca coronata in southern New

Hampshire in summer, '84, 192. List of birds found in Roane Co., Tennessee, '86, 315-320.

Vireo solitarius alticola in Tennessee, **'87**, 164.

frænata (Merganetta), see Merganetta. France.

Dalgleish, J. J., '80, 69, 73, 145, 147, 150, 213, 215-220.

francescæ (Granatellus), see Granatellus.

Francis, Nathaniel Atwood.

Breeding of Acadian Owl in eastern Massachusetts, '81, 185.

Wilson's Snipe (Gallinago wilsoni) nesting in Massachusetts, '83, 243.

Francolinus vulgaris, misc. '90, 397. franklinii (Canachites), see Canachites.

— (Chroicocephalus), see Larus.

--- (Dendragapus), see Canachites. ---- (Larus), see Larus.

-- (Tetrao), see Canachites.

frantzii (Semnornis), see Semnornis. Frasar, Donald.

Brünnich's Murre near Johnstown, New York, '95, 290.

Fraser, J. T.

Turkey Buzzard in western New York, '84, 293.

Fraseria prosphora, Liberia, 1900, 187. frater (Anous), see A. stolidus.

Fratercula, '80, 128. arctica (a Puffin), g. dist. '93, 125; Greenl. '89, 213; Helg. '95, 325; N. 78. 280°; N. Y. '88, 171; Que. '82, 241, '88, 134°, 135°, '89, 145.— mlt. '78, 87, '80, 126, 128; nst. '88, 134°, 135°, '89, 145; plm. '80, 126; syn. '80, 127, 128.

corniculata (Horned Puffin, b Mormon), Alas. '80, 34b, '85, 159, '98, 124.—hbt., nst. '80, 34b; plm. '80,

126 (mlt.).

(a Large-billed Puffin), glacialis Arctic R. 1900, 310; g. dist. '93, 123. -mlt. '80, 128; plm. '80, 30 (alb.); syn. '80, 128, '96, 185, 189, 255a, '97, 124.

Fraterculidæ, '92, 174.

Fraterculinæ (* Puffins), '92, 173*, '99,

fraterculus (Dendrornis), see Dendrornis.

🗕 (Grus), see G. canadensis.

Frazar, Martin Abbott.

Intelligence of the Crow, '76, 76. Audubon's Warbler in Massachusetts, '77, 27**.**

Persistency at nest building in the House Wren, '77, 78.

Mottled Owl as a fisherman, '77, 80. Note on nesting of Hammond's Flycatcher (Empidonax hammondi) in Dakota, '80, 184.

Destructions of birds by storm while migrating, '81, 250-252.

Prothonotary Warbler in Massachusetts, '95, 84.

frazari (Ardea), see Ardea.

- (Contopus), see Blacicus hispaniolensis.

- (Hæmatopus), see Hæmatopus. Fregata (b Atagen), '82, 88b, '84, 225b, '88, 69, '94, 337, 338, '97, 315.

aquila (a Man-o'-War Bird aquila ("Man-o'-war Bird or Frigate Pelican, b Tachypetes), Ba-hamas, '91, 79, 295, 296, 337; Cal. '93, 362; Fla. '87, 137, 139^a, 141^a, 214^a, 219^a, 221^a, 222^a, 281, '88, 378, '90, 307, '91, 233^a, '92, 211, '93, 337; g. dist. '93, 141; Ind. '97, 200; Jamaica, '91, 363, '94, 120; Kan. '86, 113^b; L. Cal. '90, 281; N. S. '79, 44b, N. V. '88, 170, 173, 200. 64^b; N. Y. '88, 170, 173, O. '97, 200; Oue. '85, 113b, '88, 319; Revill. Is. '98, 314, 316, 318; S. C. '94, 85; W. I. '80, 169, '81, 155b, '87, 180, 181, '88, 69.—fd. '87, 219*, '94, 120, '98, 314; hbt. '87, 219*, '89, 180*, '90, 307, '98, 316; meas. '97, 200; nst. '98, 314; plm. '91, 387; mlt. '87, 219a, 221a; syn. '84, 385, '88, 69.

Fregatidæ, '81, 78, '93, 106, '94, 337. Fregatoidea, '94, 337.

Fregetta, '97, 315, '99, 102.

grallaria (White-bellied Petrel), N. Pacific Ocean, '84, 81.—syn. '84, 385, '95, 322, '99, 102.

Fregilus graculus, Helg. '95, 330.

Freke, Percy Evans.

Comparative cat. of birds found in Europe and N. Am. (rev.), '80, 173. Birds observed in Amelia Co., Vir-

ginia (rev.), '82, 48. North American birds crossing the

Atlantic (rev.), '83, 114. European birds observed in North

America (rev.), '83, 115.

frenata (Gallinago), see Gallinago.

- (Sternula), see Sterna antillarum. Frigate-bird, see Fregata aquila. Fringilla (b Granatina), '84, 118, '91,

92b. canariensis, syn. '88, 413.

cœlebs (a Chaffinch), Germany, '96, 302; Helg. '95, 325.—hbt. '96, 302,

306a, 308a; song, '96, 302. granatina, syn. '91, 92.

formosa, syn. '91, 92. maderensis, syn. '88, 413.

'87, 163; montifringilla, Engl.

Helg. '95, 335.

morelleti, syn. '88, 413. Fringillidæ (* Sparrows or Finches), ⁷81, 28, 34, 134, 156*, '83, 107, '88, 410-413, '93, 111, '94, 315, '96, 159, 1900, 189.

Fringilliformes, '86, 407.

fringilloides (Accipiter), see Accipiter. -(Nisus), see Accipiter.

frobeeni (Sterna), see S. trudeaui. frontalis (Anser), see A. gambeli.

____(Carpodacus), see Carpodacus.

— (Centurus), see Centurus.

— (Certhiola), see C. dominicana. --- (Columba), see Engyptila jamaicensis.

- (Cyanocitta), see Cyanocitta.

--- (Cyanurus), see Cyanocitta. — (Melanerpes), see Centurus.

— (Octhœca), see Octhœca. — (Tyrannula), see Octhœca.

Frost, Edwin Brant.

Loggerhead Shrike in New Hampshire, '85, 379.

frugilegus (Corvus), see Corvus. frugivorus (Calyptophilus), see Calyptophilus.

- (Corvus), see C. americanus.

(Phœnicophilus), see Calyptophilus.

fusciphaga (Collocalia), see Collocalia. Fuertes, Louis Agassiz.

Occurrence of Leconte's Sparrow (Ammodramus lecontei) at Ithaca, N. Y. '98, 188.

fulgens (Eugenes), see Eugenes. Fulica, '84, 143, '85, 339, '87, 250, '88, 57, 93, 99, 108.

americana (a American Coot), Ala. '79, 13; Aris. '83, 26, '86, 386, '90, 52; Bahamas, '91, 335, 338; B. C. '93, 291; Cal. '86, 91; Colo. '85, 18; Conn. '93, 207; Fla. '81, 17, 42, 18, Com. 53, 207, 710. 61, 17, 72, 18, 18, 267, 270, '89, 156, '91, 128*, 137, '92, 212, '95, 364; Ia. '95, 122; Ida. '97, 351, 1900, 243, Ind. '82, 19, 22, '88, 348; Iamaıca, '92, 12, '94, 122; Kan. '85, 112; Ky. '89, 312; La. '82, 165, '87, 303, '97, 287; Man. '86, 151; Mass. '81, 127, '94, 84, '95, 88; Mich. '93, 223; Minn. '80, 19, '84, 248, '96, 79ª, 1900, 281ª; Mo. '79, 217; S. D. '85, 287; Tenn. '86, 320; Tex. '82, 224, '87, 185, '92, 232, 1900, 340; Wash, '93, 17, 291, '97, 172, 1900, 351; W. I. '81, 155, '88, 57.—anat. '81, 7°; hbt. '80, 181, '81, 42, 58, '97, 172; meas. '79, 197; mig. '88, 270, '94, 84, '95, 122; nst. '79, 197, '92, 12, '97, 172; plm. '79, 30 (alb.); syn. '88, 57; misc. '99, 235. armillata, Argent., Urug., mig. '84, 277. atra (* European Coot), Helg. '95, 339; N. Am. '84, 384.—misc. '86, 418ª, '97, 247. caribæa, W. I. '85, 291, '88, 58, '91, 46.—meas., plm., syn. '88, 58. leucoptera, Argent., Urug. '84, 277. minor (fossil sp.), Orc. '91, 367, **'93**, 344. fulica (Heliornis), see Heliornis. Fulicariæ (a Coots), 181, 7a, 81, 83, 182, 47, 187, 249a, 194, 242. fulicarius (Crymophilus), see Crymophilus. - (Phalaropus), see Crymophilus. fuliginosa (Dendrocincla), see Dendrocincla. — (Diomedea), see Phœhetria. —— (Haliplana), see Sterna. - (Hydrochelidon), see Sterna. — (Hylocichla), see H. fuscescens. --- (Passerella), see P. unalaschcensis. --- (Phœbetria), see Phœbetria. --- (Sterna), see Sterna. - (Synallaxis), see Synallaxis. fuliginosus (Aithurus), see A. polytmus. --- (Buteo), see B. brachyurus. --- (Calorhamphus), see Calorham-

- (Dendragapus), see Dendragapus.

—— (Micropogon), see Calorhamphus.

phus.

--- (Onychoprion), see Sterna. --- (Puffinus), see Puffinus. Fuligula, '96, 162, '99, 286, see also Aythya. ferinoides, plm. '92, 162 (hyb.). fuligula, syn. '96, 163. nomeyeri, plm. '92, 162 (hyb.). fuligula (Fuligula), see Fuligula. Fuligulinæ, '99, 286. Fulmar, see Fulmarus glacialis. Giant, see Ossifraga gigantea. Lesser, see Fulmarus minor. Pacific, see Fulmarus glupischa. Pigeon, see Fulmarus glacialis. Rodgers's, see Fulmarus rodgersii. Slender-billed, see Priocella glacialoides. Tropical, see Æstrelata hasitata. Fulmareæ, '97, 315. Fulmarinæ (a Fulmars), '97, 315, '99, 100, **1900**, 309^a. Fulmars, see Fulmarınæ. Fulmarus, '85, 96, '97, 315.
columba, '95, 105*, see glacialis. glacialis (Fulmar, Procellaria, columba), Arctic Am. '78, 86b; g. dist. '93, 123, '95, 105c*; Greenl. '95, 107, 1900, 186; Helg. '95, 327; Mass. '79, 64; N. Atlantic Ocean, '89, 215; N. S. '84, 238.—hbt. '84, 238; meas. '95, 107, 107°; plm. '89, 215, 1900, 186; syn. '96, 162, '97, 135, 135°, 232; '99, 132. glupischa (Pacific Fulmar), Alas. '85, 158, '95, 107; Cal. '87, 87, '95, 107; g dist. '93, 123.-mcas., plm. '97, 107; syn. '84, 385, '96, 162. '97, 135, 232. minor (Lesser Fulmar), Greenl., plm. 1900, 186; syn. '96, 162, '97, 135, 232, '99, 132. rodgersii (Rodgers's Fulmar), Cal. meas., plm. '95, 107; syn. '96, 162, '97, 135, '99, 132. fulva (Aquila), see A. chrysaetos. - (Cecropis), see Petrochelidon. —— (Dendrocygna), see Dendrocygna. --- (Herse), see Petrochelidon. --- (Hirundo), see Petrochelidon. --- (Petrochelidon), see Petrochelidon. --- (Sialia), see S. azurea. fulvescens (Catharus), see Catharus. — (Junco), see Junco. fulviceps (Hapalocercus), see Hapalocercus. fulvifrons (Empidonax), see Empidonax. - (Mitrephanes), see Empidonax.

--- (Muscicapa), see Empidonax.

	(Colluricincla), see Margarops fus-
obscura. —— (Euthyrhynchus), see Euthyrhyn-	catus. —— (Diomedea), see Phœbetria fuli-
chus.	ginosa.
fulvipectus (Callipepla), see Callipepla.	(Ficedula), see Seiurus novebora-
—— (Empidonax), see Empidonax.	censis. —— (Margarops), see M. fuscatus.
—— (Lophortyx), see Lophortyx. fulviventris (Brachygalba), see Brachy-	—— (Melanetta), see Oidemia.
galba.	—— (Muscicapa), see Sayornis phœbe.
— (Engyptila), see Leptotila.	—— (Œdemia), see Oidemia deglandi.
— (Leptotila), see Leptotila.	— (Oidemia), see Oidemia. — (Peucæa), see Peucæa.
fulvus (Charadrius), see Charadrius.	—— (Sayornis), see S. phœbe.
fumidus (Dryobates), see D. gairdneri.	(Sula), see S. sula
fumifrons (Perisoreus), see Perisoreus.	fuscans (Munia), see Munia. (Spermestes), see Munia.
fumigata (Merula), see Merula.	fuscata (Cichlherminia), see Margarops
fumigatus (Troglodytes), see Troglo-	furcatus or densirostris.
dytes. fumosus (Buteo), see Buteo.	— (Lusciniola), see Lusciniola. — (Merula), see Margarops.
(Catharus), see Catharus.	—— (Sterna), see Anous stolidus.
—— (Centurus), see Centurus. —— (Melanerpes), see Centurus.	—— (Strix), see S. furcata.
funebris (Copurus), see Copurus.	fuscatus (Anous), see A. stolidus.
— (Picoides), see Picoides.	—— (Cichlalopia), see Margarops. —— (Margarops), see Margarops.
funerea (Strix), see Surnia ulula or	— (Mimus), see Margarops.
caparoch.	— (Turdus), see T. fuscatus or Mar-
—— (Surnia), see S. caparoch. funereus (Oryzoborus), see Oryzoborus.	garops fuscatus. fuscescens (Ægiothus), see Acanthis
furcata (Glyphidura), see Strix.	linaria.
— (Muscicapa), see Tyrannus melan-	(Hylocichla), see Hylocichla.
cholicus. —— (Oceanodroma), see Oceanodroma.	—— (Larus), see L schistisagus. —— (Leptasthenura), see Leptasthe-
- (Strix), see Strix.	nura.
— (Strix), see Strix. — (Xema), see Creagrus.	(Turdus), see Hylocichla fusces-
furcatoides (Thalurama), see Thalura- nia.	cens or salicicola. fuscicaudata (Amazilia), see Amazilia.
furcatus (Creagrus), see Creagrus.	fuscicollis (Actodromas), see Tringa.
— (Elanoides), see E. forficatus.	—— (Tringa), see Tringa.
—— (Empidochanes), see Empidonax bimaculatus.	fusco-cœrulescens (Falco), see Falco.
(Larus) see Creagrus	fuscus (Accipiter), see A. velox or frin- gilloides.
— (Nauclerus), see Elanoides forfi-	(Aulanax), see Sayornis phœbe.
carus.	(Cinclodes), see Cinclodes.
(Tyrannus), see T. melancholicus. furcifer (Heliomaster), see Heliomaster.	—— (Falco), see F. rusticolus. —— (Larus), see Larus.
furcifera (Hydropsalis), see Hydrop-	(Nisus), see Accipiter velox or
salis.	fringilloides.
Furnarius agnatus, Colom. '99, 137. minor, Braz. '91, 26.	—— (Pelecanus), see Pelecanus. —— (Pipilo), see P. fuscus or meso-
pileatus, Braz. '91, 26.	leucus.
rufus, Urug., hbt., nst., song, '83,	(Sayornis), see S. phœbe.
204. Furness, Caroline E.	—— (Totanus), see T. ater.
Pine Grosbeak at Poughkeepsie, N.	G
Y. '96, 175.	
furvus (Troglodytes), see Troglodytes. fusa (Merula), see Merula.	gabbii (Pitangus), see Pitangus. Gadow, Hans.
fusca (Aquila), see Aquila.	see British Museum, 'cat. of birds,'
- (Bonasa), see B. sabini.	vol. viii (rev.), '84, 278-281.
•	

Gadwall, see Chaulelasmus streperus. gaimardi (Elænia), see Elænia. gairdnerii (Dryobates), see D. gairdnerii or homorus. – (Picus), see Dryobates gairdneri or homorus. galapagensis (Hæmatopus), see Hæmatopus. - (Pæcilonitta), see Pæcilonitta. galapagoensis (Asio), see Asio. - (Porzana), see Porzana. Galapagos Islands. Allen, J. A., '90, 273, '98, 207-208, 1900, 300-303. Ridgway, R., '86, 331. [Webster expedition], '98, 287. Galbalcyrhynchus leucotis, Boliv. '90, 382. Galbraith, C. S. Bachman's Warbler (Helminthophila bachmani) in Louisiana, '88, 322. Galbula chalcocephala, syn. '90, 381. cyanicollis, Braz. '91, 158. pallens, Colom. '98, 339. ruficauda, Venez. '97, 366; W. I. **'93**, 220. rufoviridis, Bras. '91, 158. viridis, Braz. '91, 158. galbula (Coracias), see Icterus. — (Icterus), see Icterus. -(Oriolus), see Oriolus. Galbulidæ, '81, 29, 75. galeata (Crex), see Gallinula. — (Cyanocitta), see C. coronata. – (Gallinula), see Gallınula. - (Xanthoura), see Xanthoura. galeatus (Casuarius), see C. casuarius. Galeoscoptes (b Lucar), '86, 18, '90, 277, '93, 112, 130, '97, 97b, 134b. carolinensis (a Catbird, b Mimus, ^c Lucar), Ala. '78, 170^b; Ark. '82, 90; Bahamas, '91, 66, 294, 295, 296, 298, 334, 335, 337, 338, 1900, 289; Bernuda, '96, 238; Cal. '85, 215b; Colo. '83, 153b, '85, 15, 140; Cuba. '92, 273; D. C. '88, 24, '92, 307, '93, 303; Fla. '88, 277, '90, 115, 223, 314, '91. 138, '92, 214, '95, 365; Ga. '82, 958, '95, 214, '95, 365; Ga. '82, 958, '95, 214, '95, 21 '96, 214; g. dist. '93, 133; Helg. '80, 69b, '91, 300, '95, 331; Ia. '95, 123, 235; Ida. '98, 19; Ill. '88, 434; Ind '82, 17, '89, 28; Ky. '89, 316; La. '82, 49°, 161, '87, 300°; Man, '86, 327; Mass. '78, 76°, '84, 6°, '88, 388°, 389, '89, 46, 105, '95, 87°; Me. '82, 109°; Mich. '81, 196"; Minn. '80, 13b, '84, 244; Mo. '79, 140b, '90, 393, '95, 117a, '96, 219; Mont. '94, 307, '95, 218; N. B. '82, 176", '85, 266"; N. C. '86, 175, '87, 244, '89, 120, '93, 244; N. H. '88,

151, 153, 154, '89, 77, 79; Nicar. '95, 20a; N. J. '80, 134a, '94, 140; N. S. '85, 266a; N. Y. '79, 32b, '80, 137a, '81, 226, '82, 187b, '84, 132b, 175, 176, '86, 281, '90, 295; O. '95, 242; Ont. '91, 109a; Pa. '92, 140, '93, 37, 41, 43, 46, '96, 285, 291a, 296; P. E. I. '85, 266a; Que. '79, 171b; S. C. '79, 210b, '90, 129, '91, 333, '99, 198; S. D. '85, 277; Tenn. '86, 315, '87, 132; Tex. '82, 7b, '87, 297, '92, 342, 1900, 348; Va. '86, 160, 161a, '89, 53a; Vt. '98, 240a; Wash.'97, 180; W. J. '86, 18, '87, 181, '89, 31, '91, 46; Wis. '82, 187b; W. Va. '98, 134a, 137.—anat. '88, 329; fd. '81, 25a, '85, 299a, 299a, 300a, '86, 477b, '96, 238, '99, 362a; hbt. '85, 297b, '87, 300a, '94, 261a, '97, 412a, 413a; mig. '80, 134a, 137a, '81, 196a, '84, 175, 176, '85, 98a, '88, 434, '91, 109, '95, 123, 128a, 235, 242, '99, 198, 275; nst. '82, 7b, '84, 185a, '85, 97a, '86, 160, '87, 244, '88, 24, '89, 28, '90, 85, '91, 109, '93, 303; plm. '78, 18b, '79, 28a (alb.), '81, 160b, '85, 99a (alb.); song, '84, 132b, '91, 32a, '96, 238; syn. '86, 18, '97, 97a, 133; misc. '86, 400a. galericulata (Sterna), see S. elegans.

galericulata (Sterna), see S. elegans. galericulatus (Thalasseus), see Sterna maxima.

Galeripitta, 96, 60.
Galerita cristata, Helg. '95, 334; plm.
'76, 61.

modesta, syn. '91, 92.
galeritus (Anorrhinus), see Anorrhinus.
— (Diplopterus), see D. nævius.
galgulus (Coryllis), see Loriculus.
— (Loriculus), see Loriculus.
— (Psittacus), see Loriculus.
Gallicrex, '87, 250.
gallicus (Circaetos), see Circaētos.
— (Cursorius), see Cursorius.
gallinacea (Parra), see Hydralector.
gallinaceus (Hydralector), see Hydralector.

Gallinæ, '81, 30, 73, 75, 77, 80, 83, '82, 47, '84, 189, '86, 449, '93, 109, '94, 171, '96, 62, '97, 214, 341, '98, 63, '99, 181, 1900, 110.

'99, 181, 1900, 110.

Gallinago, '87, 311, '88, 331, '93, 108.
 delicata (*Wilson's Snipe, bwilson'), Ala. '79, 12b; Aris. '86, 386; Cal. '86, 91; Colo. '79, 96b, '81, 142b, '85, 18b, '86, 285, '87, 121, 337a; C.

R. '90, 332, '92, 329; Fla. '88, 270, '89, 156, '91, 137, '92, 212, '95, 364; Ga. '96, 215; g. dist. '93, 125; G. Br. '80, 145b; H. I. 1900, 204; Hud. B. '90, 321; Ida. '97, 351, 1900, 243;

Ill. '99, 270; Ind. '88, 348, '99, 270; Jamaica, '92, 12; Ky. '89, 312; La. '82, 165b, '87, 303a, '97, 288; Man. '86, 151; Mass. '79, 63b, '83, 243b, '92, 199, '95, 310; Mich. '93, 223; Minn. '84, 248b; Mo. '79, 147b; Mont. '94, 301, '95, 213; N. C. '86, 179, '99, 246°; N. F. 1900, 71; N. J. '79, 224°; N. M. '92, 360; N. S. '87, 16, '91, 165, '96, 341, '98, 195; N. Y. '81, 234b; O. '83, 186a; Ont. '85, 336b; Ore. '79, 197b, '86, 164, '88, 144; P. E. I. '93, 8, Que. '82, 238b, '89, 146; R. I. '92, 68a; S. C. '79, 217b, '92, 31a, '94, 32a; S. D. '85, 286b, Tenn. '86, 320; Tex. '82, 41b, '82, 222b, '87, 787, 96, 311; Wis. '88, 328; Wyo. '90, 388, 389.—anat. '88, 330, 331; hbt. '79, 224^b, '84, 187^b, '87, 337^a, '90, 396, '91, 389, 390, '92, 384, 384; meas. '88, 144; mrg. '88, 328^a, '91, 387, 388, '92, 31², '94, 32², '97, 351; nst. '83, 243³, '88, 144, '93, 8, '99, 271; plm. '76, 23³ (alb.), '82, 41⁵, '85, 336b (alb.), '98, 195 (alb.) 1900, 370 (mlt.); song, '88, 144; syn. '84, 384b, '87, 311; misc. 91, 390, 390°, 391°, 391°, 391°, 391°, '92, 69°, 69°, '95, 303.

frenata, Braz. '91, 163; Venez. '97,

gallinago (European Snipe, b cœlestis), Engl. '87, 163b; Helg. '95, 326.-mig. '87, 163b; syn. '82, 179b, '84, 384b.

gallinula, *Helg.* '95, 338. major (Greater Snipe, b media), g. dist. '99, 105; Helg. '95, 338; N. Am. '97, 209.—syn. '82, 179b, '84, 384^b, '97, 209, '99, 105, 179.

paraguaiæ, Argent., hbt., mig., nst. **'84**, 314.

gallinago (Gallinago), see Gallinago. - (Scolopax), see Gallinago delicata, Gallinula, '87, 250, '88, 56, '93, 108, '94,

chloropus, Helg. '95, 339.-nst. '97, 247; misc. '96, 73.

galeata (a Florida Gallinule), Argent. '84, 277; Ariz. '86, 386; Bahamas, '91, 294, '92, 49; Colo. '83, 198, '85, 18; Cuba, '92, 272; D. C. '93, 92; Fla. '81, 41", '88, 270, '89, 155, '90, 308, '92, 212, '93, 337, '95, 364; Ga. '83, 42, '96, 215; Ind. '82, 22, '88, 348; Jamaica, '92, 12, '94, 122; Kan. '86, 113, '86, 115; La. '97. 287; Mass. '79, 63, '87, 72, '91, 1-7,

118; Md. '93, 92; Me. '96, 255; Minn. '79, 155; N. B. '81, 186, '82, 176°; N. C. '86, 102; N. E. '76, 73; N, S. '87, 253; N. Y. '79, 175, '82, 124, '83, 236*, '94, 163, '99, 85; R. I. '89, 194; S. C. '85, 193; Tex. '82, 224, '92, 232; Urug. '84, 277; Vt. '89, 273, 274, '95, 311*; W. I. '80 169, '81, 155, '86, 502, '88, 56, '91, 46, 46, 47; Wis. '86, 114, '88, 328a. fd. '87, 72; hbt. '81, 41a, '82, 124, 224, '86, 102, '87, 72, '88, 348, '91, 224, '86, 102, '87, 72, '88, 348, '91, 1-7a, '92, 12; meas. '86, 114, '91, 6a; mig. '88, 328a, '93, 292a; mlt. '84, 277; nst. '79, 155, '83, 42, '85, 210, '86, 114, '89, 273, 274, '91, 1a, '92, 12, '94, 122; song, '91, 1a, 4a; syn. '88, 56, '94, 242; misc. '83, 174a. garmani, syn. '94, 242.

sandvicensis (sandwichensis), H. I. '78, 81, '88, 197.—syn. '94, 242.

gallinula (Gallinago), see Gallinago. Gallinule, Florida, see Gallinula galeata. Purple, see Ionornis martinica.

Scarlet-fronted, see Gallinula galeata. Gallinules, see Gallinulinæ.

Gallinulinæ (* Gallinules), '87, 249*. gallipavo (Meleagris), see M. gallopavo. Gallita, see Alectrurus.

gallopavo (Meleagris), see M. gallopavo, intermedia, osceola or fera. Galloperdix, '94, 172.

Gallus, '94, 233.

ferrugineus, plm. '92, 164 (hyb.). gambeli (Anser), see A. gambeli or albifrons.

— (Callipepla), see Lophortyx.

- (Lanius), see Lanius.

--- (Lophortyx), see Lophortyx.

--- (Parus), see Parus.

– (Zonotrichia), see Z. gambeli or intermedia.

Gampsonyx swainsoni, Braz. '91, 161. gampsorhynchus (Chloropsis), see C. zosterops.

Ganlin, Blue, see Ardea cærulea or ruficollis.

White, see Ardea candidissima or egretta.

Gannet, see Sula bassana or Sterna maxima.

Common, see Sula bassana.

Booby, see Sula sula.

Gannets, see Sulidæ.

Ganong, William Francis.

Do young Loons eat fresh-water clams? '96, 77.

gardeni (Nycticorax), see N. gardeni or nævius.

Gardiner, John L.

[Letter to Alexander Wilson with facts as to the Fish Hawk], '95, 359-362.

Gare-fowl, see Plautus impennis. Garman, Harrison.

Preliminary list of vertebrate animals of Kentucky—birds (rev.), '94, 244.

garmani (Gallınula), see Gallinula. Garrod, Alfred Henry.

Anatomy of Aramus scolopaceus (rev.), '77, 23.

Concerning the anatomy of Plotus anhinga (rev.), '77, 23.

Some anatomical characters which bear upon the major divisions of passerine birds (rev.), '77, 23.

Collected scientific papers (rev.), '82, 43.

Garrulinæ (* Jays), '97, 105*.

Garrulus glandarius (a European Jay), Germany, '96, 309ª; Helg. '95, 330.*hbt.* '96, 309°.

garrulus (Ampelis), see Ampelis.

—— (Coracias), see Coracias.

--- (Lorius), see Lorius.

Garzetta, see Ardea. Gastornis, '96, 62, 63.

Gates, Harry T.

Unusual nesting site of the Snowbird, '80, 239.

Gatke, Heinrich.
Die Vogelwarte Helgoland, '91, 299, '96, 89-92, 137-139, '97, 422, '99, 379.

Heligoland as an ornithological observatory [translated by R. Rosenstock] (rev.), '95, 322-346.

Obituary of, '97, 254.

Gauchero, see Steatornis steatornis. Gault, Benjamin True.

Nest and eggs of Calypte costa, '85, 309-311.

Lapland Longspur near Chicago in June, '89, 278.

Chestnut-sided Warbler nesting in Missouri, '92, 396. Kirtland's Warbler in northeastern

Illinois, '94, 258.

Passenger Pigeon in Aitkin Co., Minn., with recent record for northeastern Illinois, '95, 80.

Willow Thrush (Turdus fuscescens salicicolus) a migrant in northeastern Illinois, '95, 85.

Geothlypis agilis a possible breeder in northern Minnesota, '97, 222.

gaumeri (Chætura), see Chætura.

— (Leptotila), see Leptotila.

- (Engyptila), see Leptotila.

Gavia (b Urmator), '82, 179, '84, 117b, '97, 312, 313, '99, 98, 202, 1900, 167b. adamsii (Yellow-billed Loon, b Colymbus, 'Urinator), Alas. '79, 53b, '84, 81^b, '85, 63^b, '87, 12^c; Canada, '97, 402; g. dist. '93, 123^c; G. Br. '80, 220^b.—mig. '85, 63^b; plm '97, 402; syn. '84, 385^b, '97, 312, '99, 98. arctica (Black-throated Loon, b Colymbus, 'Urinator), Alas. '84, 81b; Colo. 1900, 298; g. dist. '93, 123°; Helg. '95, 327°; Hud B. '90, 320°; Ill. '95, 379°; Minn. '93, 289°, N. Y. '93, 265°; Ont. 1900, 176; Wash. '93, 16°.—syn. '84, 385°, '97, 312, '99, 98, 202.

imber (a Loon or Great Northern Diver, b Colymbus torquatus, c Urinator), Ala. '79, 13b; Alas. '84, 81b, '98, 124; Cal. '86, 88°; Colo. '85, 18b; 76. 124, Cat. 50, 68, Cotto. 63, 18-7, Fla. '88, 268°, 373°, '92, 211°, '95, 364°; g dist. '93, 125°; Grcenl. '89, 212°; Helg. '95, 327°; Hud. B. '90, 320°; Ida. '97, 350°; Ind. '88, 345°; Ky. '89, 311c; Man. '86, 147c; Mass. '88, 389°, 390°, '92, 292°; Mich. '93, 222°; Minn. '80, 20b, '84, 249b; Miss. 1900, 297; N. B. '84, 185b, '96, 77°; N. C. '93, 242°; N. D. '99, 165°; N. F. N. J. '79, 228; N. S. '91, 165°, N. H. '88, 149°, '89, 78°; N. J. '79, 228°; N. S. '91, 165°, '99, 251; N. Y. '78, 53°, '81, 235°; Ont. '87, 247°; Ore. '79, 199°, '88, 140°; Que. '82, 241°, '89, 145°; R. J. '92, 292°; S. C. '91, 55°; S. D. '85, 289°; Tex. '87, 184°; Wash. '92, 41°, '92, 353°, '97, 171°.—anat. '81, 109b; fd. '96, 77°; mig. '92, 292°; nst. '87, 247°, '88, 390°, '89, 176°, 212°; plm. 783, 373°; song, '90, 199°; syn. '84, 115°, 385, '97, 312, '99, 98; misc. '90, 85°, 389°, 393°, 397°, '91, 389°, 392°, '92, 286°, '94, 69°.

lumme (* Red-throated Loon or ^b Colymbus septentrionalis, c Urinator), Alas. '85, 63b, 159c, '87, 12°, '98, 124; Arctic Am. '78, 86b; Ariz. '86, 383°; Cal. '87, 87°; D. C. '88, 147°; Fla. '88, 374°, '92, 211°; g. dist. '93, 125°; Greenl. '89, 213°; Helg. '95, 327°; Hud. B. '90, 320°; Man. '86, 147°; N. J. '79, 228°; N. Y. '78, 146°, '80, 242°, '81, 235°, '88, 170°, '90, 230°, '94, 164°; Que. '82, 241b; Russia 1900, 307°; S. C. '90, 88°, '91, 55°; Wash. '92, 353°, 1900, 349.—anat. '86, 475b; mig. '85, 63b; nst. '89, 213c; plm. '76, 23b (alb.), '88, 170°; syn. '84, 385°, '97, 312,

'99, 98.

pacifica (Pacific Loon, b Colymbus, CUrinator), Alas. '84, 81b, '85, 63b, 159°, '98, 124; Cal. '86, 88°; g. dist. '93, 123°; Guadalupe I. '77, 60°; Ore. '79, 199b; Wash. '92, 353°, 1900, 349?.—mig. '85, 63b, syn. '84, 385b, '97, 312, '99, 98, 202.

gavia (Puffinus), see P. opisthomelas. Gaviæ, '81, 30, 78, 82, 83, '82, 47, '96, 160.

Gaviidæ (* Loons), '86, 446*, '87, 172*, '97, 312, '99, 97.

gayi (Fringilla), see Phrygilus.

Gaylord, Horace A.

Pyrocephalus rubineus mexicanus in Los Angeles Co., Calif. '96, 258. Zonotrichia albicollis and Mniotilta varia at Pasadena, Cal '96, 260.

Gecinus flavirostris, misc. '87, 342. viridis (b Picus), Helg. '95, 336.-

plm. '88, 214b, misc. '86, 419. Geese, see Anserinæ.

Mackerel, see Crymophilus fulicarius. Nigger, see Phalacrocorax dilophus. Sea, see Crymophilus fulicarius or Phalaropus lobatus.

Gelochelidon, '88, 76.

nilotica (Gull-billed or Marsh Tern, ^b Sterna anglica, ^c aranea), Bahamas, '92, 48; Fla. '87, 133, '88, 374, '92, 211; Ga. '96, 215; Helg. '95, 341; ²¹¹; Ga. 90, 213, 11ers. 93, 371; Ky. '89, 311; Mass. '80, 63^b; N. B. '80, 63^b; N. E. '76, 73°, '79, 14^b; N. J. '90, 327; N. Y. '84, 34^b, '85, 38^b; Tex. '82, 225^b, '92, 345, 1900, 338; Va. '76, 28b, '94, 259; W. I. '81, 128b, '88, 76.—syn. '78, 141b, '84, 364, '88, 76, '96, 161.

genei (Drymophila), see Drymophila. Genera (new), see list, 'New Species.' genibarbis (Myadestes), see M. genibar-

bis, sanctæ-luciæ or dominicanus. - (Thryothorus), see Thryothorus. Gennaia, '85, 205.

Gentry, Thomas George.

Life-histories of birds of eastern Pennsylvania (rev.), '76, 49, '78,

Nests and eggs of birds of Pennsylvania (rev.), '80, 179.

Illustrations of nests and eggs of birds of the United States (rev.), '82, 246-249.

Geococcyx, '86, 273, '93, 110, 130, 132, **'9**7, 9Ì, **'99**, 110.

(b mexicanus). affinis hbt. '92. 288^b; syn. '93, 63.

californianus (Road-runner or Chapparal Cock), Ariz. '83, 25, '86, 424, '90, 48, '94, 220a, 221a; Cal. '79,

109, '83, 25, 182, '86, 87a, 93, '89, 221, '96, 117, 257; Colo. '83, 25, '85, 17, 143, '94, 268; g. dist. '93, 134; Kan. '86, 114, '93, 364; L. Cal. '95, 138, N. M. '83, 25, '92, 362, '99, 188; Tex. '82, 41, '87, 190, '89, 238, '92, 234, 1900, 344.—anat. '86, 479, '87, 70, 252, 254; fd. '77, 74, '78, 39, '83, 25, '97, 217, '99, 188; hbt. '79, 109, 23, 37, 21, 33, 188, 181, 19, 103, 183, 25, 116, 174, '96, 257; meas. '83, 26; nst. '78, 39, '83, 178, 178, '86, 424, '87, 190, '94, 220*, '96, 117, '99, 188; plm. '83, 25, '86, 424; song, '79, 109, '83, 182; syn. '93, 63, 1900, 188; plm. '83, 25, '86, 424; song, '79, 109, '83, 182; syn. '93, 63, 1900, 188; plm. '84, 188; plm. '84, 188; plm. '85, 188; pl 66, 173ª; misc. '90, 80ª, '97, 107ª. Geocichla, '83, 100, '94, 233.

interpres, Borneo, syn. '90, 348. geoffroyi (Cyanocorax), see Cyanocitta beecheyi.

Geopelia, '94, 233.

Georgia.

Allen, J. A., '99, 339. Bailey, H. B., '83, 37-43.

Bangs, O., '98, 192. Brewster, W., '80, 48, '82, 94-104, '88, 432, '89, 70, '93, 215-219, 302.

Faxon, W., '96, 204-215. Head, J. F., '78, 151. Noble, G., '87, 69. Pennock, C. J., '91, 108. Perry, T. D., '90, 83.

Worthington, W. W., '90, 211-212, 284.

georgiana (Melospiza), see Melospiza. Geositta cunicularia, Urug., hbt., song, **'83**, 203.

longipennis, Patagonia, '90, 274. Geospiza, '77, 64, '95, 71, '97, 330, '98, 208, 1900, 303.

assimilis, syn. '95, 71.

conirostris (b media), Galap. Is. '90, 273, 273b

fatigata, Galap. Is. '96, 330. pachyrhyncha, Galap. Is. '96, 330. Geothlypis (b Oporormis, c Chamæthlypis), '83, 81, '84, 1, '86, 43, '87, 310b, '90, 194b, '93, 111, '97, 123°, 1900,

217. æquinoctialis, g. dist. 1900, 217. plm. 1900, 217; syn. '83, 81.

(a Connecticut Warbler, agilis '91, b Oporornis), Bahamas, 352. 1900, 305b; Colo. 1900, 298; Colom. 1900, 366; Conn. '80, 117b [= philadelphia, see '81, 114b], '92, 202; D. C. '97, 326a; Fla. '88, 187, '90, 21, '93, 338; g. dist. '93, 127, 1900, 217; Ill. '76, 42°; Ind. '82, 20°, '89, 28; Man. '84, 192b, '86, 326; Mass. '89, 183b, '91, 151a; Me. '82, 190b [=phila-

delphia, see '86, 413], '83, 113b, '86, 413, '87, 77ª, Mich. '79, 186b, '93, 229, '95, 192 [= trichas, see '98, 193ª]; Minn. '97, 222; N. H. '85, 104; '87, 106 [philadelphia?], N. Y. '79, 61b, 184, 179^b; Ont. '85, 308^a, '88, 323^a, 1900, 392; Pa. '80, 50^b, '99, 313; S. C. '91, 172; Vt. '85, 210^b, '89, 193; Wis. '88, 326, 326.—hbt. '80, 50^b, '84, 192^b, '97, 222; meas. '84, 50^b, '84, 192^b, '97, 222; meas. '84, 192^b, '97, 192 193b; mig. '84, 179b, '88, 326, 326, '91, 54, 1900, 236; nst. '84, 192b; plm. 1900, 217, 236; song, '77, 68b, 84, 192^b, '97, 222. arizela, '99, 257*, see occidentalis.

auricularis, Peru, plm. 1900, 217. bairdi, g. dist. 1900, 217; Nicar. 385, 294.—plm. 1900, 217.

beldingi (Belding's Yellow-throat), g. dist. '93, 142, 1900, 217; L. Cal. '82, 257, '92, 180.—nst. '89, 329; plm. '86, 334, '92, 188, 1900, 217, 229.

caninucha (bicterotis), R., Guat., plm. 1900, 218, 2186.

chiriquensis, Colom., plm. 1900, 217.

coryi, Bahamas, '86, 334*, '88, 157. '91, 336, 351, 1900, 217, 291.—meas. '86, 335; plm. 1900, 217.

cucullatus (b velata), Bras. 1900, 217b; g. dist. '79, 91b; Mex. 1900, 217?; Urug. '83, 87b.—meas., mig., nst. '83, 87b; plm. 1900, 217?, 217b; song, '83, 87°, syn. 1900, 179; misc. 380, 88b.

flaviceps, Mex. '99, 31*, 1900, 217. ---plm. 1900, 217.

flavovelata, Mex. '96, 330, 331. '99, 31, 1900, 217.—meas. '99, 31; plm. 1900, 217.

(a Kentucky Warbler, formosa b Oporornis), Alas. '78, 174b; Ark. ³82, 91^b; Colom. 1900, 366; Conn. ²77, 108^b, ⁹93, 86^a; C. R. ²90, 336, ²92, 21^b; Cuba, ³86, 43; D. C. ²88, 24; Fla. ²90, 21, 314, ²93, 338; Ga. ³83, 38b; g. dist. '93, 133, 1900, 218; Gulf of Mex. '81, 251ª; Ill. '78, 163b, 164b, 7 Mex. '81, 251°; III. '78, 163°, 164°, '80, 32°, '88, 210°; Ind. '82, 17°, 20°. '89, 28; Ky. '89, 316; La. '82, 49°, 162°, '87, 302°, Md. '93, 92; Miss. '82, 91°; Mo. '79, 142°, '95, 115°, 117°, N. C. '86, 175, '93, 244; N. J. '89, 198, 304; N. Y. '78, 130°, 191°, 28°, 422 '80, 130, 190, '03, 277. C. '88, 422, '89, 139, 199, '93, 277; O. '79, 236b; Pa. '79, 234b, '91, 398, '93, 209, S. C. '79, 212b, '90, 129, '91, 172, 332, '93, 155; Tenn. '86, 317; Tex. '82, 10b, '92, 342.—hbt., meas. '79, 236^b; mig. '81, 251^a, 1900, 236; nst. '79,

236b, '83, 38b, 176b, 176a, '89, 198, 304. 791, 106°, '93, 86°, 92, 209; plm. '78, 60°, '93, 155, 1900, 218, 229, 236; song, '89, 198; syn. '80, 209°, 237°, '81, 224°, '86, 43; misc. '82, 118 ['Sylvia'], '90, 81°. ignota (Florida Yellow-throat

Yellow-throat. (Florida ignota b trichas, c roscoe), Fla. '88, 276b, '90, 11*, 21, '92, 214, '95, 365b; g. dist. '89, 167°, '90, 63, 1900, 217°, 221°, 222°, 223°, 224°.—meas. '90, 11, 12, 1900, 221°; mig. 1900, 234°; plm. '90, 12, 13, 1900, 217°, 221°, 226°, 232°, 237° (mlt.); syn. '89, 167°, '90, 63, 66°, 1900, 221, 389°, 389°; misc. 1900, 240°.

maynardi, Bahamas, 1900, 290*. melanops, g. dist. 1900, 217, 222, 223; Mex. '94, 67.-meas. 1900, 227, 228; plm. 1900, 217, 222, 228.

modestus, Mex. 1900, 269*.

nelsoni (b cucullatus), Mex., plm. 1900, 217b; syn. 1900, 179.

occidentalis (a Western Yellow-throat, b trichas, c arizela), Ariz. '82, Yellow-139b, '88, 35, '90, 48; Cal. '78, 65b, '86, 185, '89, 223; Colo. '83, 158b, '85, 141, 1900, 298; g. dist. '83, 159*, '93, 135, '99, 257°*, 1900, 217, 222, 223; Ia. '95, 123; Ida. '98, 19; L. Cal. '95, 14. '95, 125; 144. '96, 19; L. Cui. '97, 153°; 142; Man. '86, 326; Mınn. '79, 153°; 167; Ore. '86, 171, '88, 362; S. D. '85, 278°; Tex. '82, 10°, '86, 139, '87, 296, '92, 342; Wash. '92, 356, '97, 179, 181, 181, 182, 182, 183°, 182, 183°, 182, 183°, 18 '83, 159, '90, 10, '99, 257°, 258, 258°, 1900, 221, 228, 231; mig. '95, 123,

218.—plm. 1900, 218; syn. '92, 107; misc. '93, 141.

philadelphia (a Mourning Warbler), Colom. 1900, 366; Conn. '80, 117 [not 'Oporornis agilis,' see '81, 114], '81, 114; C. R. '90, 336, '92. 22; g. dist. '93, 127, 1900, 217; Gulf of Mex. '81, 251a; Ill. '88, 434; Ind. '82, 17, 20, '89, 28; Man. '86, 326; Mass. '82, 252, 253, '84, 9a, 12a, 14, 15, '89, 42ª, 43ª, 103; Md. '93, 372; Me. '76, 30°, '76, 95°, '82, 110, 190 [not 'Oporornis agilis,' see '86, 413]. '86, 413; Mich. '85, 65, '93, 229, '95, 192; Mo. '79, 142; N. B. '82, 110, '89, 118; N. E. '76, 73, 92, '77, 16; N. H. '87, 106, '88, 153; N. J. '89, 198; N.

Y. '78, 53, '81, 228, '82, 154, '83, 52a, 53a, '89, 332a, '90, 295, '91, 396, '96, hbt. '89, 103; mig. '81, 251ª, '82, 252, 253, '85, 65, '88, 434, 1900, 236, nst. '89, 103, '96, 179; plm. '78, 61, 69, 1900, 217, 236; song, '84, 122, '89, 103.

poliocephala, Mex. 1900, 218.—plm. 1900, 218, 229; syn. '83, 81, 82. ralphi (Rio Grande Yellow-throat, b palpebralis), g. dist. '95, 165; Mex. 1900, 218; Tex. '91, $316^{b} - plm$. 1900, 218; syn. '95, 165.

rostrata, Bahamas, '86, 43, '91, 68, 335, 1900, 217, 290.—meas. '86, 43, 1900, 291; plm. '86, 43, 335, 1900, 217; syn. '86, 43.

semiflava, Colom.. plm. 1900, 217. speciosa, Mex., plm. 1900, 217. tanneri, Bahamas, '86, 335*, '88,

157, '91, 298, 334, 350, 1900, 217, 290.—meas. '86, 336; plm. 1900, 217. tolmiei (* Macgillivray's Warbler, b macgillivrayi), Ariz. '82, 139b, '88, 35b, '90, 48b; Cal. '86, 185b, '87, 86', '99, 156b, 157a; Colo. '80, 227b, '81, 88b, '83, 159b, '85, 15b, 141b, '94, 269b; C. R. '90, 336b, '92, 22b 'g. dist. '93, 127b, 1900, 217; Ida. '98, 19b; Mont. '94, 307b; N. M. '85, 332b, '92, 367b; Ore. '79, 164b, '86, 171b, '88, 362b; Tex. '86, 139b, '87, 296b, '92, 342b; Wash. '92, 48b, '97, 179b, 1900, 245.—hbt. '86, 171'; meas. '80, 228^b; mig. 1900, 236; nst. '80, 227^b, '86, 171^b, 1900, 245; plm. '78, 62^b, 1900, 217, 236; song, '80, 227^b, '86, 171^b, '88, 362^b, '97, 179^b; syn. '99, 81^a, 122.

trichas (a Maryland Yellow-throat, ^b brachidactyla, ^c restricta), Ala. '78, 174; Ark. '82, 91; Bahamas, '87, 155^c, 1900, 225^c, 289, 289^c, '91, 69, 294, 295, 296, 298, 334, 335, 336, 336, 337, 338, 338, 339, 351, 352, 352; Colo. '85, 15, 1900, 298; Conn. '86, 487, '99, 360; C. R. '90, 336, '92, 21; Cuba, '92, 273; D. C. '88, 24, '92, 307; Fla. '85, 62, '90, 9-14, 21, 314, '91, 138?, '92, 214, '95, 365; Ga. '96, 214; g. dist. '93, 133, 1900, 216-242, 1900, 217⁵, 221⁵, 222⁵, 223⁵, 224⁵; Gulf. of Mex. '81, 251⁶; Ia. '95, 235; Ill. '78, 163, '88, 434, '90, 76; Ind. '82, 17, 18, '89, 28; Jamaica, '93,

341; Ky. '89, 316; La. '82, 162, '87, 302°; Mass. '84, 6°, 13°, 14, 389, '88, 389, '89, 46, 104, '90, 409, '95, 302"; Me. '82, 110; Mich. '85, 65, '93, 229, '95, 192 [not 'agilis,' see '98, 193], '98, 193; Minn. '80, 14, '97, 408; Mo. '79, 142, '95, 117a, '95, 351a; N. B. '82, 110, '87, 239a, '89, 119; N. C. '86, 175, '89, 121; N. H. '88, 151, 153, 154, '89, 77, 78; N. J. '94, 140; N. S. '87, 16, '89, 149; N. Y. '81, 228, '84, 175, 176, 177, 178, 179, 215; O. '95, 241; Pa. '92, 139, '93, 41, 46, '96, 285, 296, '99, 313; P. E. I. '93, 6a, 13, Que. '82, 234, '89, 149; S. C. '79, 212, '85, 72a, '90, 129, '92, 31a; Tenn. '86, 317, '87, 132; Tex. '92, 342, 1900, 347; Va. '89, 53ª; W. I. '81, 151, '86, 44, '89, 31; Wis. '82, 187, '83, 67, 71, '88, 326, 326; W. Va. '98, 137.—hbt. '83, 71, '98, 75, 1900, 232, 232b; meas. '90, 10, '99, 258, 1900, 220, 221b, 226, 226b, 227b, 289, 290°; mig. '81, 251°, '83, 67, 71, '84, 176, 177, 178, 179, '85, 62, 65, '88, 326, 326, 434, '91, 69, 197^a, '92, 31a, '95, 235, 241, 1900, 232, 232b, 234, 234b, 235b; nst. '80, 14, '82, 18, '86, 44, '90, 66, '99, 256, 1900, 220, 221^h, 224, 225^c, 390 ('Sylvia'); misc. '81, 188, '89, 24ⁿ, 1900, 239. Geotrygon, '87, 117. caniceps, W. I., meas., plm., syn.

'87, 118.

chrysia (Key West Quail-dove, b martinica), Bahamas, '91, 350b, 350b; Fla. '89, 246b, '90, 90b, '98, 185; W. I. '81, 155b, '87, 119b.—meas., plm. '87, 119b; syn. '87, 119b, '97, 126.

cristata, Jamaica, '87, 117, '92, 125.—hbt., '92, 125 (mlt.); meas., plm., syn. '87, 117.

infusca, Colom., syn. 1900, 306. linearis, W. I. '93, 220.—syn. 1900, 306.

(a Ruddy Quail-dove), montana Braz. '91, 162; Fla. '89, 160, 246; g. dist. '90, 62; Jamaica, '92, 124; W. I. '80, 169, 169b, '87, 96, 118, '91, 48. -meas, '87, 119; nst. '92, 124; plm. '87, 118, '92, 124 (mlt.); syn. '87, 118. '90, 62.

mystacea, W. I. '79, 229, '80, 169,

'87, 96, 117, '91, 47, 48, '94, 246.— meas., plm., syn. '87, 117. Geranoætus melanoleucus (b Buteo), Argent., Urug, hbt., plm. '84, 110; anat. '82, 87b, syn. '81, 210a. Geranomorphæ, '81, 80.

Geranospiza cærulescens, Bras. '91, 161.

Geranospizias, '85, 205. gerfalco (Falco), see F. gyrfalco. Gerfalcon, see Falco gyrfalco.

Germany.

Allen, J. A., '92, 186.
Dalgleish, J. J., '80, 68-69, 143, 149, 211, 215-216, 220-221. Hoffman, R., '96, 297-312. Jackel, A. J., '92, 186.

German Zoological Society, '96, 350. gertrudis (Chlorestes), see Sporadinus maugæi.

— (Chlorolampis), see Sporadinus maugæi.

Gesner, Abraham Herbert. Obituary of, '95, 316.

Gibbs, Morris.

Annotated list of birds of Michigan (rev.), '80, 110.

Gibson, William Hamilton.

Studio neighbors (rev.), '98, 65. Eye spy (rev.), '98, 66. Sharp eyes (rev.), '98, 66.

Strolls by starlight and sunshine (rev.), '98, 66.

Happy hunting grounds (rev.), '98,

Highways and byways (rev.), '98, 66. Pastoral days (rev.), '98, 66. Gie-me-a-bit, see Chordeiles minor.

gigantea (Ossifraga), see Ossifraga. giganteus (Aramus), see Aramus.

(Dinornis), see Dinornis. --- (Fulmarus), see Ossifraga. --- (Rallus), see Aramus. gigas (Dacelo), see Dacelo.

Gill, Theodore.

Record of scientific progress in 1881 in zoology (rev.), '84, 84. eneric names Pediocætes

Generic and Poocætes, '99, 20-23.

Longevity of birds and other vertebrates (rev.), '99, 371.

gilli (Palæotetrix), see Palæotetrix. Gilman, Arthur Scott.

Brown Thrasher (Harporhynchus rufus) in Massachusetts in winter, '96, 176.

Gilpin, John Bernard.

[Anatomy of Bucephala islandica] (rev.), '79, 126. gilva (Vireosylvia), see Vireo.

gilvus (Mimus), see Mimus. - (Turdus), see Mimus.

176

- (Vireo), see V. gilvus or barba-

giraudi (Otocoris), see Otocoris. girrenera (Haliastur), see Haliastur. giu (Megascops), see M. scops. glaber (Sublegatus), see Sublegatus. glabrirostris (Melanoptila), see Melanoptila.

glacialis (Fratercula), see Fratercula. — (Fulmarus), see Fulmarus.

—— (Harelda), see H. hyemalis.

--- (Procellaria), see Fulmarus. glacialoides (Fulmarus), see Priocella

--- (Priocella), see Priocella. --- (Procellaria), see Priocella.

--- (Thalassoica), see Priocella. glandarius (Garrulus), see Garrulus. Glareola, '88, 331.

glareola (Totanus), see Totanus. Glass-eye, see Merula jamaicensis. glaucescens (Larus), see L. glaucescens

or kumlieni.

– (Xanthoura), see Xanthoura. Glaucidium, '86, 470, '88, 366, '93, 130. californicum (California Pygmy Owl), B. C. '93, 18a, 382, '97, 89, 1900, 106; Cal. '78, 193, '79, 86; g. dist. '88, 366; Ont. '83, 55 [gnoma?]; Ore. '86, 165 ['gnoma']; Wash. '92, 44, '93, 382.—fd. '78, 193; hbt. '88, 370; meas. '79, 87, '88, 370; nst. '79, 86; plm. '79, 42; misc. '80, 114, '83. 175ª ['gnoma'].

cobanense, Guat., meas. '94, 43. fisheri, Mex. '94, 41*.

gnoma (Pygmy Owl), Ariz. '83, 27, '90, 48, 54; B. C. '93, 16, 18, 291, 382; Colo. '86, 284, '94, 268; g. dist. '88, 366, 371, '93, 134; Ida. '97, 353; Mont. '83, 59; N. M. '83, 27, '86, 79; Ore. '83, 242, '86, 165 [californicum?], '88, 146; Wash. '93, 16, 18, 291, 382.—fd. '88, 146, 366, 370; hbt. '86, 79, '88, 366; meas. '83, 27, '88, 370; nst. '83, 242, '88, 366; plm. '83, 27, 242; song, '83, 27, '88, 366, '98, 57ª.

hoskinsii (Hoskin's Pygmy Owl), g. dist. '93, 142; L. Cal. '88, 136*, 372, 395.

phalænoides (Ferruginous Pygmy Owl, b ferrugineum), Aris. '83, 27b, '86, 424; C. R. '90, 333, '92, 327; g. dist. '88, 366, 371; Mex. '85, 229, 231, '89, 70; Tex. '78, 144"; Venez. '97, 366.—fd. '88, 371, '92, 327; hbt. '83, 27^b, '88, 366, 371, '92, 327; meas-'83, 27^b, '89, 70; nst. '88, 371, '89,

70; plm. '83, 27b, song, '83, 27b, '85, 229, '88, 371, 372. siju, W. I. '86, 470, '92, 272.meas., plm., syn. '86, 470. Glaucion, see Clangula. glaucion (Clangula), see C. americana. Glaucionetta, see Clangula. Glaucis, '86, 347.

hirsuta, Venez. '97, 366; W. I. '86, 347; meas., plm., syn. '86, 347. glaucium (Clangula), see C. americana. glaucocærulea (Guiraca), see Guiraca. glaucogastra (Bernicla), see Bernicla. glaucopectus (Formicarius), see Formicarius.

glaucops (Strix), see Strix. glaucopsis (Thalurania), see Thalurania. glaucopterus (Larus), see L. glaucescens.

glaucus (Elanus), see E. leucurus.

- (Falco), see Elanus leucurus. - (Larus), see L. glaucus or barrovianus.

glocitans (Anas), see Anas. gloriosæ (Zosterops), see Zosterops. Glossiptila, '86, 54, '94, 143.

ruficollis (b campestris), W. I. '86, 54, '93, 339.—anat. '94, 144b; fd. '93 340, meas. '86, 54; plm. '86, 54, '93, 339; syn. '86, 54.

glottis (Totanus), see T. nebularius. glupischa (Fulmarus), see Fulmarus. Glyphorhynchus cuneatus, Braz. '91, 26; nst. '94, 171.

Gnatcatcher, Arizona, see Polioptila plumbea.

Bahama, see Polioptila cæsiogaster. Black-capped, see Polioptila plumbea. Black-tailed, see Polioptila californica.

Black-fronted, see Polioptila restricta. Blue-gray, see Polioptila cærulea. California Black-capped, see Polioptila californica.

Lead-colored, see Polioptila plumbea. Plumbeous, see Polioptila plumbea.

Western, see Polioptila obscura. gnatho (Euphonia), see Euphonia. Gnathosittaca, see Ognorhynchus. gnoma (Glaucidium), see G. gnoma or californicum.

Goatsucker, Mexican, see Nyctibius mexicanus.

Parauque, see Nyctidromus merrilli. Goatsuckers, see Caprimulgidæ. Gode or Godel, see Alca torda or Uria troile.

Godetz, see Alca torda or Uria troile. Godman, Frederick DuCane, and Salvin, O., see Salvin and Godman.

godmani (Basileuterus), see Basileuterus.

- (Certhiola), see Cœreba luteola. - (Colinus), see Colinus.

--- (Euphonia), see Euphonia.

Godwit, Great Marbled, see Limosa fe-

Hudsonian, see Limosa hæmastica. Marbled, see Limosa fedoa. Pacific, see Limosa baueri.

Ring-tailed, see Limosa hæmastica. Golden, see Nycticorax nævius or violaceus.

Golden-eye, American, see Clangula americana.

Barrow's, see Clangula islandica. Rocky Mountain, see Clangula Islan-

Goldfinch, Allen's, see Spinus alleni. American, see Astragalinus tristis. Arizona, see Astragalinus arızonæ. Arkansas, see Astragalinus psaltria. Black-headed, see Spinus notatus. European, see Carduelis carduelis. Lawrence's, see Astragalinus lawrencei.

Mexican, see Astragalinus mexicanus. Oriental, see Carduelis caniceps. Pale, see Astragalinus pallidus. Pine, see Spinus pinus.

Willow, see Astragalinus salicamans. goldmani (Antrostomus), see Antrosto-

- (Dendroica), see Dendroica.

— (Melospiza), see Melospiza. - (Momotus), see Momotus.

- (Trogon), see Trogon. Goney, see Diomedea exulans.

Goniaphea, see Zamelodia.

Goodale, Joseph Lincoln. Wood Thrush in Maine, '85, 215. Yellow-rumped Warbler wintering in Maine, '85, 216.

Wintering of White-throated and Ipswich Sparrow in Maine, '86, 277. Calcarius ornatus in Maine, '87, 77. Additional occurrences of Connecticut Warbler in Maine, '87, 77.

Goode, George Brown. Obituary of, '96, 349.

Anser gambeli.

Published writings of Philip Lutley Sclater (rev.), '97, 233. Gormley, M. H.

Nesting of Black Swift, '88, 424. Goony, Brown, see Diomedea nigripes. Goosander, American, see Merganser

americanus. European, see Merganser merganser. Goose, American White-fronted, see

12

Barnacle, see Branta leucopsis. Bean, see Anser fabalis. Blue, see Chen cærulescens. Blue-winged, see Chen cærulescens. Brant or Brent, see Branta bernicla. Cackling, see Branta minima. Canada, see Branta canadensis. Cassin's Snow, see Chen hyperborea. Egyptian, see Chenalopex ægypticus. Emperor, see Philacte canagica. Gambel's, see Anser gambeli. Greater Snow, see Chen nivalis. Hutchins's, see Branta hutchinsii. Larger White-cheeked, see Branta occidentalis.

Lesser Snow, see Chen hyperborea. Painted, see Philacte canagica. Pied, see Anseranas melanoleucus. Ross's Snow, see Chen rossii. Snow, see Chen hyperborea. Solan, see Sula bassana. White-collared, see Branta minima. White-cheeked, see Branta occiden-

White-fronted, see Anser albifrons; A. gambeli (American references). Wild, see Branta canadensis.

Goshawk, American, see Accipiter atricapillus.

European, see Accipiter palumbarius Henshaw's, see Accipiter shawi =] striatulus.

Mexican, see Asturina plagiata. Western, see Accipiter striatulus.

Goss, Benjamin Franklın.

Notes on breeding habits of Maximilian's Jay (Gymnocitta cyanocephala) and Clarke's Crow (Picicorvus columbianus), '83, 43-45. Obituary of, '93, 385.

Goss, Nathaniel Stickney.

Breeding of Duck Hawk in trees, 78, 32-34.

Bonaparte's Gull in Kansas, '79, 190 The Black Rail (Porzana jamaicensis) in Kansas, '80, 60.

Bell's Finch (Poospiza belli nevadensis) in New Mexico, '81, 116.

White-necked Raven (Corvus cryptoleucus) in New Mexico, '81, 118. Myiodioctes canadensis in Kansas **'8**1, 246*.*

Nyctherodius violaceus in Kansas **'8**1, 248.

Occurrence of Northern Phalarope and Audubon's Warbler, and nesting of Mockingbird in Western Kansas, '83, 186-188.

Catalogue of birds of Kansas (rev.), **'**83, 227.

Notes on breeding of American Eared Grebes (Dytes nigricollis californıcus), '84, 18-20.

Birds new to Kansas, and others rare in the State, '84, 100.

Notes on nesting habits of Yellowthroated Vireo (Lanivireo flavifrons), '84, 124-126.

Notes on Phalacrocorax violaceus and on P. violaceus resplendens, '84. 163-165.

Capture of Megalestris skua off coast of Cape Cod, Massachusetts, '84,

Brachyrhamphus hypoleucus off coast of southern California, '84, 396.

Observations on Elanoides forficatus and Ictinia subcarulea in Kansas, '85, 19-21.

Rare summer residents in Kansas '85, 112.

Cyanocitta stelleri frontalis nesting in holes in trees, '85, 217.

Wilson's Plover in Nova Scotia, '85,

Rissa tridactyla kotzebuci in Washington Territory, '85, 222.

Black-capped Vireo and Nonpareil in southwestern Kansas, '85, 274-276

Early and accidental occurrence of Cathartes atrata and Tantalus loculator in Kansas, '85, 311.

Little Yellow Rail (Porsana noveboracensis) in Kansas, '85, 385.

Thick-billed Grebes (Podilymbus podiceps) breeding in Kansas, '85 388.

Addition to catalogue of Kansas birds '86, 112-115.

Capture of Milvulus forficatus in Florida, '86, 134.

Revised catalogue of birds of Kansas (rev.), '86, 399.

Early arrival of rare bird, '86, 408.

Snowy Plover in Indian Territory and Kansas, '86, 409.

Additions to catalogue of birds of Kansas, '87, 7-10.

What constitutes a full set of eggs? **'**87, 167.

Merganser americanus breeding in

New Mexico, '87, 344. Ictinia mississippiensis and Ægialitis nivosa nesting in Kansas, '87, 344.

Feeding habits of Pelecanus erythrorhynchus, '88, 25-27.

Notes on Gymnostinops montesumæ '88, 27-29.

New and rare birds found breeding

on the San Pedro Martir Isle, '88, 240-244.

How far west has Anas obscura been found '88, 444.

Additions to catalogue of birds of Kansas, with notes on habits, '89 122-124.

Mottled Duck in Kansas, '90, 88. Phalanoptilus nuttalli nitidus breeding in Kansas. Is it a valid race or a color phase of P. nuttalli? '90. 286.

Second occurrence of White-faced Glossy Ibis (Plegadis guarauna) in Kansas, '91, 112.

Correction, '91, 116. History of birds of Kansas (rev.), '91, 228-230.

Obituary of, '91, 245-247.

Goss, N. S., and Lantz, D. E.

A list of birds collected by N. S. Goss in Mexico and Central America (rev.), '99, 365.

Gosse, Philip Henry.

Obituary of, '88, 446.

gossii (Laterallus), see Porzana flaviventris.

(Crybastus), see Porzana flaviven-

(Seiurus), see Seiurus.

— (Sula), see S. nebouxii.

- (Tyrannula), see Myiarchus validus.

Gouan, 1900, 167. Gould, John.

Birds of New Guinea (rev.), '89, 269 Supplement to Trochilidæ (rev.), 89 334.

gouldi (Circus), see Circus.

— (Euphonia), see Euphonia.

---- (Melospiza), see M. samuelis.

- (Selenidera), see Selenidera.

- (Sterna), see S. fuliginosa.

Gourd-head, see Tantalus loculator. Gouridæ, '81, 80, '94, 61, '99, 319.

Gowrie, Ringed, see Hemiprocne zonaris.

graciæ (Dendroica), see Dendroica. gracilis (Aphelocoma), see Aphelocoma.

- (Empidonax), see E. minimus.

— (Euphonia), see Euphonia. — (Hesperornis), see Hesperornis.

— (Mimus), see M. gracilis or gilvus.

— (Picolaptes), see P. compressus. —— (Rupornis), see Rupornis.

—— (Sterna), see S. dougalli.

—— (Tachornis), see Tachornis.

Grackle, Blue-headed, see Scolecophagus carolinus.

Boat-tailed, see Quiscalus major.

Bronzed, see Quiscalus æneus. Florida, see Quiscalus aglæus. Great-tailed, see Quiscalus macrourus or major.

Guerrero, see Quiscalus obscurus. Long-tailed, see Quiscalus macrourus Purple, see Quiscalus quiscula. Rusty, see Scolecophagus carolinus.

Tinkling, see Quiscalus jamaicensis. Gracula, '94, 233, 234.

chrysoptera, misc. '96, 266. javanensis, Borneo, hbt., syn. '90, 355.

nobilis, misc. '96, 266.

graculus (Fregilus), see Fregilus. - (Phalacrocorax), see Phalacroco-

rax. - (Pyrrhocorax), see Fregilus. Grallæ, '81, 29, '87, 67.

Grallaria lizanoi, C. R. '92, 173. nigro-lineata, misc. '90, 380. ochraceiventris, Mex. '98, 340. guatemalensis, Hond. '92, 175. spatiator, Colom. '99, 91.

grallaria (Cymodroma), see Fregetta.

- (Fregetta), see Fregetta.

--- (Procellaria), see Fregetta.

Grallatores, '81, 77, 78. graminea (Melospiza), see Melospiza. gramineus (Poœcetes), see P. grami-

neus or confinis. grammacus (Chondestes), see Chondestes.

grammica (Emberiza), see Chondestes. -(Chondestes), see C. grammacus or strigatus.

grammicus (Asio), see Pseudoscops.

—— (Ephialtes), see Pseudoscops.

—— (Pseudoscops), see Pseudoscops. - (Scops), see Pseudoscops.

granadensis (Cardinalis), see C. phœni-

Granatellus, '93, 112.

boucardi, Yucatan, '85, 293.

francescæ, hbt. '92, 288. Granatina, see Fringilla.

granatina (Fringilla), see Fringilla. - (Pitta), see Pitta.

granatinus (Trochilus), see Eulampis jugularis.

Grand Cayman Island, West Indies. Cory, C. B., '86, 497-501, '87, 6-7. grandior (Euetheia), see Euetheia.

— (Vireo), see Vireo.

- (Vireosylvia), see Vireo. grandis (Agelaius), see Agelaius.

—— (Loxigilla), see Pyrrhulagra.

—— (Pyrrhulagra), see Pyrrhulagra.

--- (Saltator), see Saltator.

- (Thryothorus), see Thryothorus.

Grant, John B.

Our common birds (rev.), '91, 301. Grant, William.

Catalogue of birds of islands of Malta

and Gozo (rev.), '77, 70. Grant, W. R. Ogilvie-, see Ogilvie-Grant, W R.

granti (Turdinulus), see Turdinulus. Grass-bird, see Tringa maculata or

Euetheia bicolor.

Grasset, see Hylocichla mustelina.

Grassquit, see Euetheia bicolor. Bryant's, see Euetheia bryantı.

Cory's, see Euetheia coryi.

Melodious, see Euetheia canora. Yellow-faced, see Euetheia olivacea.

grata (Sialia), see S. sialis.

gravis (Puffinus), see Puffinus. Graydidascalus, '92, 279.

grayı (Argus), see Argus.

- (Merula), see Merula.

--- (Turdus), see Merula. graysoni (Harporhynchus), see Mimo des.

— (Colinus), see Colinus.

— (Compsothlypis), see Compsothlypis.

--- (Merula), see Merula.

--- (Micrathene), see Micropallas.

- (Micropallas), see Micropallas.

- (Mimodes), see Mimodes. - (Zenaidura), see Zenaidura.

Great Bahama Island, West Indies. Cory, C. B., '91, 350, 92, 270.

Great Britain.
Allen, J. A., '80, 110-111, 175-177, 233-234, '81, 46, 174, '85, 88-91, '87, 64-65, '90, 195-196.

Dalgleish, J. J., '80, 68-74, 141-150, 210-220, '80, 64.

Seebohm, H., '92, 290.

Grebe, American Eared, see Colymbus californicus.

Carolina, see Podilymbus podiceps. Clark's, see Æchmophorus occidentalis.

Crested, see Podiceps cristatus. European Crested, see Podiceps cris-

tatus. Holbæll's, see Colymbus holbællii.

Horned, see Colymbus auritus or californicus.

Little, see Colymbus minor.

Pied-billed, see Podilymbus podiceps. Red-necked, see Colymbus holbælli. San Domingo, see Colymbus domini-

cus. Thick-billed, see Podilymbus podiceps. Western, see Æchmophorus occidentalis.

Grebes, see Podicipidæ.

grebnitzskii (Corvus), see Corvus. Green, Morris Miller.

Occurrence of Phalaropus lobatus at Syracuse, New York, '87, 73. Central New York notes, '87, 350.

Baird's Sandpiper in central New York, '89, 68.

Green Cay, West Indies. Ridgway, R., '91, 338-339.

Greenfinch, see Ligurina chloris.

Green-head, see Anas boschas.

Greenland.

Allen, J. A., '96, 243-244, 1900, 185-186.

Batchelder, C. F., '91, 226-227.

Chamberlain, M., '89, 211-218, 291-297.

Dalgleish, J. J., '83, 179, '86, 273-274. Gray, R., '92, 289, 289, 289. Hagerup, A. T., '91, 319-320.

Kumlien, L., '87, 345.

Greenlet, see Vireo.

Green-shank, see Totanus nebularius.

Greenwood, Emery C. [Exposure of], '84, 295.

Gregg, William H.

Birds of Chemung Co., New York (rev.), '80, 173.

Grenada Island, West Indies. Cory, C. B., '89, 218-219.

Lawrence, G. N., '79, 228-230, '84, 180-181, '85, 357-359, '87, 250-

251, '89, 19-21. Wells, J. G., '87, 250-251.

grenadensis (Pyrrhulagra), see Pyrrhulagra.

- (Thryothorus), see Troglodytes. --- (Troglodytes), see Troglodytes. Gressores, '78, 183, 184, '83, 232. Grieve, Symington.

The Great Auk (Alca impennis) (rev.), '86, 262-265.

[Notes on Great Auk] (rev.), '99, 92. grindæ (Psaltriparus), see Psaltriparus. Grinnell, George Bird.

Ground Dove (Chamæpeleia passerina) in New York, '78, 147.

Grinnell, Joseph.

Description of a new Towhee from California, '97, 294-296.

Disgorgement among song birds, '97,

New race of Spinus tristis from the Pacific coast, '97, 397-399.

Rank of the Sage Sparrow, '98, 58. Report on birds recorded on islands of Santa Barbara, San Nicolas and San Clemente (rev.), '98, 73.

Summer birds of Sitka, Alaska, '98,

Land-birds observed in midwinter on Santa Catalina I., California, '98, 233-236.

Geographical races of Harporhynchus redivivus, '98, 236.

The San Nicholas Rock Wren, '98, 237-239.

Birds of Los Angeles Co., California (rev.), '98, 283.

grinnelli (Regulus), see R. calendula. grisea (Aphelocoma), see Aphelocoma.

— (Amphispiza), see Amphispiza. --- (Drymophila), see Drymophila.

--- (Formicarius), see Formicarius.

- (Nycticorax), see N. nævius.

—— (Pyrrhula), see Pyrrhulagra.

--- (Scolopax), see Macrorhamphus.

--- (Sporophila), see Sporophila. griseiceps (Tityra), see Tityra.

griseicollis (Heterorhina), see Henicorhina leucophrys.

griseifrons (Cypselus), see Cypselus. griseigena (Colymbus), see Colymbus. griseigula (Formicivora), see Thryothorus coraya.

griseigularis (Passer), see Passer. griseipectus (Dendrortyx), see D. macrourus.

griseipes (Hylophilus), see Hylophilus. griseisticta (Butalis), see Butalis. griseiventris (Synallaxis), see Synallaxis.

griseocristata (Schistochlamys), Schistochlamys.

griseolateralis (Cyphorinus), see Cyphorinus.

griseonucha (Leucosticte), see Leucosticte.

grisescens (Parus), see P. alascensis. griseus (Cistothorus), see Cistothorus. - (Empidonax), see Empidonax.

- (Limnodramus), see Macrorhamphus.

- (Lophophanes), see Parus.

- (Macrorhamphus), see Macrorhamphus.

- (Melittarchus), see Tyrannus dominicensis.

--- (Parus), see Parus.

— (Perisoreus), see P. obscurus.

- (Puffinus), see P. griseus or fuliginosus.

- (Sittasomus), see Sittasomus.

— (Tyrannus), see T. dominicensis. grisifrons (Minus), see Galeoscoptes carolinensis.

grisola (Hyloterpe), see Hyloterpe.

—— (Muscicapa), see Muscicapa.

--- (Pachycephala), see Hyloterpe. --- (Tephrodornis), see Hyloterpe.

grænlandicus (Acanthis), see A. rostrata.

- (Falco), see F. islandus or rusti-

Grosbeak, Alaskan Pine, see Pinicola alascensis.

Black-headed, see Zamelodia melanocephala.

Blue, see Guiraca cærulea.

California Pine, see Pinicola cali-

Cardinal, see Cardinalis cardinalis. Evening, see Coccothraustes vesper-

tinus. Kadıak Pine, see Pinicola flammula.

Panama Blue, see Cyanocompsa cvanescens.

Pine, see Pinicola canadensis. Purple, see Pyrrhulagra violacea. Rocky Mountain Pine, see Pinicola montana.

Rose-breasted, see Zamelodia ludoviciana.

Violet, see Pyrrhulagra violacea. Western Blue, see Guiraca lazula. Western Evening, see Coccothraustes montanus.

grossus (Pitylus), see Pitylus. Grouse, see Tetraonidæ.

Alaskan, see Canachites [osgoodi =] canadensis.

Black, see Tetrao tetrix.

Blue, see Dendragapus fuliginosus. Burr-oak, see Pediœcetes phasianel-

Canada, see Canachites canadensis. Canadian Ruffed, see Bonasa togata. Columbian Sharp-tailed, see Pedice-

cetes columbianus. Dusky, see Dendragapus obscurus or fuliginosus.

Franklin's, see Canachites franklinii. Gray Ruffed, see Bonasa umbelloides. Labrador Spruce, see Canachites [labradorius =] canadensis.

Newfoundland Willow, see Lagopus alleni.

Oregon Ruffed, see Bonasa sabini.

Pinnated, see Tympanuchus americanus.

Pintail, see Centrocercus urophasianus.

Prairie Sharp-tailed, see Pediœcetes campestris.

Richardson's, see Dendragapus richardsonii.

Ruffed, see Bonasa umbellus. Sabine's Ruffed, see Bonasa sabini. Sage, see Centrocercus urophasianus. Sharp-tailed, see Pediœcetes phasianellus.

Sooty, see Dendragapus fuliginosus. Spruce, see Canachites canadensis. Willow, see Lagopus lagopus.

Wood, see Dendrortyx macrourus. gruber: (Onychotes), see Onychotes. Grues, '81, 30.

Gruidæ (a Cranes), '81, 81, '83, 62, '85, 212a, 213a, '87, 339a, '94, 242.

Grundtvig, F. L.

Vernal migration of Warblers on Wolf River, Ontagamie Co., Wisconsin, '83, 45-72.

Birds of Shiocton, Ontagamie Co., Wisconsin [translation by C. E. Faxon] (rev.), '95, 173.

Grus (b Limnogeranus), '88, 50, '93, 99, 108, '94, 242b, '96, 173, '99, 130b, americana (Whooping Crane), Cal. '77, 95?; Colo. '85, 18; Ky. '89, 312; La. '97, 287; Man. '86, 150; Mass. '76, 53, 58; Minn. '80, 19, '84, 248; Ore. '77, 95?, '86, 162, 164; S. D. '85, 287; Tex. '82, 223, '87, 185, 1900, 340.—anat. '80, 179, '95, 172; hbt. '84, 288a; syn. '99, 130.

canadensis (a Little Brown Crane, b fraterculus), Alas. '80, 187b, '81, 131 [c Sandhill Crane'], '84, 79b, '85, 63, 157, 201, '87, 12; Arctic Am. '80, 109, 188b; Colo. '85, 18, 144, '87, 264, '94, 183; Kan. '89, 124; Man. '86, 150, '93, 49; Minn. '80, 19, '84, 248; Ore. '88, 144; R. I. '90, 89, 394; S. C. '91, 308 [not 'mexicana,' see '94, 324], '94, 324; S. D. '85, 287.—anat. '80, 179; hbt. '81, 131 [c Sandhill Crane']; meas. '80, 123b, 188b, '88, 144, '93, 49; mig. '85, 63; nst. '94, 248a; plm. '80, 123b, '88, 144; syn. '80, 88b, 123b, 188b, '83, 62, '84, 384.

grus, Helg. '95, 337. japonensis, syn. '91, 99. lilfordi, misc. '94, 243.

mexicana (* Sandhill Crane, * canadensis, * pratensis), Aris. *90, 51; Cal. *86, 91, *87, 86; Colo. *81, 142*; Cuba, *88, 50; Fla. *87, 141, *89, 152, 91, 137, *92, 212, *95, 364; Ga. *96, 207, 215; Ia. *95, 121, 236; Ida. *97, 351; Ind. *88, 348; La. *97, 287; Mass. *76, 53, 58; Md. *96, 68; Minn. *84, 248*, *93, 300; Mo. *79, 147*; Ont. *88, 205*; Ore. *79, 197*, *86, 162, 164, *88, 144; S. C. *91, 308 [= canadensis, see *94, 324]; Tex. *82, 42*, 223*, *87, 185, *92, 232, 1900,

340; Wash. '92, 42, '93, 17, '97, 181.
—anat. '80, 179, fd. '97, 181; hbt.
84, 187a, '89, 152, '92, 383, '93, 300,
meas. '80, 123b, 188b; mig. '84, 85a,
'95, 121, 236; nst. '89, 152, '94, 248a;
plm. '80, 123b; syn. '80, 123b, 188b,
'83, 62c, '84, 384, '88, 50; misc. '90,
199a, '94, 68a.

grus (Grus), see Grus.
grylle (Cepphus), see Cepphus.
——(Uria), see C. grylle or mandtii.
Gryphus, see Sarcorhamphus.
gryphus (Sarcorhamphus), see Sarco-

ramphus.
—— (Vultur), see Sarcoramphus.
Guadalupe Island, Lower California.

Allen, J. A., '87, 154. Bryant, W. E., '87, 154, '89, 178, '92, 187 (4 items).

Ridgway, R., '77, 58-66. guadalupensis (Salpinctes), see Salpinctes.

Guadeloupe Island, West Indies. Allen, J. A., '79, 228-230, '86, 269. Cory, C. B., '86, 381. Lawrence, G. N., '79, 228-239, '86,

269, '91, 59-62. guadeloupensis (Herminierus), see Cinclocerthia ruficauda.

- (Quiscalus), see Quiscalus.

— (Saltator), see Saltator.

— (Speotyto), see Speotyto.
— (Thryothorus), see Troglodytes.

— (Troglodytes), see Troglodytes. guaiana (Eucichla), see Eucichla. gualemalensis (Corethrura), see Porzana concolor.

Guanajuato, Mexico.

Dugès, A., '99, 287-288, 357-359. Ridgway, R, '99, 254.

Guara (b Eudocimus), '78, 182h, '84, 235b, '87, 321, '93, 107, '99, 202. alba (a White Ibis, b Eudocimus, c Leucibis, d Ibis), Colom. '99, 292; Cuba, '92, 272; Fla, '87, 137*, 139*, 141*, 215*, 279*, 281*, '88, 269, '89, 15, '91, 137, '92, 211 '95, 364; Ga. '83, 42b, '96, 215; g. dist. '93, 132; Ill. '78, 166b, '80, 32d; Jamaica, '92, 9, 14d, '94, 121; N. C. '99, 247; N. Y. '95, 70*; S. C. '85, 287b; W. I. '87, 321.—nst. '79, 24d, '83, 42b, '89, 15; plm. '84, 239b; syn. '80, 101b, '84, 236d, '87, 321; misc. '87, 214*.

rubra (a Scarlet Ibis, b Eudocimus, Leucibis), Ariz. '99, 270; Colo. '94, 324, '97, 216 [= Plegadis guarauna, see '98, 183]; Fla. '83, 187a [misprint, 185], '89, 15; Ga. '96, 207, 209a, 210a, 215; Jamaica, '92, 9, '94, 121; N. M.

```
'97, 316; W. I. '87, 321.—plm. '84, 239b; syn. '80, 101b, '84, 236c, '87, 321; misc. '81, 167b.
guarauna (Aramus), see A. giganteus.
  — (Falcinellus), see Plegadis.
--- (Ibis), see Plegadis guarauna or
       autumnalis.
    - (Plegadis), see Plegadis.
Guatemala.
  Nelson, E. W., '97, 42-76, '98, 156,
     1900, 268.
guatemalæ (Megascops), see Mega-
    scops.
    - (Scops), see Megascops.
--- (Setophaga), see Setophaga.
--- (Sialia), see Sialia.
--- (Strix), see Strix.
guatemalensis (Campephilus), see Cam-
       pephilus.
   - (Corythrura), see Porzana con-
       color.
   — (Grallaria), see Grallaria.
--- (Xanthoura), see Xanthoura.
guatemalis (Chlorophanes), see Chloro-
       phanes.
guatimozinus (Gymnostinops), see Gym-
       nostinops.
gubernator (Agelaius), see A. califor-
       nicus.
Gubernatrix cristatella, R. I. '80, 240
  (cage), Urug., hbt. '83, 130.
Guerrero, Mexico.
Nelson, E. W., '97, 44, 50, 56, 69, 1900, 266, 267.
guiana (Pitta), see Eucichla.
guianensis (Certhiola), see Cœreba chlo-
       ropyga.
 — (Conurus), see C. euops.
 —— (Cyclorhis), see Cyclorhis.
 — (Lampropsar), see Molothrus atro-
       nitens.
  — (Leistes), see Leistes.
 — (Odontophorus), see Odontopho-
 — (Psittacula), see Psittacula.
 --- (Synallaxis), see Synallaxis.
guildingi (Amazona), see Amazona.
   - (Chrysotis), see Amazona.
    - (Psittacus), see Amazona.
Guilford, H. M.
  Dendroica
              kirtlandı in Minnesota,
    '93, 86.
Guillaume, see Plautus impennis.
Guillemot, Black, see Cepphus grylle.
  Black-throated, see Synthliboramphus
    antiquus.
  Brunnich's, see Uria lomvia.
```

California, see Uria californica.

Common, see Uria troile.

Foolish, see Uria troile.

Kıttlıtz's, see Brachyrhamphus kittlitzii. Mandt's, see Cepphus mandtii. Pigeon, see Cepphus columba. Xantus's, see Brachyrhamphus hypoleucus. Guillemots, see Alcidæ. Guinea-fowl, see Numida meleagris. Guira piririgua, Argent., hbt., nst., song, 84, 26. Guiraca, '77, 64, '86, 202. cærulea (a Blue Grosbeak, b Goniaphea), Ala. '79, 9b; Colo. '85, 16, 142; Cuba, '86, 202; D. C. '88, 22; Fla. '89, 324, '92, 213, '95, 365; Ga. '96, 213; g. dist. '93, 133; Ind. '82, 21; Kan. '85, 112; Ky. '89, 315, Mass. '78, 139, '80, 184^b; Me. '80, 184^b; N. B. '80, 184^b; N. C. '86, 110; N. H. '96, 342; N. S. '82, 48a.—hbt. '79, 214b, '90, 80a; mig. '92, 36°; nst. '79, 214°; plm. '79, 46°, '93, 152; syn. '86, 202, '98, 229; misc. '90, 82ª. chiapensis, Mex. '98, 340. glaucocærulea, Urug., hbt., song, **'83**, 92. lazula (* Western Blue Grosbeak, b cærulea, ceurhyncha), Ariz. '82, 199b, '87, 205b; Cal. '86, 183b; g. dist. '88, 399c, '93, 135c; Tex. '87, 293b, 296a, '88, 119a, '92, 339c.—meas. '82, 199b; plm. '82, 199b; syn. '87, 336c, '88, 399°, '98, 322, '99, 121. guira-yetapa (Alectrurus), see Alectrugularis (Æstrelata), see Æstrelata gularıs or scalaris. — (Halcyon), see Halcyon. —— (Heleodytes), see Heleodytes. --- (Icterus), see Icterus. — (Paroaria), see Paroaria. - (Procellaria), see Æstrelata. — (Rallus), see R. striatus. — (Rougetius), see R. bernieri. Gulf-bird, see Crymophilus fulicarius. Gulf Fauna and Flora Bulletin, '99, 378. Gulf of Mexico. Frazar, M. A., '81, 250-252. Gull, American Herring, see Larus smithsonianus. Black-headed, see Larus ridibundus or L. atricilla (American references). Bonaparte's, see Larus philadelphia.

Burgomaster, see Larus glaucus.

California, see Larus californicus. Common European, see Larus canus. Cuneate-tailed. see Rhodostethia rosea. European Herring, see Larus argen-

Franklin's, see Larus franklinii. Franklin's Rosy, see Larus franklinii. Glaucous, see Larus glaucus.

Glaucous-winged, see Larus glauces-

Great Black-backed, see Larus mari-

Heermann's, see Larus heermanni. Herring, see Larus argentatus. Hutchin's, see Larus glaucus. Ice, see Larus glaucus. Iceland, see Larus leucopterus. Ivory, see Pagophila alba. Kıttiwake, see Rissa trıdactyla. Kumlien's, see Larus kumlieni. Laughing, see Larus atrıcilla. Lesser Glaucous-winged, see Larus kumlieni.

Little, see Larus minutus. Little Sea, see Sterna antillarum. Mackerel, see Sterna hirundo. Mew, see Larus canus. Nelson's, see Larus nelsoni. Pacific Kıttiwake, see Rissa pollicaris. Point Barrow, see Larus barrovianus. Ring-billed, see Larus delawarensis. Ross's, see Rhodostethia rosea. Ross's Rosy, see Rhodostethia rosea. Rosy, see Larus franklinii. Sabine's, see Xema sabinii.

Short-billed, see Larus brachyrhyn-Siberian, see Larus affinis. Skua, see Megalestris skua.

Slaty-backed, see Larus schistisagus. Summer, see Sterna hirundo. Swallow-tailed, see Creagrus furcatus.

Vega, see Larus vegæ. Western, see Larus occidentalis. White-winged, see Larus leucopterus.

Gulls, see Laridæ. Gundlach, John.

> Notes on some birds of Cuba, '91, 187-191.

Obituary of, '96, 267.

gundlachi (Accipiter), see Accipiter.

- (Colaptes), see Colaptes.

- (Chalcophanes), see Quiscalus. - (Chordeiles), see C. minor.
- (Conurus), see C. chloroptera.
- (Cooperastur), see Accipiter. — (Dendroica), see Dendroica.
- --- (Holoquiscalus), see Quiscalus.

- (Hypomorphnus), see Urubitinga anthracina.
- (Mimus), see Mimus. --- (Nisus), see Accipiter.
- (Quiscalus), see Quiscalus. (Vireo), see Vireo.
- --- (Vireonella), see Vireo.

Gunn, Charles W.

184

Rare birds in Michigan, '79, 186. Notes on Black-backed Three-toed Woodpecker and Canada Jay, '81,

gunni (Helminthophila), see H. leucobronchialis.

Gurney, John Henry.

Hybrid between Pediæcetes phasianellus and Cupidonia cupido, '84, 391. List of the diurnal birds of prey (rev.), '85, 203-205.

Obituary of, '90, 299.

Gurney, John Henry, Jr. Labrador Duck, '97, 87.

The economy of the Cuckoo (rev.). '98, 337.

Ages to which birds live (rev.), '99, 370-372.

gurneyi (Eucichla), see Eucichla. guttata (Calliste), see Calliste.

— (Dendrornis), see Dendrornis.

--- (Melospiza), see Melospiza. guttatoides (Dendrornis), see Dendrornis.

guttatus (Ammodramus), see Ammodramus.

- (Chrysoptilus), see Chrysoptilus. - (Dendrocolaptes), see Dendrornis
- ocellata. - (Harporhynchus), see Harporhyn-
- (Passerculus), see Ammodramus.
- ---- (Planetis), see Sterna fuliginosa.
- --- (Tinamus), see Tinamus. guttifer (Picumnus), see Picumnus.
- gutturalis (Aramides), see Aramides. --- (Buarremon), see Buarremon.
- (Campylorhynchus), see Cinclocerthia.
- (Cinclocerthia), see Cinclocerthia. --- (Formicarius), see Cinclocerthia.
- --- (Helminthophila), see Helminthophila.
- (Psittacus), see Amazona collaria. --- (Ramphocinclus), see Cinclocer-
- --- (Spermophila), see Sporophila. --- (Sporophila), see Sporophila.
- gutturosus (Manacus), see Manacus. guyanensis (Conurus), see C. euops.
- (Evopsitta), see Conurus euops. guyi (Phæthornis), see Phaëthornis.

Gygis, '77, 24, '78, 141. Gymnasio, '86, 469. lawrenceii, W. I., meas., plm., syn. **'86**, 469. nudipes, W. I., meas., plm., syn **'86**, 469. Gymnocichla chiroleuca, Honduras, '92, 175. Gymnocitta, see Cyanocephalus. Gymnoderus fœtidus, Bras. '91, 26. gymnogenys (Turdus), see Merula gymnophthalma. Gymnokitta, see Cyanocephalus. Gymnomystax melanicterus (b Xanthornus mexicanus), Bras. '90, 269; N. Am., W. coast, '77, 92b?. gymnophthalma (Merula), see Merula. gymnophthalmus (Blacops), see Blacops. — (Turdus), see Merula. gymnops (Rhegmatorhina), see Rhegmatorhina. gymnopsis (Turdus), see Merula gymnophthalma. Gymnorhina, see Cyanocephalus. Gymnostinops, '87, 150. cassini, Colom. '98, 327*. guatimozinus, syn. '98, 326. montezumæ, (b Ostinops), Cent. Am. '88, 27-29, '93, 84b.—fd., hbt., meas., nst., song, '88, 27-29. yuracarium, Bras. '90, 269. gymnostoma (Jacana), see J. spinosa. - (Parra), see Jacana spinosa. Gypagus, see Gyparchus. Gyparchus, '80, 79. papa (b Gypagus, c Sarcoramphus), Argent. '81, 248b; Braz. '91, 161.hbt. '92, 288°, syn. '80, 79; misc. '82. Gypogeranus, '81, 77. Gyps fulvus, plm. '80, 81. Gyrantes, '83, 232. gyrfalco (Falco), see F. gyrfalco, islandus or rusticolus. Gyrfalcon, see Falco gyrfalco.

н

McFarlane's, see Falco gyrfalco?

Black, see Falco obsoletus.

Gray, see Falco rusticolus.

Iceland, see Falco islandus.

White, see Falco islandus.

Labrador, see Falco obsoletus.

Habia, see Zamelodia. Habits, see Biographies. Habropyga, '86, 214. melpoda, (b Estrilda), W. I. '80,

HAITI. 121b (cage), '86, 214, '92, 229. meas., plm., syn. '86, 214. Habrura pectoralis, syn. '90, 384. Hadley, Alden H. Birds of Richmond, Wayne Co., Indiana (rev.), '99, 91. Hadrostomus, see Platypsaris. hæmalea (Piranga), see Piranga. hæmastica (Limosa), see Limosa. – (Scolopax), see Limosa. Hæmatopodidæ (a Oyster-catchers), '93, 108ª. Hæmatopus, '87, 230, '88, 193, '89, 333. ater, Ore, '77, 95 [niger?].—misc. **'80**, 88. bachmani (Black Oyster-catcher, b niger), Alas. '85, 157, '98, 127, 230; Cal. '86, 92, 124^b, '87, 329, Wash. '93, 17.—nst. '87, 329, '98, 127. frazari (Frazar's Oyster-catcher), L. Cal. '88, 84*, 395. galapagensis, Galap. Is. '86, 331*, '90, 273.—plm. '88, 85. (a Oyster-catcher), ostralegus Helg. '95, 325; N. C. '93, 242 [palliatus?].—nst. '97, 335°; syn. '84, 172. palliatus (a American Ovstercatcher), Bahamas, '91, 76, 297, 334, 351, '92, 48; Cal. '86, 92; Fla. '81, 18, '87, 273, '89, 160, '92, 212; Ga. '83, 42, '96, 215, Mass. '85, 384; Mex. '88, 86; N. C. '93, 242 [ostralegus']; N. Y. '80, 117, '86, 439, '93, 272, '95, 70a; S. Am. '88, 86; Tex. 1900, 341; Va. '76, 26, W. I. '87, 230.—hbt. '93, 293; plm. 1900, 284 (fig.); nst. '76, 26, '83, 42; syn. '87, 230. prattii, Bahamas, 1900, 187.meas., plm. 1900, 285. hæmorrhoidalis (Trogon), see Trogon. hæmorrhous (Carpodacus), see C. mexicanus. Hag, see Puffinus gravis. Black, see Puffinus fuliginosus. Hagdon, see Puffinus gravis or fuliginosus. Hagerup, Andreas T., and Chamberlain, Montague. Birds of Greenland (rev.), '91, 226. [correction], '91, 319. Hagiopsar, '91, 92. Haines, Edwin Irvine. [Exposure of], '98, 213.

Haiti, West Indies.

'84, 285.

Allen, J. A., '84, 285, '85, 295.

Cory, C. B., '81, 129-130, 151-155,

Ridgway, R., '98, 322-323. Hair-bird, see Spizella socialis.

Halcyon, '94, 236.

chloris, P. I. '94, 237. concreta, Borneo, syn. '91, 10. coromandus, Borneo, '91, 10; P. I.

'94, 237.—plm.'99, 322, syn.'91, 10. gularis, P. I.'94, 237. pileata, Borneo, syn.'91, 10.

Hales, Henry.

Peculiar traits of some Scarlet Tan

Peculiar traits of some Scarlet Tanagers, '96, 261-263.

Haliæetus, '80, 99, '84, 48, '94, 233.

alascanus (Northern Bald Eagle,
b leucocephalus), Alas. '85, 157b, '98,
127 ['alascensis']; g. dist. '99, 109,
340*.—meas. '99, 341, nst. '98, 127,
syn. '99, 109.

albicilla (Gray Sea Eagle), Greenl. '89, 211a, 291; Helg. '95, 326.—anat. '82, 87; fd., hbt., nst. '89, 291.

hypoleucus, Kamts. '84, 82.

leucocephalus (a Bald or Whitereucocepnatus ("Baid or Whiteheaded Eagle, b washingtoni), Aris. '90, 48, 53; Cal. '86, 93, '87, 329, '98, 234; Colo. '85, 17, 143, Conn. '80, 1144, '95, 262, 266; Dak. '83, 238a, Europe, '77, 107, '80, 66, 143; Tal. 211, 17 50, 287, 150, 211, 200 Fla. 81, 17, 58, '87, 159, 341°, '88, 271, '89, 248, '90, 223, '91, 109°, 137, '92, 212, '95, 364, '96, 182°; Ga. '83, 41, '96, 212; g. dist. '98, 174-176^b, '99, 109; Ia. '95, 236; Ida. '97, 353; Ind. '88, 350, '98, 62, '99, 178°; Ky. '89, 313; La. '82, 164; Man. '86, 154, 329; Me. '82, 151, '83, 242"; Mich. '93, 224; Minn. '84, 247; N. B. '89, 117; N. C. '81, 122, '86, 103a, N. F. 1900, 72; N. H. '88, 149, '89, 76, 79; N. J. '79, 224, '94, 136; N. M. '99, 188; N. S. '87, 15*, 16, '91, 165; N. Y. '81, 233; O. '83, 235^a, ⁹³, 297; *Ore.* ⁷⁹, 196, ⁸⁶, 165, ⁸⁸, 145; *Pa.* ⁹², 135; *Que.* ⁸², 238; *R. I.* ⁸¹, 122; *S. C.* ⁸⁵, 192, ⁹⁰, 37; *S. D.* ⁸⁵, 285; *Tex.* ⁸², 174, ⁸², 180, 287, ⁸³, 180, ⁸³, 180, ⁸³, 180, ⁸³, 174, '87, 189, '89, 237, 1900, 343; Va. '80, 57, '88, 18; Wash. '92, Va. '80, 57, '88, 18; Wasn. '92, 43, '97, 174; Wis. '81, 123.—anat. '81, 201; fd. '81, 58, '83, 116, 242*, '96, 182*, '98, 175, 175*; hbt. '79, 196, '80, 57, '81, 58, 123, '82, 184, '83, 242*, '87, 339, 340*, '91, 109*, '98, 175*; meas. '81, 122, '98, 175, 175*, '99, 341*; mig. '95, 236, 262, 266; nst. '81, 17, '82, 174, 232 '83, 41 '87, 150, 189, 341*; 88 238, '83, 41, '87, 159, 189, 3414, '88, 145, '89, 117, 248, '98, 62, 1900, 343; plm. '98, 174b; syn. '80, 99, '98, 174b,

'99, 131^b, 341^b; misc. '80, 87^b, '83, 238^a, '90, 85^a, '92, 386^a, '94, 69^a.

Haliaetus, see Haliæetus.

haliaetus (Pandion), see P. haliæetus or carolinensis.

Haliastur, '85, 205, '94, 233. ambiguus, misc. 1900, 401.

girrenera, misc. 1900, 400. indus, misc. 1900, 400.

Haliplana, see Onychoprion.

Hallock, Charles.

Sportsman's gazetteer (rev.), '79, 175. Halocyptena microsoma (a Least Petrel), L. Cal. '91, 305, '98, 142a.—
—nst., plm., '98, 142a.

halophilus (Ammodramus), see A. guttatus.

hamatus (Rostrhamus), see R. sociabilis.

Hamilton Association, Journal and Proceedings titles (Nos. 2258– 2260), '92, 191.

2260), '92, 191. Hammer, Yellow, see Colaptes auratus or luteus.

hammondı (Empidonax), see Empidonax.

Hancock, Joseph Lane.

Parkman's Wren in Illinois, '83, 179. Northern range of *Opororms formosa* in Illinois, '88, 210.

Impeded migration and destruction of birds at Chicago, '88, 432-434.

Hapalocercus flaviventris, Urug., song, '83, 199.

fulviceps, Venes. '94, 66. paulus, Colom. 1900, 82.

Hapaloderma vittatum, misc. '95, 289. Haploophonæ, '81, 32.

Haplospiza nivaria, Colom. 1900, 82.

Hardy, Fannie Pearson.
Testimony of some early voyagers on

the Great Auk, '88, 380-384.

Hardy, Manly.

Nesting habits of Red-bellied Nuthatch, '78, 196.

Note on nesting of Fish-Hawk in Maine, '80, 186.

Notes on nesting-sites of Goldenwinged Woodpecker, '80, 241.

The Bald Eagle fishing, '83, 242.

Late occurrence of Phœbe (Sayornis fuscus) at Brewer, Maine, '85, 108. Additional notes on Bittern, '89, 187.

Harelda, '84, 144, 173, '96, 163, '97, 124, '99, 129.

hyemalis (* Old-squaw or Longtailed Duck, b glacialis, c Clangula), Alas. '85, 63, 158; Arctic Am. '78, 86b; Cal. '87, 87c, '96, 172c; Colo. '95, 292, 293c; Fla. '95, 188*; Greenl.

'89, 216°; Helg. '95, 326°; Hud. B. '90, 320°; Ill. '76, 44b, '77, 68b, '80, 192b; Ind. '99, 178; La. '86, 475b; Mass. '92, 305°, '96, 202°, '97, 228; Md. '85, 385, Mich. '97, 228; N. E. '92, 330, 337°, N. J. '79, 226°; N. S. '95, 89°, '99, 251, N. Y. '81, 235°, '84, 177^b, '86, 281^b; O. '92, 397^c, '99, 284; Ore. '91, 367^c (fossil), '93, 344^c (fossil), Pa '82, 251^b, '91, 240^c, '95, 310a; P. E. I. '85, 266a; Que. '82, 240b; S. C. '88, 203c, '92, 191c, '95, 293°; S. D. '85, 288b; Siberia, 1900, 309ª; Wash. '92, 354°.—fd. '92, 330°; hbt. '92, 305°, 330°, '96, 202°; mig. '84, 177°, '85, 63°, '92, 330°, '93, 248°; plm. '76, 23b (alb.), '92, 330c (mlt.); song, '92, 330°; syn. '84, 385, '96, 163°, '97, 125.

Hargitt, Edward.

see British Museum, 'cat. of birds,' vol. xviii (rev.), '91, 92-95. Obituary of, '95, 315.

harlanii (Falco), see Buteo.

--- (Buteo), see Buteo.

Harpactes, '94, 233.

diardi, Borneo, syn. '90, 359. duvauceli, Borneo, syn. '90, 359.

kasumba, Borneo, syn. '90, 359.

Harpagus, '85, 205.

diodon, Bras. '91, 161.—misc. '94,

Harper's Magazine, titles (No. 964), '85, 372, '90, 198.

Harporhynchus, '82, 215, 217, 218, '83, 169, '86, 289, '90, 277.

arenicola (Desert Thrasher), gen. dist. '97, 167*, "99, 124.-meas. '97, 167; syn. '99, 124.

bendirei (* Bendire's Thrasher), Arız. '81, 65, '82, 69, '86, 256*, 289, '87, 68, '88, 116, 161, '94, 219*; Colo. '83, 57, 153, '85, 15; g. dist. '93, 135. —hbt. '86, 256a, 257a, '88, 161, '98, 274^a; meas. '82, 69, 70, '86, 291; mig. '88, 161; nst. '82, 69, '87, 68^a, '88, 116, 117a, 118, 161, '94, 219a; plm. '81, 65, '82, 69; song, '84, 357, '88, 161; syn. '81, 66; misc. '98, 3, 4.

cinereus (Saint Lucas Thrasher), g. dist. '93, 142; Ont. '83, 55 [= rufus, see '83, 116], L. Cal. '90, 215, '95, 52; syn. '81, 66.

crissalis (Crissal Thrasher), Ariz. '78, 93, '81, 72, '82, 74, '88, 161; Cal. '90, 297; g. dist. '86, 289-299, '93, 135; N. M. '78, 93, '92, 368, '99, 189. _fd. '86, 292, '88, 162; hbt. '82, 74, '86. 292; meas. '82, 75, '86, 291, 293, 294, 296; mig., song, syn. '86, 292;

nst. '82, 74, '86, 292, '88, 162; plm. '82, 74, '86, 292, 296.

curvirostris (Curve-billed Thrasher, b vetula), g. dist. '86, 290, '93, 135; N. M. '99, 189; Tex. '81, 68, 1900, 348.—meas. '81, 68; nst. '99, 189; misc. '80, 87b.

guttatus, Yucatan, '85, 294.

lecontei (Leconte's Thrasher), Aris. '81, 66-68, '82, 73, '83, 48, '86, 289; Cal. '84, 353-358, '89, 280, '90, 296, 297; g. dist. '86, 299-307, '93, 259, 257, g. 4131. 80, 259–307, 31 125, 287, '95, 54–60 (pl.); Mex. '85, 196, 229, 230.—anat. '95, 57 (fig.); fd. '82, 73; hbt. '83, 48, '84, 355, '86, 299, 303, '95, 54 (map); meas. '81, 68, '82, 74, '83, 49, '84, 358, '86, 291, 301, 302, 306, nst. '83, 48, '84, 358, '86, 299, 303, 306, '95, 54; plm. '81, 66, '82, 73, '85, 196, 230 (mlt.), '86, 292, 299; song, '81, 66, '84, 355, 357, '86, 299, 303, 305; syn. '81, 66, '86, 299; misc. '93, 320.

longirostris, g. dist. '77, 90, '93, 135.

mearnsi (Mearns's Thrasher), L. Cal. '95, 53*, 142, 165.—meas. '95, 53; syn. '95, 165.

maculatus, Mex. 1900, 269*. ocellatus, misc. '84, 386.

palmeri (a Palmer's Thrasher), Arız. '81, 66, 68, '82, 71, '86, 256a, 257a, 289, '88, 116, 161, '94, 219; Mex. '85, 196, 228, '98, 272-274; N. M. '92, 368.-hbt. '86, 256a, 257a, '88, 161; meas. '81, 68, '82, 71, '86, 291, '98, 273; nst. '82, 71, '86, 306, '87, 68a, '88, 116, 161, '94, 219a, '98, 272; plm. '81, 67, '82, 71.

pasadenensis (Pasadena Thrasher), Cal. '98, 237*, '99, 123.—meas. '98, 237; syn. '99, 123.

redivivus (Californian Thrasher), Cal. '81, 68, '86, 185, '96, 121, '98, 236; L. Cal. '95, 142 [pasadensis?]. -hbt. '96, 121; meas. '81, 68, '98, 237; nst. '86, 185; plm., syn. '81, 66.

rufus (a Brown Thrasher or Thrush), Ala. '78, 170; Colo. '83, 153, '85, 15, 140; D. C. '88, 24, '92, 307; Europe, '80, 66; Fla. '88, 277, '90, 115, '91, 127a, 138, '92, 214, '95, 365; Ga. '82, 95a, '83, 37, '96, 213; g. dist. '93, 133; Helg. '77, 107, '80, 69, '91, 300, '95, 331; Ia. '95, 122, 235; Ill. '88, 434; Ind. '89, 29; Ky. '89, 316; La. '82, 161, '87, 300a, '88, 325; Man. '86, 327; Mass. '84, 14, '88, 388*, 389, '89, 42*, 43*, 46, 105, '90, 369, '96, 176; Mich. '93, 229, '95, 192; Minn. '80, 13, '84, 244, Miss. '82, 90; Mo. '79, 140, '90, 393, '96, 218; Mont. '88, 16a, '95, 218; N. C. '86, 175, '89, 121a, '93, 244; N. H. '88, 151, 154, '89, 77, 79; N. J. '87, 78a, '89, 305, '94, 140, N. Y. '79, 32, '80, 137a, '81, 226, '84, 132, 175, '90, 295, 1900, 178; O. '95, 242, Ont. '83, 55 [not 'cinereus,' see '83, 116], 116, '89, 204; Pa. '92, 140, '93, 37, 41, 43, 46, '96, 285; S. C. '79, 210, '90, 130, '91, 333, '92, 32a, S. D. '85, 277; Tenn. '86, 315; Tex. '82, 7, '92, 342. —anat. '88, 325a; fd. '81, 25a, '96, 176, '97, 421a; hbt. '85, 298, '87, 300, '90, 200, 369a, '96, 218; mig. '80, 137a, '84, 175, '85, 98a, '88, 434, '91, 109, 196, '92, 32a, '95, 122, 235; nst. '78, 23a, '80, 13, '82, 161, '83, 37, '85, 277, '87, 78, '88, 24, '89, 29, '91, 109; plm. '78, 18, '80, 26 (alb.); song, '84, 132, '91, 32a; misc. '83, 75, '94, 69.

sennetti (Texas Thrasher), g. dist.
'93, 141; Ter. '89, 171.—plm. '89,
171; syn. '88, 402.

harpyia (Thrasaetos), see Thrasaetos. Harrier, Marsh, see Circus hudsonius. Harriman Alaskan Expedition, '99, 302, 380.

Harris, George E.

Early nesting of Otocoris alpestris praticola, '88, 320.

harrisi (Buteo), see Parabuteo.

- --- (Dryobates), see D. harrisii, hyloscopus or monticola.
- (Parabuteo), see Parabuteo.
- —— (Phalacrocorax), see Phalacrocorax.
- —— (Picus), see Dryobates harrisii or monticola.

Hartert, Ernst.

Katalog des Vogelsammlung im Museum der Senckenbergischen Naturforschenden Gesellschaft (rev.), '92, 185.

see British Museum 'cat. of birds,' vol. xvi (rev.), '93, 66-69.

Birds of Aruba, Bonaire and Curacao (rev.), '93, 355-357.

The Podargidæ, Caprimulgidæ and Macropterygidæ (rev.), '97, 419.

Hartert, E., and Rothschild, Walter.

A review of the ornithology of Galapagos Is. (rev.), 1900, 300-303.

hartlaubii (Loriculus), see Loriculus.

— (Querquedula), see Querquedula. — (Loriculus), see Loriculus.

Harvie-Brown, John Alexander.

Ægiothus exilipes in Europe, '77, 51.

Destruction of birds in northern Russia (rev.), '78, 35.

Capercaillie in Scotland (rev.), '80, 110, '81, 46.

Notes and queries on nomenclature of birds, genus Wilsonia, '80, 183.

Onithological journal of winter of 1878-79 (rev.), '80, 233.

Second report on Scottish ornithology (rev.), '81, 174.

Migration of birds upon British coasts—1881 (rev.), '83, 229.

Bird migration in Mississippi valley, by Cooke (rev.), '89, 270-272. Falco islandus in Labrador, '91, 236. Colour code (rev.), '99, 293.

Harvie-Brown, J. A., and Buckley, T. E.

A vertebrate fauna of the Moray Basin (rev.), '96, 251.

Harvie-Brown, J. A., and Cordeaux, John.

Report on migration of birds (rev.), '80, 175-177.

Harvie-Brown, J. A., Cordeaux, J., and Kermode, P.

Report on migration (rev.), '83, 228. Harvie-Brown, J. A., Cordeaux, J., and Newton, A.

Report of committee on migration at lighthouses (rev.), '83, 228.

Harvie-Brown, J. A., Cordeaux, J., Kermode, P. M. C., Barrington, R. M., and More, A. G.

Report on migration, 1881 (rev.), '83, 229.

Hasbrouck, Edwin Marble.

Dendroica carulea in District of Columbia, '88, 323.

Restoration of an Audubonian form of Geothlypis trichas to American avifauna, '89, 167.

Summer birds of Eastland Co., Texas, '89, 236-241.

Picoides arcticus in central New York, '90, 206.

Dendroica carulea again in District of Columbia, '90, 291.

Cistothorus stellaris at Washington, D. C. '90, 291.

Present status of Ivory-billed Wood-pecker (Campephilus principalis), '91, 174-186 (map).

Acadian Owl (Nyctala acadica) at Washington, D. C. '91, 313.

The Carolina Paroquet (Conurus carolinensis), '91, 369-379 (map). Rare birds near Washington, D. C. '93, 91.

Geographical distribution of genus

Megascops in North America, '93, 250-264 (2 pll.).

Evolution and dichromatism in genus Megascops (rev.), '93, 347-351. hasitata (Æstrelata), see Æstrelata. -(Procellaria), see Æstrelata. hastatus (Megascops), see Megascops. Hatch, Jesse Maurice.

Occurrence of Great White Heron at Escondido, California, '96, 172. Martin and California Cuckoo at Escondido, Cal. '96, 347.

Hatch, Philo L.

A list of the birds of Minnesota (rev.), '82, 47.

Notes on the birds of Minnesota (rev.), '93, 288-290.

havanense (Glaucidium), see G. siju. havanensis (Psittacus), see Amazona imperialis.

- (Strix), see Glaucidium siju. Havelda, see Harelda. havellı (Sterna), see S. forsteri. hawaiensis (Corvus), see Corvus.

Hawaiian Islands.

Allen, J. A., '78, 80-81, '88, 196-197, '90, 275.

Caton, J. D., '84, 187.

Henshaw, H. W., 1900, 201-206, 246. Streets, '78, 80-81

Hawk, American Rough-legged, see Archibuteo sancti-johannis.

American Sparrow, see Falco sparverius.

Anthracite, see Urubitinga anthracina.

Band-tailed, see Buteo abbreviatus. Black, see Archibuteo sancti-johan-

Blue-tailed, see Accipiter cooperi. Broad-winged, see Buteo latissimus. Chicken, see Accipiter cooperi.

Chilean Sparrow, see Falco cinnamominus.

Cooper's, see Accipiter cooperii. Cuban Sparrow, see Falco dominicen-

Desert Sparrow, see Falco deserticolus.

Duck, see Falco anatum.

Ecuador Sparrow, see Falco æquatori-

European Buzzard, see Buteo buteo. European Rough-legged, see Archibuteo lagopus.

Ferruginous Rough-legged, see Archibuteo ferrugineus.

Fish, see Pandion carolinensis. Florida Red-shouldered, see Buteo alleni.

Fork-tailed, see Elanoides forficatus. Harlan's, see Buteo harlani. Harris's, see Parabuteo harrisi. Hen, see Buteo borealis or swainsoni Krider's, see Buteo kriderii. Little Black, see Buteo brachyurus. Marsh, see Circus hudsonius. Mexican Black, see Urubitinga anthracina. Mouse, see Circus hudsonius. Pigeon, see Falco columbarius. Rabbit, see Circus hudsonius. Red-bellied, see Buteo elegans. Red-shouldered, see Buteo lineatus

Red-tailed, see Buteo borealis. Saint Lucas Red-tailed, see Buteo Iu-

casanus. Saint Lucas Sparrow, see Falco peninsularis.

Sharp-shinned, see Accipiter velox. Short-tailed, see Buteo brachyurus. Snail, see Rostrhamus sociabilis. Socorro Red-tailed, see Buteo socorroensis.

South American Sparrow, see Falco australis.

Sparrow, see Falco sparverius. Squirrel, see Falco anatum or Archibuteo ferrugineus.

Swainson's, see Buteo swainsoni. Swallow-tailed, see Elanoides forficatus.

Western Red-tailed, see Buteo calurus.

West Indian Sparrow, see Falco dominicensis.

White-fronted, see Buteo brachyurus. Sennett's White-tailed, see Buteo sen-

Zone-tailed, see Buteo abbreviatus. Hawks, see Falcones

Hawkeye Ornithologist and Oologist (mag.), titles (Nos. 1933-1943), **'91**, 106.

Hav. Oliver Perry.

Hesperiphona vespertina in central Illinois, '81, 179.

List of birds from Lower Mississippi valley, etc. '82, 89-94. Red-headed Woodpecker a hoarder,

'87, 193-196.

Hayti, see Haiti.

Hayward, Roland.

A spotted egg of Empidonax minimus, '79, 124.

Curious food for Kingfisher, '85, 311. Hazard, Rowland Gibson, 2d.

Occurrence of Golden Swamp Warbler (Protonotaria citrea) in Rhode Island, '84, 290.

A lay view of 'ornithophilologicalities,' '84, 300-302.

Breeding habits of King Penguin (Aptenodytes longirostris), 280-282 (pl.).

Carolina Wren (Thryothorus ludovicianus) at Peace Dale, R. I. '99, 83.

Head, J. F.

Breeding of Woodcock in Georgia, '78, 151.

Headley, Frederick W.

Structure and life of birds (rev.), **'96**, 68.

Heath-hen, see Tympanuchus cupido. Hedymeles, see Zamelodia.

heermannı (Larus), see Larus.

- (Melospiza), see Melospiza. heilprini (Cyanocorax), see Cyanoco-

helenæ (Calypte), see Calypte. - (Orthorhynchus), see Calypte.

Heleodytes (b Campylorhynchus), '76, 50b, '83, 104b, '89, 172b, '90, 277b, '93, 86, 112b, 132b, '94, 48, 210.

affinis (Saint Lucas Cactus Wren, ^b Campylorhynchus), g. dist. '93, 142^b; L. Cal. '90, 215^b, '94, 211. plm. '94, 211; syn. '94, 48, '95, 280, '97, 131.

alticolus, Mex. '97, 68*. brevirostris (b Campylorhynchus),

brunneicapillus (a Cactus Wren, ^b Campylorhynchus), Aris. '82, 82^b, '84, 356^a, '88, 116^b, 162^b, '94, 220^a; Cal. '85, 226b, '86, 185b, '90, 297; g. dist. '93, 135b; Mex, '85, 229b; N. M. '92, 368b; Tex. '87, 297b; Tex. '92, 342b.—hbt. '94, 220a; nst. '83, 174b,

⁸84, 356^a, ⁸87, 297^b, ⁸88, 116^b, 162^b, ⁹92, 368^b, ⁹94, 220^a; syn. ⁹94, 48, 213, ⁹95, 280; misc. ⁹92, 288^a.

bryanti (Bryant's Cactus Wren), g. dist. '95, 166; L. Cal. '94, 212*, '95, 142.—plm. '94, 212; song, '95,

142; syn. '95, 166, 280.

syn. '89, 172b.

(b Campylorhynchus capistratus castaneus), Cent. Amer. '89, 171b. costaricensis (b Campylorhynchus), C. R. '88, 449b*.

gularis, Mex., syn. '98, 160. hypostictus (b Campylorhynchus), Braz. '90, 137b.

nigricaudatus, g. dist. '97, 70*. obscurus, Mex. '98, 340. occidentalis, Mex. '97, 69*.—syn. **'98**, 160.

rufus, Mex. '97, 69*. stridulus, Mex. '99, 296.

(b Campylorhynchus). zonatus Cent. Am., Mex., meas., plm. '88. 449b.

Helias, '88, 331. Heligoland Island

190

Allen, J. A., '91, 299-300.

Coues, E., '95, 322-346. Dalgleish, J. J., '80, 68-72, 144, 150, 216, 219.

Helinæa, see Helinaia.

Helinaia '85, 76, 367, '93, 112, 130,

swainsonii (a Swainson's Warbler, b Helmitherus, c Helonæa), Ala. '78, 172b; Bahamas, '91, 296, Fla. '85, 74°, 62°, 104°, '88, 187, '90, 16, 313, '91, 137, 138, '92, 213, '93, 338, '95, 365, 367; Ga. '96, 207°, 213; g. dist. '85, 65–80, '93, 133; III. '78, 163, '80, 32; Jamaica, '91, 386, '93, 340; Ky. '89, 315, La. '87, 37, 262a, 263, 300a, 305, '88, 323, 325a; Mo '95, 112-117^a; S. C. '85, 65-80, 211^a, '87, 347, '90, 403, '91, 169; Tex. '81, 54°; Va. '95, 307°; W. I. '85, 377, '86, 27°.fd. '85, 65, 73; hbt. '85, 65, 80, 301b, ²87, 300, 305; meas. ²81, 55°, ²85, 76, 78, 346, 347, '90, 403; mig. '85, 54°, 62°, 79, 104°, '88, 323, '91, 135; nst. '85, 346, '87, 68, '90, 403, '93, 338, '95, 367; plm. '81, 54°, '85, 76, 78; song, '78, 172b, '85, 65, 68, 72, 73, '87, 305, '95, 115a; syn. '85, 76, 79, '86, 27b; misc. '86, 335, 489, '87, 37, '90, 84ª, '92, 191.

Heliocorys, '91, 92.

Heliomaster furcifer, Argent., Urug., hbt., nst. '84, 21.

Heliopædica, see Basilinna.

Heliornis fulica, Braz. '91, 163.

Heliornithidæ, '81, 81, '94, 242.

Hell-diver, see Podilymbus podiceps.

Helme, Arthur Hudson.

Large flight of White-winged Crossbills on Long Island, N. Y. 1900, 295.

Lark Finch and Baird's Bunting on Long Island, N. Y. 1900, 296.

Helminthophaga, see Helminthophila. Helminthophila, '82, 53, '84, 44, '86. 28, '87, 307-310, '90, 194.

bachmanii (* Bachman's Warbler), Ark. '96, 264, '97, 305-310a; Cuba, '86, 28, '87, 263; Fla. '87, 262, 348, '88, 187, 428-430, '89, 278, '90, 16, 313, '91, 127", 138, 149-157, '92, 213, '93, 338, '95, 365, 367; Ga. '83, 38 (sp.?); g. dist. '93, 133; La. '87, 35, 262, 262, '88, 323, 325"; Mo. '97, 305-310^a; N. Am. '87, 165; N. C. '91, 316; S. C. '87, 262; Va. '94,

191

333.—fd. '88, 428; hbt. '90, 16, '91, 149, '97, 305a; meas. '83, 38, '87, 263, 348, '97, 310; mig. '88, 323, 429, '90, 16, '91, 135; nst. '83, 38, '97, 305a; plm. '87, 35, 165, 262, 348, '88, 429, '91, 149, 156, '94, 333; song, '88, 428, '91, 149, 154, '96, 264, '97, 305a; syn. '82, 53, '86, 28; misc. '81, 168a, '87, 308, 310.

celata (a Orange-crowned Warbler), Ala. '78, 173; Colo. '80, 226, '83, 156, '85, 15 [lutescens?], '94, 269; Conn. '88, 323; Fla. '83, 157, '88, 275, '90, 18, '91, 127a, 138, '92, 213, '95, 365; Ga. '83, 157; g. dist. '93, 127; La. '87, 37a; Man. '86, 325; Mass. '76, 94, '86, 278; Mich. '81, 196a, Mo. '79, 141; Mont. '94, 307 [lutescens?], '95, 218 [lutescens?]; N. H. '78, 96 [=peregrina, see '82, 53]; N. J. '83, 179, '93, 90; N. M. '85, 331 [lutescens?], '92, 367; N. Y. '78, 46, '79, 61, '87, 350, '93, 90; Y. Y. '78, 46, '79, 61, '87, 350, '93, 90; T7; O. '92, 397; Ont. 1900, 391; Pa. '79, 235; Que. '90, 290; R. I. '77, 21; S. C. '86, 138, '91, 170, '93, 154; S. D. '85, 278; Tex. '82, 9, 36, '84, 121, '87, 296 [lutescens?], '92, 340; Va. '90, 96; Vt. '85, 210, 211; Wis. '83, 66, 67, 68, '94, 109; plin. '82, 36 (alb.), '83, 68, 156, '87, 123, '93, 154; song, '80, 226; syn. '82, 54, '83, 156; misc. '87, 307, 209.

chrysoptera (a Golden-winged Warbler), Colom. 1900, 367; Conn. 783, 235a, 789, 193, 279, 306, 793, 208, 795, 308; C. R. 790, 335, 791, 278; Cuba, 786, 28; Fla. 790, 17, 792, 213; g. dist. 793, 133; Ind. 792, 19, 789, 27; Ky. 789, 315; Man. 790, 404; Mass. 76, 6, 788, 391, 790, 217; Much, 785, 102, 793, 227, 1900, 391; N. C. 786, 173, 793, 244; N. E. 76, 73, 92, 777, 16, 47; N. Y. 778, 130, 779, 175, 785, 78, 794, 83; O. 786, 400; Ont. 784, 186; Pa. 791, 397, 793, 37, 40, 799, 312; S. C. 790, 127, 791, 170, 331, 792, 355, 793, 154; Tex. 782, 9; Va. 796, 179; Wis. 783, 68.—hbt. 776, 6, 786, 173; meas. 776, 7, 785, 102, mig. 783, 68, 792, 35a; nst. 776, 6, 785, 102, 786, 400, 789, 279, 793, 208; plm. 778, 56, 781, 218 (hyb.), 785, 378, 786, 412, 787, 349, 793, 154; song, 789, 309, 310; syn. 782, 53, 786, 28; misc. 787, 308.

cincinnatiensis (Cincinnati Warbler, = hybrid?), O. '80, 208*.—meas.

'80, 209; plm. '80, 208, 237, '81, 224; syn. '80, 237; misc. '83, 79, '88, 401. gunni (= hybrid ', see leucobronchialis), Mich. '79, 185, 233.—syn. '79, 233, '81, 220.

gutturalis (Calaveras Warbler), Anz. '88, 33; B. C. '93, 16, 1900, 107; Cal. '78, 65, '87, 88, '99, 156; g. dist. '93, 127; Ida. '98, 18; Ore. '88, 360; Tex. '87, 295, '92, 340; Wash. '93, 16, '97, 182.—hbt., song, '88, 360; syn. '96, 264, '97, 131. lawrencei (a Lawrence's Warbler, habetal) Cong. '89, 132, 205, 210,

lawrencei (a Lawrence's Warbler, hybrid?), Conn. '89, 193, 305-310, '93, 89a 209, 305a, '94, 259; N. J. '77, 19, '80, 89, '86, 411, '88, 421, '95, 171; N. Y. '88, 427, —fd. '88, 427; meas. '77, 20; nst. '93, 305a; plm. '81, 218-225, '85, 361-363, '86, 411, '88, 427, '89, 193, '93, 89a, 305a, '94, 259; song, '89, 309, '93, 89a; syn '82, 53, '85, 359; misc. '81, 218-225, '87, 308, 310, '88, 401.

leucobronchialis (a White-throated or Brewster's Warbler, = hybrid?), Conn. '78, 99, 199, '79, 184, '84, 91, 304, '86, 272, '88, 427, '89, 192, 305, '93, 89a, 208, 305a, '94, 79, '95, 307; D. C. '86, 139; g. dist. '84, 361, La. '91, 318; Mass. '76, 1*, '79, 184, '80, 89; Md. '95, 307; Mich. '79, 185 ['gunnii']; N. J. '84, 378, '86, 411, '87, 348, 349, '88, 421, '89, 198, 304, '90, 291, '92, 302; N. Y. '79, 233 ['gunnii'], 234, '81, 245, '84, 378, 378, '92, 306; Pa. '77, 79, '88, 115; Va. '84, 304.—fd. '89, 307; hbt. '88, 427, '89, 305-310; meas. '79, 234. '88, 427; mig. '93, 208; nst. '92, 302, '93, 89ª, '95, 307; plm. '76, 1, '78, 99, 199, 779, 185, 233, '81, 218–225, 245, '84, 91, '85, 361, 378, '86, 411, '87, 348, 349, '89, 307, '91, 318, '92, 302, '94, 79, '95, 307; song, '89, 309, '90, 291, '93, 208; syn. '79, 233 ['gunnii '], '82, 53, '85, 359; misc. '76, 30, 94, '78, 44, '79, 59, '81, 218-225, '85, 359-363, '87, 308, 310, '88, 401.

luciæ (a Lucy's Warbler), Ariz. '82, 82, '88, 33, '90, 48, '94, 217, 219a; g. dist. '93, 135.—hbt., plm., song, '82, 82; meas. '82, 84; nst. '82, 82, '88, 33; misc. '87, 307.

lutescens (Lutescent Warbler), Alas. '98, 129; Aria. '82, 85, '85, 352, '88, 34, '94, 220; Cal. '78, 65, '86, 453, '87, 93, 330, '89, 223, '96, 121, '99, 156; Colo. '87, 123; g. dist. '93, 127; Ida. '98, 18; L. Cal. '95, 142; N. M. '85, 331 ['celata']; Ore. '86,

170, '88, 360, 361; Tex. '87, 296; Wash. '92, 46, 357, '97, 179, 1900, 356.—hbt. '86, 170, '96, 121; meas. '82, 86; mig. '88, 361; nst. 1900, 356; plm. '79, 40, '82, 85, song, '86, 170, syn. '83, 156, '85, 366; misc. '87, 307.

peregrina (a Tennessee Warbler), Colo. '80, 226, '85, 15; Colom. 1900, 367; C. R. '90, 335, '91, 278; Fla. '88, 187, '90, 18, '92, 213; g. dist. '93, 127, Ia. '95, 123, 235; Ill. '78, 163; Ind. '82, 17, 19, '89, 27; Ky. '89, 315, La. '87, 306, Man. '86, 325, '87, 352, 353; Mass. '82, 252, 253, '89, 43a, 102, '91, 151; Much. '85, 65, '93, 227; Mo. '79, 141; N. B. '89, 118; N. C. '93, 244; N. H. '78, 96 Inot 'celata,' see '82, 531, '82, 53, '81, 227, 106, '88, 152; N. Y. '78, 53, '81, 227, '84, 212, '89, 138, '94, 83, '96, 87; O. '89, 201, '95, 241; Ont. 1900, 391, 392; Pa. '91, 398; Que. '82, 234; R. I. '89, 184a; S. C. '85, 190, '91, 54, 170; Tex. '82, 9, '87, 296, '92, 340; W. I. '86, 28; Wis. '80, 48a, '82, 185, '83, 67, 69, '85, 65, '88, 326, '89, 138, '91, 54, '95, 123, 129a, 235, 241; nst. '89, 102; plm. '78, 71 (alb.), '87, 263a; song, '80, 226, '84, 212; syn. '82, 54, '86, 28; misc. '87, 309.

pinus (a Blue-winged Warbler), Bahamas, '91, 334; Colom. 1900, 367; Conn. '80, 48, '85, 988, '88, 427, '89, 192, 279, 305-310, '93, 89, 208, '94, 260; D. C. '84, 397, '88, 24; Fla. '90, 17, '90, 313, '92, 213; Ga. '83, 38; g. dist. '93, 133; Ia. '95, 123; Ill. '78, 163; Ind. '82, 17, 19, '89, 27; La. '82, 49a; Mass. '78, 188, '98, 59; Mich. '93, 227; Minn. '90, 214; Mo. '79, 141, '95, 117a; N. E. '76, 73, '77, 16; N. J. '86, 411, '87, 348, '92, 302; N. Y. '78, 130, '79; 175, '81, 245a, '84, 210, '85, 378, '89, 199; O. '95, 241; Pa. '79, 234, '91, 397, '93, 209, '99, 312; S. C. '91, 169; Tex. '92, 340.—hbt. '83, 176, '89, 305; meas. '80, 49; mig. '95, 123, 241; nst. '78, 194, '80, 49, '83, 38, 176, '84, 397, '88, 24, '89, 27, 192, 308, '91, 109a, 92, 302, '93, 208; plm. '81, 218, '84, 211 (mlt.), '85, 378, '86, 411 (hyb.), '87, 348, 349; song, '84, 210, '89, 309, 310; syn. '80, 37, 209, 237, '82, 53; misc. '86, 477, '87, 308, rubricapilla (a Nashville Warbler),

Colo. '85, 15; Conn. '88, 323", '93,

90°; g. dist. '93, 127; Ia. '95, 123, 235; Ind. '82, 17, 19, '89, 27, Ky. '89, 315; Man. '86, 325; Mass. '84, 14, '88, 389, '89, 40°, 41°, 45, 102, '90, 217, 409; Me '82, 109; Mich. '93, 227; Mo. '79, 141; N. C. '86, 101?; N. H. '83, 13°, '87, 105, 88, 150, 152, '89, 77; N. J. '89, 198, 304; N. S. '91, 165; N. Y. '81, 227, '84, 211, '92, 307°, '93, 277; O. '95, 241; Pa. '95, 190; P. E. I. '93, 5°, 13; Tex. '82, 36, '92, 340; Vt. '84, 7°; Wis. '83, 66, 68, '88, 326—hbt. '93, 13; meas. '83, 68; mig '93, 66, 68, '88, 326, '95, 123, 129°, 235, 241; nst. '83, 237°, '89, 198, 304, '93, 89°, '95, 190; plm. '78, 57; song, '84, 211, '95, 190, syn. '82, 54, '96, 263, '97. 130; missc. '87, 307.

sordida (Dusky Warbler), Cal. '91, 87, 305, '98, 234, 236.—fd., plm. '98, 236 (alb.); syn. '91, 87.

virginiæ (Virginia's Warbler), Ariz. '85, 352, '88, 33; Cal. '90, 215; Colo. '80, 226, '83, 155, '85, 15; g. dıst. '93, 135; N. M. '92, 367.—/hbt., plm. '83, 155; mlt. '88, 33; song, '80, 226; syn. '82, 54; mısc. '87, 307.

Helminthotherus, see Helmitherus. Helmitherus, '84, 49, 54, '85, 367, '86, 27, '90, 194, '93, 112, 130.

vermivorus (a Worm-eating Warbler, b Helminthotherus), Bahamas, '91, 334, 335, '92, 49; Conn. '77, 21, '80, 116, '85, 305b, '93, 90a, 1900, 389; C. R. '90, 335, '91, 278; D. C. '88, 23, '92, 307; Fla. '85, 62, '88, 275, '90, 16, 313, '92, 213, '93, 338; Ga. '82, 96a, '96, 213; g. dist. '93, 133; Gulf of Mex. '81, 251a; Ind. '82, 17^b; Jamaica, '93, 340; Ky. '89, 315; La. '87, 37^a, 305; Mass. '81, 246; Mo. '79, 141; N. E. '76, 73, '77, 16; N. J. '82, 55; N. Y. '78, 56, 129, '79, 175, '84, 210', '89, 199, '93, 276, '97, 100; *Pa.* '82, 55, '91, 397, '96, 284, '99, 312; *S. C.* '79, 212, '90, 127, '91, 169, '91, 331, '92, 34°, 35°; Tenn. '86, 316, '87, 128, 132; Tex. '82, 9, '94, 222; Va. '85, 103; W. I. '86, 27, '89, 31.—meas. '85, 104; mig. '81, 251a, '85, 62, '92, 34a, 35a; nst. '80, 116, '85, 104, 305, '88, 23; plm. '78, 23, '91, 387°; song, '84, 210°; syn. '86, 27; misc. '83, 177b, '86, 477, '89, 24a. (b Rhyacophilus), '82, Helodromas 245^b, '87, 335, '88, 330^b, 332^b, '97, 103, 211, '99, 105.

cinnamomeus (Western Solitary Sandpiper, b Totanus, c Totanus solitarius), Aris. '86, 386°; Cal. '87, 91°; g. dist. '90, 377b*, '91, 84b, '93, 125b; Mont. '94, 302b; Ore. '79, 197c; Wash. '97, 172b .- meas. '90, 378b; syn. '91, 84b, '97, 103b, '99, 105.

ochropus (Green Sandpiper b Totanus), g. dist. '99, 106; Helg. '95, 338b; N. Am. '97, 210; N. S. '78, 49b, '80, 91.—anat. '88, 330°, 332°; hbt. '78, 50b; syn. '78, 50b, '97, 210, '99, 106.

solitarius (a Solitary Sandpiper. ^b Totanus, ^c Rhyacophilus), Ala. '79, 12^b; Argent. '84, 315°; Bahamas, 1900, 305^b; Colo. '83, 198°, '85, 18°; 1900, 305°; Colo. '83, 198e, '85, 18e'; Colom. 1900, 364b; C. R. '90, 332b, '92, 329b; Fla. '88, 270, '89, 158, '91, 137b, '92, 212b, '95, 364; Ga. '96, 215b; G. Br. '80, 147b; g. dist. '93, 125b; Ida. '97, 351b; Ill. '77, 68b; Ind. '97, 351b; Ill. '77, 68b; Ind. '98, 240; Iamina '90, 12b. '82, 22°, '88, 349; Jamaica, '92, 13b; La. '82, 165°, '87, 303°, '97, 288°; Man. '86, 152b; Mass. '81, 127b, '95, 88b, '96, 88b; Mich. '93, 223b; Mo. '98, 27^b; Mont. '95, 213^b; N. B. '82, 151^c, '83, 174^a, '89, 117; N. C. '87, 241^b; N. J. '79, 225^b; N. M. '98, 307^b; N. S. '95, 89b; N. Y. '81, 234c; Ont. '98, 328b; Ore. '88, 144b; Pa. '91, '98, 328b; meas. '78, 197c, '90, 378b, '98, 329b; mlt. '92, 13b, 1900, 370b; nst. '78, 197°, '83, 174ª, '95, 68ª, '98, 328b; syn. '87, 318b, '99, 105.

heloisa (Atthis), see Atthis.

(Trochilus), see Atthis.

helveolum (Syrnium), see S. alleni.

helvetica (Squatarola), see S. squatarola.

-(Tringa), see Squatarola squatarola.

helveticus (Charadrius), see Squatarola squatarola.

helviventris (Coccyzus), see C. minor. Hemiglottides, '81, 79.

hemileucurus (Campylopterus), see Campylopterus.

Hemiphaga, '94, 233.
Hemipodii, '81, 80, 83, '94, 171.
Hemiprocne, '86, 346, '99, 78.
zonaris (b minor, c Chætura), Argent. '84, 24?; Colom. '83, 114b; W. I. '86, 346 (fig.), '92, 276, '94, 125, '95, 279° .- anat. '99, 77; meas., plm. '86, 347; syn. '86, 346.

Hemipus obscurus, Borneo, syn. '90, 352.

Hemithraupis, '98, 226*, see Sporathraupis.

Hemiura, '89, 172.

leucogaster (b Cyphorhinus pusillus, c Troglodytes), meas. '97, 409b, 409°; syn. '87, 349°, '97, 409°, 409°, '98, 60, '99, 345°.

pacifica, Mex. '97, 72*.

Hen, Attwater's Prairie, see Tympanuchus attwateri.

Cape, see Ossifraga gigantea. Clucking, see Aramus giganteus. Fool, see Cyrtonyx montezumæ. Heath, see Tympanuchus cupido. Lesser Prairie, see Tympanuchus pallidicinctus.

Mangrove, see Rallus caribæus. Marsh, see Rallus crepitans. Mud. see Fulica americana. Pine, see Dendragapus fuliginosus. Prairie, see Tympanuchus americanus. Wood, see Ceophlœus pileatus. hendersonii (Lampornis), see Lampor-

nis. Hendrickson, William Francis.

Chestnut-collared and Lapland Longspurs on Long Island, N. Y. '89, 190.

Capture of Summer Red Bird on Long Island, '84, 290.

Henhawk, Common, see Buteo lineatus, borealis or swainsoni.

Cooper's, see Buteo cooperi. Henicocichla, see Seiurus.

Henicorhina anchoreta, Colom. 1900, 184.

capitalis, g. dist. '97, 74*. leucophrys, Colom. 1900, 184.-

syn. '97, 73. mexicana, Mex. '97, 73*. pittieri, C. R. '94, 245.

Henicuri, '84, 279.

Henninger, Walther F.

Pine Warbler (Dendroica vigorsii) a breeder in Ohio, '98, 331. Purple Gallinule (Ionornis martinica)

in Ohio, '99, 75.

Two rare birds for Ohio, '99, 284. henrici (Delattria), see Delattria. henryi (Chordeiles), see Chordeiles.

Henshaw, Henry Wetherby.

Two Empidonaces, traillii and acadicus, '76, 14-17.

Ornith. coll. of geog. and geol. explorations west of 100th meridianWheeler Survey (rev.), '76, 70, '78, 136-138.

194

Description of a new species of Hummingbird (Selasphorus alteni) from California, '77, 53-58 (fig.).

Species of the genus Passerella, '78, 3-7.

Additional remarks on Sclasphorus alleni, '78, 11-15.

Nest and eggs of Blue Crow (Gymnokitta cyanocephala), '78, 112-115.

Occurrence of Ross's Goose (Anser 10ssi) on Pacific coast and inland, 79, 126.

Remarks upon Turdus pallası and its varieties, '79, 134-139.

Melospiza meloda and its allies, '79, 155-160.

Nest and eggs of Gray Titmouse (Lophophanes inornatus), '79, 182. The use of trinomials, '79, 232.

Occurrence of Caspian Tern (Sterna caspia) upon coast of Virginia, '79, 243.

Report on collections made in California, Nevada, and Oregon in 1877-78 (rev.), '80, 105-107. see McChesney, C. E., 'mammals and

birds of Big Horn region, Montana' (rev.), '80, 107.

see Maynard, C. J., 'birds of eastern North America' (rev.), '80, 170-

King Eider (Somateria spectabilis) on Californian coast, '80, 189.

Some of the causes affecting the decrease of birds, '81, 189-197.

Podiceps occidentalis and P. clarkii, **'81**, 214–218.

Instance of semi-domestication of California Quail, '83, 184.

Description of new Song Sparrow from southern border of United States, '84, 223.

New Gull from Alaska, '84, 250-252. Shore Larks of the United States and adjacent territory, '84, 254-268.

Indian bird names, '84, 400-402. Gulls of Californian coast, '85, 231.

Hybrid Quail (Lophortyx gambeli × L. californicus), '85, 247-249.

List of birds observed in summer and fall on upper Pecos River, New Mexico, '85, 326-333, '86, 73-80.

Baird's Sandpiper (Actodromas bairdii) at Locust Grove, New York, '85, 384.

A bird new to Massachusetts, '85,

Bill of Horned Puffin, '85, 387.

Description of new Jay from Califormia, '86, 452-453.

Ammodramus caudacutus nelsoni in Massachusetts, '86, 486.

Chondestes grammacus about Washington, D. C. '86, 487.

An ingenious pair of House Finches (Carpodacus frontalis), '94, 255.

Occurrence of Larus glaucescens and other American birds in Hawaii, 1900, 201-206.

Description of new Shearwater from Hawaiian Islands, 1900, 246.

Henshaw, H. W., and Nelson, E. W., see Nelson and Henshaw.

henshawi (Astur), see Accipiter striatulus.

- (Chamæa), see Chamæa.

—— (Selasphorus), see S. rufus.

henslowii (Ammodramus), see Ammodramus.

- (Coturniculus), see Ammodramus. hepatica (Piranga), see Piranga. herberti (Thryothorus), see Thryotho-

hermanieri (Linneopicus), see Melanerpes l'herminieri.

see Melanerpes - (Melampicus), l'herminieri.

- (Melanerpes), see M. l'herminieri. - (Picus), see Melanerpes l'hermi-

nieri. herminieri (Cichlherminia), see Cichlherminia.

- (Linnæipicus), see Melanerpes l'-

herminieri.

- (Margarops), see Cichlherminia herminieri, dominicensis or sanctæ-luciæ.

— (Turdus), see Cichlherminia.

hernandezi (Dysporus), see Sula piscator.

Herodias, see Ardea.

herodias (Ardea), see Ardea.

Herodiones, '78, 182, '81, 30, 78, 83, **'82**, 47, **'84**, 383, **'9**3, 107, **'99**, 201.

Heron, Anthony's Green, see Ardea anthonyi.

Bahama Green, see Ardea bahamensis. Big Silver-gray, see Ardea herodias. Black-crowned Night, see Nycticorax nævius.

Blue, see Ardea herodias.

Brewster's Green, see Ardea bahamensis.

European Blue, see Ardea cinerea. Frazar's Green, see Ardea frazari. Great Blue, see Ardea herodias Great White, see Ardea occidentalis Green, see Ardea virescens.

195

Little Blue, see Ardea cærulea. Little Silver Gray, see Ardea vires-

Little White, see Ardea candidissima. Louisiana, see Ardea ruficollis. Night, see Nycticorax nævius. Snowy, see Ardea candidissima. Ward's, see Ardea wardi. White, see Ardea egretta. Wurdemann's, see Ardea occidentalis. Yellow-crowned Night, see Nycticorax violaceus.

Herons, see Ardeidæ.

Herpetotheres, '77, 70, '85, 205.

Herrick, Harold.

Capture of a second specimen of Helminthophaga lawrencei, '77, 19. Herrick, Francis Hobart.

Care of nest and young, 1900, 100-103 (2 pll.).

hesperia (Progne), see Progne. Hesperiphona, see Coccothraustes. hesperis (Corvus), see C. americanus. Hesperocichla, '84, 182, '93, 113. nævia (* Varied Thrush, * Turdus),

Alas. '87, 13, '98, 131; Cal. '78, 138', '86, 186, '87, 86, '94, 258; g. dist. '93, 127; Ida. '98, 21; Kan. '94, 260; Mont. '80, 108b; N. Y. '95, 69, 70; Ore. '79, 163b, '86, 172, '88, 365, '91, plm. '86, 172 (alb.); song, '86, 172, 98, 21.

Hesperornis (fossil genus), '80, 235, '85, 96, '91, 304, '92, 84, '98, 70.

dispar, '76, 49.

gracilis, misc. '76, 49. Heteractitis, '84, 236, '93, 108, '96, 66. incanus (a Wandering Tatler, b Heteroscelus, c Totanus), Alas. '80, 33b, 35a, '84, 79b, '85, 157, '98, 127; Cal. '87, 87, 329, '94, 95"; g. dist. '93, 123; H. I. 1900, 206°; Ore. '88, 237; Revill. Is. '98, 315, 316, 318.—hbt. '78, 137b, '80, 35a, mig. '94, 95a, 1900, 206c; song, '80, 33b; syn. '84, 236; misc. '96, 73c.

Heterhyphantes, '91, 92.

Heterocercus flavivertex, Braz. '91, 25.

Heterodactylæ, '81, 75, 76.

Heteromeri, '81, 32. Heteropsar, '91, 92.

Heteropygia, see Tringa.

Heteroscelus, see Heteractitis.

Heterospingus, '98, 225*. Heterospizias meridionalis, Argent.,

Urug., fd. '84, 109, Braz. '91, 161; anat. '82, 87. Hians, 1900, 167.

hiaticula (Ægialitis), see Ægialitis. hiemalis (Anorthura), see Anorthura.

— (Junco), see Junco. Hierococcyx, '94, 233.

Hierofalco, '84, 58.

Higgins, Henry Charles.

Cathartes aura in Chenango Co., New York, 93, 301.

Strix pratincola in New York, '93, 301.

Highholder or High-hole, see Colaptes auratus or luteus.

hillii (Mimus), see Mimus. himalayana (Loxia), see Loxia.

himalayensis (Regulus), see Regulus.

Himantopus, '87, 231.

candidus, Helg. '95, 339. (a Black-necked mexicanus Black Stilt, b nigricollis), Argent. '84, 314^b; Bahamas, '91, 76, 351, '92, 48; Braz. '91, 163; Cal. '87, 87; Colo. Vt. '86, 271a; W. I. '81, 155, '87, 231, '91, 46, 46,—hbt. '90, 338, '92, 12, '93, 293; nst. '83, 42, '91, 76, '92, 215; syn. '87, 231; misc. '90, 81a. knudseni, H. I. 88, 197.

himantopus (Ereunetes), see Micropalama.

--- (Micropalama), see Micropalama. —— (Totanus), see Micropalama.

- (Tringa), see Micropalama.

Himatione parva, H. I. '88, 197. Hine, Jane Louisa.

Observations on Ruby-throated Hummingbird, '94, 253.

hippocrepis (Sturnella), see Sturnella. Hippolais, see Hypolais.

hirsuta (Glaucis), see Glaucis.

-(Tridactylia), see Picoides tridactylus.

hirsutus (Picus), see Picoides americanus.

- (Polytmus), see Glaucis.

--- (Trochilus), see Glaucis.

hirundinacea (Euphonia), see Euphonia. hirundinaceus (Tephrodornis),

Hemipus obscurus.

Hirundinidæ (* Swallows), '81, 188a, 197^a, '85, 365, '87, 170^a, 265^a, 351^a, '90, 278, 279^a, '93, 111^a, '95, 373, '96, 112ª, '97, 421ª.

Hirundininæ, '81, 28, 34, '95, 373. Hirundo (b Chelidon), '82, 179, '84, 43, 230, '86, 58b, 266, 444-451b, '87, 337, '92, 108, '93, 111b, '94, 236, '95, 197, '98, 271, '99, 122.

(* Barn Swallow, erythrogaster b horreorum, c Chelidon, d unalaschkensis), Alas '77, 91? [Collocaha'], '80, 36^b, '81, 3^a, 5^a, 131^a, '87, 13^c, '94, 102^a, '98, 129^c, 1900, 76^d; Ariz. '88, 31; Bahamas, '91, 352c, 775. 83, 31; Balamas, 91, 33, 352°, '92, 48°; Braz. '84, 368, '90, 266°; Cal. '86, 183°, '87, 330°; Colo. '79, 93, '83, 160°, '85, 15, 141; Conn. '95, 83°; C. R. '90, 335°, '92, 22°; D. 181°; Ky. '89, 315; La. '87, 304°, '92, 206°; Man. '86, 325°; Mass. '84, 6ª, '88, 389, '89, 45, 102, '99, 184; Me. '82, 110, '95, 50°; Mex. '99, 357°, Mich. '93, 226°; Minn. '80, 14°; Miss. '82, 91; Mo. '79, 142b; Mont. '94, 306c, '95, 217c; N. B. '82, 110, '89, 118; N. H. '88, 150, 152, 154, '89, 77, 78, '98, 194"; N. J. '94, 139°; N. M. '92, 366°, '99, 189; N. S. '87, 15^a, 16^c; N. Y. '79, 32^b, '81, 229, '82, 187b, '84, 325, '89, 130, 201; O. '95, 242°; Ore. '79, 164°, '86, 170, '88, 360; Pa. '89, 141, '92, 138°, '93, 40°, 45°, '96, 283°, 295°; P. E. I. '93, 6°, 12°; Que. '82, 235°; Revill Is. '98. 318°; S. C. '79, 213; S. D. '85, 278; Tenn. '86, 317°; Tex. '82, 11, 37, '87, 294°, '92, 340°, '94, 222°, 1900, 347; 294°, '92, 340°, '94, 222°, 1900, 347; Va. '76, 25°, '82, 48°, '86, 278°, '89, 53°; Wash. '92, 46°, 356°, '97, 95°, 179°, 1900, 356; W. I. '79, 230°, '86, 59°, '89, 31; Wis. '82, 187°; W. Va. '98, 136°.—anat. '86, 445°, '90, 279°; hbt. '76, 25°, '81, 3°, '98, 194°, '99, 184, 287°; mig. '89, 130°, 141°, '94, 102°, '95, 50°, 83°, 122°, 235°, 242°, '99, 357°; nst. '80, 14°, '86, 278°, '87, 294°, '88, 23°, '96, 295°, '97, 95°, 98, 129°, 193°, '99, 358° (fig.). 1900, 356; plm. '76, 21° 358° (fig.), 1900, 356; plm. '76, 21b (alb.), '78, 63b, 135b (hyb.), '87, 309a; song, '84, 325; syn. '85, 366, '86, 59°, 127*, '99, 122, 1900, 76d.

horreori-lunifrons (= hybrid), Pa., meas., plm. '78, 135.

Javanica (b pacifica), Borneo, '90, 354.—anat. '87, 80b.

namiyei (b Chelidon), Japan, '87, 250b.

puella, anat. '96, 114.

rufula, Helg. '95, 337. rustica, Germany, '96, 301; Helg '95, 337.—anat. '87, 80; hbt. '96, 301; nst. '96, 302; syn. '99, 122. saturata, Kamts. '84, 82. savignyi, Helg. '95, 337.

sclateri (b Tachycineta), W. I. '84, 2*, 285, '85, 58b.—meas. '84, 2, '86, 58b; plm., syn. '86, 58b.

urbica (a European Martin, b Chelidon), Germany, '96, 302, 307a; Helg. '95, 325b.—anat. '87, 80; hbt., nst., song, '96, 302.

hirundo (Sterna), see Sterna.

hispaniolensis (Blacicus), see Blacicus.

—— (Contopus), see Blacicus. —— (Tyrannula), see Blacicus.

histrionica (Anas), see Histrionicus.
—— (Clangula), see Histrionicus.

Histrionicus, '80, 101, '93, 107, '96, 163.

histrionicus (a Harlequin Duck, torquatus, c Clangula, d minutus), Alas. '85, 158, '98, 126; Colo. '79, 50a, '81, 142d, '85, 18d; Europe, '80, 67c, 214b, g. dist. '83, 220d, '93, 125; Greenl. '89, 216; Ida. '97, 350, Ill. '77, 68b, '81, 124b; Mass. '92, 69a, '96, 202; Me. '94, 69, '96, 229; Mont. '79, 50a; N. E. '77, 46a, '83, 162a, 163a; N. F. '83, 220d; N. Y. '86, 434, '86, 7134, '93, 270, '94, 323, '96, 78; Ont. '85, 337b, 1900, 176; Que. '82, 240d; Wash. '93, 17.—fd. '94, 323; hbt. '86, 434, '96, 229; mlt. '96, 229, 232; nst. '83, 220d; song, '96, 229, 233; syn. '80, 101d, '84, 115d, '96, 163.

histrionicus (Histrionicus), see Histrionicus.

Hitchcock, Frank Harris.

Connecticut Warbler in Vermont, '89, 193.

Philadelphia Vireo in Vermont, '90, 403.

Capture of second specimen of Hooded Warbler in Massachusetts, '90, 407.

Black Tern at Prince Edward Island, '92, 71.

Hittock or Hittuck, see Colaptes luteus. Hoadley, Frederick Hodges.

Obituary of, '95, 199.

Hoatzin, see Opisthocomus cristatus.

Hoffman, Walter James.

Annotated list of birds of Nevada (rev.), '82, 51.

List of birds observed at Ft. Berthold, D. T. (rev.), '83, 54.

Bird names of the Selish, Pah-uta and Sho-shon: Indians, '85, 7-10.

Hoffmann, Ralph. [Memorial of Frank Bolles], '94, 184. Notes on summer birds of central Berkshire Co., Mass. [not by 'F. H. Allen,' see '95, 200], '95, 87-89. Notes on winter birds of Cape Cod,

Massachusetts, '95, 188.

Summer birds of the Rhine, '96, 297-

Bird world (rev.), '99, 92.

Late migrants and stragglers in eastern Massachusetts, '99, 196.

Hoffmann, R., and Faxon, W., see Faxon and Hoffmann.

Hoffmann, R., and Stickney, J. H., see Stickney and Hoffmann.

hoffmannı (Centurus), see Centurus. holbællii (Acanthis), see Acanthis.

- (Ægiothus), see Acanthis holbællii or rostrata.

— (Colymbus), see Colymbus. — (Falco), see F. rusticolus.

—— (Hierofalco), see Falco islandus or rusticolus.

—— (Podiceps), see Colymbus. (Podicipes), see Colymbus.

Holden, E. F.

Junco hyemalis in eastern Massachusetts in June, '92, 72.

Holder, Joseph Bassett.

Catalogue of birds of Lynn, Mass, 2d ed. (rev.), '86, 129. Obituary of, '88, 220.

Holland.

Dalgleish, J. J., '80, 149, 213.

Hollister, Ned.

Evening Grosbeak in southern Wisconsin, '96, 259.

Recent record of Passenger Pigeon in southern Wisconsin, '96, 341.

holosericeus (Amblycercus), see Amblycercus.

--- (Amblyrhamphus), see Amblyrhamphus.

— (Anthracothorax), see Eulampis.

- (Eulampis), see Eulampis.

 (Lampornis), see Eulampis. —— (Polytmus), see Eulampis.—

—— (Sericotes), see Eulampis.

— (Trochilus), see Eulampis.

Holstein, Otto.

A musical Woodpecker, '99, 353. LeConte's Sparrow (Ammodramus lecontei) in Kentucky, '99, 356. Holterhoff, Godfrey, Jr.

Notes on western birds (rev.), '81,

Nest and eggs of LeConte's Thrasher

(Harporhynchus redivivus leconten), '83, 48.

Geococcyx as a vocalist, '83, 182.

Calamospica bicolor in southern Califorma, '84, 293.

Occurrence of Least Tern at San Diego, California, '84, 294.

Eskimo Curlew at San Diego, Califorma, '84, 393.

Glossy Ibis and Avocet at San Diego, California, '85, 311.

Holzner, Frank Xavier.

Habits of Valley Partridge, '96, 81.

Homalogonatæ, '81, 73.

Homer, F. Le Roy.

Carolina Wren in winter in Mercer Co., Pennsylvania, '94, 330.

Homeyer, Eugen Ferdinand von.

Obstuary of, '89, 341.

homeyerı (Fuligula), see Fuligula. homochlamys (Peucæa), see Aimophila scottii.

homochroa (Cymochorea), see Oceano-

- (Oceanodroma), see Oceanodroma. Homœomeri '81, 32.

Homoptila, see Leptotila.

Homorus lophotus, Urug., hbt., nst., song, '83, 212.

homorus (Dryobates), see Dryobates. hondoensis (Locustella), see Locustella. Honey-eaters, see Meliphagidæ. Hoopes, Josiah.

[Collection of birds of], '99, 214.

hoopesi (Sturnella), see Sturnella. Hoosier Naturalist (magazine).

Titles (Nos. 1991-2014), '91, 109. hooveri (Dendroica), see D. coronata. Hopkins, C. L.

Notes relative to sense of smell in Turkey Buzzard (Cathartes aura), '88, 248-251.

Hopping-Dick, see Merula aurantia.

Horizocerus, 1900, 187. Horizopus, '99, 331*, see Contopus. Hornaday, William Temple.

Handbook of taxidermy and zoological collecting (rev.), '91, 381-383. A demand for English names, '95,

90-92. The destruction of our birds and

mammals (rev.), '98, 280. hornbyi (Oceanodroma), see Oceano-

droma. hornemannii (Acanthis), see Acanthis.

horreori-lunifrons (Hirundo), see Hi-

horreorum (Hirundo), see H. erythrogastrer.

horsfieldi (Euplocamus), see Euplocamus.

hortensis (Sylvia), see S. orpheus. hortulana (Emberiza), see Emberiza. hoskinsii (Glaucidium), see Glaucidium. Hough, Romeyn Beck.

Greenfinch (Ligurinus chloris) in northern New York, '80, 119 (cage). Howe, Reginald Heber, Jr.

Goldfinch (Carduelis carduelis) near Boston, Mass. '95, 182.

Ospreys at Bristol, R. I. '95, 300.

Large brood of Ospreys, '95, 389.

Abnormal plumage of a Pine Grosbeak, '96, 176.

Three winter notes from Longwood, Massachusetts, '96, 178.

Every bird (rev.), '96, 247.

Four winter records of Short-eared Owl in Mass. '96, 257.

Wintering of Towhee at Longwood, Mass. '96, 260.

Nonpareil at Longwood, Mass. '96, 261.

Correction, '96, 266.

Terns of Dyer's and the Weepecket Islands, '97, 203-205.

Seaside Sparrow (Ammodramus maritimus) at Middletown, R. I. '97, 219.

Birds of Brookline, Mass. (rev.), '97, 246.

Least Tern breeding on Martha's Vineyard island, Mass. '97, 402.

White-throated Sparrow breeding at Hubbardstown, Mass. '97, 406.

Birds' tongues in pictures, '97, 413. The aërial song of Maryland Yellow-throat, '98, 59.

Breeding habits of American Robin (Merula migratoria) in eastern Mass. '98, 162-167.

Seaside Sparrow at Cape Cod in winter, and other notes, '98, 189. Note on Wood Thrush, '98, 332.

Notes from Chateaugay Lake, New York, '98, 333.

Sexual difference in size of Pectoral Sandpiper (*Tringa maculata*), '99, 179.

Notes from Rhode Island, '99, 189. Revival of sexual passion in birds in autumn, '99, 286.

On the birds' highway (rev.),'99, 293. Hooded Warbler at Montville, Conn. '99, 360.

Ranges of Hylocichla fuscescens, and Hylocichla fuscescens salicicola in North America, 1900, 18-25. Otocoris alpestris praticola at Ipswich, Mass. 1900, 175.

New subspecies of the genus Hylo-cichla, 1900, 270.

Rough-winged Swallow breeding in Connecticut, and other notes, 1900, 389.

Howe, R. H., Jr., and Sturtevant, E. The birds of Rhode Island (rev.), 1900, 76.

Howell, Arthur Holmes.

Brief notes from Long Island, '92, 306.

Abnormal eggs of Spizella socialis, '92, 395.

Occurrence of three rare birds on Long Island, New York, '93, 90.

Correction, '93, 209.

Notes on some Long Island birds, '94, 82-84.

Notes on two rare birds from Long Island, N. Y. '99, 85.

Howey, John M.

Breeding of Shore Lark in western New York, '78, 40.

Howland, John Snowdon. Obituary of, '86, 144.

[Egg collection of], '90, 100.

Howley, James P.

The Canada Goose (Bernicla canadensis), '84, 309-313.

Hoy, Philo Romeyn.

Nest and eggs of Golden-winged Warbler (Helminthophila chrysoptera), '85, 102.

Obituary of, '93, 95-96.

hoyti (Otocoris), see O. leucolæma. Hoxie, Walter.

Breeding habits of Black Vulture, *86, 245-247.

Kirtland's Warbler in South Carolina, '86, 412.

Aptoso-Chromatism (rev.), '86, 413. Hudson Bay, Canada.

Clarke, W. E., '90, 319-322. Coues, E., '97, 209, 210-211.

Coues, E., '97, 209, 210-211. Seton[-Thompson], E. E., '85, 218.

Hudson, William Henry.

[Habits of Rails of Argentina] (rev.), '77, 23.

British birds (rev.), '96, 70.

Hudson, W. H., and Sclater, P. L., see Sclater and Hudson.

hudsoni (Synallaxis), see Synallaxis.

hudsonia (Surnia), see S. caparoch. hudsonias (Fringilla), see Junco hyemalis.

hudsonica (Limosa), see L. hæmastica.
—— (Pica), see Pica.
hudsonicus (Circus), see C. hudsonius.

—— (Numenius), see Numenius. - (Parus), see P. hudsonicus or stoneyi. hudsonius (Circus), see Circus. —— (Falco), see Circus. — (Numenius), see N. hudsonicus. — (Parus), see P. hudsonicus. Hulbert, Henry Woodward. Obituary of Robert W. Shufeldt, 3d, **'92**, 398. humeralis (Agelaius), see Agelaius. – (Icterus), see Agelaius. - (Leistes), see Agelaius. humii (Pyrrhospiza), see Pyrrhospiza. humila (Mellisuga), see M. minima. humilis (Mellisuga), see M. minima. ---- (Turtur), see Turtur. Hummer, see Hummingbird. Hummingbird, Allen's, see Selasphorus allenı. Anna's, see Calypte anna. Bee, see Mellisuga minima. Black-chinned, see Trochilus alexan-Blue-throated, see Cœligena clemen-Broad-billed, see Iache latirostris. Broad-tailed, see Selasphorus platy-Buff-bellied, see Amazilia chalchonota. Buff-breasted, see Doleromya pallida. Calliope, see Stellula calliope. Circe, see Iache latirostris. Costa's, see Calypte costæ. Floresi's, see Selasphorus floresii. Green-backed, see Selasphorus alleni. Heloise's, see Atthis heloisa. Long-tailed, see Aithurus polytmus. Lucifer, see Calothorax lucifer. Lyre-tailed, see Doricha lyrura. Mango, see Lampornis mango. Morcom's, see Atthis morcomi. Pringle's, see Delattria pringlei. Rachette, see Pygmornis longuemareus. Refulgent, see Eugenes fulgens. Riccord's, see Sporadinus riccordi. Rieffer's, see Amazilia fuscicaudata. Rivoli, see Eugenes fulgens. Ruby-throated, see Trochilus colubris. Rufous, see Selasphorus rufus. Rufous-backed, see Selasphorus rufus. Rufous-bellied, see Amazilia chalco-Salvin's, see Cyanomyia salvini. Vervain, see Mellisuga minima. Violet-throated, see Trochilus violajugulum.

White-eared, see Basilinna leucotis. Xantus's, see Basilinna xantusi. Hummingbird, The, (mag.), '91, 247. Hummingbirds, see Trochili. Huntington, Dwight William. In brush, sedge and stubble (rev.), **'**99, 89. Hurter, Julius. Harlequin Duck and Glossy and Wood Ibises in southern Illinois, '81, 124. hutchinsi (Anser), see Branta. – (Bernicla), see Branta. --- (Branta), see Branta. — (Larus), see L. glaucus. huttoni (Vireo), see Vireo. Huxley, Thomas Henry. Obituary of, '95, 316, '96, 93-96. hyacinthina (Ara), see Ara. Hybridity. Brewster, W., '77, 66. Elliot, D. G., '92, 160. Henshaw, H. W., '85, 247. Shufeldt, R. W., '93, 281. Stone, W., '93, 213. Thompson, E. S., '94, 1. Townsend, C. H., '83, 78. Trotter, S., '78, 135, '87, 307. hybridus (Colaptes), see C. cafer. Hydralector, '88, 292. gallinaceus, g. dist., meas., plm., syn. '88, 290, 293, 302. Hydranassa, see Ardea. Hydrochelidon, '77, 24, 141, '88, 79. leucoptera (White-winged Black Tern), Man. '86, 148 [surinamensis?].-syn. '78, 141. nigra, syn. '78, 141. surinamensis (* Black Tern, b ni-gra, c lariformis, fissipes, plumbea), Ariz. '83, 36°; B. C. 1900, 104; Cal. '77, 96; Colo. '85, 18; Conn. '93, 206,

nigra, syn. '78, 141.

sutrinamensis (* Black Tern, * nigra, c lariformis, d fissipes, * plumbea),

Ariz. '83, 36*; B. C. 1900, 104; Cal.
'77, 96; Colo. '85, 18; Conn. '93, 206, '94, 74; D. C. '94, 73*; Fla. '87, 274, 282, '88, 376, '92, 211; Ga. '96, 215; Helg. '95, 341; Ia. '95, 124; Jamaica, '91, 360; Kan. '85, 112, '86, 115; Man. '86, 148; Mass. '78, 140*, 190*, '80, 44°, '81, 124*, '97, 327; Me. '79, 108°, '82, 190°; Mich. '80, 62°, '93, 222; Minn. '80, 20°, 1900, 281*; N. B. '80, 63°, N. C. '93, 242; N. D. '99, 162*; N. E. '79, 14*; N. H. '81, 124*, N. J. '79, 227*; N. V. '84, 59°, '94, 163, '99, 351; Ont. '97, 411; Ore. '77, 96*, '79, 199*, '88, 140, '91, 366 (fossil), '93, 344 (fossil); P. E. I. '92, 71; R. I. '80, 237*; S. D. '85, 211°; W. I. '88, 79.—fd. '84, 86°; hbt. '77, 34°, '83, 36*; meas. '77, 35°;

mig. '95, 124, 128'; nst. '77, 34', '88, 140, '97, 411; plm. '88, 376; syn. '78, 141', '84, 385, '88, 79, '96, 160; misc. '80, 220d.

Hydrogallina, 1900, 167.

Hydrophasianus, '88, 292, '93, 103.

chrurgus, g. dist., anat., hbt., meas., nst., plm., syn. '88, 291, 293, 303. Hydrophasis, see Hydrophasianus. Hydropsalis furcifera, Argent., Urug.,

hbt., mig. '84, 24.

hyemalis (Clangula), see Harelda.

--- (Fringilla), see Junco.

— (Harelda), see Harelda. — (Junco), see J. hyemalis or caro-

linensis.
—— (Troglodytes), see Anorthura.

Hyetornis, '86, 366.

fieldi, W. I. '95, 278*, '96, 334. pluvialis, W. I. '86, 366, '92, 274, 372, '96, 334.—hbt. '92, 274; meas. '86, 366; plm. '86, 366, '92, 274; syn. '86, 366.

Hylactes, '97, 417.

castaneus, Boliv. '90, 382.

Hylatomus, see Ceophlœus.

Hylocharis sappharina, Argent., Urug., hbt. '84, 22.

Hylocichla, '83, 237, '84, 85, '98, 304, '99, 126.

aliciæ (* Gray-cheeked, or Alice's Thrush, b Turdus), Alas. '87, 13b; Colom. 1900, 367; Fla. '88, 277b, '90, 119b, '92, 214b; g. dist. '93, 127b; Hud. B. '90, 322b; Ind. '82, 19; Kamt. '84, 166b; La. '87, 306b; Man. '86, 328b; Mass. '91, 151a; Me. '82, 189; Mich. '93, 229, 1900, 390; Minn. '79, 152b; Mont. '95, 218b; N. C. '93, 244b; N. S. '95, 90b; N. Y. '81, 226, '84, 130b, '84, 178, 179, '86, 443b, '88, 422b; Ont. '87, 248a; Que. '89, 149b; S. C. '85, 190b, '87, 261b, '94, 110a; S. D. '85, 277; Siberia, '88, 310b; Tenn. '96, 182b; Tex. '92, 344b; W. I. '86, 2b,—fd. '81, 24a, 26a, '94, 110a; meas. '82, 158, '89, 149b; mig. '84, 178, '94, 110a, 1900, 390; song, '77, 68b, '84, 130b; syn. '81, 175b, '82, 157, '86, 2b, '99, 127.

almæ, '98, 304*, see swainsoni.

aonalaschkæ (Dwarf Hermit Thrush, b Turdus, c Turdus nanus, d Turdus unalascæ, e unalascæ), Alas. '98, 130b; Ariz. '82, 67d, '88, 167b; B. C. '93, 24b; Cal. '78, 137c, '86, 186b, '98, 236b; Colo. '96, 85b; g. dist. '93, 127b; N. M. '85, 330e, '92, 369b; Ore. '86, 172b, '88, 365b; Tex. '82, 34e [auduboni?], '92, 344b;

Wash. '93, 24b, '97, 181b,—anat. '82, 215c; meas. '79, 136c, 137c, '82, 68d, 127c, '88, 365b; flm. '82, 67d, '88, 365b; syn. '79, 135c, '80, 177b, '99, 128; misc. '94, 66b [pallasii].

auduboni (Audubon's Hermit Thrush, b Turdus, c Turdus sequoiensis), Araz. '85, 349b, '88, 167b, '90, 49b, 263b. Cal. '87, 124b, '89, 223b, '92, 188c; Colo. '79, 91c ['pallasii'], '80, 224b, '81, 86b, '83, 152b, '85, 15, '94, 270b; g. dist. '93, 127b; Mont. '90, 292b, '94, 308b; N. M. '85, 330, '92, 369b; Tax. '82, 34, 127, '86, 139b, '87, 298b, '92, 344b—meas. '79, 136b, 137b, '83, 152b; nst. '81, 86b, '85, 330, '90, 263b; plm. '83, 152b, '88, 365b; song, '90, 292b; syn. '79, 135b, '80, 177b, '81, 175b, '83, 152b, '90, 191b, '92, 107, 107c, '99, 128.

bicknelli (* Bicknell's Thrush, b Turdus), Bahamas, '91, 352b; g. dist. '93, 127b; Mass. '89, 42a, 106b, '95, 392b; Me. '98, 60b; N. H. '83, 12-17b, '87, 102a, 103a, 107b, '88, 153b; N. S. '84, 268-270a, '89, 64a, '95, 90b; N. Y. '82, 152-159, 257, '84, 58b, '86, 443b, '88, 422b, '93, 91b, '99, 85; S. C. '87, 261b, '91, 173b; Vt. '89, 194b, —hbt. '83, 12b, '84, 268a, '89, 106b; meas. '82, 158, '83, 16b, '84, 58b, 270a, '87, 261b; nst. '84, 268a; plm. '83, 16b, '84, 58b, 268a; song, '82, 152, '83, 14b, '84, 268a, '89, 106b; syn. '82, 157, '99, 127; misc. '93, 209b, '95, 285a.

fuliginosa, 1900, 271*, see fusces-

fuscescens (* Wilson's Thrush or Veery, b Turdus, c fuliginosa), Colom. 1900, 367; C. R. '90, 337b, '91, 274b; Cuba, '86, 2b; Fla. '90, 119b, '92, 214b; Ga. '96, 213b; g. dist. '93, 133b, 135b, 1900, 18-25, 1900, 271c*; Germany, '80, 69b; Helg. '91, 300b, '95, 331b; Ia. '95, 123b; Ind. '82, 17, 19, '89, 29b; Man. '86, 328b; Mass. '84, 6a, 11a, '88, 389b, '89, 46b, 106b; Mich. '93, 229b; Minn. '79, 152b, '80, 13b, '84, 243; N. B. '82, 108b; N. C. '86, 99a, 178b, '89, 121b; N. H. '87, 107b, '88, 151b, 153b, 155b, '89, 78b, '94, 335b, N. J. '76, 31b, '86, 489; N. Y. '79, 31b, '81, 226, '82, 187b, '84, 129b, 178, 179; O. '95, 241b; Pa. '92, 140b, '96, 285 [not 'Turdus pallasii,' see '97, 1021, 292b, 297b, '97, 102b; Pomerania, '77, 107b; Que. '89, 149; S. C. '79, 210b, '92, 35a, S. D. '85, 277; Tex. '82, 7b, '92, 344b, 1900, 348; Va. '82, 48a, -fd. '81, 24*; meas. '83.

237^b, 1900, 24, 25; mig. '84, 178, 179, '91, 109^b, '92, 35^a, '95, 123^b, 241^b, 1900, 18; nst. '78, 193^a, '83, 237^a, 237^b, '86, 178^b, 489^a, '91, 109^b; plm. '78, 18^b, '84, 129^b (mlt.); song, '84, 129^b, '90, 199^b; syn. '86, 2^b, '99, 127, 1900, 270.

mustelina (a Wood Thrush, b Turdus), Ala. '78, 169b; Ark. '82, 90; Bahamas, '91, 335b; D. C. '88, 25b, '92, 307b; Fla. '90, 119b, '92, 214b, '93, 338b, '95, 366b; Ga. '96, 213b; g. dist. '93, 133b; Gulf of Mex. '81, 251a; Ia. '95, 123b, 235b; Ind. '82, 17, 18, '89, 29b; Jamaica, '93, 342b; Ky. '89, 316b, La. '82, 160, '87, 300a; Labrador, '84, 284'; Mass. '84, 14, '89, 40', 42a, 43a, 46b, 106b; Me. '83, 165a, '85, 215b, '87, 67b; Mich. '85, 376b, '93, 229b; Miss. '82, 90; Mo. '79, 140b, '95, 350a, 351a; N. C. '86, 178b, '89, 121b; N. J. '87, 78a, '94, 140b; N. S. '80, 44b; N. Y. '81, 226, '83, 53a, '84, 129b, '96, 232. O 270, 570, 570, 24b, 129b, '96, 232. O 270, 570, 570, 24b, 120b, '96, 232. 128^b, '98, 333; O. '79, 52^b, '95, 241^b; Ont. '89, 204^b; Pa. '89, 141^b, '92, 132a, 140b, '93, 37b, 41b, 43b, 46b, '96, 285b, 297b; S. C. '79, 210b, '85, 72a, '90, 30, 130°, '91, 333°, '92, 38°; S. D. '85, 277; Tenn. '86, 315°, '87, 133^b; Tex. '82, 6^b, 1900, 348; Va. '82, 48^a, '86, 160^b, 161^a; W. I. '86, 1^b.—fd. '81, 24^a, '82, 6^b; hbt. '87, 300^a, '90, 79. 199, '97, 412°; meas. '98, 332; mig. '81, 251°, '85, 376', '89, 141°, '91, 109°, 196, '92, 38°, '95, 123°, 128°, 235°, 241°; nst. '82, 18, '83, 237°, '86, 178°, '87, 78°, '88, 25°, '89, 29°, 121°, '91, 109°, plm. '78, 17°, '84, 128°, '81, '82, 232°, '89, 29°, 121°, '81, 109°, plm. '78, 17°, '84, 128°, '81, 128°, '82, 282°, (mala), 282°, 282°, (mlt.), '92, 303b (melan.); song, '84, 128^b, '90, 199^b; sym, '86, 1^b, '99, 126; misc. '83, 72, '84, 190^b, '86, 400^a, '89, 24^a, '90, 392^b, '94, 69^b.

edica (b Turdus ustulatus), Cal. '87, 88b ['swainsoni'], 94b; g. dist. '99, 23*, 127.—meas. '99, 24; syn. '99, 127.

pallasii (a Hermit Thrush, b Turdus, c nanus, d Turdus nanus, Turdus sequoiensis), Ala. '78, 169b; B. C. '93, 16b, 24b; Canada, '89, 149b; Colo. '87, 265b; Conn. '86, 282b, '89, 46b, '92, 202b, '93, 371b; D. C. '81, 113a; Europe, '80, 68b; Fla. '88, 277b, '90, 120b, '91, 138, '92, 214b, '95, 366b; Ga. '96, 213b; g. dust. '93, 127b; Helg. '91, 300b, '95, 331b; Ind. '89, 30b; Ky. '89, 316b, '94, 244 [c aonalaschkæ']. La. '87, 306b; Man. '86, 328b, '87, 353a; Mass. '78, 139b, '81, 237b, '83, 149a, '84, 15b, '88, 389b, 393b, '89,

40°, 41°, 42°, 43°, 46°, 107°; Md. 89, 40°, 41°, 42°, 43°, 40°, 107°; 11d. 89°, 175°, '92. 66°; Me. '82, 108°, 190; Mich. '93, 230°, 1900, 391°, Minn. '97, 223°; Mo. '79, 140°, '96, 219°; N. B. '82, 108°, '83, 7°, '89, 119°; N. C. '86, 101b, 310a, 314b; N. E. '81, 237b; N. H. '87, 102a, 107b, 108b, '88, 151b, 153b, 155b, '89, 78b, 79b; N. J. '76, 31b, '79, 81a; N. S. '87, 16b; 7. 76, 31°, 79, 81°; 1. S. 87, 16°; 18. 15°, 79, 33°, '81, 226, '82, 159°, '83, 52°, 237°, '84, 131°, 176, 178, '86, 443°, '89, 332°, '90, 295°, '98, 333°, O. '95, 242; Pa. '89, 140°, '92, 132°, 133°, 134°, 141°, '93, 42°, 43°, 46°, '94, 182°, '96, 285° [=fuscescens, see '97, 102], 291ª, 292b, 207b, P. E. I. '93, 5*, 15b; Que. '82, 2344', '97, 325b; S. C. '79, 210b, '92, 33*, '99, 198b; Switz. '77, 107b; Tenn. '86, '94, 110^a, '97, 1^a; hbt. '81, 113^a, '90, 199^b, '97, 1-8^a; meas. '79, 136^b, 137^b, '82, 127; mig. '84, 176, 178, '88, 327b 328^b, '89, 141^b, '91, 109^b, 196, '92, 33^a, '94, 109^a, 110^a, '95, 242^b, 1900, 391^a, '99, 198^b; nst. '83, 237^a, '91, 109^b, '93, 371^b, '96, 297^b; plm. '78, 17b, '83, 153b, '86, 282b (alb.), 443b; song, '84, 1314, '90, 199, '92, 1414, '93, 155, '95, 240*; syn. '79, 134–1395, '80, 1775, '83, 1525, '90, 66*, 1915, '99, 128; misc. '82, 1185, '94, 66*, '97, 102b (corr.), 325b.

salicicola (Willow Thrush, b Turdus, c Turdus fuscescens), Ariz. '88, 167b; Colo. '85, 15, '87, 265c; g dist. '82, 257, 1900, 18-25; Ida. '98, 21; Ill. '83, 239, '94, 222b, '95, 85b; Man. '86, 328b; Miss. 1900, 297; Mont. '82, 62c, '90, 292b; S. C. '89, 194b, '91, 173b; Tex. '86, 281b.—meas. 1900, 22, 23, 25; nst. '98, 21; plm. 1900, 21; song, '90, 292b; syn. '99, 127, 1900, 270; misc. '83, 239, '86, 328b (corr.).

swainsoni (a Olive-backed or Swainson's Thrush, b Turdus, c almæ), Alas. 1900, 113c, 119c; B. C. '93, 16b; Colo. '80, 224b, '81, 142b, '83, 153b, '85, 15, 140, '87, 125b; Colom. 1900, 367; C. R. '90, 337b, '91, 274b; Cuba, '86, 2b; Europe, '77, 107b, '80, 68b; Fla. '90, 119b, '92, 214b; g. dist. '93, 127b, '98, 304c*; Helg. '91, 300b, '95, 331b; Ia. '95, 124b; Ida. '98, 21, 1900, 245; Ill. '88, 434b; Ind. '89, 30b; Kan. '87, 11b; Ky. '94, 244 ['ustulatus']; Man.

'86, 328b; Mass. '84, 12a, 15b, '87, 269b, '89, 42a, 107b, '95, 87a; Me. 282, 108b; Mich. 293, 229b, 1900, 391a; '88, 153b; N. J. '76, 31b; N. M. '85, 330; N. S. '91, 165b; N. Y. '78, 53b, '81, 226, '82, 155, '83, 52a, '84, 129b, 176, 178, 179; O. '95, 241b; Ont. '87, 248^a; Pa. '89, 141^b, '92, 132^a, 134^b, 140^b; P. E. I. '93, 5^a, 14^b; Que. '82, 234^b, '89, 149^b, '97, 325^b; S. C. '79, 210^b; S. D. '85, 277; Tenn. '86, 315^b; Tex. '79, 116^b, '82, 7^b, '87, 298^b, '92, 344^b; Va. '82, 48^a?; Wash. '93, 16^b; W. Va. '98, 137.—fd. '81, 24a, 26a, '94, 110a; hbt. '93, 14b; meas. '98, 137b, 304c; mig. '84, 176, 178, 179, '85, 98°, '87, 269°, '88, 434°, '89, 141°, '91, 109^b, '95, 124^b, 241^b, 1900, 391^a; nst. '84, 13^a, '91, 109^b; plm. '78, 18^b, '84, 129^b (mlt.), 1900, 119, 119^c; song, '83, 15^b, '84, 12^a, 129, '90, 292^b, '92, 141^b, '93, 14^b, 229^b; syn. '81, 175^b, '82, 157, '86, 2^b, '90, 191^b, '98, 303°, '99, 127, 131°. ustulata (Russet-backed Thrush, b Turdus), Alas. '81, 5 ['Olive-backed Thrush'], '98, 130b; Aris. '82, 68b, '85, 85^b; Cal. '78, 137^b, '86, 186^b, '87, 94 [œdica?]; g. dist. '93, 127b; Ore. ⁸86, 172^b, ⁸88, 365^b; Wash. ⁹92, 47^b, ⁹7, 181^b, 1900, 11, 357.—meas. ⁸82, 68^b; nst. ⁸66, 172^b, ⁸88, 365^b; plm. '80, 26^b (alb.), '82, 68^b; song, '86, 172^b; syn. '81, 175^b, '90, 191^b, '99, Hylophilus aurantiifrons, Venez. '97. 364. flavipes, Venez. '97, 364. griseipes, W. I. '96, 333. insularis, W. I. '93, 220. ruficeps, syn. '98, 330. Hylorchilus, '97, 71*. semichrasti, Mex., meas., plm., syn. '97, 71. hyloscopus (Dryobates), see D. hyloscopus or monticola. - (Picus), see Dryobates. Hyloterpe, '94, 234. grisola, Borneo, syn. '90, 351. Hylotomus, see Ceophlœus. hyperborea (Chen), see Chen. - (Chen), see Chen. — (Passerina), see Passerina.

hyperboreus (Anas), see Chen.

nivalis.

- (Anser), see Chen hyperborea or

--- (Lagopus), see Lagopus. —— (Larus), see L. glaucus. --- (Lobipes), see Phalaropus lobatus. --- (Phalaropus), see P. lobatus. - (Plectrophenax), see Passerina. Hyphantornis, 1900, 190. velatus, nst. 1900, 190. hypochondriacus (Todus), see Todus. hypochrysea (Dendroica), see Dendroica. Hypocolius ampelinus, Cal. '77, 91?. Hypocnemis hypoleuca (b Heterocnemis), Braz. '89, 172b, '91, 29.—syn. '91, 29. lugubris, Bras. '91, 29. hypogæa (Speotyto), see S. hypogæa or floridana. Hypolais caligata, Helg. '95, 333. icterina, Helg. '95, 324. olivetorum, Helg. '95, 333. pallida, Helg. '95, 333. polyglotta, Helg. '95, 332. hypoleuca (Æstrelata), see Æstrelata. - (Aphelocoma), see Aphelocoma. - (Heterocnemis), see Hypocnemis. — (Hypocnemis), see Hypocnemis. hypoleucus (Actitis), see Actitis. - (Brachyramphus), see Brachyram-(Endomychura), see Brachyramphus. - (Haliætus), see Haliætus. - (Micruria), see Brachyramphus. - (Myrmochanes), see Myrmochanes. hypomelæna (Cercomacra), see Cercomacra. - (Parra), see Jacana nigra. hypomelas (Icterus), see Icterus. (Melanopsar), see Icterus. (Pendulinus), see Icterus. (Xanthornis), see Icterus. hypophœus (Platypsaris), see Platypsaris. hypostictus (Campylorhynchus). Heleodytes. (Heleodytes), see Heleodytes. Hypothymis, '94, 236. occipitalis, Borneo, syn. '90, 353. hypoxantha (Sporophila), see Sporophila. hypsibatus (Branta), see Branta. Hypsipetes pryori, Japan, '87, 250. 1

iacupema (Penelope), see Penelope.
Iache latirostris (Broad-billed Hummingbird), Ariz. '80, 90, '82, 211, '86, 432; Mex. '93, 315.—fd. '93, 315; plm. '82, 211, '86, 432; hbt., song,

meas. '82, 211. Ianthœnas, '94, 233.

Ibidæ, '78, 184.

Ibididæ (* Ibises), '78, 182, 183, '88, 196ª, '93, 107ª.

Ibidinæ, '78, 182.

Ibis, '78, 182, '80, 100, '81, 79, '93, 99, '96, 173, 1900, 167.

Ibis, Glossy, see Plegadis autumnalis. Red, see Guara rubra.

Scarlet, see Guara rubra.

White, see Guara alba.

White-faced Glossy, see Plegadis guarauna.

Wood, see Tantalus loculator.

Ibis, The (magazine).

[General index of 1877-1894], '95, 317.

Ibises, see Ibididæ.

Ibycter, '77, 71.

Iceland.

Dalgleish, J. J., '80, 143, 150, 215. ichthyaëtus (Larus), see Larus.

Ichthyornis (fossil genus), '80, 235, **'93**, 345.

dispar, anat. '76, 49.

Icoturus namiyei, Japan, '87, 250. Icteria, '88, 441, 442.

longicauda (Long-tailed Chat), Ariz. '82, 139, '88, 36, '90, 48; B. C. '93, 16, 1900, 107; Cal. '86, 185, '97, 404; Colo. '83, 159 ['vireus'], '85, 15, 141; g. dist. '93, 135; Ida. '98, 22; Kan. '83, 227, '86, 115; Mont. '95, 218; N. M. '92, 367; Ore. '86, 171; Tex. '87, 296; Wash. '93, 16, '97, 179.—anat. '88, 441, 442; meas. '82, 139; mig. '87, 296; nst. '76, 75, '87, 296, '97, 404; plm. '82, 139; song, '86, 185, '87, 296; syn. '90, 191.

virens (a Yellow-breasted Chat), Ala. '78, 174; Colo. '83, 159 [longicauda ⁷]; C. R. '90, 337, '92, 22; D. C. '88, 24, '92, 308; Fla. '90, 22; Ga. '83, 38, '96, 214; g. dist. '93, 133; Ia. '95, 123, 235; Ind. '82, 17, '89, 28; Ky. '89, 316; La. '82, 162, '87, 302a; Mass. '85, 101a, '88, 116, 389, 392, '89, 40a, 42a, 43a, 46, 104, '91, 119; Md. '81, 115; Me. '94, 331; Mo. '79, '93, 37^a, 38, 41, '96, 285, 1900, 396^a; S. C. '79, 212, '90, 129, '91, 332; S. D. '85, 278; Tenn. '86, 317, '87, 132;

Tex. '82, 10, '87, 296, '92, 342, 1900, 347; I'a. '88, 405.-hbt. '94, 70°, mig. '95, 123, 235, 241; nst. '81, 115, '82, 10, 18, '83, 38, '88, 116, '89, 28, '95, 82, '98, 332, '99, 285; plm. '78, 60, '99, 217-220 (col. pl., mlt.); song, '84, 67a, 216, '90, 199; syn. '80, 98; misc. '77, 86a, '97, 333a.

icterica (Chrysomitris), see Spinus ictericus or notata.

ictericus (Spinus), see Spinus.

Icteridæ (* Orioles and Blackbirds), '81, 28, 34, '84, 106, '87, 150, '88, 413, '91, 107a, '93, 111, 194, '97, 105ª, 341.

icterina (Hypolais), see Hypolais. icterocephala (Sylvicola), see Dendroica pennsylvanica.

icterocephalus (Agelaius), see Agelaius. · (Icterus), see Xanthocephalus xanthocephalus.

- (Xanthocephalus), see X. xanthocephalus.

-(Xanthosomus), see Agelaius. icterophrys (Sisopygis), see Sisopygis. icterotis (Geothlypis), see G. caninucha. Icterus, '86, 215, '88, 413 audubonii (Audubon's

Oriole), Tex. '80, 46, '92, 238.

auricapillus, Venez. '97, 364. bairdi, W. I. '86, 500*, 502, '88, 158.

bonana, W. I. '86, 215, '87, 96. -meas., plm., syn. '86, 215.

bullocki (* Bullock's Oriole), Ariz. '82, 201, '87, 23; B. C. 1900, 106; Cal. '84, 355, '86, 181, '89, 223; Colo. '83, 193, '85, 16, 142, '87, 124, '95, 153°; g. dist. 93, 134; Ida. '98, 14; Me. '90, 92; Mont. '94, 305, '95, 216; N. M. '92, 364, '98, 309; Ore. '88, 262; S. D. '85, 282; Tex. '87, 290, '88, 119ª, '92, 238, 1900, 345; Wash. '97, 177.—hbt. '77, 74, '88, 119ª; nst. '85, 142, '87, 290; misc. '77, 86ª, '78, 193a.

castaneopectus, '88, 91*, see wag-

croconotus, Braz. '90, 269.

cucullatus (Hooded Oriole), Cuba, '86, 217; Tex. '87, 23; g. dist. '93, 134.—plm. '85, 292, '87, 23; syn. '85, 292, '86, 217, '90, 191; misc. '77, 86ª.

curaçoensis, W. I. '85, 291, '93, 355 .- mlt. '93, 355.

dominicensis, W. I. '81, 152, '86, 216.—hbt. '81, 152; meas., syn. '86, 216; plm. '81, 152, '86, 216. espinachi, C. R. '83, 228.

galbula (a Baltimore Oriole, b baltimore), Art. '82, 92, Colo. '85, 16; Colom. 1900, 365; Columbia River, '77, 92b?; Conn. '86, 135; C. R '90, 334, '92, 250; Cuba, '86, 219; D. C. '82, 186°, '88, 22, '92, 308; Fla. '88, 273, '92, 213, Ia. '81, 182°, '95, 123, 235 , Ind. '82, 17, '89, 24; Kan. '94, 2151; Ky. '89, 314; La. '82, 163, '87, 302a; Man. '86, 322; Mass. '81, 181b, '84, 6a, '86, 135, '88, 388a, 389, '89, 42a, 44, 100, '90, 368a; Mich. '83, 174b; Minn. '84, 245; Miss. '82, 92; Miss. Valley, '85, 58-60; Mo. '79, 145b, '95, 350a; N. B. '85, 266a. '87, 256; N. C. '86, 107, '89, 121; N. H. '88, 150, 152, 154, '89, 77; N. J. '94, 138*: N. S. '85, 266*, '87, 256, N. Y. '79, 32^b, '81, 230, '82, 188^b, '85, 251;
O. '79, 52^b, '95, 241; Ont. '87, 246^a, 248*, '90, 80; Pa. '93, 37, 39, 43, 44, '96, 283; P. E. I. '85, 266"; S. C. '79, 215°; S. Cotland, '92, 290°; S. D. '85, 282; Tenn. '86, 318; Tex. '89, 240, 1900, 345; Va. '86, 161°—fd. '81, 181°, '86, 135, '96, 336°, '97, 421°, '99, 362°; hbt. '78, 24°, '85, 298, '90, 200, 368a, 1900, 299a; mig. '82, 186a, '83, 174*, '85, 58, '86, 135, 135, '89, 60°, '90, 85, '95, 123, 128°, 235, 241; nst. '81, 182°, '87, 246°; plm. '78, 176°; song, '84, 65°, 287°, '85, 251, '90, 199, '99, 354; syn. '80, 98, '86, 219; misc. '81, 188b, '85, 101a, 201, '86, 271a, 400a, '91, 110, '96, 158a, 206°.

gularis, meas., plm., syn. '88, 454. hypomelas, W. I. '86, 215, 272.—meas., plm., syn. '86, 215.

icterus (Troupial), Venez. '97, 364b; W. I. '86, 219, '93, 178.—meas., plm., syn. 386, 219.

igneus, Yucatan, '85, 292.—plm. '88, 455; syn. '90, 191.

laudabilis, W. I. '80, 164, 166, '86, 217.—meas., plm., syn. '86, 217. lawrencii, W. I. '87, 178*, 181.—

meas. '87, 178.

leucopteryx, Jamaica, '86, 218, 501, '93, 178, '94, 126.—meas., syn. '86, 218; plm. '86, 218, '93, 178; song, '93, 179.

melanocephalus, misc. '80, 88. nelsoni (a Arizona Hooded Oriole, b cucullatus), Ariz. '82, 200b, '85, 159-165^b, '87, 23, '94, 220; Cal. '86, 181, '96, 120; g. dist. '85, 292.—meas. '85, 160^b, 162^b, 163^b, 164^b; nst. '84, 355^b, '85, 159–165^b, '87, 23, '96, 120; plm. '82, 200°, '87, 23, '93, 192°, 373°,

3781; syn. '85, 292, '90, 191, misc. '87, 22.

northropi, Bahamas, '90, 344*, '91, 71, 350.—fd., meas., nst., song, '90, 344; flm. '91, 1 (col. pl.).

oberi, IV. I., meas., plm., syn. '86, 218.

parisorum (Scott's Oriole), Arız. '81, 69, '82, 200, '85, 1-7, 355, '87, 22; Cal. '91, 238, '94, 327, '96, 265; L. Cal. '94, 328, '95, 140, N. M. '91, 237, '92, 364, '99, 189; Utah, '93, 286.—fd. '82, 200, '94, 327, '95, 140; hbt. '85, 1-7; meas. '85, 3; mlt. '92, 364; nst. '85, 1, '95, 140; plm. '81, 69, '82, 200, '87, 22; song, '85, 1. portoricensis, W. I., meas., plm., svn. '86, 217.

pustulatus, Cal. '77, 927, 92? ['californicus'].

pyrrhopterus, Urug., fd., hbt., nst.,

song, '83, 133. (a Orchard Oriole, bafspurius finis), Ala. '79, 10; Colo. '85, 16; Conn. '90, 84; C. R. '90, 334, '92, 250; Cuba, '86, 218; D. C. '82, 186a, '88, 22, '92, 308; Fla. '88, 186, 273, '89, 320, '90, 311, '92, 213, '93, 338, 795, 365; Ga. '82, 102a, '83, 39, '96, 212; Ia. '95, 123, 235; Ind. '89, 24; Ky. '89, 314; La. '82, 92, 163, '87, 302a; Man. '86, 322; Mass. '89, 344 40a, 44; Minn. '80, 15; Mo. '79, 145, '95, 350°; N. C. '86, 107; N. J. '94, 138; N. Y. '79, 175, '85, 251, '90, 230, '99, 195; Ont. '88, 211, '90, 80, 1900, 391, 392; Pa. '82, 181; S. C. '79, 215, '92, 35^a, 36^a; S. D. '85, 282; 290, '99, 195, 1900, 392; plm. '82, 181, '85, 251, '86, 414*, '93, 374; song, '79, 10, '82, 102a, 167b, '84, 67a, '85, 251, '86, 107; syn. '86, 218; misc. '85, 251, '86, 107; syn. '86', '77, 86', '90, 81, '97, 334".

wagleri (b castaneopectus), Mex. '88, 91b*.—misc. '80, 88.

xanthornus, Venez. '97, 364, 368. —plm. **'9**7, 368.

yucatanensis, La '93, 366?; Yucatan, '88, 454*.-meas. '88, 454; fd., hbt. '93, 366; misc. '94, 51.

icterus (Icterus), see Icterus. - (Oriolus), see Icterus. Ictinia, '84, 58, '85, 205, '93, 108. mississippiensis (a Mississippi Kite, b subcærulea), Fla. '81, 17, '88, 270, '89, 247, '92, 107, 212, '93, 337, '95, 364; Ga. '83, 41b; g. dist. '93, 133; Ill. '78, 166; Jamaica, '92, 126a; Kan. '85, 19-21b, '87, 344; Ky. '89, 313; S. C. '83, 61; Tenn. '89, 313; Tex. '87, 188, '92, 233, 1900, 342.—fd. '83, 61, '93, 200a, hbt. '83, 61, '85, 19; meas. '85, 21, '87, 345; nst. '83, 41b, '85, 19, '87, 344, '90, 84, 85a, '92, 192; plm. '79, 43; misc. '99, 169a.

plumbea, Venes. '97, 366.—syn. '91, 89. ictinus (Milvus), see Milvus. Idaho.

Allen, J. A., '91, 385.
Bendire, C. E., '83, 87.
Brewster, W., '96, 46.
Coues, E., '92, 394.
Merriam, C. H., '92, 169-171.
Merrill, J. C., '97, 347-357, '98, 14-22.

Synder, J. O., 1900, 242-245. Wilcox, T. E., '85, 315. idahoensis (Megascops), see Megascops.

idius (Anthreptes), see Anthreptes. ignavus (Bubo), see Bubo.

igneus (Cardinalis), see C. igneus or superbus.

—— (Icterus), see Icterus.
—— (Pericrocotus), see Pericrocotus.
ignicapilla (Regulus), see Regulus.
ignipalliatus (Phœnicopterus), see P.
ruber.

ignitus (Euplocomus), see Euplocomus. ignota (Dendroica), see D palmarum.
—— (Geothlypis), see Geothlypis.

Ihering, Herman von.

As aves do estado de Sao Paulo [Brazil] (rev.), '99, 203.

ijimæ (Acanthopneuste), see Phylloscopus.

pus.

— (Emberiza), see Emberiza.

— (Phylloscopus), see Phylloscopus. ilathera (Anas), see Dafila bahamensis. iliaca (Fringilla), see Passerella.

— (Passerella), see Passerella. iliacus (Turdus), see Turdus. illinoensis (Peucæa), see P. bachmanii. Illinois.

Allen, J. A., '80, 53-54, 89. Blackwelder, E., '99, 359-360. Blaisdell, W. O., '92, 67. Bryan, W. A., '99, 272-273, 276. Chapman, F. M., '90, 74-76, '95, 379-380. Coale, H. K., '77, 52, 82, 83, '83, 239, '85, 109-110.
Coues, E., '77, 26
Deane, R., '80, 192, '95, 298-300, '96, 81, '99, 270-272, '90, 390.
Dunn, J. O., '95, 389, 393-395.
Eaton, D. H., '80, 43.
Forbes, S. A., '81, 53, 180, '84, 85.
Gault, B. T., '94, 258, '95, 80, 85.
Garman, H., '92, 192.
Gastman, E. A., '89, 180.
Greene, G., '91, 389.
Hancock, J. L., '83, 179, '88, 210, 432-434.
Hay, O. P., '81, 179.
Henderson, J. G., '89, 175.
Henshaw, H. W., '81, 195-196, '84,

264.
Hurter J. '81, 124.
Jones, W. L., '80, 112.
Kimball, F. H., '89, 338-339.
Kline, H. A., '87, 341.
Kleinman, H., '90, 398.
Mead, G. S., 1900, 67.
Mundt, A. H., '95, 97.

Mead, G. S., 1900, 67.
Mundt, A. H., '95, 97.
Nelson, E. W., '76, 39-44, '77, 38-43, 68-69, '78, 36, '80, 51.

Poling, O. C., '90, 238-243. Ridgway, R., '78, 162-166, '79, 218-222, '80, 30-32, 118, '81, 120-122, 171, '83, 58, '87, 251, '92, 191, '95, 379-380.

Strode, W. S., '90, 81, '91, 108. Stramberg, C. W., '85, 97. Widmann, O., '80, 192.

Woodruff, F. M., '96, 83-84, 179-181.
Illinois State Horticultural Society
[Bird protection and study], 1900,
198.

Illinois State Laboratory of Natural History, Bulletin, titles (Nos. 2261– 2265), '92, 191.

Illustrations, see Plates.
imber (Colymbus), see Gavia.
——(Gavia), see Gavia.
——(Urinator), see Gavia.
imberbe (Ornithion), see Ornithion.
——(Ornithium), see Ornithion.
imbricata (Columba), see C. corensis.
Im Familien Kreise (mag.), title (No.

238), '83, 171.
immaculata (Myrmeciza), see Myrmelastes.

immaculatus (Anabazenops), see Anabazenops.

— (Dendrocopos), see Dryobates. immer (Urinator), see Gavia imber. immutabilis (Diomedea), see Diomedea. Impennes, '81, 30, 82, 83, '99, 202, 363. impennis (Alca), see Plautus.

- (Plautus), see Plautus. imperator (Sterna), see S. caspia. imperialis (Amazona), see Amazona. - (Campephilus), see Campephilus. (Picus), see Campephilus. Inagua Island, West Indies. Cory, C. B., '91, 297, 348, 351, '92, 49. inca (Scardafella), see Scardafella. Inca-bird, see Gymnostinops montezuma. incanescens (Ornithion), see O. imberbe. (Phyllomyias), see Phyllomyias. incanus (Heteractitis), see Heteractitis. (Heteroscelus), see Heteractitis. - (Totanus), see Heteractitis. Incaspiza, '98, 224*. incertus (Camarhynchus), see Camarhynchus. incompta (Merula), see Merula. incultus (Eriocnemis), see Eriocnemis. inda (Ceryle), see Ceryle. India. Allen, J. A., '98, 336-337. Indian Territory. Cooke, W. W., '85, 32-33. Goss, N. S., '86, 409. Indiana. Allen, J. A., '78, 189, '80, 174-175, '91, 383-384, '98, 335-336. Blatchley, W. S., '91, 110. Brayton, A. W., '80, 174. Butler, A. W., '83, 172, '92, 49-56, 238-247, '93, 155, '97, 197-200. Coale, H. K., '85, 213. Deane, R., '95, 179, 292, 298-300, '96, 255, '99, 178-179, 270-272. Dunn, J. O., '95, 389, 391-392. '99, 178-179, 270-272. Evermann, B. W., '85, 98, 213, '88, 344-351, '89, 22-30, 180, 186-187, '91, 110, 110. Gault, B. T., '89, 278. Hay, O. P., '87, 193-196. Nelson, E. W., '77, 51. Quick, E. R., '83, 171, 171, 172. Ridgway, R., '82, 15-23. Smith, G. A., '77, 75. Woodruff, F. M., '98, 61-62. Indiana Academy of Science, '86, 287, **'**99, 91. indica (Jacana), see Metopidius. (Parra), see Metopidius. Indicator, '81, 75. Indicatoridæ, '81, 75. indicus (Butastur), see Butastur. - (Falco), see Butastur. --- (Metopidius), see Metopidius. Indigo-bird, see Cyanospiza cyanea.

indus (Haliastur), see Haliastur. ineptus (Didus), see Didus.

INORNATUS. inexpectata (Sturnella), see Sturnella. inexpectatus (Copsychus), see Copsyinfaustus (Herminierus), see Cinclocerthia ruficauda. - (Perisoreus), see Perisoreus. inflatus (Phororhacos), see Phororhacos. inflexirostris (Holoquiscalus), see Quis---- (Quiscalus), see Quiscalus. infusca (Geotrygon), see Geotrygon. infuscata (Sterna), see S. anæthetus or fuliginosa. -(Thalassipora), see Sterna fuliginosa. Ingalls, Charles Edward. Icterus galbula in Massachusetts in November, '86, 135. Nesting of Red-bellied Nuthatch in Templeton, Mass. '94, 331. Ingersoll, Ernest. Our present knowledge of the nidification of the American Kinglets, '76, *77–*79. see Burroughs, J., 'Wake Robin' (rev.), '77, 48. see Wilson and Bonaparte, American Ornithology (reprint) (rev.), '79, Nests and eggs of American birds (rev.), '79, 172, '80, 38, '82, 45, 112. Flammulated Owl (Scops flammeola) in Colorado, '80, 121. see Gregg, W. H., 'birds of Chemung Co., N. Y. (rev.), '80, 173. A vernacular synonymy, '81, 183-185. Birds-nesting (rev.), '82, 179. The common names of American birds, '83, 72-78. Country cousins (rev.), '85, 91. ingersolli (Melospiza), see M. merrilli. Ingraham, D. P. Additional records of Flammulated Owl (Megascops flammeola), '97, 403. inornata (Amazona), see Amazona. --- (Chlorœnas), see Columba. – (Columba), see Columba. - (Muscicapa), see Contopus borealis.

-(Myrmotherula), see Myrmother-

—— (Querquedula), see Q. discors. —— (Symphemia), see Symphemia.

inornatus (Colopteryx), see Colopteryx

— (Pyrrhula), see Pyrrhula.

(Consentitude) and Consentitude	(Varithalaura) and Vanithalaura
—— (Compsothlypis), see Compsothly- pis.	(Xantholæma), see Xantholæma. (Zonotrichia), see Z. intermedia or
(Crypturus), see Crypturus.	leucophrys.
(Cyanopterus), see Querquedula	intermedius (Dryobates), see Dryobates.
discors.	(Pipilo), see Pipilo.
(Lophophanes), see Parus inorna-	—— (Thamnophilus), see T. doliatus.
tus or griseus.	(Troglodytes), see Troglodytes.
—— (Parus), see Parus. —— (Phacellodomus), see Phacello-	International Ornithological Congress, first, '84, 208, 308; second, '89,
(Phacellodomus), see Phacello- domus.	83, '90, 412, '91, 401; third, '99,
— (Thamnophilus), see Thamno-	381.
philus.	Internationale Ornithologische Zeit-
inquietus (Myiarchus), see Myiarchus.	schrift, '84, 206.
(Myiardius), misprint for Myiar-	interpres (Arenaria), see Arenaria.
chus.	(Geocichla), see Geocichla.
inquisitrix (Tityra), see Tityra.	(Strepsilas), see Arenaria.
inscriptus (Pteroglossus), see Ptero-	— (Tringa), see Arenaria. — (Turdus), see Geocichla.
glossus. Insessores, '81, 30, '85, 212.	intrepidus (Tyrannus), see T. tyrannus.
Insignipitta, '96, 60.	involucris (Ardetta), see Ardetta.
insignis (Colinus), see Colinus.	Iole, '94, 236.
—— (Melospiza), see Melospiza.	Ionornis, '88, 56, '93, 108, '94, 242.
(Picolaptes), see Picolaptes.	martinica (ª Purple Gallinule,
— (Zonotrichia), see Melospiza.	b Porphyrio), Engl. '92, 289 [= Por-
insularis (Aphelocoma), see Apheloco-	phyrio smaragnotus, see '92, 290];
ma. —— (Brachyspiza), see Brachyspiza.	Fla. '81, 42a, '85, 63, '88, 270, '89, 155, 198, '92, 212, '93, 337, '95, 364;
— (Centropus), see Centropus.	1 Ga. '83, 42, '96, 215; g. dist. '93,
— (Columbigallina), see C. terrestris.	132; Jamaica, '92, 12; Kan. '93, 300;
(Compsothlypis), see Compsothly-	La. '97, 287; Mass. '93, 296; Me. '80,
pis.	242 ^b ; Mo. '78, 149 ^b ; N. B. '81, 186 ^b , '82, 105; N. S. '89, 64 ^a , '98, 195; N. Y.
—— (Cyclorhis), see Cyclorhis.	'82, 105; N. S. '89, 64", '98, 195; N. Y.
— (Dryobates), see D. maynardi.	'93, 272; O. '77, 83b, '95, 191, '97, 200,
—— (Hylophilus), see Hylophilus. —— (Junco), see Junco.	'99, 75; Ont. '93, 364; R. I. '82, 124, '89, 184", '90, 394; S. C. '88, 109, Tex.
—— (Leptotila), see Leptotila.	'92, 232; W. I. '80, 169b, '81, 155b,
— (Myadestes), see Myadestes.	'92, 232; W. I. '80, 169°, '81, 155°, '88, 57, '93, 220, '94, 122.—hbt.,
—— (Nyctidromus), see Nyctidromus. —— (Otocoris), see O. strigata.	meas., song, '88, 109; nst. '83, 42, '88, 109, '89, 155, 198, '91, 108a; plm. '88, 109, 110, '89, 155 (mlt.), '99,
—— (Otocoris), see O. strigata.	109, '89, 155, 198, '91, 108°; plm.
— (Passerella), see P. unalaschcensis.	788, 109, 110, '89, 155 (mlt.), '99,
—— (Platyrhynchus), see Platyrhyn-	75; syn. '88, 57. Iowa.
chus. —— (Psittacula) see Psittacula	
—— (Psittacula), see Psittacula. —— (Quiscalus), see Quiscalus.	Aldrich, C., '84, 85, 86, '86, 475. Allen, J. A., '80, 53, 115, '89, 332.
—— (Thalassornis), see Thalassornis.	Bailey, H. B., '77, 26-27.
—— (Thryomanes), see Thryomanes.	Bartsch, P., '99, 86, 276-277. Beal, F. E. L., '84, 288.
—— (Vireo), see V. obscurus.	Beal, F. E. L., '84, 288.
(Troglodytes), see Thryomanes.	Brewster, W., '77, 66-67. Jones, L., '91, 108, '95, 117-134, 231-
insulicola (Empidonax), see E. difficilis.	237.
intermedia (Certhiola), see Cœreba.	Keyes, C. R., '88, 114-115, 207-208,
— (Cœreba), see Cœreba.	211, '92, 190.
—— (Columba), see Columba.	McGee, W J. '80, 53.
—— (Drymophila), see Drymophila.	Mosher, A. A., '83, 116, '85, 214. Praeger, W. E., '95, 85-86.
(Euetheia), see Euetheia.	Praeger, W. E., '95, 85-86.
—— (Formicivora), see Formicivora.	Rame, M. L., '94, 70. Smith, J. G., '83, 237, '84, 186.
—— (Meleagris), see Meleagris.	Talbot, D. H., '83, 240–242.
—— (Merula), see Merula. —— (Myrmelastes), see Myrmelastes.	Williams, H. S., '81, 182, '92, 190.
— (Myrmeciza), see Myrmelastes.	Williams, V. S., '85, 296.
, ,	1

IOWA ORNITHOLOGIST. Iowa Ornithologist (magazine), '95, 95. iradu (Cypselus), see C. phœnicobius. - (Tachornis), see Cypselus phænicobia. Irena, '94, 235. crinigera, Borneo, syn. '90, 349. irena (Pitta), see Pitta. Ireland. Dowling, J. J., '85, 375. More, A. G., '92, 290. Patterson, R., '92, 290. Scharff, R. J., '92, 290. Williams, E., '92, 290. Iridoprocne, see Tachycineta. iris (Pitta), see Pitta. Irrisor, '81, 35. Irrisoridæ, '81, 31, 74, 75, '93, 66. irroratus (Lybius), see Lybius. irupuro (Tænioptera), see Tænioptera. isabellina (Cerchneis), see Falco sparverius. isabellinus (Cursorius), see Eudromias veredus. -(Falco), see F. sparverius or dominicensis? — (Lanius), see Lanius. - (Tinnunculus), see Falco sparverius. islandica (Bucephala), see Clangula. - (Clangula), see Clangula. ---- (Fratercula), see F. arctica. --- (Glaucionetta), see Clangula. islandicus (Falco), see F. islandus or rusticolus. – (Hierofalco), see Falco. islandorum (Lagopus), see L. lagopus. islandus (Falco), see Falco. ispida (Alcedo), see Alcedo. Italy. Dalgleish, J. J., '80, 68, 72, 73, 147,

149, 218, 220. iulus (Psaltriparus), see Psaltriparus.

Iyngidæ, '81, 37. Iynx pectoralis, syn. 1900, 179.

ruficollis, syn. 1900, 179. torquilla, Helg. '95, 336.

Jabiru, see Mycteria americana. Jabirus, '90, 72. Jacana (b Asarcia), '85, 337-339, '88, 51, 292, '97, 88, 103, 110b. jacana (b Parra), Argent. '84, 277b; Braz. '91, 163; g. dist. '88, 294; Urug. '84, 277b.—anat. '88, 291; hbt. '84, 277b, '88, 294; plm. '84, 277^b, '88, 292, 294; syn. '88, 294, 297, 298. nigra, g. dist. '88, 294, 296.—meas.

'88, 296; plm. '88, 292, 296; syn, '88, 289, 290, 295, 296, 297.

spinosa (Mexican Jaçana, b Parra ^d Fulica gymnostoma, ^c violacea, e Parra violacea), g. dist. '88, 297-299, Tex. '76, 88°, '80, 91°; W. I. '81, 130°*, 155°, '88, 51°, '92, 272, 15.—
meas. '88, 51°, 298; plm. '88, 292, 297; syn. '88, 51°, 289, 290, 297, 402, '97, 88, 103.

jacana (Jacana), see J. jacana or spinosa.

- (Parra), see Jacana jacana or spi-

Jacana, Mexican, see Jacana spinosa. Jacanidæ, '88, 288-305, '97, 340. jacapa (Ramphocelus), see Ramphocelus.

jacarina (Volatinia), see Volatinia. Jack, see Numenius hudsonicus or Merganser serrator.

Black, see Anas obscura or Aythya affinis.

Jackdaw, see Corvus monedula. Jackel, Andreas Johannes, and Blasius, Rudolph.

Vogel Bayerns (rev.), '92, 186. Jack-sparrow, see Pyrrhulagra violacea. Jacobs, Joseph Warren.

Summer birds of Greene Co., Pennsylvania (rev.), '93, 353.

Late nesting of Carolina Wren in Monongalia Co., W. Va. '98, 60. Oological abnormalities (rev.). '98, 281.

jacquini (Anas), see Dendrocygna arborea.

jacutinga (Cumana), see Pipile. — (Pipile), see Pipile.

Jaeger, Arctic, see Stercorarius longicaudus.

Long-tailed, see Stercorarius longicaudus.

Parasitic, see Stercorarius parasiti-

Pomarine, see Stercorarius pomari-

Richardson's, see Stercorarius parasiticus.

Jaegers, see Stercorariidæ.

jaliscensis (Myiopagis), see Myiopagis. - (Sittasomus), see Sittasomus.

Jalisco, Mexico.

Miller, G. S., Jr., '96, 34-37. Nelson, E. W., '94, 43-44, '97, 62, 69, '99, 27, 1900, 262, 264-265. Palmer, T. S., '94, 43-44. Jamaica, West Indies.

Field, G. W., '94, 117-127. Merriam, C. H., '85, 377.

jardınıı (Dryobates), see Dryobates.

javanensis (Corvus), see Gracula.

— (Gracula), see Gracula.

Scott, W. E. D., '91, 249-256, 353-365, '92, 9-15, 120-129, 273-277, 369-375, '93, 177-181, 339-342. jamaıca (Euphonia), see Euphonia. - (Fringilla), see Euphonia. jamaicæ (Sicalis), see Sicalis. jamaicensis (Æchmoptila), see Lepto-— (Æstrelata), see Æ. caribbæa. — (Caprimulgus), see Nyctibius jamaicensis or Siphonoris americanus. - (Columba), see Engyptila. - (Corvus), see C. jamaicensis, nasicus or solitarius. (Creciscus), see Porzana. - (Dendroica), see D. petechia. - (Engyptila), see Leptotila. - (Erismatura), see Erismatura. — (Euphonia), see Euphonia. — (Frugilegus), see Corvus. --- (Goura), see Leptotila. - (Leptotila), see Leptotila. - (Merula), see Merula. —— (Microcorax), see Corvus. —— (Nyctibius), see Nyctibius. --- (Ortygometra), see Porzana. --- (Peristera), see Leptotila. - (Picus), see Centurus radiolatus. --- (Pitangus), see Pitangus. --- (Porzana), see Porzana. ---- (Procellaria), see Æstrelata carib-— (Quiscalus), see Quiscalus. — (Rallus), see Porzana. --- (Saurothera), see S. vetula. —— (Sturnus), see Quiscalus. — (Turdus), see Merula. jambu (Columba), see Ptilopus. - (Ptilopus), see Ptilopus. James, Harry Berkeley. New list of Chilian birds (rev.), '93, 354. Jamison, Harry K. Some rookeries on the Gulf coast of Florida, '91, 233. Japan. Āllen, J. A., '87, 63-64, 249-250, '88, 195-196, '89, 173, '90, 276, **'94**, 170. Touy, P. L., '84, 387. Stejneger, L., '89, 182, '91, 99-101, '92, 176, '97, 200, 201, '99, 205. japonensis (Grus), see Grus. japonica (Loxia), see Loxia. japonicus (Anthus), see Anthus. — (Dryobates), see Dryobates. - (Megascops), M. elegans.

- (Ketupa), see K. ketupa. - (Phyllornis), see Chloropsis zosterops. javanica (Hirundo), see Hirundo. - (Hydrochelidon), see H. leucopjavanicus (Eurylaimus), see Eurylai-- (Phœnicophæus), see Zanclosto-- (Zanclostomus), see Zanclostomus. javensis (Picus), see Thriponax. - (Thriponax), see Thriponax. Jay, Acapulco, see Cissolopha pulchra. Alaskan, see Perisoreus fumifrons. Arizona, see Aphelocoma arizonæ. Aztec, see Cyanocitta azteca. Belding's, see Aphelocoma obscura. Black-headed, see Cyanocitta annectens. Blue, see Cyanocitta cristata. Blue-eared, see Aphelocoma cyanotis. Blue-fronted, see Cyanocitta frontalis. California, see Aphelocoma califor-California Mountain, see Cyanocitta frontalis. Canada, see Perisoreus canadensis. Colima, see Aphelocoma colimæ. English, see Garrulus glandarius. Florida, see Aphelocoma cyanea. Florida Blue, see Cyanocitta florircola. Gray, see Perisoreus canadensis or [griseus =] obscurus. Green, see Xanthoura luxuosa. Helmeted Inca, see Xanthoura gale-Inca, see Xanthoura yncas. Island, see Aphelocoma insularis. Jalisco, Green, see Xanthoura speciosa. Labrador, see Perisoreus nigricapi!-Long-crested, see Cyanocitta macrolopha. Maximillian's, see Cyanocephalus cyanocephalus. Oregon, see Perisoreus obscurus. Oregon Gray, see Perisoreus obscurus. Piñon, see Cyanocephalus cyanocepha-Rio Grande Green, see Xanthoura glaucescens. Rocky Mountain, see Perisoreus capi-

talis.

— (Picus), see Dryobates.

San Luis Potosi, see Aphelocoma potosina.

Santa Cruz, see Aphelocoma insularis. Siberian, see Perisoreus infaustus. Steller's, see Cyanocitta stelleri.

Talamanca, see Cyanocorax zeledoni. Tehuantepec Green, see Xanthoura vivida.

White-headed, see Perisoreus capi-

Woodhouse's, see Aphelocoma woodhousei.

Xantus's, see Aphelocoma hypoleuca. Yellow, see Colaptes, luteus.

Jays, see Garrulinæ.

Jeffries, John Amory.

Yellow-rumped Warbler (Dendræca coronata) wintering in Swampscott, Mass. '79, 118.

Bucephala islandica and Bucephala clangula, '80, 189.

Fingers of birds, '81, 6-11.

Numbers of primaries in birds, '81, 156-163.

see Vogt, M. C., 'l'archæopteryx macroura" (rev.), '81, 107-109.

see Shufeldt, R. W., 'osteology of N. Am. Tetraonidæ' (rev.), '82, 44. see Shufeldt, R. W., 'osteology of Lanius ludovicianus (rev.), '82, 45.

see Shufeldt, R. W., 'claw on index finger of Cathartidæ," '82, 46. see Krukenberg, C. F. W.,

Farbstoffe der Federn' (rev.), **'82**, 114–177.

Note on foot of Accipiter fuscus, '82,

Colors of feathers, '82, 129-135 (pl.). The sesamoid at front of carpus in birds, '82, 13-15.

'birds'-nesting' see Ingersoll, E., (rev.), '82, 179.

Nest and eggs of Perisoreus canadensis, '82, 181.

Notes on an hermaphrodite bird, '83, 17-21 (fig.).

Epidermal system of birds (rev.). '84,

Occipital style of Cormorant, '84, 196. Descr. of an apparently new species of Trochilus from Calif. '88, 168. Obituary of, '92, 311-312.

Jeffries, William Augustus.

Common Cormorant off Boston harbor, '85, 112.

Chen carulescens in Massachusetts, '89, 68.

Sandpipers at sea—a correction, '89, 69.

Birds observed at Santa Barbara,

California, '89, 220-223.

The Ipswich Sparrow (Passerculus princeps), '79, 103-106.

Egiothus exilites in Massachusetts, '79, 121.

Phalaropes at Swampscott, Mass. '91, 112.

Sandpipers at sea, '86, 131. Jeffries, W. A., and Jeffries, J. A. Notes on western North Carolina

birds, '89, 119-122.

Jencks, Frederick Tingley.

Capture of Carolina Wren and other rare birds in Rhode Island, '80, 237.

Capture of Hudsonian Titmouse in Rhode Island, '81, 54.

Large Eagles, '81, 122.

Richardson's Owl in R. I. '81, 123.

Purple Gallinule (Ionornis martinica) in Rhode Island, '82, 124.

Baldpate in Rhode Island, '83, 61.

Capture of Richardson's Owl (Nyctala tengmalmı richardsonı) near Providence, R. I. '83, 122. Great Gray Owl in R. I. '83, 183.

Another Gyrfalcon in Rhode Island, '84, 94.

Can we not have a simpler system of nomenclature? '84, 297.

Jencks, F. T., and Southwick, J. M., see Southwick and Jencks.

Jencks, John Whipple Potter.

Obituary of, '95, 94. Jer-Falcon, see Gyrfalcon.

jessicæ (Zenaida), see Zenaidura.

Jew-bird, see Crotophaga sulcirostris. Job, Herbert Keightley.

Notes on some winter birds of Massachusetts, '83, 147-151.

Cory's Shearwater (Puffinus borealis) off coast of Mass. '83, 244.

Ducks of Plymouth Co., Massachusetts, '96, 197-204.

Canvas-back Duck in Mass. '97, 206. Northern Hawks in Mass. '97, 216.

An uncommon Gull in Mass. '98, 50. Northern Raven breeding in New England, '98, 55.

Some observations on Anatidæ of North Dakota, '99, 161-165.

American Egret in Connecticut, 1900.

Joe-ree, see Pipilo erythrophthalmus. John-che-wit, see Vireo calidris. Johnny-Cock, see Ceophlœus pileatus. Johnny-Ho, see Porzana jamaicensis. Johnny-rook, see Phalcobænus australis. Johnson, Frank Edgar.

Capture of Golden Eagle at Gravesend, L. I. '79, 189.

American Barn Owl (Strix pratincola) on Long Island, N. Y. '91,

Black-throated Bunting (Spisa americana) on Long Island, N. Y. '91, 116.

Johnson, Fred. O.

Polioptila plumbea at Palm Springs, California, '89, 280.

Johnson, H. P.

Yellow-breasted Chat breeding in Malden, Mass. '88, 116.

Johnson, L. N.

Wild Turkey in North Carolina mountains, '89, 275.

Johnson, William Schuyler.

Brunnich's Murre in Oneida Co., N. Y. '95, 177.

Great Gray Owl in Oneida Co., New York, '95, 301.

Passenger Pigeon (Ectopistes migratorius) in Lewis Co., New York, '97, 88.

Bob-white in northwestern New York, '97, 316.

Jones, Clinton Mellen.

Breeding of Black-throated Warbler (Dendræca cærulescens) in Connecticut, '76, 11-13.

Jones, Genevieve Estelle.

Obituary of, '79, 228. Jones, G. E., and Shulze, Eliza J.

Illustrations of nests and eggs of birds of Ohio (rev.), '79, 52, 228, '80, 39, '82, 48, 112, '83, 112, 166, '85, 289, '86, 400, '87, 150-152.

Tones, Hiram Thomas.

Breeding of Shore Lark in western New York, '78, 189.

Jones, Howard.

Rails and Snipe in Ohio in winter, **'83**, 186.

Jones, John Matthew.

Ammodramus princeps in Nova Scotia, '86, 135.

Jones, Lynds.

Bird migration at Grinnell Iowa [and Oberlin, Ohio], '95, 117-134, 231-244 (diagrams).

see Wilson Ornith. Chapter of Agassiz Association, Bulletin (rev.), '95,

Oberlin Summer Grackle roost (rev.), **'**97, 41*7*.

The songs of Warblers (Mniotiltidæ) (rev.), 1900, 311.

Jordan, David Starr.

Manual of vertebrates of the northern

United States (rev.), '76, 93, '78, 45, '85, 208, '89, 63.

see A. O. U. Code and Check-List (rev.), '86, 393-397.

Joree, see Pipilo erythrophthalmus or

alleni.

Jouy, Pierre Louis.

Description of nest and eggs of Coturniculus henslowi obtained near Falls Church, Virginia, '81, 57. Ornithological notes on collections made in Japan (rev.), '84, 387.

Notes on birds of central Mexico, with descriptions of forms believed to be new (rev.), '94, 245.

Obituary of, '94, 262.

jouyi (Astragalinus), see Astragalinus. — (Basileuterus), see Basileuterus.

– (Rallus), see R. striatus.

— (Turdus), see Turdus.

Judas-bird, see Spiza americana Judd, Sylvester Dwight.

Feeding habits of the English Sparrow and Crow, '96, 285-289.

Four common birds of farm and garden (rev.), '96, 335.

Northern New Jersey notes, '97, 326. Methods in economic ornithology, with special reference to Cathird (rev.). **'9**7, 420.

Birds as weed destroyers (rev.), '99, 294.

juddi (Melospiza), see Melospiza. Judy, see Platypsaris nigra. jugularis (Brotogeris), see Brotogeris.

— (Certhia), see Cinnyris.

—— (Cinnyris), see Cinnyris.

— (Eulampis), see Eulampis. — (Polytmus), see Eulampis. - (Trochilus), see Eulampis.

Junco, '76, 71, '85, 116, '90, 123, 193. aikeni (White-winged Junco, b danbyi), Colo. '78, 75, '81, 90, '83, 190, '85, 16, '87, 122, '93, 206; g. dist. '93, 126; I. T. '85, 32; Kan. '85, 32; Wis. '85, 32 -hbt. '87, 122; plm. '78, 75, '81, 90, '83, 190, '85, 32, '87, 122, '97, 94; syn. '97, 94, 94b, 133b.

alticola, syn. '90, 193.

annectens (Ridgway's Junco, b ridgway), Colo. '81, 90, '93, 205b, '94, 216; g. dist. '90, 243b*, '91, 86b, '93, 126; Minn. '93, 289; N. M. '85, 306, '92, 365, 365b, '94, 216, 217.—meas. '77, 61, '81, 206, '93, 206b; nst. '81, 205; plm. '80, 112; syn. '77, 60, '91, 86^b, '93, 206^b, '97, 94, 128, 128^b.

bairdi (Baird's Junco), L. Cal. '84, 284.

caniceps (Gray-headed Junco), Aris. '82, 194, '85, 174, 355, '87, 201, Coio. '78, 72, '81, 90, '83, 190, '85, 16, 123, 141, '93, 206, '94, 269; Mich. '79, 123; N. M. '81, 91, '85, 123, 141, '86, 74, '92, 365, '94, 217.— hbt. '85, 123; meas. '78, 73, '82, 195; mig. '86, 74, '87, 201; nst. '76, 30, '78, 72, '81, 90; tlm. '80, 112, '81, 90, '82, 194, '85, 355, '87, 201, 202, '92, 366, song, '81, 90, '85, 123.

carolinensis (Carolina Junco, b hyemalis), g. dist. '91, 290, '93, 126; N. C. '80, 44b, '86, 108*, 311, 314, '87, 242, '88, 398, '89, 121: Pa. '92, 137; Tenn. '79, 238b; Va. '89, 51. W. Va. '98, 136.—hbt. '86, 108, 311, '87, 242; meas. '86, 108, 313, '87, 243; nst. '86, 108, '87, 242, '89, 51: plm. '86, 312, '91, 290; syn. '86, 108, '91, 290, '92, 107.

connectens (Hybrid Snowbird or Junco, boregonus, shufeldti), Ariz.
'78, 93b; Colo.'78, 75b,'81, 90b,'83,
189b,'84, 283,'85, 16b, 141b,'87, 122,
'93, 206c,'94, 269c; g. dist.'91, 85c,'93, 126c; Ida.'98, 16, 1900, 245;
Ill.'87, 330c,'95, 85c; L. Cal.'95,
183c; Md.'90, 289c; Mont.'82, 62b,'94, 306c,'N. M.'78, 93b,'85, 123b,'87, 330c,'88, 398c,'92, 365c,'99,
189c; Ore.'79, 165b; Tex.'82, 38b;
Wash.'82, 227b, 1900, 245,—hbt.'85,
123b,'98, 16; meas.'87, 331c; plm.'83, 189; syn.'87, 330c,'91, 85c,'97,
94, 128, 128c, 248.

dorsalis (Red-backed Junco), Ariz.

'78, 94, '82, 195, '85, 364, '87, 201,
'90, 48, 259; g. dist. '93, 126; N. M.
'78, 94, '85, 364, '98, 310.—meas. '78,
73, 94, '82, 195, '90, 259; nst. '78, 73,
94, '90, 259; plm. '85, 354, 364, '87,
201, 202; syn. '85, 364, '95, 391;
misc. '80, 87.

fulvescens, Mex. '97, 61*.

hyemalis (* Slate-colored Junco or Black Snowbird), Ala. '79, 9; Alas. '85, 63, '87, 13; Ariz. '87, 200; B. C. 1900, 107; Cal. '89, 221; Colo. '85, 16, '87, 122 [connectens?]; Conn. '89, 45; Europe, '80, 66; Fla. '81, 15; Ga. '96, 213; g. dist. '93, 126; Hud. B. '90, 322; Ia. '95, 121, 235; Ill. '81, 180, '87, 331, '90, 242; Ind. '89, 25; I. T. '84, 336; Ky. '89, 315; La. '88, 325°; Man. '86, 324; Mass. '78, 139, 192, '80, 239, '81, 239°, '84, 11°, 14°, 15, '88, 388°, 391, '89, 41°, 43°, 45, 101, '92, 72, '95, 89, '97, 277, 326; Md. '85, 306; Me. '79, 107, '82, 148, '86, 108; Mich. '79,

238, '93, 226, '95, 192; Minn. '79, 153a, '84, 245, '86, 324, '93, 289; Miss. '99, 269: Mo. '79, 143, '94, 215a, '96, 218; Mont. '95, 217 [connectens ³]; N. B. '82, 148, '83, 7*, '89, 118, 241, 242°; N. C. '86, 98, 101, 314, '87, 243, '89, 121; N. E. 776, 73, 777, 17; N. F. 1900, 72; N. H. '83, 13, '86, 108, 277, '87, 102a, 103a, 105, '88, 149a, 150, 152, 154, '89, 77, 78; N. M. '94, 217; N. S. '87, 15a, 16, '91, 116a, '99, 253; N. Y. 78, 15°, 16, 91, 116°, 99, 253; N. Y.
78, 53, 195, '79, 32, '81, 230, '82,
155, '83, 176, '84, 177, 178, 179, '85,
146, '89, 332°, '95, 314°, '96, 178°, 'O.
'95, 242; Pa. '80, 121, '83, 78, '89,
140°, 141, '92, 133°, 134, 137, '93,
42°, 43, 44, '94, 182°, '96, 283, 299, 294, '99, 312; P. E. I. '85, 265a, '93, 5ⁿ, 12; Que. '82, 235, '89, 148; S. C. 5., 12; Que. 82, 253, 89, 148, 5. C.
'79, 214, '92, 32ª, '99, 197; S. D. '85, 280; Tenn. '86, 318; Tex. '82, 13, 38, '87, 292, '92, 338, 1900, 346; Va.
'86, 157, 160.—anat. '91, 220; hbt.
'77, 73, '86, 308, '87, 102, 103; meas.
'83, 79, '86, 108, '87, 243; mg. '84, 24 177, 178, 179, 336, '85, 63, 982, '89, 141, '92, 32a, '95, 121, 235, 242, '99, 197; nst. '80, 239, '83, 176, '90, 397, '93, 12, 122; misc. '81, 179, '83, 1 (fig.), 177, '84, 86^a, 87^a, '90, 82^a, 92, 67.

insularis (Guadalupe Junco), Guadalupe I. '77, 60.—anat. '91, 221; hbt. '77, 64; meas. '77, 61; plm. '77, 63; syn. '77, 60, 66.

meatnsi (Pink-sided Junco, bannectens), Ariz. '78, 93b '87, 200b; Colo. '81, 90b, '83, 190b, '85, 16b, '87, 123b, '94, 216b, 269b; g. dist. '93, 126b; Minn. '93, 289b; Mont. '81, 205b, '94, 306b; N. M. '78, 93b, '85, 306b, '86, 74b, '94, 216b, 217b, '92, 365b; Wyo. '81, 205b, '97, 94*—meas. '77, 61b, '81, 206b; nst. '81, 205b; plm. '80, 112b, '92, 366b (hyb.); syn. '77, 60b, '97, 94, 128, 128b.

montanus (Montana Junco), g. dist. '98, 321*, '99, 119, 188; Colo. '99, 188.—syn. '99, 119.

oregonus (Oregon Junco), Alas. '98, 128; Ariz. '82, 194, '85, 174, '87, 200; Cal. '86, 182, '87, 331, '89, 221, '90, 297; Colo. '87, 122, 125 [connectens?]; g. dist. '93, 126; Ill. '77,

82; Man. '86, 324; Mass. '76, 19; Mich. '79, 123, Minn. '93, 289; Neb. '96, 245 [annectens?] N. M. '86, 74; Ore. '86, 169 [connectens], '88, 359 [connectens?]; Tex. '87, 292, Wash. '81, 128, '82, 227 [connectens?], '92, 45, '97, 178, 1900, 355.—hbt. '85, 123, '98, 128; meas. '87, 331, nst. '86, 169 [connectens]; plm. '76, 21 (alb.), '86, 169 (alb.), '87, 331; syn. '87, 330, '95, 183, '97, 248. palliatus (Arizona Junco, b cinereus), Aris. '80, 89b, '82, 195b, '85, 198^b, 354, 355, '87, 201, g. dist. '85, 364, '93, 126.—nst. '78, 73^b, plm. '85, 198^b, 354, 364, '87, 202; song, '85, 354; syn. '85, 364, '95, 391; misc. '80, 88b. phæonotus (Mexican Junco, b cinereus), g. dist. '85, 363b; Mex. '95, 357.—plm. '85, 364b; syn. '85, 363b, '95, 391; misc. '80, 88b.

pinosus (Point Pinos Junco), Cal. '93, 47*, '94, 47, 265 (col. pl.).— syn. '94, 47.

ridgwayi, '90, 243*, see annectens. shufeldti, '87, 330*, see connectens. thurberi (Thurber's Junco), Cal. '91, 110, '92, 106, 288, '93, 287; Ariz. '94, 217; g. dist. '93, 126; L. Cal. '95, 183; syn. '91, 115, '92, 106.

townsendi (Townsend's Junco), L. Cal. '90, 63, 281, '92, 188, '95, 183.—nst. '92, 287; syn. '90, 63. vulcani (b Zonotrichia), C. R. '84,

84.-syn. '90, 193b. Junco, see Junco hyemalis.

Arizona, see Junco palliatus. Baird's, see Junco bairdi or mearnsi. Black, see Junco hyemalis. Blue, see Junco hyemalis. Carolina, see Junco carolinensis. Chiapas, see Junco fulvescens. Gray-headed, see Junco caniceps. Guadalupe, see Junco insularis. Mexican, see Junco phæonotus or pal-

liatus. Montana, see Junco montanus. Oregon, see Junco oregonus or connectens.

Pink-sided, see Junco mearnsi. Point Pinos, see Junco pinosus. Red-backed, see Junco dorsalis or caniceps.

Ridgway's, see Junco annectens. Shufeldt's, see Junco connectens. Slate-colored, see Junco hyemalis. Thurber's, see Junco thurbers. Townsend's, see Junco townsendi. White-winged, see Junco aikeni.

ĸ

kaedingi (Oceanodroma), see Oceanodroma.

kamtschatica (Pyrrhula), see Pyrrhula. kamtschaticus (Simorhynchus), see S. pygmæus.

Kamtschatka.

Ridgway, R., '98, 320.

Steineger, L., '84, 35-36, 81-82, 231-232, '85, 95, '86, 126-129, '88, 197, '98, 183.

kamtschatkensis (Parus), see Parus. - (Pœcila), see Parus.

Kansas.

Allen, J. A., '76, 47-48, '82, 55, '83, 227, '91, 228-230, 1900, 175. Babcock, C. A., '90, 83. Bennett, A. L., '88, 203. Coale, H. K., '83, 120, '94, 215.

Colvin, W. S., '98, 59. Cooke, W. W., '85, 33, 97. Cory, C. B., '86, 399.

Coues, E., '82, 61. Dyche, L. L., '86, 258-261. Goss, N. S., '79, 190-191, '80, 60-61, '81, 246, 248, '83, 186-188, '83, 227, '84, 100, 124-126, '85, 19-21, 112-113, 274-276, 311, 385, 388, '86, 112–115, 399, 408, 409, '87, 7–11, 344–345, '88, 26, 444, '89, 122– 124, '90, 88, 286, '91, 112, 116, '92, 192 (many items).

Kellogg, V. L., '93, 364-365, '94, 260.

Koumly, P. M., '93, 367-368.

Lantz, D. E., '85, 97, 101, '90, 82, '93, 300, '99, 187, 364-365, 1900, 171.

Mykrantz, J., '90, 86. Ridgway, R., '80, 118. Snow, F. H., '76, 47-48, '88, 201-202, '92, 192, 198. Williston, S. W., '83, 240.

Kansas Academy of Science, Transactions, titles (Nos. 452-454), '83, 238, (Nos. 2267-2281) '92, 192.

Kansas City Scientist (magazine), '91, 247.

kasumba (Harpactes), see Harpactes.

— (Pyrotrogon), see Harpactes.

-- (Trogon), see Harpactes. Kearton, Richard.

With nature and a camera (rev.), '98, 341.

Keeler, Charles Augustus.

Revival of sexual passion of birds in autumn, '86, 286.

Evolution of colors of North American land birds (rev.), '93, 189-195.

Evolution of colors of N. Am. land birds-a reply to criticism, '93, 373-377.

Bird notes afield—essays on birds of California (rev.), 1900, 180.

Kellogg, Vernon Lyman.

Road-runner in Kansas, '93, 364. Notes on Kansas birds, '94, 260. Some parasites of birds, '99, 232-236. New Mallophaga (rev.), '99, 372. List of biting lice (Mallophaga) taken from birds and mammals of North America (rev.), 1900, 82-84. A problem in distribution (rev.),

1900, 83. Kellogg, V. L., and Chapman, Bertha L. Mallophaga from birds of California (rev.), '99, 372.

Kells, William Lawrence.

Foster parents of Cowbird, '85, 106. kenaiensis (Melospiza), see M. insignis.

Kennard, Frederic Hedge.

Habits and individualities of Redshouldered Hawk (Buteo lineatus) in vicinity of Brookline, Mass. '94, 197-210 (map).

Young of Red-shouldered Hawk (Butco lineatus), '94, 270-280 (diagram).

January occurrence of Sapsucker in Brookline, Mass., '95, 301.

Notes on breeding of American Crossbill in Hamilton Co., New York, '95, 304.

Two unique nesting-sites in and about camp buildings in Hamilton Co., New York, '95, 314.

Unusual nesting site of Kingbird, '98,

Habits of Blue Jay, '98, 269.

Avocet (Recurvirostra americana) at Ipswich, Mass. '97, 212.

Kennedy-bird, see Zonotrichia albicollis.

kennicottii (Megascops), see Megascops.

- (Phillopneuste), see Phyllopseustes borealis.

— (Phyllopseustes), see P. borealis. — (Scops), see Megascops.

Kent Ornithological Club, '96, 98.

Kent Scientific Institute of Grand Rapids, Michigan, '89, 208.

Kentucky.

Allen, J. A., '83, 227-228, '86, 268. Beckham, C. W., '83, 172, 227, '86, 489, **'88**, 115.

Brewster, W., '82, 50. Chapman, F. M., '94, 244. Holstein, O., '99, 356. Pindar, L. O., '87, 257, '88, 321, '89, 310-316.

Pleasants, J. H., Jr., '92, 206. Quick, E. R., '83, 172.

Ragsdale, G. H., '89, 225.

Kerguelen Island.

Allen, J. A., '76, 48-49. Chapman, F. M, '95, 288.

Hazard, R. G., '94, 281. Kidder, J. H., '76, 48-49. Verrill, G. E., '95, 288.

Kermode, Philip, Harvie-Brown, J. A., etc., see Harvie-Brown, Cordeaux, Kermode, etc.

Keron, see Attagis.

Kestrel, see Falco tinnunculus.

American, see Falco sparverius. Ketupa ceylonensis, anat. '82, 86.

ketupa (b javanensis), Borneo, '91, '91, 12.—anat. '82, 86b; syn. '91, 12.

ketupa (Ketupa), see Ketupa. --- (Strix), see Ketupa.

Keyes, Charles Rollin.

Occurrence of Coccothraustes vespertina in Iowa, '88, 114.

Blackbird flights at Burlington, Iowa, '88, 207.

Dendroica tigrina at Iowa City in November, '88, 211.

Keyes, C. R., and Williams, H. S. Preliminary catalogue of birds of Iowa (rev.), '89, 332.

Keyser, Leander Sylvester. Bird-dom (rev.), '92, 63, '95, 66.

In bird land (rev.), '95, 66. Kidder, Jerome Henry.

Contributions to natural history of Kerguelen Island (rev.), '76, 48. Obituary of, '89, 282.

Kidder, J. H., and Coues, E.

Contributions to natural history of Kerguelen Island (rev.), '76, 48.

kieneri (Dendrornis), see Dendrornis. - (Pyrgisoma), see Pyrgisoma.

kilimensis (Crithagra), see Crithagra. Killdeer, see Ægialitis vocifera.

Kimball, Frank Henry.

Mortality among Eave Swallows, '89,

Change of habits in our native birds. '94, 261.

Kimball, Richard E.

Capture of Hudsonian Chickadee in Worcester Co., Mass. '90, 291.

King, Franklin Hiram.

Winter Wren breeding in southern New York, '78, 194.

Destruction of birds by cold wave, **'82**, 185.

More definite statistics needed in regard to abundance of birds, '82, 186-189.

Economic relations of Wisconsin birds (rev.), '83, 107-110.

Kingbird, see Tyrannus tyrannus.
Arkansas, see Tyrannus verticalis.
Bahama, see Pitangus bahamensis.
Cassin's, see Tyrannus vociferans.
Couch's, see Tyrannus couchii.
Florida, see Tyrannus [vexator =]
tyrannus.

Gray, see Tyrannus dominicensis. Western, see Tyrannus verticalis. Kingfisher, see Ceryle aleyon.

Belted, see Ceryle alcyon.
Laughing, see Dacelo gigas.
Ringed, see Ceryle torquata.
Ruddy, see Halcyon coromandus.
Texan, see Ceryle septentrionalis.
Kingfishers, see Alcedinidæ.

Kinglet, '83, 77.

Cuvier's, see Regulus cuvieri.
Dusky, see Regulus obscurus.
European, see Regulus cristatus.
Golden-crested, see Regulus satrapa.
Golden-crowned, see Regulus satrapa.
Ruby-crowned, see Regulus calendula.
Sitkan, see Regulus [grinnelli =]
calendula.

Western Golden-crowned, see Regulus olivaceus.

Kingsley, John Sterling.

Standard Natural History, vol. iv (rev.), '86, 473.

Hair and feathers (rev.), '98, 207.

Kinneson, George W.

[Bird protection in Florida], '99, 57, 71.

kirki (Dendrobates), see Dendrobates. Kirkover, Harry Donly.

Greater Yellow-legs catching minnows, '89, 51.

Glossy Ibis in western New York, '98, 50.

Kirkpatrick, Harry C.

Absence of Bluebird at Meadville, Pa. '95, 309.

Kirkwood, Frank Coates.

List of birds of Maryland (rev.), '96, 67.

Stilt Sandpiper in Maryland, '99, 76. Red-head (Aythya americana) in postnuptial plumage in autumn, '98, 50. Occurrence of Egyptian Goose in North America, 1900, 64.

Kirtland, Jared Potter.

[Letter from], '83, 126. kirtlandi (Dendroica), see Dendroica. —— (Sylvicola), see Dendroica. Kitchen, J. M. W.

Function of the inferior larynx in birds, '85, 24-31.

Kite, Everglade, see Rostrhamus sociabilis.

Fork-tailed, see Elanoides forficatus. Mississippi, see Ictinia mississippiensis.

Swallow-tailed, see Elanoides forficatus.

White-tailed, see Elanus leucurus.

Kittiwake, see Rissa tridactyla. Pacific, see Rissa pollicaris.

Red-legged, see Rissa brevirostris. kittlitzii (Brachyramphus), see Brachyramphus.

Kitty-Go, see Porzana jamaicensis. Kiwi, see Apteryx.

kızuki (Yungipicus), see Yungipicus.

Knight, Ora Willis.

Nesting of Red-breasted Merganser on Saddleback Ledge, Maine, '95, 387.

Breeding of Somateria dresseri near Isle au Haut, Maine, '95, 388.

The American Crossbill, '95, 390. Pine Grosbeak in captivity, '96, 21-24. Golden Eagle in Maine, '96, 82.

A few notes from Maine, '96, 177-178.

Horned Larks of Maine, '97, 371-374.

List of birds of Maine (rev.), '97, 414.

Short-billed Marsh Wren (Cistothorus stellaris) in Maine, '99, 281-283.

Some notes on the Herring Gull (Larus argentatus), 1900, 63, 169. Knobel, Edward.

Field key to the land birds (rev.), '99, 367.

Knot, see Tringa canutus.

Knowlton, Frank Hall.

Nesting of Duck Hawk (Falco communis) in Vermont. 80, 57.

Notes on habits of Cliff Swallow (Petrochelidon lunifrons), '81, 55. Remarks on some western Vermont birds, '82, 63.

Revised list of birds of Brandon, Vermont (rev.), '82, 113.

Winter Wren (Anorthura troglodytes hiemalis) in western Vermont, '83, 120.

Meadow Lark (Sturnella magna) in Vermont in winter, '83, 182.

Orchard Oriole (Icterus spurius) in western Vermont, '84, 390.

Knowlton, F. H., and Richmond, C. W.,

see Richmond and Knowlton. knudseni (Himantopus), see Himantopus.

- (Puffinus), see P. cuneatus.

Kobbé, William H.

Rufous Hummingbirds of Cape Disappointment, 1900, 8-15.

Birds of Cape Disappointment, Washington, 1900, 349-358.

Koch, August.

Capture of Black Seaside Finch (Ammodramus nigrescens), '99, 277. kodiaka (Pinicola), see P. flammula.

Kohn, Gustave.

Saxicola ananthe in Louisiana, '89,

Brewer's Blackbird near New Orleans, '89, 190.

Missouri Titlark in Louisiana, '94,

Kopman, Henry Hazlitt.

Bird fauna of two sections [of Louisiana] (rev.), 1900, 187.

kotzebuii (Rissa), see R. pollicaris. — (Larus), see Rissa pollicaris. Koumly, Pirmine M.

Behavior of a Summer Tanager, '93, 367.

Krauss, Ferdinand. Obituary of, '91, 120.

Krider, John.

Forty years notes as a field ornithologist (rev.), **'82**, 49.

kriderii (Buteo), see Buteo. Krieker, see Tringa maculata.

Krom, Stephen A.

Turkey Buzzard in Plainfield, New Jersey, '95, 80.

krugii (Gymnoglaux), see Gymnasio nudipes.

Krukenberg, C. F. W.

Die Farbstoffe der Federn (rev.), '82, 114, 177.

kuhli (Coriphilus), see Coriphilus.

- (Puffinus), see Puffinus kuhli or borealis.

Kumlien, Frithof.

Reason or Instinct? '88, 434.

Kumlien, Ludwig.

Contributions to the natural history of Arctic America (rev.), '80, 109.

Yellow-rumped Warbler (Dendræca coronata) breeding in eastern Maryland, '80, 182.

Merlin (Falco æsalon) in Greenland, '87, 345.

Observations on bird migration at Milwaukee, '88, 325-328.

[Note], '88, 435.

The A. O. U. check-list], '97, 341. Kumlien, Thure Ludwig Theodor. Obituary of, '89, 81, 204. kumlieni (Larus), see Larus. Kuril Islands, Japan.

Stejneger, L., '97, 200, 201, '99, 205. kurilensis (Pyrrhula), see Pyrrhula. - (Troglodytes), see Troglodytes.

L

Labrador.

Allen, J. A., '80, 91, '84, 284, '85, 368-369, '91, 305-306, '99, 340. Bangs, O., 1900, 138, 386.

Ball, R., '92, 189.
Brewer, T. M., '78, 50.
Freke, P. E., '85, 373.
Harting, J. E., '85, 374.
Harvie-Brown, J. A., '91, 236.
Merriam, C. H., '85, 296.

Meyer, A. B., '92, 389.

Raine, W., '96, 257.

Rhoads, S. N., '93, 321-333.

Stearns, W. A., '84, 186, 186, 284,

'85, 297, '91, 391. Steineger, L., '85, 386. Turner, L. M., '85, 368.

labradora (Falco), see F. obsoletus. labradoria (Anas), see Camptolaimus.

- (Somateria), see Camptolaimus. labradorica (Fuligula), see Camptolaimus labradorius.

labradorius (Camptolaimus), see Camptolaimus.

(Canachites), see C. canadensis. — (Picoides), see P. americanus. lacrymosa (Dendrornis), see Dendror-

nis. Ladd, Samuel B.

> Description of nests and eggs of Dendroica graciæ and Contopus pertinax, '91, 314.

lætus (Thryothorus), see Thryothorus. lævirostris (Crotophaga), see C. ani. lafresnayei (Dendrocincla), see Dendrocincla.

Lagopus (b Attagen), '84, 225b, '85, 94b, '99, 181, 1900, 37, 38, 40.

alleni (Allen's Ptarmigan), g. dist. '93, 126; N. F. '84, 369*, '85, 201, '94, 177.—plm. '85, 201, '94, 177, 1900, 147 (pl., mlt.).

atkhensis (Turner's Ptarmigan), Alas. '82, 258, '84, 79, '85, 95, '88, 410; g. dist. '93, 126.—plm. 1900, 160 (mlt.); syn. '83, 232, '84, 79;

misc. '93, 333, '94, 194. evermanni (Evermann's Ptarmigan), Alas. '96, 25*, '97, 119.--plm. '96, 197 (col. pl.), 1900, 163 (mlt.); syn. '97, 119.

hyperboreus, Spitzbergen, '85, 95. lagopus (a Willow Ptarmigan or Grouse, b albus, c americanus), Alas. '78, 38°, '81, 6°, '84, 79°, '85, 63°, '87, 12; g. dist. '93, 124; Hud. B. '90, 321; Ill. '95, 379; Man. '86, 153, 329; Me. '92, 300, N. E. '77, 14b, 411, 1900, 147 (pl., mlt.), 166; misc. '80, 87°, '93, 297.

leucurus (White-tailed Ptarmigan), Colo. '79, 96, '81, 141, '85, 14, 17, '95, 152; g. dist. '85, 95, '93, 124; Wash. '93, 17, '97, 173.—fd., song, '81, 141; meas. '84, 392, nst. '95, 152; plm. '81, 141, '84, 392 (claws), 1900, 163 (mlt.); syn. '96, 186.

mutus (b vulgaris), g. dist. '85, 94, 95b.—syn. '83, 232, '84, 80.

nelsoni (Nelson's Ptarmigan), Alas. '84, 226*; g. dist. '85, 95, '93, 126. mlt. 1900, 160; misc. '93, 333, '94, 194.

reinhardi (Reinhardt's Ptarmigan), g. dist. '93, 124; Greenl. '82, 258, '85, 95, '89, 217, '92, 282ª.—hbt., song, '89, 217; plm. '89, 217, 1900, 160 (mlt.); syn. '83, 232; misc. '93, 333.

ridgwayi, Commander Is. '85, 95. rupestris (Rock Ptarmigan), Alas. '78, 38, '84, 79, '85, 63, 157; Arctic Am. '78, 86; g. dist. '85, 95, '93, 124; Hud. B. '90, 321; Que. '85, 221.mig. '85, 63; plm. 1900, 160 (mlt.); syn. '83, 232, '84, 79, '85, 194, 221, '94, 194; misc. '93, 327, 333.

scoticus, plm. '94, 174.

townsendi (Townsend's Ptarmigan), Alas. '96, 26*, '97, 119.—mlt. 1900, 160; syn. '97, 119.

welchi (Welch's Ptarmigan), N. F. '85, 194*; g. dist. '93, 126.—hbt. '85, 194; mlt. 1900, 163; syn. '85, 193, '99, 130.

lagopus (Archibuteo), see Archibuteo. - (Buteo), see Archibuteo.

- (Lagopus), see Lagopus.

lagunæ (Sitta), see S. aculeata.

lahtora (Lanius), see Lanius.

Lalage, '94, 233.

culminata, Borneo, syn. '90, 352. Laletes, '86, 190.

osburni, W. I. '86, 190, '93, 339.meas., plm., syn. '86, 190. Lamb, Wilbur F.

Nest and eggs of Townsend's Flycatcher, '77, 77. Lamellirostres, '83, 232.

Laminiplantares, '81, 35. Lampornis, '86, 348.

dominieus, W. I. '81, 153, '86, 348. -fd. '93, 314, meas., plm., syn. '86, 348.

ellioti, '90, 374*, see virginalis.

hendersonii, W. I. '87, 177*, 180. mango, W. I. '86, 349, '92, 277, '94, 125.—fd. '94, 125; meas. '86, 349; nst. '94, 125; plm., syn. '86, 349; misc. '80, 88, '82, 242.

nigricollis (b violicauda), g. dist. '92, 377; Venez. '97, 366b.

prevosti (b thalassina), '85, 295b.

virginalis (bellioti), W. I. '90, 374b*; syn. '93, 70.

viridis, W. I, meas., plm., syn. '86,

lamprocephalus (Auriparus), see Auriparus.

Lamprocolius acuticaudus, syn. '91, 92. Lampropsar, '91, 344.

Lamprospiza melanoleuca, Bias. '90, 267.

lanarius (Falco), see F. feldeggi.

lanceolata (Chiroxiphia), see Chiroxiphia.

- (Glaucis), see G. hirsuta. lanceolatus (Acanthis), see A. rostrata.

Lane, Ambrose A. Field-notes on birds of Chili (rev.), **'**97, 417.

Langdon, Frank Warren.

Occurrence of Black Vulture in Ohio, **7**7, 109.

Catalogue of birds of vicinity of Cincinnati (rev.), '78, 34.

Revised list of Cincinnati birds (rev.), **'**79, 112.

Albinism in Tufted Titmouse, '79, 116.

White-rumped and Loggerhead Shrikes in Ohio, '79, 120.

Nesting of Kentucky Warbler (Oporornis formosa) in Ohio, '79, 236. Description of new Warbler of genus

Helminthophaga, '80, 208-210.

Ornithological field notes (rev.), '80, 232.

Field notes on Louisiana birds (rev.), '82, 48.

Zoological miscellany (rev.), '82, 50. Carnivorous propensities of the Crow, **'86**. 485.

August birds of Chilhowee Mountains. Tennessee, '87, 125-133.

Lange, Dietrich.

Our native birds, how to protect them and attract them (rev.), 1900, 84.

Langille, James Hibbert. Hooded Warbler in western New York, '82, 119.

Bicknell's Thrush, '84, 268-270.

Our birds in their haunts (rev.), '85, 91-94.

Laniarius abbotti, Africa, '97, 161*. Lanudæ (* Shrikes), '76, 61, '81, 28, 34, '84, 87*, 280, '93, 111, 1900, 110ª.

laniirostris (Euphonia), see Euphonia crassirostris.

Lanio atricapillus, Braz. '90, 267. lawrenceii, Venez. '97, 362.

melanopygius, C. R. '85, 291. Lanius (* Collurio), '76, 61*, '81, 156*, '84, 280, '88, 443, '93, 111, '94, 233, anthonyi (Island Shrike), Cal. '87, 330*, '98, 261*, '99, 122.—hbt., nst. '98, 261; meas. '98, 262, 263; syn. '99, 122.

borealis (a Great Northern Shrike, b Collurio), Alas. '84, 291?, '87, 13; Aris. '85, 238; Cal. '78, 66b; Colo. '81, 89, '83, 160, '85, 15; g. dist. '93, 126; Helg. '95, 330; Hud. B. '90, 322; Hele. 95, 336; Hul. B. 90, 322; Ia. '95, 121, 236; Ida '98, 18; Ind. '89, 26; Ky. '85, 212, '87, 315; Man. '86, 325; Mass. '81, 239, '83, 173, '90, 290, '94, 329; Md. '93, 372; Me. '79, 186 [ludovicianus?]; Minn. '84, 244; Mont. '94, 307?, '95, 218; N. E. '79, 120a, '81, 239b, '86, 400; N. J. '79, 81b; N. M. '85, 238, '90, 390; N. Y. '81, 228, 84, 324; Ont. '84, 158; Que. '82, 235; S. D. '85, 279; Vt. '82, 64; Wash. '82, 227, '97, 179; Wis. '90, 82.—fd., hbt. '94, 329; mig. '95, 121, 236; song, '84, 324, '89, 175, '90, 290; syn. '84, 291, '93, 346, '98, 244.

collaris, Helg. '95, 330.

collurio (a Red-backed Shrike), Germany, '96, 309".

cristatus, Wrangel I. '84, 78.—syn. **'84**, 291.

elegans (b robustus), syn. '77, 91, '97, 323b; misc. '92, 194.

excubitor (a Great Gray Shrike), Germany, '93, 309"; Helg. '95, 330. syn. '93, 346; misc. '86, 407.

(a White-rumped excubitorides Shrike, b Collurio), Ariz. '82, 145, '88, 31, '90, 48, '94, 220a, 221a; Colo. '81, 89, '83, 160, '85, 15, '87, 123; Conn. '89, 74?; g. dist. '89, 224, '98, 244-258; Ia. '95, 121, 235; Ind. '89,

26; Man. '86, 325, '94, 248a; Mass. 25, Man. 60, 323, 97, 273, Mass. 18°; '91, 119°; Mex. '95, 358; Mnn. '90, 213; Mo. '79, 143; Mont. '94, 307, '95, 218; Neb. '85, 279; N. M. '85, 332, '90, 390, '92, 367, '99, 189; N. Y. '78, 53b°, 55b', '79, 175b°. '81, 228?; O. '79, 120b, '95, 242; Ont. '97, 411ª?; Ore. '88, 360 [gambeli?]; R. I. '77, 21b; S. D. '85, 279; Tex. '82, 11, 37, '87, 294, '89, 240, '92, 340, 1900, 347; Wash. '92, 46, '97, 179; Wis. '82, 188?.—anat. '82, 45; fd. '87, 294; hbt. '81, 89; mig. '95, 121, 128a, 235, 242; nst. '83, 160, '87, 294, '88, 31, '89, 26, 224, '91, 106ª [ludovicianus?], 107ª, '94, 221ª; plm. '79, 120b, '81, 89, 228, '82, 145; song, '81, 89, '87, 294.

gambeli (a California Shrike, b Collurio ludovicianus, ° excubitorides), B. C. '93, 237, 1900, 107; Cal. '78, 66b, '86, 87a, 184c, '87, 336, '88, 399, '90, 297, '96, 121c, '98, 235; L. Cal. '95, 142; Ore. '88, 360.—nst. '96, 121°; plm. '93, 237; syn. '98, 261; misc. '86. 184°.

isabellinus, Helg. '95, 330.

lahtora, N. Am., W. coast, '77, 91?. ludovicianus (a Loggerhead Shrike, b Collurio, c Collurio chemungensis, d migrans), Ala. '79, 7b, Conn. '89, 74 [c excubitorides '], '89, 192; D. C. '82, 253; Fla. '88, 275, '90, 14, 342, '91, 128a, 138, '92, 213, '95, 365, 1900, 68; Ga. '83, 38; g. dist. '89, 224, '93, 133, 135, '98, 244-258d, 248d*; Ill. '78, 164b; La. '82, 162; Mass. '76, 30b, '77, 21b, '81, 55, '84, 291, '89, 180^b; Me. '79, 186, '80, 44^a, 50, 109, '81, 250^b; Miss. '82, 91; N. E '79, 119^b, '81, 239^a; Neb. '96, 245 [excubitorides?]; N. H. '79, 119b, '85, 379; N. J. '79, 82b, 223, '94, 139; N. Y. '79, 61°, 237, '80, 118, 173°, '81, 228 ['excubitorides'], '89, 138, 304; O. '79, 120b; Ont. '84, 185; Pa. '89, 198, '99, 312; Que. '84, 193; R. I. '99, 190d; S. C. '79, 214, '92, 35a; Tenn. '86, 317; Tex. '82, 37, '92, 340; Va. '88, 312", '89, 195; Vt. '80, 109, '82, 64, '85, 210.—fd. '84, 291, '89, 74, '90, 342; hbt. '85, 379, '87, 77*, '90, 342, '99, 91*, 1900, 68; meas. '85, 379, '98, 253, 253^a, 254, 255^a, '99, 190^a; mig. '92, 35^a; nst. '79, 119^b, 186, '80, 50, '82, 64, '83, 38, '84, 193. '85, 379, '89, 180°, 224, 225, '98, 251; plm. '81, 228, '82, 145, '98, 248, 251, 251^d, 256 (mlt.), 256^d (mlt.); song, '84, 193, '85, 379; syn. '82, 145, '99,

133^d, misc. '84, 186, '92, 387, '94, 70; '97, 333^a.

major, Helg. '95, 330.—misc. '86, 407.

meridionalis, *Helg.* '95, 330. migrans, '98, 248*, see ludovici-

anus.

minor, Helg. '95, 330. rufus, Helg. '95, 330.

sibiricus, Japan, syn. '93, 346.

Lano, Albert.

Olor buccinator in western Minnesota, '96, 78.

Buteo borealis harlani in Minnesota, '96, 342.

Aquila chrysactos in central Minnesota, '97, 317.

Sennett's Night-hawk (Chordeiles virginianus sennetti) at Madison, Minnesota, '98, 54.

Great Gray Owl (Scotiaptex cinerea) in Minnesota, '98, 186.

Turnstone (Arenaria interpres) in Minnesota, '99, 76.

Lantz, David Ernest.

Song of Cardinalis virginianus, '85, 307.

Habits of Barred Owl, '90, 286. Ionorms martinica in Kansas, '93

300. New and rare birds in Kansas, '99,

187. Review of Kansas ornithology (rev.), '99, 364.

Roseate Spoonbill in Kansas, 1900, 171.

Lantz, D. E., and Goss, N. S., see Goss and Lantz.

Laopteryx priscus (fossil), Wyo. '84, 84.

lapponica (Scotiaptex), see Scotiaptex.
—— (Limosa), see Limosa.

- (Strix), see Scotiaptex.

— (Ulula), see Scotiaptex.

lapponicus (Calcarius), see C. lapponicus or alascensis.

—— (Centrophanes), see Calcarius lapponicus or alascensis.

— (Plectrophanes), see Calcarius. lapponicum (Syrnium), see Scotiaptex. Lapwing, see Vanellus vanellus.

Laridæ (* Gulls), '79, 111*, '81, 82, 109, 162*, '82, 88, '83, 54, 174*, '86, 272*, '91, 109*, '93, 106, 345, '96, 160, '97, 396, 1900, 95*, 199*, 200*, 309*.

lariformis (Hydrochelidon), see H. surinamensis.

(Rallus), see Hydrochelidon surinamensis.

Larinæ, '78, 185.

Lark, '83, 78, see Alauda arvensis. Brown, see Anthus pensilvanicus.

Desert Horned, see Otocoris arenicola.

Dusky Horned, see Otocoris merrilli. Field, see Sturnella magna.

Horned, see Otocoris alpestris.

Hoyt's Horned, see Otocoris [hoyti =] leucolæma.

Little Field, see Spiza americana. Louisiana, see Anthus pensilvanicus.

Mexican Horned see Otocoris char

Mexican Horned, see Otocoris chrysolæma.

Mountain, see Zonotrichia albicollis. Oaxaca Horned, see Otocoris oaxacæ. Pallid Horned, see Otocoris leucolæma.

Prairie Horned, see Otocoris praticola.

Red, see Anthus pensilvanicus. Ruddy Horned, see Otocoris rubea. Scorched Horned, see Otocoris adusta.

Shore, see Otocoris alpestris.

Sonoran Horned, see Otocoris pallida.

Southwestern, see Otocoris arenicola. Sprague's, see Anthus spraguei. Streaked Horned, see Otocoris stri-

Streaked Horned, see Otocoris strigata.

Texan Horned, see Otocoris giraudi.

Western Field, see Sturnella neglecta. Wood-, see Alauda arborea. Larks, see Alaudidæ.

Lark-Bunting, see Calamospiza melanocorys.

Chestnut-collared, see Calcarius ornatus.

Western, see Chondestes strigatus. Lark-Sparrow or Finch, see Chondestes grammacus.

Western, see Chondestes strigatus. Larus, '77, 64, '78, 186, '82, 245, '84, 358, '88, 75, '89, 333, '93, 99, '96, 168, '97, 313.

affinis (Siberian Gull), Siberia, '84, 80, '88, 197; Helg. '95, 340.—syn. '80, 102, '84, 80, '88, 197.

argentatus (a European Herring Gull), Helg. '95, 325; Germany, '96, 312a; Ill. '76, 4, '95, 379; Me. 1900, 63, 169.—nst. '97, 335a; plm., syn. 1900, 63, 169; misc. '92, 225.

atricilla (*Laughing or Blackheaded Gull, b Chrœcocephalus), Austria, '80, 219; Bahamas, '91, 80, '92, 48, 48; Colorado River, '77, 96b?; Engl. '77, 107b; Fla. '87, 137a, 139a, 222, 273a, 274a, 278a '88, 374, 377a,

'90, 306, '92, 211; France. '77, 107b, '80, 219; Ga. '83, 43, '96, 215; Goso I. '77, 70; G. Br. '80, 219; Jamaica, '91, 362, '94, 120; Ky. '89, 311; Malta, '77, 70; Mass. '79, 18, '88, 107, '93, 333, '95, 47, '96, 54, '97, 388, '98, 76, 168, '99, 260, 261°, 1900, 56; Minn. '93, 289; N. J. '79, 227, 56; Minn. '93, 289; N. J. '79, 227, '90, 326, '97, 23; Tex. '82, 225, '90, 80, '91, 110*, 1900, 338; I'a. '76, 27, '81, 118*; W. I. '81, 128*, '88, 75, '91, 46, 48.—hbt. '93, 333; mig. '87, 222; nst. '76, 27, '83, 43, '90, 326, '93, 333, '94, 120, '95, 47, '96, 54, '97, 388, '98, 169*, 171*, '99, 260, 261*, 262*, 263*; plm. '87, 222, 274*, '95, 47, '96, 54, 69*, cur. '88, 75. '95, 47, '96, 54, 69"; syn. '88, 75; misc. 1900, 56ª.

barrovianus (Point Barrow Gull, b glaucus), Alas. '80, 35b, '85, 63b, '86, 330*, '87, 12b; g. dist. '88, 393, '93, 123.—meas. '86, 330; mig. '85, 63b; syn. '96, 161.

belcheri, g. dist. '77, 96?.

brachyrhynchus (Short-billed Gull, ^b suckleyi, ^c Rissa septentrionalis), Cal. '85, 232, '86, 88; g. dist. '93, 125; Que. '90, 387; Wash. '93, 17, 291, 384; B. C. '93, 291, 384.—mig. '85, 232; syn. '78, 186, '80, 88b, 88c, '85, 232.

cachinnans, Cal. '86, 88 [smithsonianus?], '87, 86 [smithsonianus?]; syn. '78, 187, '80, 102, '84, 80, '88, 310, 402.

californicus (California Gull), B. C. '93, 291; Cal. '85, 232, '86, 88, '89, 222; Mont. '94, 301; Ore. '79, 199, '91, 366 (fossil), '93, 344 (fossil); Wash. '93, 17, 291.—syn. '78, 186.

canus (Mew Gull), Labrador, '78, 50, '81, 91, 102, '86, 141; Cal. '85, 232; Helg. '95, 327, '96, 168, '98, 198.—syn. '78, 185, 186, '85, 232.

cirrhocephalus, Argent., hbt., mig.

'84, 316.

delawarensis (a Ring-billed Gull), Cal. '85, 232, '86, 88, '95, 177"; Colo. '83, 198, '85, 18; Fla. '87, 274, '88, 374, '92, 211; Ga. '96, 215; g. dist. '93, 125; Ida. '97, 350; Ind. '88, 345; Ky. '89, 311; Man. '86, 147; Mass. '88, 107ª; Mich. '93, 222; Minn. '80, 20; N. E. '83, 162a, 163a; N. H. 1900, 169; N. J. '79, 227; N. Y. '99, 284; Ont. '82, 116a; Pa. '99, 309; S. D. '85, 288; Tenn. '96, 181; Tex. 1900, 338; Wash. '93, 17.—syn. '78, 186, '95, 72; misc. '95, 73.

dominicanus, Argent. '84, 316?; Chili, '92, 389.—anat. '82, 88; hbt. **'92,** 389.

(Franklin's Gull, franklinii ^b Chroicocephalus, ^c Chroicocephalus cucullatus), g. dist. '93, 125; Ill. '80, 32; Ky. '89, 311; Man. '86, 147; Minn. '80, 12, 20, '93, 290, 1900, 272-283 (illust.); S. D. '85, 289; Wash. '97, 181; W. I. '88, 75; Wis. '85, 222b — fd. '80, 20, 1900, 272, 280, 282; hbt. '80, 20, 1900, 272; meas. 1900, 278; mig. 1900, 272; plm. 1900, 272, 279; song, 1900, 281; nst. 1900, 272-283; syn. '78, 187, '80, 88°, '88, 75, '96, 186; misc. '83, 116 (corr.).

fuscus, Helg. '95, 327.

glaucescens (a Glaucous-winged Gull), Alas. '85, 158, '98, 125, 230; Arctic Am. '80, 109; Cal. '86, 88, '89, 222, '95, 177"; g. dist. '93, 123; H. I. 1900, 201; Wash. '92, 41.—fd. '92, 41; nst. '98, 125; plm. '83, 218; syn. '78, 186, '83, 214, '84, 360.

glaucus (aGlaucous Gull), Arctic Am. '78, 86; g. dist. '93, 123; Grecul. '89, 214; Helg. '95, 327; Ill. '77, 68; Ind. '98, 61; Mass. '98, 50; Me, '83, 186; N. Y. '80, 189, '82, 257, '85, 37, '95, 312; Nova Zembla, 1900, 308a; 189, '81, 187; syn. '78, 186, '82, 179.

heermanni (a Heermann's Gull), Cal. '86, 88, '87, 329, '94, 95a, '95, 177a; L. Cal. '98, 313a.—mig. '94, 95a, 97a; plm. '79, 30 (alb.).

ichthyaëtus, *Helg.* '95, 340. kumlieni (Kumlien's Gull, ^b glaucescens), Bay of Fundy, '83, 125b; g. dist. '83, 216*, '93, 123; N. Am. '84, 384; N. B. '83, 125^b; N. Y. '84, 196, '99, 190?.—meas. '83, 125^b, 217, '84, 196; plm. '83, 125^b, '84, 196; syn. **'83**, 214, 216.

(Iceland or Whiteleucopterus winged Gull, b chalcopterus), Alas. 235, '84, 240, '95, 76, '99, 190?; Que. '82, 240 .- meas. '84, 241, '95, 76; nst. '89, 215; plm. '84, 241; syn. '80, 88b, '83, 215, '84, 287, 360; misc. '84, 288°.

marinus (a Great Black-backed Gull), Alas. '82, 60; Gozo I. '77, 70; Grand Banks of N. F. '79, 128; g. dist. '93, 123; Greenl. '89, 215; Helg. '95, 327; Herald I. '82, 60; Malta, '77, 70: Mass. '88, 107a, '92, 304; Mich. '93, 222; N. F. 1900, 71; N. J. '79, 227, '88, 318; N. Y. '95, 312, '99, 284; P. E. I. '85, 266a; Que. '82, 241, '89, 145.—fd. '92, 332a; hbt. '92, 223; nst. '82, 241; syn. '88, 75.

minutus (a Little Gull, b Chroicocephalus), N. Am. 184, 384; N. Y. 188, 170, 171, 393; Helg. 195, 327.—plm. 196, 698, 149a; syn. 188, 171; misc. 180, 88b.

nelsoni (Nelson's Gull), Alas. '84, 250*; g. dist. '84, 384, '93, 123.—
meas. '84, 251.

occidentalis (a Western Gull), Cal. '85, 232, '86, 88, '87, 329, '89, 222, '94, 95a, '95, 102a, 177a; L. Cal. '88, 241, '97, 205a, '98, 313a; Revill. Is. '98, 315; Wash. '92, 41, 309, '97, 181, 1900, 349.—mig. '94, 95a, 97a; syn. '78, 186.

oregonus (fossil), Ore. '91, 366, '93, 344.

philadelphia (*Bonaparte's Gull, b Chrœcephalus, c Sterna), Alas. '87, 12, '98, 125; Bahamas, '88, 76?; Cal. '85, 232, '86, 89; Colo. '94, 182; Engl. '77, 107b, '85, 374; Fla. '88, 374, '92, 211; g. dist. '93, 125; G. Br. '80, 219; Helg. '80, 219, '91, 300, '95, 340; Hud. B. '90, 320; Ida. '97, 350; Ida. '88, 345; Kan. '79, 190; Man. '86, 147; Mass. '92, 304; Mich. '80, 62, '93, 222; N. C. '93, 242; N. S. '87, 16, '91, 165; N. Y. '81, 235, '99, 284; Ore. '91, 366 (fossil), '93, 344 (fossil); Pa. '99, 309; P. E. I. '85, 266; R. I. '80, 237b; Wash. '92, 41, '94, 73a, '97, 181.—nst. '80, 62; syn. '88, 171, '95, 72; misc. '83, 116 (corr.), '90, 82, '95, 73°. ridibundus (*Black-headed Gull),

Helg. '95, 327.—plm. '96, 69a, 1900, 333 (mlt.); misc. '97, 335.

robustus (fossil), Ore. '91, 366, '93, 344.

schistisagus (Slaty-backed Gull), g. dist. '93, 125; N. Pacific, '84, 231*; N. Am. '84, 384; Siberia, '88, 197.—meas. '84, 231; syn. '84, 232, '88, 197.

smithsonianus (* American Herring Gull), Cal. '85, 232, '86, 88, '95, 102*, 177*; Colo. '86, 285; Fla. '87, 274*, '88, 374, '90, 306, '92, 211; g. dist. '93, 125; Ida. '97, 350; Ill. '95, 215*; Ind. '88, 345; Ky. '89, 311;

Man. '86, 147; Mass. '79, 128a, '81, 127, '88, 107a, '92, 304, 3881, '93, 76. '94, 84, '96, 78a, 88, Me. '82, 152, 1900, 63, 169; Mich. '93, 222; N. B. '83, 7a; N. E. '92, 221, 228; N. F. 1900, 71; N. J. '79, 227, N. S. '87, 14a, '95, 89, '99, 251; N. Y. '81, 235, '95, 312; Ont. '82, 116a; Ore. '91, 366 (fossil), '93, 344 (fossil); Pa. '99, 309; P. E. I. '85, 266a, '93, 7; Que. '82, 241, '89, 146, '92, 388a; R. I. '93, 76, '94, 22, 73, '95, 76, '97, 205; S. D. '85, 288; Tex. 1900, 338; Vash. '93, 17; W. I. '88, 75b, d. '92, 221, 228, 388a; ms. '88, 374, '92, 221, '94, 84, '98, 49; nst. '78, 24a, '79, 23b, '92, 99, 221; plm. '88, 374, '92, 221, 1900, 63, 169; song, '92, 221; syn. '88, 75b, '96, 161a, 1900, 63, 169; misc. '81, 245, '84, 187a, '94, 68, 1900, 199a.

vegæ (Vega Gull), Cal. '95, 177 [smithsonianus?]; g. dist. '93, 125.—syn. '88, 310, 402.

larvata (Aplopelia), see Aplopelia. latebricola (Scytalopus), see Scytalopus.

lateralis (Poospiza), see Poospiza. Lathria cinerea, Boliv. '90, 382; Bras., song, '91, 25.

plumbea, Boliv. '90, 382. latimeri (Vireo), see Vireo.

(Vireonella), see Vireo. Latirostres, '81, 35.

latirostris (Blacicus), see Blacicus.

--- (Circe), see Iache.

— (Contopus), see Blacicus. — (Iache), see Iache.

(Myiobius), see Blacicus.

latissimus (Buteo), see Buteo.
—— (Falco), see Buteo.

laudabilis (Ícterus), see Icterus. lautus (Aulacorhamphus), see Aulacorhamphus.

lawesii (Parotia), see Parotia. Lawrence, George Newbold.

Descr. of new Jay of genus Cyanocitta; also of a supposed new species of Cyanocorax (rev.), '76, 47.

Description of five new species of American birds (rev.), '76, 47.

Birds of southwestern Mexico (rev.), '76, 93.

Occurrence of Barnacle Goose (Bernicla leucopsis) on Long Island, N. Y. '77, 18.

Note on Cupidonia cupido var. pallidicinctus, '77, 52. Note on Doricha enicura, '77, 108. Descr. of new species of birds from Dominica (rev.), '79, 48.

Descr. of seven new species of birds from St. Vincent (rev.), '79, 48.

Descr. of supposed new species of birds from Grenada and Dominica, West Indies (rev.), '79, 49,

Cat. of birds of Dominica from collections by Ober, with his notes (rev.), '79, 49.

Cat. of birds of St. Vincent from collections by Ober, with his notes thereon (rev.), '79, 49.

Cat. of birds of Antigua and Barbuda from collections by Ober, with his observations (rev.), '79, 228.

Cat. of birds of Grenada from a collection by Ober (rev.), '79, 229.

Cat. of birds collected in Martinique by Ober (rev.), '79, 229.

Cat. of a collection obtained in Guadeloupe by Ober (rev.), '79, 229.

General cat. of birds noted from the Lesser Antilles visited by Ober; with table of distribution (rev.), **'79**, 229.

Descr. of a new subspecies of Loxigilla from St. Christopher, West Indies (rev.), '83, 114.

Descr. of a new species of Swift of genus Chætura, with notes on two other little known birds (rev.), '83,

Descr. of new species from Yucatan, of the Columbidæ and Formicarudæ (rev.), '83, 114.

Descr. of a new species of the family Cypselidæ (rev.), '83, 114.

Characters of a new species of Pigeon of genus Engyptila, from Grenada, West Indies, '84, 180.

Occurrence of White-winged Gull (Larus leucopterus) in New York, '84, 240-242.

Descr. of new species of genera Chrysotis, Formicivora and Spermophila (rev.), '84, 387.

Descr. of supposed new species of families Tyrannidæ, Cypselidæ and Columbidæ (rev.), '85, 290.

Descriptions of new species of family Columbidæ, '85, 357-359.

Descr. of a new species of Engyptila (rev.), '86, 268.

Characters of two new species from Yucatan, '86, 269.

List of birds new to Guadeloupe, West Indies (rev.), '86, 269.

Rediscovery of Helminthophila backmani in the United States, '87, 35-37.

Descr. of new Thrush from Grenada, W. I. (rev.), '87, 251.

Specimens of Bachman's and Swainson's Warblers taken in 1887, '87, 262.

Descr. of new species of Wren from Tobago, West Indies, '88, 404.

Account of breeding habits of Puf-finus auduboni in Grenada, West Indies with a note on Zenaida rubripes, '89, 19-21.

Remarks upon abnormal coloring of plumage in several species of birds,

'89, 46–50.

A new name for the Sporophila from Texas, known as S. morelleti, '89, 53.

Descr. of new species of Catharus from Ecuador (rev.), '89, 173.

Account of former abundance of some species of birds on New York island at time of their migration to the south, '89, 201-203.

Descr. of a new subspecies of Chatura, with a note on the Diablotin, 91, 59-62.

Obituary of, '95, 198.

Lawrence, G. N., and Wells, J. G., see Wells and Lawrence.

Lawrence, Newbold Trotter.

European Widgeon (Mareca penelope) in United States, '78, 98.

Ipswich Sparrow (Passerculus princeps) on Long Island, N. Y. '78,

Greater Long-beak, Macrorhamphus scolopaceus, '80, 154-157.
Long Island, N. Y., bird notes, '85,

272-274.

Lawrence, Robert Bowne.

Notes on some of the rarer birds of Long Island, N. Y. '80, 116.

Capture of Great Grav Owl in the Adirondacks, N. Y. '80, 122.

Red Phalarope on Lake Erie, '90, 204.

A new Long Island, N. Y., record for Red-bellied Woodpecker (Melanerpes carolinus), '96, 82.

Lawrence, Robert Hoe.

A breeding place of Pelecanus fuscus, '91, 231.

Preliminary list of birds of Gray's Harbor region, Washington, '92, 39-47.

Aphelocoma californica in Washington, '92, 301.

Further notes on birds of Grav's Harbor region, Washington, '92, 352-

Coccysus americanus occidentalis in Washington, '92, 393.

Pseudogryphus californianus, 93, 300.

Fregata aquila in California, '93, 362. California Vulture in San Gabriel Range, California, '94, 76.

Western Winter Wren in southern California, '94, 181.

Obituary of, '97, 342.

lawrencei (Amazılia), see Amazilia.

- (Astragalinus), see Astragalinus. (Carduelis), see Astragalinus.

(Chætura), see Chætura.

— (Chrysomitris), see Astragalinus. — (Cichlherminia), see Cichlherminia.

--- (Dendrornis), see D. nana.

--- (Empidonax), see Empidonax.

— (Gymnasio), see Gymnasio. --- (Gymnoglaux), see Gymnasio.

- (Helminthophila), see Helminthophila.

— (Icterus), see Icterus.

--- (Lanio), see Lanio.

- (Mimus), see Mimus.

--- (Myiarchus), see M. lawrenceii or olivascens.

- (Myrmelastes), see Myrmelastes. - (Picumnus), see Nesoctites micromegas.

— (Pseudocolaptes), see Pseudocolaptes.

- (Spinus), see Astragalinus.

— (Thryothorus), see Thryothorus. — (Turdus), see Merula leucops. Lawrencia, '86, 382*.

Layard, Edgar Leopold.

Obituary of, 1900, 321.

layardi (Picolaptes), see Picolaptes.

- (Thalassogeron), see Thalassogeron.

lazula (Guiraca), see Guiraca. lazulus (Pitylus), see Guiraca.

leachii (Thalassidroma), see Oceanodroma leucorhoa.

leclancheri (Cyanospiza), see Cyanospiza.

- (Passerina), see Cyanospiza.

leconteii (Ammodramus), see Ammodramus.

 (Coturniculus), see Ammodramus. — (Harporhynchus), see Harporhyn-

- (Toxostoma), see Harporhynchus. Lee, Leslie Alexander.

Breeding of Loggerhead Shrike at Canton, New York, '80, 118

Protection of nest by a Marsh Hawk (Circus cyaneus hudsonius), '80,

Occurrence of Gannet (Sula bassana) in northern New York, '80, 190.

Lee, Oswin A J.

Among British birds in their nesting haunts (rev.), '97, 106, 247, 334, **'**98, 334.

leei (Centurus), see Centurus.

Legatus albicollis, Braz. '90, 270; C. R. '92, 250; Vencs. '97, 365.—plm. '92, 250.

Leiotrichidæ, '81, 34.

Leistes, '88, 414.

guianensis, Bras. '90, 269. superciliaris, Urug., hbt., nst. song. '83, 136.

lembeyei (Aulanax), see Sayornis phœbe.

- (Culicivora), see Polioptila.

- (Muscicapa), see Sayornis phœbe. - (Myiarchus), see Sayornis phœbe. --- (Polioptila), see Polioptila.

Lemmon, William P.

Virginia Rail killed by striking telephone wire, '98, 51.

lentiginosa (Ardea), see Botaurus. lentiginosus (Botaurus), see Botaurus. leocadiæ (Floricola), see Floricola. leopetes (Caprimulgus), see Stenopsis cayennensis.

leotaudi (Chlorospingus), see Chloro-

spingus.

lepida (Euetheia), see E. olivacea. Lepidogrammus, '94, 233, 234. Leptasthenura boliviana, Boliv. '90,

382.

fuscescens, Boliv. '90, 382. platensis (bægithaloides), Urug., hbt., nst. '83, 206; syn. '89, 269b. Leptodon cayennensis, Bras. '91, 161.

Leptopœcile, '84, 280. Leptopogon superciliaris, Venez. '97,

365, 369.

Leptoptila, see Leptotila.

leptorhynchus (Nucifraga), see N. maccrorhynchus.

Leptosoma, '81, 74, '93, 99, 1900, 173. Leptosomatidæ, '81, 75, '93, 68.

Leptosominæ, '81, 74.

Leptotila (b Æchmoptila, c Engyptila), '80, 92°, 100, '87, 111°, '93, 99, '94, 61, '95, 167.

brachyptera (White-fronted Dove or Pigeon, balbifrons, Achmoptila albifrons, Engyptila albifrons), g. dist. '93, 141d; Tex. '77, 82b, '78,

— (Stephanophorus), see Stephano-

collaria or leucocephala.

phorus.

```
144°, '79, 51°.—mcas., song, '77, 82b;
  syn. '80, 100d, '94, 50, 61d, '95, 167.
    capitalis, Mex. '98, 340.
    chalcauchenia, Argent., Urug., hbt.,
  nst., flm. '84, 275.
    collaris (b Engyptila), W. I. '86,
  498b., 502b, '87, 112b.-meas., plm.,
  '87, 112b.
    fulviventris (b Engyptila), Yuca-
  tan, '83, 114, '86, 268b .- syn. '94,
    gaumeri (b Engyptila), Yucatan,
  '85, 290h.
    insularis, W. I. '96, 333.
    jamaicensis (b Æchmoptila, c En-
  gyptila), W. I. '87, 111°, '92, 123°, '94, 123°.—hbt. '92, 123°, '94, 123°;
  meas. '87, 111c; nst. '94, 123; plm.
  '87, 111; syn. '80, 92b, '87, 111c, '94,
    neoxena (b Engyptila), W. I. '87.
  179b*, 181b.—meas. '87, 179b.
    ochroptera, syn. '94, 61.
    reichenbachi (b erythrothorax, c Co-
  lumba erythrothorax, d Engyptila erythrothorax), Bras. '90, 133b, '91,
  162ª; Venez. '97, 366d.—syn. '94, 61°.
    rufaxilla (b Columba, c Engyptila),
  Braz. '91, 162°.—syn. '94, 61b
    verreauxi (b Engyptila), C. R. '92,
  329b; W. I. '93, 220b.
    vinaceifulva (b Engyptila), Yuca-
  tan, '86, 268b.—plm. '86, 268b.
    vinaceiventris (b Engyptila), Hon-
  duras, '89, 172b.
    wellsi (b Engyptila), W. I. '84,
  180b*, '87, 111b, 251b.—meas., plm.,
  syn. '87, 111b; misc. '89, 21b (corr.).
lereboulleti (Turdus), see Merula ja-
       maicensis.
lessoni (Momotus), see Momotus.
Lestornis crassipes, misc. '76, 49.
Lettuce-bird, see Astragalinus tristis.
leucauchen (Merula), see Merula.
leucaysiensis (Myiarchus), see M. sagræ.
leuce (Ardea), see A. egretta.
Leucibis, see Guara.
leucobronchialis (Helminthophila), see
       Helminthophila.
leucocephala (Amazona), see Amazona.
--- (Arundinicola), see Arundinicola.
--- (Chrysotis), see Amazona leuco-
       cephala or collaria.
--- (Columba), see Columba.
--- (Emberiza), see Emberiza.
leucocephalus (Haliæetus), see H. leu-
      cocephalus or alascanus.
 --- (Lybius), see Lybius.
```

--- (Patagiœnas), see Columba.

```
leucocyanea (Cyanecula), see C. sue-
                                        leucogaster (Creciscus), see Porzana
                                               cineresceps.
                                            - (Dryopicus), see Thriponax javen-
                                          — (Dysporus), see Sula sula.
                                        —— (Hemiura), see Hemiura.
                                        ___ (Lybius), see Lybius.
                                        —— (Thryomanes), see Thryomanes.
                                          — (Thryothorus), see Thryomanes.
                                          — (Troglodytes), see Hemiura.
                                        leucogastra (Ardea), see A. ruficollis.
                                           — (Pelecanus), see Sula sula.
                                          — (Polioptila), see Polioptila.
                                        ____(Porzana), see P. cinereiceps.
                                        ___ (Sula), see S. sula.
                                        ____ (Troglodytes), see Thryomanes.
                                        —— (Uropsila), see Hemiura.
                                        leucogenus (Turdus), see Merula auran-
                                               tia.
                                        leucogenys (Merula), see M. aurantia.
                                        leucognaphalus (Corvus), see Corvus.
                                           — (Frugilegus), see Corvus.

    (Microcorax), see Corvus.

                                        leucolæma (Eremophila), see Otocoris
                                               leucolæma or arenicola.
                                           — (Otocoris), see Otocoris.
                                        leucolophos (Penelope), see Pipile cu-
                                               manensis.
                                        leucomelas (Dryobates), see Dryobates.
                                        ____ (Merula), see Merula.
                                           — (Turdus), see Merula.
                                        leuconensis (Tanygnathus), see Tany-
                                               gnathus.
                                        leuconotus (Dryobatus), see Dryobates.
                                            - (Tityra), see Platypsaris nigra.
                                        leuconucha (Sitta), see Sitta.
                                                                         Branta
                                        leucopareius
                                                       (Anser),
                                                                  see
                                               hutchinsii.
                                                      (Bernicla), see
                                                                         Branta
                                        leucoparia
                                               minima.
                                            -(Branta), see B. minima.
                                        Leucopeza, '80, 64, '86, 40.
                                             semperi, W. I., '80, 166, '86, 40.-
                                           meas., plm. '86, 40; syn. '80, 164,
                                           '86, 40.
                                        leucophæus (Mimus), see Mimus.
                                        Leucophoyx, '99, 202.
leucophrys (Cerchneis), see Falco do-
                                               minicensis.
                                         ---- (Emberiza), see Zonotrichia.
                                         —— (Falco), see F. dominicensis.
                                        - (Henicorhina), see Henicorhina.
                                         ____ (Thryomanes), see Thryomanes.
                                         --- (Thryothorus), see Thryomanes.
--- (Psittacus), see Amazona vittata,
```

--- (Tinnunculus), see Falco dominicensis. - (Zonotrichia), see Zonotrichia. leucophthalmus (Turdus), see Merula jamaicensis. leucopogon (Thryophilus), see Thryophilus. leucoprymna (Ardea), see A. ruficollis. leucops (Merula), see Merula. leucopsis (Bernicla), see Branta. — (Branta), see Branta. — (Pipilo), see P. alleni. leucoptera (Ægithina), see Ægithina. — (Æstrelata), see Æstrelata. --- (Columba), see Melopelia. — (Curvirostra), see Loxia. - (Fulica), see Fulica. - (Hydrochelidon) ,see Hydrochelidon. — (Loxia), see Loxia. — (Melopelia), see Melopelia. — (Piranga), see Piranga. — (Turtur), see Melopelia. — (Zenaida), see Melopelia. - (Vıralva), see Hydrochelidon. leucopterus (Larus), see Larus. leucopteryx (Icterus), see Icterus. --- (Melanopsar), see Icterus. —— (Pendulinus), see Icterus. —— (Psarocolius), see Icterus. leucopygus (Rostrhamus), see Rostrhamus. leucorodia (Platalea), see Platalea. leucorhoa (Cymochorea), see Oceanodroma. ---- (Hirundo), see Tachycineta. —— (Oceanodroma), see Oceanodroma. (Tachycineta), see Tachycineta. leucorrhœa (Thalassidroma), see Oceanodroma leucorhoa. Leucosticte, '77, 75, '88, 412. arctous, misc. '80, 88. atrata (Black Leucosticte), Colo. '85, 16; g. dist. '93, 124. (* Brown-capped, australis Brown Leucosticte), Colo. '81, 89, 785, 16, '87, 257, '90, 49 [not 'australis,' see '90, 258], '95, 152°; g. dist. '93, 124.—hbt., song, '81, 89; nst. '95, 152°; plm. '81, 89, '87, 257. griseinucha (Aleutian Leucosticte), Alas. '85, 157, '88, 410; g. dist. '93, 126.—plm. '79, 46. littoralis (Hepburn's Leucosticte), B. C. 1900, 106; Colo. '85, 16; Ida. '98, 15; Minn. '89, 341; Mont. '80, 75, '95, 216; Wash. '97, 92, 177. hbt. '80, 75; meas. '80, 76; mig. '95, 216; song, '78, 189; plm. '80, 27 (alb.), 75.

tephrocotis (a Gray-crowned Leucosticte or Finch), B. C. 1900, 106; Cal. '93, 287; Colo. '85, 16; g. dist. '93, 124, Ia. '83, 240^a, Man. '93, 50; Minn. '93, 290; Mont. '80, 75, '95. 216; Wyo. '81, 177. —7d. '81, 177, '95, 216; hbt. '80, 75, '81, 177, '83, 240, '95, 216; meas. '80, 76; mig. '95, 216; plm. '80, 75, '81, 177, '83, 240, '87, 258; song, '81, 177; misc. '83, 3 (fig.). Leucosticte, Aleutian, see Leucosticte griseonucha. Black, see Leucosticte atrata. Brown, see Leucosticte australis. Brown-capped, see Leucosticte australis. Gray-crowned, see Leucosticte tephro-Hepburn's, see Leucosticte littoralis. leucostriatus (Budytes), see Budytes. leucotis (Basilinna), see Basilinna. —— (Galbalcyrhynchus), see Galbalcyrhynchus. --- (Pyrgisoma), see Pyrgisoma.

- (Thryophilus), see Thryophilus. --- (Trochilus), see Basilınna.

leucotos (Dryobates), see Dryobates. leucura (Saxicola), see Saxicola. - (Serpophaga), see Mecocerculus

calopterus. Leucuria, '99, 91.

phalerata, Colom. '99, 91, 135 (col. pl.), 138, 1900, 82.—plm. 1900, 82. leucurus (Elanus), see Elanus.

--- (Lagopus), see Lagopus. - (Scolopax), see Gallinago major. levaillantii (Chrysotis), see Amazona

- (Lybius), see Lybius.

oratrix. Leverkühn, Paul.

Fremde Eier im Nest (rev.), '92, 185. levipes (Rallus), see R. obsoletus.

Lewis and Clark 'expedition,' new ed. '93, 212.

Lewis, Stewart.

Red-bellied Woodpecker in northwestern New Jersey, '90, 206.

leylandi (Colinus), see Colinus.

l'herminieri (Anous), see Sterna fuliginosa.

- (Anthus), see Seiurus noveboracensis.
 - (Melanerpes), see Melanerpes. - (Thriothorus), see Cinclocerthia
- ruficauda. Libby, Orin Grant.

The nocturnal flight of migrating birds, '99, 140-146.

Liberia.

Oberholser, H. C., 1900, 186, 187. Lichenops andinus, Chili, '80, 42. perspicillatus, Urug., nst., plm.,

song, '83, 141. Lichtensteinipicus, see Microstictus. Life-histories, see Biographies.

Ligea, '84, 1*, see Microligea. palustris, '84, 1*, see Microligea.

Ligurinus, '84, 168. chloris (b Chloris), Helg. '95, 326b;

N. Y. '80, 119 (cage).

sinicus, Denmark, '94, 173. lilfordi (Grus), see Grus.

Limicola pygmæa, Helg. '95, 339.

Limicolæ (Shore-birds or Waders), '81, 30, 78, 81, 83, 162, '82, 47, 116a, '83, 117^a, '84, 383, '86, 272^a, '87, 339^a, 341^a, '88, 331, '93, 108, '96,

64, 165, '97, 102, 1900, 368.

Limnogeranus, see Grus. Limnopardalus maculatus (b Rallus), Urug. '84, 276b?; W. I., meas., plm.,

syn. '88, 52b. rytirhynchus (b Rallus), Argent.,

Urug., hbt., nst., plm. '84, 176b; misc. **'94**, 243.

vigilantis, misc. '94, 243.

Limonites, see Tringa. Limosa, '87, 315, '88, 331.

baueri (Pacific Godwit, b novæzelandiæ), Alas. '79, 53 ['Hudsonian Godwit'], '84, 79°, '85, 63°, 201; g. dist. '93, 123.—mig. '85, 63°; syn.

'84, 79°. fedoa (ª Marbled Godwit), Ariz. '86, 386?; Cal. '86, 91; Colo. '85, 18; Fla. '81, 19, '89, 157, '92, 212; Ga. '96, 215; g. dist. '93, 125; Ind. '88, 349; La. '97, 288; Man. '86, 152; Me. '85, 385, 1900, 386; Minn. '80, 13, 18, '89, 340°; Mo. '79, 147; N. J. 79, 225; N. Y. '82, 256, '86, 436; O. '90, 393; S. D. '85, 286; Tex. '82, 222; W. I. '87, 316, '92, 13?.—anat. '86, 446; hbt. '80, 13, 18, 181, '93, 293, 293; meas. '80, 13, 18; syn. '87, 316; misc. '86, 124.

hæmastica (* Hudsonian or Ring-tailed Godwit, bhudsonica), Alas. '79, 53ª [baueri?]; Argent.'99, 292b; Dak. '80, 59; g. dist. '93, 123; Hud. B. '90, 321; Man. '86, 152; Mass. '79, 64b; Md. '87, 3412; Minn. '89, 340; N. Y. '86, 437, '94, 163; Pa. '79, 235b; S. D. '85, 286; W. I. '87, 316.—hbt. '93, 293, 293; meas. '80, 60; mig. '80, 60, '99, 292b; plm. '80, 29b (alb.), '94, 163; syn. '80, 100, '87, 316, '97, 103; misc. '93, 295.

lapponica (b rufa), Helg. '95, 338. -anat. '86, 446b.

belgica (b melanuroides), Helg. '95, 338.-Kamts. '88, 197b.

limosa (Limosa), see Limosa. Limpkın, see Aramus giganteus.

Linaria, see Acanthis.

226

linaria (Acanthis), see Acanthis. (.Egiothus), see Acanthis.

-(Fringilla), see Acanthis linaria or cabaret.

-(Linota), see Acanthis.

linchii (Collocalia), see Collocalia. lincolni (Melospiza), see M. lincolni or striata.

Lindahl, Joshua.

Black-capped Petrel (Estrelata hasitata) on Ohio river at Cincinnati, '99, 75.

Linden, Charles.

Domestication of some of our wild ducks (rev.), '83, 233.

Obituary of, '88, 220.

lindeni (Coccyzus), see C. americanus. linearis (Chiroxiphia), see Chiroxiphia. - (Geotrygon), see Geotrygon.

lineata (Spermophila), see Sporophila. — (Sporophila), see Sporophila.

 (Thalassidroma), see Thalassidroma.

lineatus (Buteo), see B. lineatus or alleni.

(Ceophlœus), see Ceophlœus.

— (Cymbilanius), see Cymbilanius. — (Euplocamus), see Euplocamus.

- (Picus), see Ceophlœus.

lineolatus (Dactylortyx), see Dactylortyx.

linnæa (Agyrtria), see Agyrtria. Linnæan Society of New York, '83, 50-

55, '88, 222, '89, 196-204, '90, 387.

Linnet, American, see Carpodacus purpureus or frontalis.

Blue, see Cyanospiza amœna.

Brewster's, see Acanthis brewsterii. European, see Acanthis cannabina. Pine, see Spinus pinus.

Red-poll, see Acanthis linaria.

Linota, see Acanthis.

Lintner, G. A.

Capture of Golden Eagle at Albany, N. Y. '83, 123.

Capture of Yellow-breasted Chat at Albany, N. Y. '83, 180.

Duck Hawks breeding in Helderberg Mountains, New York, '84, 391.

Liosceles erithacus, syn. '90, 380. Liotriches, '84, 279.

Lipaugus simplex, Braz. '91, 25. Lipoglossæ, '81, 31, 74.

LIPPINCOTT'S MAGAZINE. Lippincott's Magazine, titles (Nos. 1670-1671), '90, 201. litoreus (Totanus), see T. nebularius. Little Cayman Island, West Indies. Cory, C. B., '87, 7, '89, 30-32. Littlejohn, Chase. Notes on Ancient Murrelet (Synthliboramphus antiquus), '95, 271-277. littoralis (Cardinalis), see Cardinalis. --- (Cyanocitta), see C. stelleri. -(Leucosticte), see Leucosticte. — (Parus), see P. hudsonicus. Livermore, J. Yellow-crowned Night Heron in Rhode Island, '94, 177. livia (Columba), see Columba. lizanoi (Grallaria), see Grallaria. Lloyd, William. Birds of Tom Green and Concho Counties, Texas, '87, 181-193, 289lloydi (Psaltriparus), see Psaltriparus. lobata (Tringa), see Phalaropus. lobatus (Lobipes), see Phalaropus. - (Phalaropus), see Phalaropus. Lobipes, see Phalaropus. Lobivanellus, see Jacana. Localities, see their names. Lockwood, Emma H. Bird protection in New York, '98, 90. Lockwood, Samuel. A black Robin, '80, 46. Obituary of, '94, 189. loculator (Tantalus), see Tantalus. Locustella, '94, 233. certhiola, Helg. '95, 333. fluviatilis, Helg. '95, 333. hondoensis, Japan, '94, 170. nævia, Helg. '95, 333. locutrix (Columba), see Columba. Logcock, see Ceophlœus pileatus. Loggerhead, see Pitangus caudifascilomitensis (Thryothorus), see Thryothorus. Lomvia, see Uria. lomvia (Uria), see Uria. Long-beak, Greater, see Macrorhamphus scolopaceus. longicauda (Bartramia), see Bartramia. — (Icteria), see Icteria. — (Leptostoma), see Geococcyx californianus. — (Palæornis), see Palæornis. - (Psittacus), see Palæornis. —— (Totanus), see Bartramia. --- (Tringa), see Bartramia.

longicaudata (Icteria), see I. longi-

cauda.

longicaudatus (Actiturus), see Bartramia longicauda. — (Stercorarius), see S. longicaudus. longicaudus (Actiturus), see Actiturus. — (Stercorarius), see Stercorarius. Longipennes, '81, 82, '83, 232, '84, 383, '93, 106, 345, '96, 160. longipennis (Dendrochelidon), see Dendrochelidon. —— (Dendrochelidon), see Dendrochelidon. - (Geositta), see Geositta. --- (Hirundo), see Dendrochelidon. — (Sterna), see S. paradisæa. longipes (Thryothorus), see Thryothorus. longirostris (Æstrelata), see Æstrelata. — (Agelaius), see Agelaius. --- (Arbelorhina), see Cœreba. — (Chrysomitris), see Spinus. --- (Cœreba), see Cœreba. ---- (Cyanerpes), see Cœreba. —— (Dendroplex), see Dendroplex. — (Eulampis), see E. holosericeus. — (Floricola), see Floricola. --- (Harporhynchus), Harporhynchus. --- (Icterus), see Icterus. --- (Linaria), see Acanthis. --- (Melanotis), see Melanotis. ---- (Nasica), see Nasica. --- (Numenius), see Numenius. - (Rallus), see R. longirostris, crepitans, or caribæus. - (Scolopax), see Macrorhamphus scolopaceus. - (Spinus), see Spinus. Long Island, see New York. longissimus (Phororhacos), see Phororhacos. Longspur, Alaskan, see Calcarius alascensis. Chestnut-collared, see Calcarius or-Kamtschatkan, see Calcarius color-Lapland, see Calcarius lapponicus or

alascensis.

mornis.

Loomis, Leverett Mills.

cownii.

McCown's, see Rhynchophanes mc-

longuemareus (Pygmornis), see Pyg-

A partial list of birds of Chester Co.,

Northern Phalarope in Chester Co., South Carolina, '80, 242.

South Carolina, '79, 209-218.

Painted, see Calcarius pictus.

Smith's, see Calcarius pictus.

New bird (Plectrophanes pictus) for South Carolina, '81, 115.

Occurrence of Coturniculus lecontei in Chester Co., South Carolina, '82,

Xanthocethalus ıcterocephalus Chester Co., South Carolina, '84,

Supplementary notes on ornithology of Chester Co., South Carolina, '85, 188-193.

Breeding of Psaltriparus minimus in South Carolina, '86, 137.

Dendroica dominica albilora in South Carolina, '86, 139.

Phanicopterus ruber in South Carolina, '86, 408.

Bonasa umbellus in Alpine regions of South Carolina, '86, 483.

Absence of Ammodramus leconter in South Carolina in 1885, '86, 486.

Addition to ornithology of South Carolina, '87, 76.

Remarks on four examples of Yellowthroated Warbler from South Carolina, '87, 165.

Otocoris alpestris praticola in Chester Co., South Carolina, '87, 255. Another addition to avifauna of South

Carolina, '87, 261.

Helinaia swainsonii near Chester C. H., S. C. '87, 347.

Notice of presence of Quiscalus quiscula aneus in upper South Carolina, '88, 113.

Further occurrence of Otocoris alpestris praticola in Chester Co., S. C. '88, 206.

Seiurus noveboracensis notabilis in S. C. '88, 324.

A rare bird in Chester Co., S. C. '89, 74.

Another western bird in South Carolina, '89, 194.

Raven as a South Carolinian, '89, 277.

Observations on summer birds of mountain portion of Pickens Co., South Carolina, '90, 30-39, 124-130.

Further review of avian fauna of Chester Co., South Carolina, '91, 49-59, 167-173, '92, 28-39, '94, 26-39, 94-117.

A forgotten volume [of Audubon's ornith. biography], '91, 230.

June birds of Cæsar's Head, South Carolina, '91, 323-333.

Description of new Junco from California, '93, 47.

Notes on plumage of some birds from upper South Carolina, '93, 151-155. Bobolink on coast of South Carolina,

'94, 255.
Point Pinos Junco (Junco hyemalis pinosus), '94, 265 (col. pl.).

California water birds (rev.), 378, '96, 168, 329, 1900, 182.

Bird protection in California, '98, 109.

Loon, see Gavia imber.

228

Black-throated, see Gavia arctica Pacific, see Gavia pacifica. Red-throated, see Gavia lumme. Sheldrake, see Gavia lumme. Yellow-billed, see Gavia adamsii.

Loons, see Gaviidæ.

Loon, The (magazine), titles (Nos. 1954-1957), '90, 107.

Lophodytes, '88, 69, '93, 107. cucullatus (a Hooded Merganser, Mergus), Ariz. '86, 384; B. C. '93, 291; Cal. '86, 89; Colo. '85, 18, 144; Cuba, '88, 69; Engl. '77, 107b; Fla. '81, 41a, '88, 268, 378, '92, 211; France, '77, 107b, '80, 217b; Ga. '96, 215; G. Brit. '80, 217b; Ida. '97, 350; Ind. '82, 22, '88, 346; Kan. '85, 112; Ky. '89, 312; La. '97, 285; Man. '86, 148; Mass. '96, 203; Me. 1900, 2082; Minn. '84, 249; Mo. '95, 351a, '96, 221; Mont. '92, 212; N. D. '99, 162; N. Y. '81, 235, '84, 288*; Ont. '85, 372b; Ore. '79, 198b, '86, 163, '88, 141, '91, 366 (fossil), '93, 344 (f sil); S. C. '85, 193b; S. D. '85, 288; Tex. '87, 184, '92, 231, 1900, 338; Wash. '93, 17, 291.—hbt. '78, 40b, '95, 351a; nst. '84, 288a, '95, 351a, 1900, 2091; syn. '88, 69. Lophophanes, see Parus.

Lophorina minor, New Guinea, '86, 399.

Lophornis adorabilis, C. R. '92, 324. Lophortyx, '97, 214, '98, 64, '99, 106. californicus (California Partridge

or Quail, b Callipepla, c brunnescens), Cal. '85, 247, '86, 92b; Colo. '85, 14 (introduced); g. dist. '85, 208°, '93, 134^b; Mo. '82, 115^a (introduced); Wash. '92, 43^b.—hbt. '94, 70^a; plm. '76, 22 (alb.), '85, 247, '86, 92b (alb.), 1900, 48^b (mlt.); syn. '85, 372, 372^c, '99, 106; misc. '82, 115^a, '83, 177^a, '85, 205^a, '90, 85^b, '92, 66^a, 196^c.

elegans, Cal. '77, 95?.

fulvipectus (b Callipepla), '99, 26b*.

gambelii (a Gambel's Partridge or Quail, b Callipepla, c Callipepla de-

serticola), Aris. '83, 32, '86, 65a, 388b, '90, 48b, '90 393bb, '92, 198a, '94, 218a, '99, 27b, 1900, 32a; Cal. '83, 32, '84, 355, '85, 247, '89, 280, '90, 297b, '93, 204b, '95, 371c*, g. dist. '93, 134b; Mass. '93, 296a; Mex. '85, 228, 231; N. M. '93, 294b, '98, 307b. —hbt. '94, 128b (3 pll.); plm. '80, 29 (alb.), '85, 247, '86, 389b (mlt.), 1900, 49b (mlt.), '96, 265c, syn. '97, 132°, '99, 27°, 106; misc. '85, 301, '92, 386°, '93, 320°, '94, 68°, 68°. vallicola (" Valley Partridge or Quail, b californica, c Callipepla), B. Quaii, 'cantorinea, 'Campepia', B.
C. '93, 16°; Cal. '83, 32°, '84, 355°, '89, 221, '96, 81°, 116°, 265°, '97, 404, '98, 234°; L. Cal. '95, 136°; Wash. '93, 17°.—fd. '95, 136°, '96, 116°, hbt. '83, 184°, '85, 213°, '95, 136°, '96, 81°, 116°, flm. '96, 265° (hyb.), 1900, 48° (mlt.); nst. '97, 404°; syn. '85, 372°, '99, 106; misc. '97, 107ª. Lophostrix cristata, Bras. '91, 160. stricklandi, C. R. '92, 327. Lophotriorchis, '94, 233. minor, C. R. '92, 173. subcristatus, Venez. '94, 66. zeledoni, C. R. '92, 173. lophotus (Homorus), see Homorus. Lords and Ladies, see Histrionicus histrionicus (males and females). Loriculus, '94, 234, 235. chrysonotus, P. I. '94, 235. galgulus, Borneo, syn. '91, 12. hartlaubii (b worcesteri), P. I. '94, 235, 235b. mindorensis, P. I. '94, 235. philippensis, P. I. '94, 235. regulus, P. I. '94, 235. siquijorensis, P. I. '94, 235. Lorius garrulus, plm. '92, 90. Louisiana. Allen, J. A., '80, 135-137, '88, 324-325, 1900, 187, 392-393. Allison, A., '99, 82-83, 1900, 170, 297. Beckham, C. W., '82, 159-165, '87, 299-306. Bendire, C. E., '93, 366-367. Beyer, G. E., 1900, 97-99. Bicknell, E. P., '80, 182. Brewster, W., '82, 48-49. Chapman, F. M., '91, 318, '99, 10. Coombs, F. E., '92, 204-206. Coues, E., '80, 203. Fisher, A. K., '88, 108, 111, 113. Galbraith, C. S., '88, 323. Ingersoll, E., '81, 184.

181. Langdon, F. W., '82, 48-49. Lawrence, G. N., '87, 35-37, 262-McIlhenny, E. A., '97, 285-289. Merriam, C. H., '87, 262. Ridgway, R., '80, 140. Ufford, H. P., '90, 392. Lowe, Willoughby Prescott. List of birds of West Mountains, Huerfano Co., Colorado, '94, 266-270. Scarlet Ibis (Guara rubra) in Colorado, '95, 324. Addition to birds of Colorado, '95, 298. Lower California, Mexico.
Allen, J. A., '84, 83-84, 284-285, '90, 281–282, '91, 305, '93, 138–139, 306-307, '94, 167-168, '99, 346-Anthony, A. W., '92, 188, '94, 210-214, '95, 52-53, 109-112, 134-143, 183, 280, 347, '97, 164-168, '98, 36, 39, 140-144, 267, 1900, 247-252. Batchelder, C. F., '90, 281. Belding, L., '84, 83, 284. Brewster, W., '88, 83-86, 90, 136, '89, 87, 92, '90, 377-379, '91, 144-145, 146-149. Bryant, W. E., '92, 188, 188, 289. McGregor, R. C., '98, 265-267. Mearns, E. A., '95, 257-259. Merriam, C. H., '93, 305-307. Oberholser, H. C., '97, 390-394. Rhoads, S. N., '93, 238-241. Ridgway, R., '84, 284, '87, 347, '98, 227. Streets, T. H., '78, 80-81. Loxia, '83, 170, '96, 113. amurensis, syn. '83, 170. bifasciata, Denmark, '81, 64?; Helg. '95, 336,—syn. '83, 170. curvirostra (a European Crossbill), Helg. '95, 336.—plm. '83, 121"; syn. '83, 170, '85, 207. himalayana, syn. '83, 170. japonica, syn. '95, 207. leucoptera (a White-winged Crossbill, b Curvirostra), Alas. '88, 410; B. C. 1900, 106; Colo. '81, 89, '85, 16; Engl. '77, 107; Europe, '80, 66, 71; Ga. '96, 210°, 213; g. dist. '93, 126; Hud. B. '90, 322; Ida. '97, 349b; Ill. '90, 239; Ind. '85, 98a, '89, 241; Man. '86, 322; Mass. '83, 148; Me. '83, 47;

Mich. '93, 226; Minn. '84, 244°; N. B. '83, 174°; N. H. '88, 152, 1900,

176; N. S. '95, 90, '99, 252, N. Y. '78, 53, '79, 33, '81, 229, '83, 52*, '93, 276, '99, 195, 1900, 295, O. '89, 201, '92, 397; Ont. '83, 146*, '84, 159; Ore. '86, 168; P. E. I. '85, 264*, '93, 11; Quc. '82, 235, 254, '83, 233*, '89, 148, R. I. 1900, 175.—anat. '83, 47; hbt. '83, 11; mig. 1900, 295, nst. '83, 174*, '85, 210; flm. '78, 117, '82, 254, '83, 46, 233*, '88, 410; song, '93, 11, 1900, 295; syn. '83, 170; misc. '80, 141*.

macroura, syn. '91, 92.

minor (a American Red Crossbill, b curvirostra, c americana), Alas, '98, 128; Atlantic Ocean, '96, 176; Colo. '81, 143° [stricklandi?], '85, 16; D. C. '85, 379°, '88, 22; Ida. '97, 349 [stricklandi?], '98, 15; Ill. '90, 239; Ind. '85, 98a, '89, 24; Ky. '85, 212°, 794, 244°; La. '88, 325, Man. '86, 322; Mass. '83, 148°, '85, 105°, '88, 389, 390, '89, 43°, 100, '90, 225; Ind. '84, 292°, '88, 22; Me. '83, 46°, '95, 390, 1900, 175; Mich. '93, 225; Minn. '84, 244", '86, 322; Mont. '94, 305, '95, 216; N. B. '89, 118b; N. C. '86, 107, '87, 242; N. É. '86, 261; N. H. '87, 105, '88, 152, 154; N. M. '85, 333° [stricklandi?]; N. S. '99, 252; N. Y. '78, 53°, '79, 33°, '80, 7-11°, '81, 229°, '84, 327°, 404°, '85, 100°, '95, 304, 1900, 295; O. '79, 62b, '89, 201; Ont. '84, 88°, 88°, 159°; Ore. '86, 168; Pa. '92, 134, 137, '94, 182a, '99, 312; P. E. I. 85, 264a, '93, 10; '89, 148; S. C. '87, 287, Que. '89, 148; S. C. '87, 287, 289, '88, 115, 208, 324, '89, 197^a, '94, 38^a; Tenn. '81, 56°; Va. '95, 179; '79, 121*, '80, 50°; Wash. '92, 45, '97, 177.—anat. '83, 46°; fd. '87, 287, '88, 208, '93, 11, '99, 362°; hbt. '80, 7°, 50°, '81, 56°, '88, 317, '92, 45, 190°, '93, 11, '98, 15, '99, 252; meas. '80, 9b, '84, 292c; mig. '94, 38a; nst. '77, 74^b, '80, 7-11°, 50°, '84, 88^b, 88^b, 292°, '85, 100°, 105°, 379°, '90, 228, '95, 304; plm. '78, 117°, '81, 56°, '83, 46°, '86, 261; song, '80, 7°, '84, 327°, '93, 11; syn. '83, 170°, '85, 206°, '86, 261; misc. '83, 3b (fig.), '90, 80a, '92, 196°.

pityopsittacus, *Helg.* '95, 336.—
syn. '83, 170.

stricklandi, (* Mexican Crossbill, b mexicana, c bendirei, d Curvirostra mexicana), Ariz. '82, 193b, '87, 197, '88, 114, '90, 49, 258; Colo. '79, 93b, '80, 229b, '81, 143 I' americana '], '83, 160b; g. dist. '85, 207c; Ida. '97,

349^a; Kan. '86, 256^a, 258-261; N. M. '85, 128, 333 ['americana'], Ore. '88, 358.—fd. '87, 197; hbt. '86, 258, '87, 197, mcas. '82, 193^b, '83, 161^b, '86, 260; plm. '82, 193^b, '86, 258; song, '80, 229^b; syn. '83, 160^b, 371, '86, 261; m.sc. '98, 4^c.

Loxigilla, see Pyrrhulagra.

barbadensis, '86, 382*, see Pyrrhulagra.

richardsoni, '86, 382*, see Pyrrhulagra.

Loximitris, '86, 206.

dominicensis, W. I. '81, 152, '86, 207, '95, 279.—meas., plm., syn. '86, 207.

Loxipasser anoxantha (b Loxigilla), W. I. '86, 205, '93, 180b.—meas., plm., syn. '86, 205.

Lucar, see Galeoscoptes.

Lucas, Frederic Augustus.

Birds and windows, '81, 125.

Notes on the os prominens, '82, 86-89 (figs.).

Note on habits of young of Gallinula galeata and Podilymbus podiceps, '82, 124.

Plumage of young of Eclectus polychlorus, '82, 183.

Affinities of *Chætura*, '86, 444-451, '87, 171.

Notes of a bird catcher, '87, 1-6.

Bird rocks of Gulf of St. Lawrence in 1887, '88, 129-135.

Notes on osteology of Spotted Tinamou (Nothura maculosa) (rev.), '88, 198.

Great Auk notes, '88, 278-283.

Abnormalities in ribs of birds, '88, 329.

Main divisions of Swifts, '89, 8-13. Costal variations in birds, '89, 195.

see Walker, M. L., 'quadrate bone in birds' (rev.), '90, 198.

The Great Auk in the U. S. National Museum, '90, 203.

Osteology of the Thrushes, Miminæ, and Wrens (rev.), '90, 277.

Some bird skeletons from Guadalupe Island, '91, 218-222.

see Thompson, D'A. W., 'systematic position of *Hesperornis*' (rev.), '91, 304.

Observations upon history and anatomy of Great Auk (rev.), '91, 306. Osteology of the Paridæ, Sitta, and Chamæa (rev.), '92, 172.

Structure of the tongue in Humming-birds (rev.), '92, 172.

Catalogue of skeletons of birds col-

lected at Abrolhos Is. [Brazil], etc. (rev.), '92, 172.

An egg of Great Auk, '92, 198.

Habits of Herring Gull, '92, 388.

Up to date, '92, 395.

A neglected branch of ornithology, '93, 210.

Food of Hummingbirds, '93, 311-315. Swifts and Hummingbirds (rev.), '93,

Number of ribs in Cypseloides, '93,

The tongue of Cape May Warbler, '94, 141-144 (7 figs.).

Notes on anatomy and affinities of Cœrebidæ and other American birds (rev.), '95, 71.

Additional characters of Macropterygidæ, '95, 155-157 (10 figs.).

A new family of birds, '95, 186.

Tongues of birds, '95, 186. Tongues of Woodpeckers (rev.), '95,

see Ameghino, E., 'oiseaux fossiles de Patagonie' (rev.), '96, 61-63.

Weapons and wings of birds (rev.), '96, *72*.

Deltoid muscle in Swifts, '96, 82. Taxonomic value of the tongue in

birds, '96, 109-115 (12 figs.). Skull of the young Cormorant, '96, 172.

Woodpeckers' tongues-a plea for aid, '96, 174.

Nostrils in young Cormorants, '97,

Osteological and pterylographical characters of Procniatidæ (rev.), '96, 334,

Notes on myology of Hemiprocne zonaris, '99, 77.

[Recent papers on the Great Auk]

(rev.), '99, 91. see Pycraft, W. P., 'osteology of Impennes' (rev.), '99, 363.

see Thompson, D'A. W., 'cranial os-

teology of the Parrot, 1900, 84. Lucas, F. A., and Stejneger, L., see Stejneger and Lucas.

lucasanus (Buteo), see Buteo.

—— (Dryobates), see Dryobates.

— (Vireo), see Vireo.

lucasi (Pediœcetes), see Pediœcetes. lucaysiensis (Myiarchus), see iarchus.

– (Tyrannula), see Myiarchus sagræ.

luce (Ardea), see A. egretta.

--- (Egretta), see Ardea egretta.

--- (Herodias), see Ardea egretta.

luciæ (Helminthophila), see Helminthophila.

lucida (Arbelorhina), see Cœreba.

--- (Cœreba), see Cœreba. lucidus (Cyanerpes), see Cœreba.

lucifer (Calothorax), see Calothorax.

 (Trochilus), see Calothorax. luctuosa (Sterna), see S. fuliginosa. luctuosus (Tachyphonus), see Tachyphonus.

- (Thamnophilus), see Thamnophi-

ludoviciana (Ardea), see A. ruficollis. - (Demiegretta), see Ardea ruficol-

- (Goniaphea), see Zamelodia.

- (Gonophea), see Zamelodia. --- (Guiraca), see Zamelodia.

—— (Habia), see Zamelodia.

lis.

— (Hedymeles), see Zamelodia.

--- (Henicocichla), see Seiurus motacilla.

—— (Herodias), see Ardea ruficollis.

— (Hydranassa), see Ardea ruficollis.

---- (Loxia), see Zamelodia.

--- (Motacilla), see Compsothlypis usneæ.

--- (Piranga), see Piranga.

- (Sturnella), see S. hippocrepis or magna.

– (Tanagra), see Piranga.

--- (Zamelodia), see Zamelodia. ludovicianus (Anthus), see A. pensilvanicus.

(Coccoborus), see Zamelodia.

- (Collurio), see Lanius ludovicianus or gambeli.

- (Lanius), see L. ludovicianus or Tyrannus tyrannus.

— (Seiurus), see S. motacilla.

— (Siurus), see S. motacilla.

— (Thryothorus), see Thryothorus. — (Turdus), see Seiurus motacilla.

lugens (Motacilla), see Motacilla.

luggeri (Tyrannus), see Myiozetetes sulphureus.

lugubris (Chalcophanes), see Quiscalus brachypterus.

- (Contopus), see Contopus.

— (Horizopus), see Contopus. --- (Hypocnemis), see Hypocnemis.

---- (Motacilla), see Motacilla.

—— (Ninox), see Ninox.

—— (Quiscalus), see Quiscalus.

luminosus (Quiscalus), see Quiscalus. - (Quiscalus), see Q. inflexirostris.

lumme (Colymbus), see Gavia.

--- (Gavia), see Gavia. --- (Urinator), see Gavia.

Lunda cirrhata (Tufted Puffin, b Mor-

mon), Alas. '80, 33-35b, '85, 159, '98, 124, 230, Greenl. '85, 388; Mc. '85, 388; Wash. '92, 41.—anat. '88, 328; hbt. '80, 33b, 35b; nst. '80, 34b, '98, 124; plm. '80, 126, 128 (mlt.); syn. **'80**, 128. lunifrons (Hirundo), see Petrochelidon. --- (Petrochelidon), see Petrocheliluridus (Picus), see Meiglyptes tukki. luscinia (Daulias), see Daulias. - (Daulias), see Daulias. Lusciniola fuscata, Helg. '95, 332. luteicapilla (Euphonia), see Euphonia. luteiventris (Myiodynastes), see Myiodynastes. Iuteola (Cœreba), see Cœreba. —— (Emberiza), see Emberiza. --- (Sicalis), see Sicalis. lutescens (Helminthophila), see Helminthophila. luteus (Colaptes), see Colaptes. lutosus (Polyborus), see Polyborus. luxuosa (Xanthoura), see Xanthoura. luzonensis (Parra), see Hydrophasianus chirurgus. Lybius, 1900, 179. abbotti (b Melanobucco), Africa, '97, 164b*.-meas. '97, 164b; syn. 1900, 179. æquatorialis, syn. 1900, 179. albicauda, syn. 1900, 179. bidentatus, syn. 1900, 179. congicus, syn. 1900, 179. irroratus, syn. 1900, 179. leucocephalus, syn. 1900, 179. leucogaster, syn. 1900, 179. levaillantii, syn. 1900, 179. macclounii, syn. 1900, 179. melanopterus, syn. 1900, 179. senex, syn. 1900, 179. torquatus, syn. 1900, 179. tridactylus, syn. 1900, 179. undatus, syn. 1900, 179. vieilloti, syn. 1900, 179. zombæ, syn. 1900, 179. Lydekker, Richard, and Sclater, Philip Lutley. Royal Natural History, birds, vols. iii, iv (rev.), 96, 156-160, 252. Lyncornis, '94, 233. Lyre-bird, see Menura superba. lyrura (Doricha), see Doricha. Lyrurus tetrix (* Blackcock), misc. 1900, 110a. Lysurus, '98, 223, 225*.

Lyttleton, Thomas.

Obituary of, '96, 348.

MACKAY. M Mabbett, Gideon. Query in regard to Least Tern, '90, Macaw, Blue, see Ara hyacinthina. maccalli (Ortalis), see Ortalis.
—— (Scops), see Megascops. macclounii (Lybius), see Lybius. maccouni (Plectrophanes), see Rhynchophanes. (Rhynchophanes), see Rhynchophanes. macdonaldi (Nesomimus), see Nesomimus. macei (Dryobates), see Dryobates. - (Picus), see Dryobates. MacFarlane, Robert. Notes on and lists of birds and eggs collected in Arctic America (rev.), '92, 64. macfarlanei (Megascops), see Megascops. macgillivraii (Ammodramus), see A. macgillivraii or fisheri. - (Fringilla), see Ammodramus. macgillivrayi (Geothlypis), see G. tolmiei. (Sylvia), see Geothlypis tolmiei. Machetes, see Pavoncella. Machetornis rixosa, Urug., hbt. '83, 142. Mackay, George Henry. Notes on several species of water birds at Muskeget I., Massachusetts, '90, 294. Somateria dresseri, the American Eider. '90. 315-319.

Habits of Golden Plover (Charadrius dominicus) in Massachusetts, '91, 17-24.

Uncommon birds for Nantucket Island, Massachusetts, '91, 120.

Scoters (Oidemia americana, deglandi and perspicillata) in New -England, '91, 279-290.

'Fire-lighting,' '91, 340-343.

Habits of Eskimo Curlew (Numenius borealis) in New England, '92, 16-21.

Calidris arenaria in Massachusetts in winter, '92, 72.

Habits of Black-bellied Plover (Charadrius squatarola) in Massachusetts, '92, 143-152, 300.

Anas carolinensis and Gallinago delicata in winter, '92, 199.

Migration of Charadrius dominicus in Massachusetts in 1891, '92, 199. Habits of American Herring Gull

(Larus argentatus smithsonianus) in New England, '92, 221-228.

Migration of Urinator imber, '92, 292. Spring migration of Scoters in 1892,

'92, 292–294.

Red Phalarope (Crymophilus fulicarius) at Nantucket I., Massachusetts, '92, 294-298.

Water birds at Nantucket, Massachusetts, '92, 304-306.

Habits of Oldsquaw (Clangula hyemalis) in New England, '92, 330-337.

Habits of Hudsonian Curlew in Massachusetts, '92, 345-352.

Totanus flavipes and Charadrius dominicus, '92, 389.

Tryngites subruficollis, '92, 389.

Observations on Knot (Tringa canutus), '93, 25-35.

Larus argentatus smithsonianus, '93,

Branta canadensis, '93, 77.

Branta bernicla at Nantucket, Massachusetts, '93, 77.

Migration of Numerius borealis in Massachusetts in 1892, '93, 79. Charadrius squatarola, '93, 79.

Migration of Charadrius dominicus in Massachusetts in 1892, '93, 79-

Fly lines, '93, 245-249.

Behavior of a Sandhill Crane, '93,

Observations on breeding habits of Larus atricilla in Massachusetts, **'93**, 332–336.

Stray notes from vicinity of Muskeget Island, Massachusetts, '93, 370.

Habits of Double-crested Cormorant (Phalacrocorax dilophus) in Rhode Island, '94, 18-25, 175.

Further news of the Gull 'Dick,' '94, 73, '95, 76.

The 1893 migration of Charadrius dominicus and Numenius borealis in Massachusetts, '94, 75, 76.

Stray notes from Massachusetts, '94, 84, 85.

Notes on certain water birds in Massachusetts, '94, 223-228, 324.

Terns of Muskeget I. Massachusetts, '95, 32-48, 178, '96, 47-55, '97, 383-390, '98, 168-172.

Branta canadensis, '95, 77.

Numenius hudsonicus, '95, 77.

The 1894 migration of Charadrius dominicus in Massachusetts, '95, 78. Nantucket notes, '95, 310.

Gull 'Dick' again, '96, 78.

The 1895 migration of Charadrius dominicus in Massachusetts, '96, 80. A correction, '95, 86.

Nantucket and Muskeget Island notes, '96, 88.

Gatke's birds of Heligoland, '96, 89-

Sundry notes, '96, 182, '97, 228.

The 1896 migration of Charadrius dominicus and Numenius borealis in Massachusetts, '97, 212-214.

Terns of Penikese Island, Massachusetts, '97, 278-284.

Arrival of Terns at Penikese Island in 1897, '97, 313.

Great flight of Robins in Florida, '97, 325.

Terns of Penikese—a correction, '97, 402.

Gull 'Dick,' '98, 49.

The 1897 migration of Golden Plover (Charadrius dominicus) and Eskimo Curlew (Numenius borealis) in Massachusetts, '98, 52.

Bird protection in Massachusetts, '98, 84-89, '99, 63-66.

Turkey Vulture (Cathartes aura) in Somerville, Mass. '99, 181.

Fauna of Muskeget Island-a reply, '98, 210.

White-winged Scoters (Oidemia deglandi), '99, 179. The 1898 migration of the Golden

Plover (Charadrius dominicus) and Eskimo Curlew (Numenius borealis) in Mass. '99, 180.

Barn Swallows (Hirundo erythrogastra), '99, 184.

Terns of Muskeget and Penikese Islands, Massachusetts, '99, 259-266.

Macoun, John.

Extract from a report of exploration [Canada] (rev.), '82, 113. Catalogue of Canadian birds, pt. i

(rev.), 1900, 394.

Macpherson, Hugh Alexander. [Chapters in Royal Natural History]

(rev.), '96, 157. History of fowling (rev.), 1900, 85.

Macrochires, '81, 36, '86, 404, 414, 491-495, '87, 80-82, 170-172, '90, 278.

macrodactyla (Oceanodroma), see Oceanodroma.

- (Sterna), see S. hirundo.

macrolopha (Cyanocitta)), see Cyanocitta.

- (Cyanura), see Cyanocitta.

macromystax (Antrostomus), see Antrostomus.

- (Caprimulgus), see Antrostomus. Macronus, '94, 234.

macroptera (Spinus), see Spinus. - (Sterna), see S. hirundo.

Macropterygidæ, '95, 155-157, '97, 419, '99, 78, 382 (corr.). Macropteryx, see Dendrochelidon.

macropus (Phalacrocorax), see Phalacrocorax.

Macropygia, '94, 235. Macrorhamphus, '87, 312, '88, 193, '93,

griseus (a Dowitcher or Red-breasted Snipe), D. C. '80, 112; Engl. '85, 374, '92, 290a; Europe, '77, 107, '80, 145; Fla. '81, 19, '87, 219, 279, '89, 156, 157, '92, 212; g. dist. '80, 157-160, '93, 125; Hud. B. '90, 321; Ida. '97, 351; Ill. '96, 180; Ind. '97, 199, '98, 62; Jamaica, '92, 13, '94, 122; La. '97, 288; Man. '86, 151; Mass. '93, 296; N. C. '99, 246²; N. E. '76, 73; N. J. '79, 225; N. Y. '95, 313; O. '90, 393; Ont. '90, 400; Ore. '79, 197 [scolopaceus?]; Que. '82, 238; Tex. '87, 185, '88, 110; W. I. '87, 312.—hbt. '81, 19, '93, 293, 293; meas. '80, 155, 160; mig. '87, 219, 279; mlt. '88, 110, 1900, 370; plm. **'80**, 154, 158, **'86**, 413, **'89**, 156, 1900, 370; song, '80, 156; syn. '80, 155, 158, '87, 312; misc. '93, 296.

scolopaceus (Long-billed Dowitcher), Alas. '85, 63; Cal. '87, 87; Colo. '83, 197, '85, 18 ['griseus']; D. C. '88, 147; Fla. '81, 19, '88, 184, '89, 156, '92, 212; g. dist. '80, 157–160, '93, 125; Ill. '96, 180; Jamaica, '92, 13; La. '97, 288; Mass. '79, 64, '96, 88; N. E. '76, 73; N. Y. '80, 154-157, '84, 32, '85, 37, 273, '86, 436, '95, 313; Ore. '79, 197 ['griseus']; S. D. '85, 286; Tex. '92, 245. Wach '92, 354. W. I '87, 312 345; Wash. '92, 354; W. I. '87, 312, '90, 374.—hbt. '81, 19; meas. '80, 155, 160, '84, 32, '85, 37; mig. '85, 63; plm. '80, 154, 157, 1900, 370, 372, 375 (mlt.); song, '80, 156; syn. '80, 154, 159, '87, 312, '97, 103; misc. '80, 88.

macrorhyncha (Cinclocerthia), see Cinclocerthia.

macrorhynchus (Cymborhynchus), see Cymborhynchus.

- (Nucifraga), see Nucifraga. - (Turdus), see Cymborhynchus. macrotarsa (Gelochelidon), see G. nilotica.

- (Sterna), see Gelochelidon nilotica. Macrotarsus, 1900, 167.

macroura (Columba), see Zenaidura.

— (Eupetomena), see Eupetomena. ---- (Loxia), see Loxia.

--- (Sterna), see S. paradisæa.

- Zenaidura), see Zenaidura.

macrourus (Dendrortyx), see Dendror-

– (Quiscalus), see Quiscalus. macrura (Ectopistes), see E. migratorius.

macrurus (Emberizoides), see Emberizoides.

- (Thryothorus), see Thryothorus. macularia (Actitis), see Actitis.

--- (Tringa), see Actitis.

 (Tringoides), see Actitis. macularius (Totanus), see Actitis.

maculata (Actodromas), see Tringa.

--- (Fringilla), see Zamelodia melanocephala.

– (Tringa), see Tringa. — (Zenaida), see Zenaida.

maculatum (Todirostrum), see Todirostrum.

maculatus (Aramides), see Limnopardalus.

- (Bucco), see Bucco.

(Colinus), see Colinus.(Falco), see F. islandus.

- (Harporhynchus), see Harporhynchus.

— (Limnopardalus), see Limnopardalus.

--- (Pipilo), see Pipilo.

—— (Rallus), see Limnopardalus.

maculipennis (Coccothraustes), see C. abeillii.

maculirostris (Selenidera), s. see gouldi.

maculosa (Anas), see Anas.

- (Columba), see Columba.

--- (Dendroica), see Dendroica.

---- (Motacilla), see Dendroica.

—— (Nothura), see Nothura.

--- (Sylvia), see Dendroica.

— (Sylvicola), see Dendroica. -- (Tringa), see T. maculata.

maculosus (Circus), see Circus.

- (Rhimamphus), see Dendroica. Madagascar.

Allen, J. A., 1900, 304.

Madarasz, Julius von.

Zeitschrift für die gesammte ornithologie (rev.), '86, 398. maderensis (Fringilla), see Fringilla. madrensis (Columba), see Columba.

magæi (Ornismya), see Sporadinus maugæi.

Magazines (noticed), see each title. magdalenæ (Thryothorus), see Thryothorus. Magdalen Islands, see Quebec. magellanica (Chrysomitris), see Spinus notatus or barbatus. magellanicus (Carduelis), see Spinus notatus. - (Chlœphaga), see Chlœphaga. magister (Myiarchus), see Myiarchus. magna (Sturnella), see Sturnella. magnifica (Ptilorhis), see Ptilorhis. magnirostris (Asturina), see Rupornis. -(Cœreba), see Cœreba. — (Eribates), see Eribates. - (Fringilla), see Acanthis holbœllii. --- (Linaria), see Acanthis holbœllii. (Melittarchus), see Tyrannus. ---- (Mimus), see Mimus. — (Myiarchus), see Eribates. — (Myiobius), see Eribates. - (Phæthusa), see Phæthusa. - (Pipilo), see P. megalonyx. - (Ramphocelus), see Ramphocelus. —— (Rupornis), see Rupornis. (Sterna), see Phaëthusa. (Tyrannus), see Tyrannus. magnoides (Saltator), see Saltator. magnus (Epimachus), see Epimachus. (Saltator), see Saltator. Magpie, American, see Pica hudsonica.

Black-billed, see Pica hudsonica. European, see Pica pica. Yellow-billed, see Pica nuttalli. Magpies, see Garrulinæ. maguari (Ciconia), see Ciconia. Mailliard, Joseph.

Remarkable persistency in nesting of Western Yellow-bellied Flycatcher, '81, 119.

Baird's Sandpiper (*Tringa bairdii*) on California coast, '98, 51. Occasional visitants at San Geronimo,

Marin Co., California, '98, 196. California bird notes, '98, 197.

Notes on nesting of Fork-tailed Petrel (Oceanodroma furcata), '98, 230-233.

Formaldehyde as an aid in collecting ornithological specimens, 1900, 318-320.

Maine.

Allen, J. A., '78, 195, '80, 109, 119–120, 131–132, 184, '86, 482.
Allen, F. H., '98, 60–61.
Bangs, O., '98, 176, 1900, 136.
Batchelder, C. F., '79, 241–242, '82, 106–111, 147–152, '90, 284.
Batchelder, E. A., '89, 175.
Bates, A. F. C., '95, 48–51.

Berry, H. E., '90, 84, 84. Bicknell, E. P., '80, 9-10. Boardman, G. A., '80, 64, 115, '90, 393. Bowler, E. S., '85, 196. Brewer, T. M., '77, 79, 81. Brewster, W., '76, 19, 30, '80, 1–7, 81, 60–61, 125, '83, 125, 164–166, '84, 288, '85, 108, '87, 75, 158, 160, '88, 424, '90, 92, '93, 82-83, '95, 180, '96, 44-46, '97, 207, 1900, 207-216. Brock, H. H., '96, 79, 173, 255, 256. Brown, J. C., '88, 209, '89, 71, 74, Brown, N. C., '76, 31, '77, 27, '78, 98, 102, '79, 106–108, '80, 52, 236– 237, '81, 187, '82, 58, 60, 119, 122, 123, 189-190, '83, 112, 186, 243, '84, 394, 395, '85, 385, '86, 136-137, '89, 69, 70, '90, 201, '94, 331, '96, 80, 264–265, '97, 224, 324, 1900, 175, 386. Butters, C. S., '91, 108, 109. Cahoon, C. E., '89, 175. Carpenter, F. H., '84, 94, '85, 99. Chadbourne, A. P., '86, 278-279, '89, 256. Crosby, S. L., '93, 296. Coues, E., '80, 24-25, '83, 112-113. Deane, R., '76, 74, '79, 37-39, '80, 50, 64. Dutcher, W., '93, 82, 83. Eddy, N. A., '80, 241, '83, 176. Ford, T., '94, 70, 70. Goodale, J. L., '85, 215, 216, '86, 277, '87, 77, 77-78. Gushee, R. A., '84, 286. Grant, W. G., '87, 341. Hardy, F. P., '90, 394. Hardy, M., '80, 186, 241, '85, 108. Henshaw, F., '88, 314. Jencks, F. T., '86, 270, 272. Job., H. K., '98, 55. Knight, O. W., '95, 387, 388, '96, 82, 177, '97, 371–374, '99, 281–283. Lee, L. A., '80, 185–186. Lewis, L., '93, 295. Merrill, H., '81, 249–250, '82, 190–191, '83, 177, '86, 413, '90, 201, '92, 292, 300, '99, 182.
Norton, A. H., '93, 302, '94, 78–79, '96, 229–234. Piston, V. E., '90, 80. Powers, W. L., '97, 219. Purdie. H. A., '76, 75-76, '79, 186, 189, '80, 44, 242, '82, 124. Rich, J. G., '94, 69.

Ridgway, R., '87, 256. Sage, J. H., '83, 176.

Smith, E., '81, 113, '83, 117, 117, 164,

purus, Braz. '99, 292. manacus (Manacus), see Manacus.

```
'84, 186, 285, 287, 287, 288, '85,
     301, '87, 66, 67.
  Stillwell, E. M., '81, 113.
  Swain, J. M., 1900, 387-388.
Todd, L. M., '87, 260, 351.
Townsend, C. W., '81, 60, '85, 106.
  Wilson, C. B., '90, 81.
Maine, report of commission of fisher-
     ies and game, 1880, title (No. 160),
     '81, 113,
Maine Ornithological Society, '99, 212.
maingayi (Syrnium), see Syrnium.
Majaqueus æquinoctialis, Cape Horn,
  hbt. '87, 3.
major (Æchmophorus), see Æchmo-
       phorus.
   - (Bathmidurus), see
                             Pachyram-
       phus.
 - (Crotophaga), see Crotophaga.
—— (Dendrocopus), see Dryobates.
—— (Dryobates), see Dryobates.
—— (Gallinago), see Gallinago.
--- (Henicocichla), see Seiurus mota-
       cilla.
  --- (Lanius), see Lanius.
   - (Pachyramphus), see Pachyram-
      phus.
  — (Parus), see Parus.
  — (Picus), see Dendrobates.
 --- (Puffinus), see P. gravis.
--- (Quiscalus), see Quiscalus.
 --- (Scolopax), see Gallinago.
 --- (Sterna), see S. caspia.
                                Cœreba
majuscula
            (Certhiola), see
      chloropyga.
makavouanna (Macrocercus), see Ara
      tricolor.
malaccensis (Callolophus), see Chryso-
      phlegma.
--- (Chrysophlegma),
                          see
                                Chryso-
      phlegma.
    - (Picus), see Chrysophlegma.
Malacoptila rufa, Braz. '91, 158.
malayensis (Chaptia), see Chaptia.
Malimbus nigricollis, syn. '91, 92.
Mallard, see Anas boschas.
  Black, see Anas obscura.
  Summer Black, see Anas maculosa.
Malmgren, Anders Johan.
  Obituary of, '98, 79, 214.
Maltese Islands.
  Brewer, T. M., '77, 70.
  Dalgleish, J. J., '80, 144, 149.
  Grant, W., '77, 70.
malura (Drymophila), see Drymophila.
maluroides (Synallaxis), see Synallaxis.
Manacus, '90, 381.
    abditivus, Colom. '99, 292.
    gutturosus, Braz. '99, 292?.
   manacus, Braz. '91, 25, '99, 292.
```

```
mandtii (Cepphus), see Cepphus.
    – (Uria), see Cepphus.
mango (Lampornis), see Lampornis.
     - (Trochilus), see Lampornis.
Mangrove Hen, see Rallus caribæus.
Manikup, 1900, 179.
     albifrons, syn. 1900, 179.
     peruviana (b Pithys), syn.
   381b, 1900, 179.
manillæ (Penelopides), see Penelopides.
manimbe (Ammodramus), see Ammo-
        dramus.
    - (Coturniculus), see Ammodramus.
Manitoba.
  Allen, J. A., '91, 301-302.
  Batchelder, C. F., '90, 404.
Brodie, W. G. A., '84, 185.
  Christy, R. M., '85, 375.
McArthur, A., '87, 351-353.
  Raine, W., '96, 256.
Thompson, E. E. [or Seton], '84, 192-193, '85, 21-24, 218, 267-271,
     314, '86, 145-156, 320-329, 453,
    '93, 49-50.
  Wood, T. B., '85, 375.
Man-o'-War Bird, see Fregata aquila.
Maps, see Plates.
maracana (Ara), see Ara.
Maraguana Island, West Indies.
  Cory, C. B., '92, 48.
Marble, Charles C.
  Obituary of, 1900, 404.
Marbleheader, see Fulmarus glacialis.
marchi (Euetheia), see E. bicolor.
    - (Fringilla), see Euetheia bicolor.
 - (Phonipara), see Euetheia bicolor.
Marcy, Oliver.
  Obituary of, '99, 211.
Mareca, '88, 63, '96, 162, '99, 103.
americana (* Baldpate Duck or
  Widgeon, b Anas), Alas. '84, 80a, '85,
  269b, '88, 378b, '91, 137b, '92, 211b,
  148a; Mass. '82, 185, '92, 304b, '96,
  200; Me. '84, 394; Mo. '95, 11ª; N.
  D. '99, 161a, 162a, 164a, 165a; N. J. '89, 302b; N. Y. '82, 256; Ore. '79,
  198, '88, 141<sup>b</sup>, '91, 366<sup>b</sup> (fossil), '93, 344<sup>b</sup> (fossil) : R. I. '83, 61 ; S. C. '79, 218; S. D. '85, 288; Tex. '82, 224,
  '87, 184b, '92, 231b, 1900, 339; Utah,
```

'86, 266; Wash. '92, 42^b, '97, 171^b; W. I. '88, 63.—nst. '86, 266, '99, 164^a, 165^a, plm. '90, 50^b, '92, 165^a (hyb.); syn. '88, 63, '99, 103; misc. '85, 301^a, '86, 125, 144^b 401 403.

penelope (a European Widgeon, b Anas), Alas. '84, 80, '85, 373; Cal. '86, 491, '87, 339b; Helg. '95, 326; Ind. '95, 179b, 292b, 292b, '96, 255b, '99, 270b; Md. '90, 283b; N. C. '79, 190, '80, 126; N. J. '83, 116a, '89, 302b, N. S. '89, 64b; N. W. T. 1900, 181; N. Y. '78, 98; Va. '78, 98, '90, 88b, 204b—meas. '90, 88b; nst. '85, 373; plm. '92, 165b (hyb.); syn. '99, 103; msc. '86, 144b, '90, 397a.

sibilatrix, Argent., Urug., hbt., mlt. '84, 274.

margarethæ (Delattria), see Delattria. margaritaceus (Lampornis), see L. dominicus.

—— (Polytmus), see Lampornis dominicus.

---- (Trochilus), see Lampornis dominicus.

Margarops, '84, 14, 182, '93, 357.

densirostris, W. I. '80, 166, '86, 15, '87, 95.—meas., syn. '86, 15; plm. '86, 15, '87, 95.

fuscatus, Bahamas, '92, 48, 49; g. dist. '91, 43; W. I. '86, 14, '90, 374, 375, 375, '91, 297, 298, 337, 338, 351, '91, 48, '93, 356.—meas. '86, 14; plm., syn. '86, 14, '91, 42.
rufus, '88, 47*, see Allenia mon-

tana.

Margarornis brunnescens, C. R. '92, 173.

Margaulx, see Sula bassana.

marginata (Zenaidura), see Z. macroura.

maria (Trochilus), see Aithurus polytmus.

mariæ (Cardinalis), see Cardinalis.

marianæ (Cistothorus), see Cistothorus.
—— (Troglodytes), see T. aztecus.

marila (Anas), see Aythya marila or affinis.

—— (Aythya), see Aythya.

—— (Fuligula), see Aythya affinis.

—— (Fulix), see Aythya.

marilandica (Trichas), see Geothlypis trichas.

mariloides (Aythya), see Aythya.

—— (Fuligula), see Aythya affinis.

marina (Pelagodroma), see Pelagodroma.

marinus (Larus), see L. marinus, argentatus or schistisagus.

Maris, Willard Lorraine.

Unspotted eggs of Chipping Sparrow, '95, 482.

Obituary of, '96, 193.

maritima (Agriornis), Agriornis.
—— (Arquatella), see Tringa.

— (Certhiola), see Dendroica tigrina.

—— (Fringilla), see Ammodramus. —— (Sylvia), see Dendroica tigrina.

— (Sylvicola), see Dendroica tigrina.

— (Tringa), see Tringa. maritimus (Ammodramus), see

maritimus or macgillivraii.
— (Corvus), see C. ossifragus.

—— (Rhimamphus), see Dendroica tigrina.

markhami (Oceanodroma), see Oceanodroma

Marlin, see Limosa fedoa.

Brown, see Limosa fedoa.

Ring-tailed, see Limosa fedoa.

Marlingspike, see Stercorarius longicaudus.

Black, see Stercorarius pomarinus. marmoratus (Brachyramphus), se Brachyramphus.

— (Charadrius), see C. dominicus.

(Megascops), see M. guatemalæ.

Marschall, August Friedrich. Obituary of, '89, 80.

Marsh, Othniel Charles.

Extinct birds with teeth (rev.), '76, 49.

Odontornithes (rev.), '80, 234-236. Affinities of *Hesperornis* (rev.), '98,

Obituary of, '99, 211.

Marshall, William B.

Birds recently added to collection of New York State museum, '92, 203. Marshall, William B., and Dutcher,

William.
A specimen of Numenius arquatus said to have been taken on Long Island N V '02 300-302

Island, N. Y. '92, 390-392. Marsh-Tit, British, see Parus dresseri. Martin, see Progne subis; Hirundo

urbica (foreign references). Bank, see Stelgidopteryx serripennis.

Bee, see Tyrannus tyrannus.

Black, see Progne subis.

Creek, see Stelgidopteryx serripennis.

Cuban, see Progne cryptoleuca. European, see Hirundo urbica.

Purple, see Progne subis.

Sand, see Clivicola riparia.

Western, see Progne hesperia. martinica (Columba), see Geotrygon

chrysia. —— (Elænia), see Elænia.

—— (Elænia), see Elænia. —— (Fulica), see Ionornis.

```
- (Gallinula), see Ionornis.
  --- (Geotrygon), see G. chrysea.
   — (Ionornis), see Ionornis.
  --- (Muscicapa), see Elænia.
  —— (Oreopeleia), see Geotrygon chry-
         sia.
   — (Porphyrula), see Ionornis.
  — (Tyrannula), see Elænia.
 martinicana (Certhiola), see Cœreba.
     -(Cœreba), see Cœreba.
     - (Columba) see Zenaida.
    — (Elænia), see Elænia.
   - (Oreopeleia), see Geotrygon chry-
     - (Zenaida), see Zenaida.
 martinicanus (Psittacus), see Amazona
         leucocephala.
 martinicensis (Blacicus), see Blacicus.
 - (Hylemathrous), see Troglodytes.
 --- (Saltator), see S. guadeloupensis.
     - (Thryothorus), see Troglodytes.
 --- (Troglodytes), see Troglodytes.
 martinicus (Myiobius), see Elænia.
      - (Porphyrio), see Ionornis.
 Martinique Island, West Indies.
   Allen, J. A., '79, 228-230.
Cory, C. B., '87, 95-96.
   Lawrence, G. N., '79, 228-230.
 martius (Picus), see Picus.
maruetta (Porzana), see Porzana.
Maryland.
   Batchelder, C. F., '81, 114-115.
Beckham, C. W., '85, 306.
Ellzey, M. G., '87, 341, '90, 391.
  Figgins, J. D., '97, 219.
Fisher, W. H., '97, 219.
Foster, L. S., '90, 283.
Hastrouck, E. M., '93, 91-92.
   Hess, C. D., '88, 316.
Kirkwood, F. C., '99, 76, 1900, 64.
   Kumlien, L., '80, 182-183.
   Mearns, E. A., '90, 204.
Miller, H. H., '93, 296.
   Norris, J., '88, 316.
  Palmer, W., '96, 83, '97, 208-209.
Pleasants, J. H., Jr., '93, 371-372.
Resler, A., '89, 175, '92, 166.
Richmond, C. W., '95, 307.
Ridgway, R., '84, 292, '90, 289, 392.
Shufeldt, R. W., '93, 88.
  Smith, H. M., '85, 385, '86, 140.
Small, E. A., '83, 177, 177, '85, 97,
     98, 100.
  Trotter, S., '82, 115.
marylandica (Trichas), see Geothlypis
        trichas.
Mascarinus, '92, 278.
Mason, Edward Campbell.
  Turkey Buzzard in Massachusetts,
     '89, 70.
```

```
masoni (Pyroderus), see Pyroderus.
Massachusetts.
      Allen, F. H., '88, 426, '95, 87-89.
Allen, G. M., '97, 326-327.
Allen, J. A., '76, 53-60, '78, 48, 101, 138, 152, 192, '80, 89, 108, 120, 132-133, 184, '81, 183, '83, 123, 185, '85, 311, 383, 388, '86, 129, '91, 384-385, 1900, 187-188.
        Baird, S. F., '87, 71-72.
Ball, H. A., '96, 259, '97, 324.
      Bangs, E. A., '81, 124.
Bangs, O., '81, 124, '94, 77-78, '98,
                 177, 179.
       Bartlett, H. W., '93, 293, 294, 297.
Batchelder, C. F., '82, 252, 253, '92,
      73-74, '95, 308.
Bean, T. H., '92, 385.
Bent, A. C., '90, 289, '98, 59-60.
       Brackett, F. H., '89, 183, '96, 256,
                258, '98, 59.
       Brewer, T. M., '77, 78, '78, 48, 146-
                147, 151, 188, 193, 194, '79, 63, 64,
                191, 243.
      Brewster, W., '76, 1–2, 19, 30, 31, 51–52, 94, '78, 39, 190, 198, '79, 124–125, '80, 2, '81, 54, 55–56, 62–
               63, 124–125, 143–145, 180–181, 182, 183, 186, 186–187, 237–239,
               '82, 23-25, 125-126, '83, 95-99,
               119, 120, 120–121, 122, 184, '84, 5–16, 93, '85, 80–84, 112, 384, '86,
              278, 410-411, 487-488, '87, 75,
             160, 162, 163–164, '88, 111, 337–344, 386–393, '89, 66–67, 69, 71–72, '90, 91–92, 204, 205, 360–373,
             400-401, '91, 1-7, 232, '92, 67, '93, 82-83, '94, 326-327, '96, 341, '97,
              207.
    207.
Bridge, F. W., '89, 183.
Brown, N. C., '86, 136-137.
Browne, F. C., '80, 44, 52, '81, 112, 126-127, '82, 119, '83, 117, 181-182, '84, 291, 389, '85, 105, 220, 384, '87, 97-100, 344, '90, 392, '95, 240 of the state of the 
             84-85.
     Cahoon, J. C., '83, 117, 118, '84, 286,
    286, '85, 299, '90, 289-290.
Canterbury, C. T., '93, 294 (7 items).
Carpenter, F. H., '85, 100, 100, 101.
    Chadbourne, A. P., '83, 233, '85, 216, 380-381, '88, 207, '89, 182, 183,
   380-381, '88, 207, '89, 18
255-263, '96, 346.
Chamberlain, C. W., '90, 394.
   Churchill, G. B., '91, 313, 314.
Clark, E. H., '92, 69, 386.
Clark, H. L., '87, 251, '90, 210.
Colburn, W. W., '84, 286.
Comstock, S. W., '85, 100.
    Cory, C. B., '77, 27, '81, 84, '82, 60,
```

284, 91, 96, **288**, 110, 205, **289**, 336, **'91**, 395. Coues, E., '83, 61, 186. Davis, M., '99, 80. Deane, O. B., '85, 99. Deane, R., '77, 27, 84, '78, 45, 188, '79, 60, 122, '80, 47, 56, 63, 117. Dexter N. '22, 237 Dexter, N., '92, 387. Eastman, H. D., '91, 310, '97, 327. Farley, J. A., '82, 122, '95, 302, '97, Faxon, W., '89, 39-46, 72, 99-107, '90, 407-408, 408-410, '92, 201-202, '95, 84, 392-393, '96, 344, '97, 320. Forbush, E. H., '90, 210, 396. Francis, N. A. '81, 185, '83, 243. Frazar, M. A., '77, 27, '90, 397, '95, 84. Gates, H. T., '80, 239-240. Gilman, A. S., '96, 176-177. Goodale, C. I., '85, 299. Gould, A. C., '93, 294, 295, 296, 297, 297 (many items). Goss, N. S., '84, 395-396. Hapgood, W., '90, 392, '93, 292, 294, 296. Hardy, F. P., '90, 393. Harwood, R., '93, 294. Hayward, R., '83, 233. Henshaw, H. W., '85, 384, '86, 486. Hitchcock, F. H., '90, 407. Hoffmann, R., '95, 188-189, '99, 196. Hogg, R. W., '83, 233. Holden, E. F., '92, 72-73. Holder, J. B., '86, 129. Howe, R. H., Jr., '95, 182, '96, 178, 257, 260, 261, '97, 203-205, 402, 406, '98, 162-167, 189, 1900, 175. Howland, J. E., '92, 67. Ingalls, C. E., '82, 116, '86, 135, '94, 331-332. Ingersoll, E., '81, 184. Jeffries, J. A., '79, 118. Jeffries, W. A., '79, 121, '85, 112, '89, 68, '91, 112-113. Jencks, F. T., '83, 236, '86, 271, 272. Job, H. K., '83, 147-151, 244, '96, 197-204, '97, 206, 216, '98, 50. Johnson, H. P., '88, 116. Judd, S. D., '96, 285-289. Kennard, F. H., '95, 301-302, '97, 212. Kimball, R. E., '90, 291-292. Lamb, C. R., '83, 233, '89, 183, 183. Lathrop, E. H., '87, 339, '90, 393, '92, Lucas, F. A., '91, 391. Lucas, F. A., '92, 388-389. Mackay, G. H., '90, 294, '91, 17-24,

120, '92, 16-21, 72, 143-152, 199, 199-200, 292, 292-294, 294-298, 304-306, 345-352, 389-390, '93, 25-35, 76, 77, 77, 79-82, 333-336, 370-371, '94, 75-76, 84-85, 223-228, '95, 32-48, 78-79, 310, '96, 47-55, 80, 88-92, '97, 212-214, 228, 278-284, 383-390, 402, '98, 52-53, 168-172, '99, 179, 180, 181, 259-266. Marshall, W. B., '92, 203. Mason, E. C., '89, 70. Maynard, C. J., '89, 183, 183. Merrill, A. B., '91, 392. Miller, G. S., Jr., '90, 226-229, '91, 117-120, '92, 298-299, 396-397. Minot, H. D., '76, 76. Morris, R. O., '87, 72-73, 253, '88, 107, '89, 340, '90, 289, '91, 117, '92, 74, 395, '94, 181, '95, 86-87, '96, 86, '97, 100, '99, 85-86. Newcomb, R. L., '85, 299, '87, 339. Norton, R., '88, 111. Osgood, F., '85, 220. Pierce, M. P., '90, 394.
Plummer, G., '81, 120.
Purdie, H. A., '78, 44, 45, 146, '81, 123, '82, 57, 125, 251, 252, '83, 242, '86, 488. Reddots, C., '84, 188, 188. Richards, E. H., '83, 59. Robbins, R. C., 1900, 173. Sage, J. H., '87, 164. Scudder, B. A., '98, 333. Sikes, A. C., '90, 393. Slade, D. D., '88, 204-205. Slade, E., '81, 52, 116, 117-118, 123-124, 181-182, '85, 212. Smith, G. S., '81, 47. Spelman, H. M., '81, 114, 246, '82, 54, '83, 121-122, '90, 288-289. Stearns, W. A., '80, 122, '83, 238, 243, '84, 288, '85, 209, 295. 243, '84, 288, 69, 201,
Tarr, R. S., '85, 300.
Tenney, S., '77, 74.
Tenney, S. G., '89, 180.
Thayer, H. J., '90, 390, 394, '94, 68.
Thorndike, A., '82, 185.
Tobey, H. P., '81, 49. Tobey, H. P., '81, 49.
Torrey, B., '83, 173, '88, 426-427, '89, 1-8, 274-275, '90, 199, 200, 201, '91, 239-240, '93, 205.
Townsend, C. W., '80, 53, '81, 60, '84, 192. Warren, J., '76, 6-8. Wetherell, L., '84, 189. White, F. B., '94, 250. massena (Cyrtonyx), see C. montezumæ. Matthews, Renick Seymour.

Baird's Sandpiper near Washington, D. C. '94, 325.

matutinus (Tyrannus), see T. dominicensis or cubensis.

mauduyti (Spizaetus), see S. ornatus. maugæi (Marsyas), see Sporadinus.

(Ornismya), see Sporadinus.

- (Sporadinus), see Sporadinus. maugæus (Chlorolampis), see Sporadi-

nus. - (Trochilus), see Sporadinus. maugei (Trochilus), see Sporadinus.

Mavis, Red, see Harporhynchus rufus. maxillaris (Cyrtotes), see Molothrus bonariensis.

-(Icterus), see Molothrus bonariensis.

— (Molothrus), see M. bonariensis. maxima (Anas), see Anas.

- (Sterna), see Sterna.

maximilianı (Pionus), see Pionus. maxwelliæ (Megascops), see Mega-

scops. - (Scops), see Megascops.

May-bird, see Coccyzus americanus, C. minor, or Dolichonyx oryzivorus. Maynard, Charles Johnson.

The common Buzzard Hawk (Buteo vulgaris) of Europe in North America, '76, 2-6.

Birds of Florida [and eastern North America] (rev.), '78, 145, '79, 114, '80, 170-173.

Catalogue of Bahama birds, skins, nests and eggs (rev.), '85, 115.

Correct descr. of five new species of birds from the Bahamas (rev.), '87, 155.

Eggs of North American birds (rev.), **'89**, 206, **'90**, 280.

Contributions to science, vol. i (rev.), '89, 206, '91, 385-387.

Appendix to catalogue of birds of West Indies (rev.), 1900, 187.

Maynard, Lucy Warner.

Birds of Washington [D. C.] (rev.), **'**99, 87.

maynardi (Coccyzus), see Coccyzus.

— (Dryobates), see Dryobates.

—— (Geothlypis), see Geothlypis.
—— (Vireo), see Vireo.

mazeppa (Glaucis), see G. hirsuta. - (Trochilus), see Glaucis hirsuta.

McArthur, Alexander.

A bird scare, '87, 351-353. mccallii (Megascops), see Megascops. - (Scops), see Megascops.

McCallum, George Alexander. Albinism, '85, 113.

McCauley, Charles Adams Hoke.

Notes on Texan ornithology (rev.), 77, 76.

McChesney, Charles English.

Notes on some winter and spring birds of Fort Sisseton, Dakota, '79, 187-188.

Notes on birds of Fort Sisseton, Dakota Territory (rev.), '80, 42.

Report on mammals and birds of the Big Horn region, Montana (rev.), '80, 107.

McCook, Philip James.

Capture of Little Blue Heron in Connecticut, '97, 402.

McCormick, Lewis Morse.

'Avifauna columbiana'-a protest, '84, 396-398.

Notes on a few birds from northern Ohio, '92, 397.

A hybrid Tanager, '93, 302.

Nesting habits of the Robin, '98, 274. mccownii (Rhynchophanes), see Rhynchophanes.

McGee, W J.

Western Meadow Lark in northeastern Iowa, '80, 53.

McGregor, Richard Crittenden.

Junco ridgwayi in Colorado, '93, 205. Broad-tailed Hummingbird in California, '97, 91.

Note on Spectyto cunicularia obscura Stephens, '98, 187.

Young plumages of Mexican birds, '98, 264.

Descr. of a new Ammodramus from Lower California, '98, 265-267.

Pica pica hudsonica in California, '99, 78.

mcgregori (Carpodacus), see Carpodacus.

McIlhenny, Edward Avery.

List of species of Anseres, Paludicolæ, and Limicolæ occurring in Louisiana, '97, 285-289.

mcilhennyi (Asio), see A. accipitrinus. McIlwraith, Kennedy Crawford.

Prothonotary Warbler in Ontario, '88, 222.

McIlwraith, Thomas.

Bird notes from western Ontario, '83, 143-147.

Yellow-breasted Chat and Summer Redbird in Canada, '84, 389.

Pelicans on the move, '84, 395.

Birds of Ontario (rev.), '85, 320, '87, 245-249; 2d ed. '94, 190, 240.

McIlwraith, William.

[Ornithologist's union in Queensland, Australia], '95, 96.

McKinlay, James.

Field notes from Pictou Co., Nova Scotia, '85, 39-43.

Corn Crake in Nova Scotia, '99, 75. McLain, Robert Baird.

California Vulture in Santa Barbara Co., Cal. '98, 185.

Rose-breasted Grosbeak in California, '98, 190.

Capture of Short-tailed Albatross on coast of southern California, '98,

Philadelphia Vireo in West Virginia, '99, 359.

mcleodi (Aimophila), see Aimophila.
—— (Otophanes), see Otophanes.

McMullin, S. H.

['Etymological key' in Jones and Shulze's nest and eggs of Ohio birds] (rev.), '87, 152.

Mead, George Smith.

Western Meadowlark at Racine, Wisc, etc. '95, 302. Red-headed Woodpecker near Chi-

Red-headed Woodpecker near Chicago, Ill. 1900, 67.

Habits of the Goony, and notes on variability of birds' songs, 1900, 403.

Meadowlark, see Sturnella magna. Highland, see Sturnella alticola. Rio Grande, see Sturnella hoopesi. Western, see Sturnella neglecta. Mearns, Edgar Alexander.

Capture of several rare birds at West Point, New York, '78, 45.

Descr. of unusually developed individuals and remarks on uncommon plumages taken near West Point, N. Y. '78, 69-72.

Golden Eagle in the Hudson high-lands, '78, 100.

Capture of two rare birds in Hudson River valley, '78, 146.

Notes on winter residents in Hudson River valley, '79, 33-37.

List of birds of Fort Klamath, Oregon, collected by Lieut. Wittich, '79, 161-166, 194-199.

Birds of the Hudson highlands (rev.), '80, 175, '81, 172.

Capture of Glaucous Gull (Larus glaucus) on Long Island, N. Y. '80, 189.

Some birds of Arizona, '86, 60-73, 289-307.

Observations on avifauna of portions of Arizona, '90, 45-55, 251-264. Addendum to 'list of birds of the

Addendum to 'list of birds of the Hudson highlands,' '90, 55.

Capture of Widgeon (Anas penelope)

on the James River, Virginia, '90, 88.

New York city owls, '90, 90.

Another capture of Widgeon (Anas penelope) on Atlantic coast, '90, 204.

Descr. of a new species and three new subspecies of birds from Arizona, '90, 243-251.

[U. S. and Mexican Boundary Commission], '92, 208, '94, 340.

A study of the Sparrow Hawks (subgenus *Tinnunculus*) of America, '92, 252-270.

Descr. of new Heron (Ardea virescens anthonyi) from arid region of interior of N. Am. '95, 257-259. Ornithological vocabulary of Moki

Indians (rev.), '97, 420.

Descr. of two new birds from the Santa Barbara Is., California, '98, 258-264.

mearnsı (Cyrtonyx), see Cyrtonyx.

—— (Harporhynchus), see Harporhynchus.

— (Junco), see Junco.

Meat-bird or Meat-hawk, see Nucifraga columbiana, Perisoreus canadensis, capitalis or obscurus.

Mecocerculus calopterus (b Serpophaga leucura), Ecuador, '76, 47b.

nigriceps, Venez. '99, 370, 1900, 185.

urichi, Venez. '99, 370, 1900, 185. uropygialis, Colom., syn. '90, 384. media (Gallinago), see G. media or major.

— (Geospiza), see G. conirostris. — (Scolopax), see Gallinago major. medianus (Dryobates), see Dryobates. medius (Picus), see Picus.

Megalestris antarcticus (b Buphagus), Cape Horn, '87, 1"; Kerguelen I., nst. '94, 281b.

skua (Skua, ^b Stercorarius catarractes, ^c Stercorarius), Helg. '95, 341; Ill. '95, 379; Mass. '78, 188^b, '84, 395, '87, 158; N. E. '84, 238^c, '89, 176; N. F., Gd. Banks, '79, 127^b; N. Y. '86, 432, '89, 331; Que. '90, 387. —hbt. '84, 238; meas., plm. '84, 395; syn. '96, 161; misc. '94, 174^b.

megalonyx (Pipilo), see Pipilo. Megalophonus, see Corypha.

Megalopterus, see Chalcopsar. Megalurus, '94, 238.

palustris, P. I. '94, 238. ruficeps, P. I. '94, 238.

Megapodius, '82, 88, '94, 56, 233, 234.

242

duperreyii b tumulus), nst. **'**83, 172b.

Megapodiidæ, '81, 80.

megarhyncha (Passerella), see Passerella.

megarhynchos (Sterna), see S. caspia. Megarhynchus pitangua, Bras. 270; C. R., meas., nst. '92, 251.

megarhynchus (Dendrornis), see Dendrornis.

Megascops (b Scops), '80, 41b, '85, 183b, 184, '93, 250, 347, '94, 233b, 234b.

aikeni (Aiken's Screech Owl), Colo. '91, 139*, '93, 258; g. dist. '94, 46; N. M. '93, 258.—syn. '92, 108,

'93, 63, 251, '94, 46.

esio (* Screech or Mottled Owl, ^b Scops), Cal. '86, 93 [bendirei?]; Conn. '89, 189a; D. C. '88, 20, Engl. '77, 107b; Ga. '82, 41 [floridanus], '90, 83; g. dist. '82, 33b, '93, 133, 134, 250, 252; G. Br. '80, 74^h; Ill. '94, 261^a; Ind. '88, 351; Ky. '89, 313; La. '82, 164^b [floridanus]; Mass. '88, 389, '95, 88; Miss. '82, 93b [floridanus?]; Mo. '79, 146b; Mont. '95, 214 [maxwelliæ], N. Mont. 95, 214 Linaxweine 1, ... C. '86, 104, 314; N. J. '79, 85*, '94, 136; N. Y. '81, 232b, '85, 260b; O. '92, 189*; S. C. '79, 216b; S. D. '85, 284b; Tenn. '86, 319, '87, 128, 129.—anat. '82, 87b; fd. '77, 80b, '89, 189a, '96, 321, '99, 313; hbt. '82, 184a, '83, 117b, 175a, '96, 321; mlt. '96, 321, '97, 140, '99, 313; nst. '85, 101a, 788, 20; plm. '82, 33b, '83, 171, '88, 351, '93, 348, '95, 287, '96, 321-325, '97, 33-39 (fig.), 140, '99, 313-318; song, '85, 260b, '96, 322; syn. '80, 41b, '85, 184, '93, 250, 251, 252; misc. '85, 296a, '86, 144a, '87, 67a, 236a, 586, 144a, '87a, 67a, 236a, 586, 144a, '87a, 67a, 236a, 586, 144a, '87a, 67a, 236a, 586a, 144a, '87a, 67a, 236a, 586a, 144a, '87a, 67a, 236a, 2 67*, '97, 396* (fig.).

aspersus, '88, 87*, see trichopsis. atricapillus (b Scops), syn. '80, 41b. barbarus (b Scops), Guatemala, '93, 262b.—syn. '80, 41b, '93, 251.

bendirei (a California Screech Owl, ^b Scops), Cal. '82, 31^{b*}, 258^b, '86, 93 ['asio'], '93, 255; Ore. '93, 255. meas. '82, 31^b; syn. '85, 184, '93, 251; misc. '90, 81^a, '98, 4.

brasilianus (b Scops), Argent. '84, 29b; C. R. '92, 327; Trinidad, '95, 209 ['brasiliensis'].—anat. '82, 87b; hbt., plm., song, '84, 29; syn. '80, 41b.

cassini (b Scops), Mex. '93, 262.syn. '80, 41b, '93, 251.

cineraceus (Mexican Screech Owl.

b trichopsis), Aris '86, 423b; N. M. '92, 361 (sp.?).—syn. '95, 390.

cooperi (b Scops), C. R. '93, 263.syn. '80, 41b, '93, 251.

elegans (b japonicus), Japan, '87, 250 — syn. '87, 250b.

flammeolus (Flammulated Screech Owl, b Scops), Cal. '94, 78; Colo. '79, 188b, '80, 121b, 185b, '83, 123b, '85, 17b, '93, 364, '97, 403; g. dist. '93, 134, 260, 1900, 186; Mex. '92, 170. -meas. '94, 78; nst. '79, 188b, '80, 121^b, '97, 403, syn. '80, 41^b, '85, 184, '93, 251.

floridanus (Florida Screech Owl, ^b Scops, ^c Scops asio, ^d asio), Fla. '88, 271, '89, 249, '92, 212, 216, '93, 337, '95, 364; Ga. '83, 41°, '90, 83d, '81, 18b; g. dist. '82, 33b, '93, 253; La. '82, 164°, '88, 111, 324; Miss. '82, 93°.—nst. '83, 41°, '92, 216; plm. '80, 41°, '81, 18°, '82, 33°, '91, 387°, '92, 216, '93, 348; syn. '80, 41°, '85, 184, '93, 251.

guatemalæ (b marmoratus, c vermiculatus, d Scops), C. R. '88, 194c, '93, 264°; g. dist. '93, 263; Mex. '97, 49b*.—syn. '80, 41°, '93, 251, 251°. hastatus, Mex. '88, 194, '93, 263.

-syn. **'**93, 251.

idahoensis (Dwarf Screech Owl), Ida. '91, 385, '92, 105 (col. pl.), 169-171, '93, 261; g. dist. 1900, 186. plm. '92, 170; syn. '92, 105, '93, 251, '97, 134.

kennicottii (Kennicott's Screech Owl, b Scops, c saturatus), Alas. '93, 256; B. C. '97, 89; g. dist. '82, 27-33', '91, 141-144°*, '93, 259°; Ore. '86, 165, '88, 146; Wash. '81, 128', 185b, '82, 27, 33b, 227b, '89, 299, '93, 17, 1900, 352.—fd. '89, 299, 1900, 352; meas. '81, 185^b, '82, 29^b, 30^b; nst. '81, 185^b, '83, 174^b; plm. '82, 27^b, 33^b; syn. '80, 41^b, '85, 184, '86, 165, '92, 108^c, '93, 63^c, 251, 251^c, '94, 49, 49°.

macfarlanei (MacFarlane's Screech Owl), g. dist. '91, 140*, '93, 259, '94, 47, Ida. '97, 353.—meas. '91, 140; syn. '92, 108, '93, 63, 251, '94, 47; misc. '91, 237.

marmoratus, '97, 49*, see guatemalæ.

maxwelliæ (a Rocky Mountain Screech Owl, b Scops, casio), Colo. '79, 114^b, '80, 90, '82, 33^b, '85, 17^b, '89, 298-302, '90, 91, '94, 268; g. dist. '93, 256; Mont. '89, 301, '95, 214°.—fd. '89, 298, 300, 301, '90, 91: meas. '89, 302; nst. '89, 298, '90, 80a, '91, 100a; plm. '82, 33b; syn. '80, 41b, '85, 184, '93, 251.

mccallii (Texan Screech Owl, b Scops), g. dist. '82, 33b, '93, 254; N. M. '78, 94b, Tex. '82, 172b, '87, 190, '89, 237, '92, 234, 1900, 343.—hbt. '82, 172b, thm. '82, 33b, '93, 348, syn. '80, 41b, 90b, '85, 184, '93, 250, 251, '95, 389b, '99, 109.

nudipes (b Scops), C. R. '92, 327, '93, 262; Veragua, '93, 262.—syn. '80, 41b, '93, 251.

pinosus, Mex., meas. '94, 39*. ridgwayi, Mex., meas. '94, 40*. saturatus, '91, 141*, see kenni-

scops (bgiu), Helg. '95, 329b.

cotti.

trichopsis (Mexican or Spotted Screech Owl, b Scops, caspersus), Ariz. '83, 26b [cineraceus], '86, 423 [cineraceus], '98, 106c; g. dist. '82, 33b, '93, 257, '98, 186c, '99, 109; Mex. '88, 87c*, 264c; N. M. '98, 308.—meas. '83, 26b [cineraceus]. '98, 186c; plm. '82, 33b, '83, 26b [cineraceus], '91, 323c (col. pl.), '98, 186c; song. '83, 26b [cineraceus]; syn. '80, 41b, '82, 32b, '83, 26b, '85, 184, '93, 250, 251, '95, 389, 390, '98, 186c, '99, 109, 110c.

ustus (b Scops), syn. '80, 41b, vinaceus, Mex. '88, 88*, '93, 264. —plm. '91, 323 (col. pl.); syn. '93, 251.

mehleri (Piaya), see Piaya.

Meiglyptes tukki (b Picus luridus), Borneo. '91, 8.—syn. '91, 8; plm. '88, 212b, 214b.

melæna (Cymochorea), see Oceanodroma melania.

melaleucus (Tachyphonus), see T. rufus.

melanauchen (Ptilopus), see Ptilopus melanocephalus.

melancholicus (Laphyctes), see Tyrannus.

— (Tyrannus), see Tyrannus. melancorypha (Sthenelides), see Cyg-

Melanerpes, '83, 114, '84, 41, '86, 376.
aculeatus, '90, 249*, see bairdi.
angustifrons (Narrow-fronted
Woodpecker), L. Cal, meas. '90, 215.
aurifrons (Golden-fronted Woodpecker, b Centurus), Cal '90, 215^b;
Tex. '80, 46^b, '82, 40^b, '87, 191, '89,
238, '90, 401, '92, 235, 1900, 344.
hbt., song, '89, 238; nst. '87, 191.
bairdi (Californian Woodpecker,

b formicivorus, caculeatus), Cal. '86, 94, '89, 221, '96, 85, 117; g. dist. '90, 250°5°, '93, 134; Orc. '88, 240.—fd '78, 97b, '84, 87b, '96, 85, 117; hbt. '78, 97b, '86, 94, '87, 194b, '96, 117; meas. '90, 251, nst. '96, 117; syn. '91, 89, 94; misc. '90, 395, 320, cactorum (b Picus), Argent., Urug., hbt '84, 25b.

candidus (b Leuconerpes), Argent., Urug., hbt., plm. '84, 25b.

carolinus (a Red-bellied Woodpecker, b Centurus, c Picus), Ala. '79, 11b, Colo. '85, 17b; Conn. '77, 108b, s'81, 183b; D. C. '88, 21; Fla. '81, 41a, '88, 271, '89, 251, 337, '90, 223, 339, '91, 127a, 138, '92, 213, '95, 365; Ga. '82, 95a, '83, 40b, '96, 213; g. dist. '93, 133; Ill. '81, 121b; Ind. '89, 22; Ky '89, 314; La. '82, 164b, '87, 303a; Mass. '81, 120b, 183b; Mich. 1900, 174, Minn. '99, 241; Mo. '79, 146b, '96, 220; N. C. '86, 179; N. E. '79, 73b; N. J. '89, 179, '90, 206; N. Y. '78, 146b, '79, 6b, 175b, '92, 201, '93, 275, '95, 313, '96, 82; Ont. '85, 335b, 216b, '90, 38; S. D. '85, 283b. Tenn. '86, 319; Tex. '82, 40b, 171b, '87, 191, '89, 238.—fd. '79, 111a, '89, 337, '90, 339, '92, 201, '95, 380, 1900, 174; hbt. '82, 171b; mig. 1900, 174; hst. '83, 40b, '88, 21; plm. '78, 181b, '88, 212c; song, '82, 171b.

cruentatus, Braz. '91, 31.

erythrocephalus (* Red-headed Woodpecker), Ala. '79, 11; Ark. '82, 93; Cal. '77, 94?; Colo. '83, 196, '85, 17, 143, '87, 121?; Conn. '82, 57, '83, 177*, 177*, '95, 262; Dak. '81, 120; D. C. '88, 21, '92, 308; Fla. '81, 121, '85, 63, '88, 271, '89, 251, '91, 138, '92, 213, '95, 365; Ga. '83, 40, '96, 213; g. dist. '93, 133; Ia. '95, 123, 235; Ill. '78, 165, '81, 120, '88, 433, '99, 272, 1900, 67; Ind. '81, 121, '82, 18*, 21, '87, 193-196*, '89, 22; Ky. '89, 313, '99, 353; La. '82, 164, '87, 303*; Man. '86, 156; Mass. '76, 54, 55*, '82, 57, '83, 150*, '85, 209*, '89, 340, '95, 86, 88, '96, 258; Me. '83, 117*; Mich. '81, 196, '93, 224, 1900, 174; Minn. '84, 246; Miss. '82, 93, '95, 215; N. C. '86, 104, 314, '87, 242; N. Y. '79, 31, 36, '81, 11, 232, '82, 57, 188, '83, 234*, '85, 101*, 259, '89, 198, 202, '90, 231; O. '95, 242; Pa. '92, 135, '93, 39, 44, '96, 293; R. I. '99, 189; S. C. '79, 216, '90, 38,

'91, 56, '92, 29a; S. D. '85, 283; Tenn. '86, 319, '87, 130; Tex. '82, 171, '87, 191, '89, 238, '92, 231, 1900, 344; I'a. '86, 161, '89, 53°; I't. '82, 63, Wis. '82, 188, 1900, 67; W. I'a. '98, 135.— fd. '77, 74, '78, 97, 189, '79, 111a, '82, 116a, 117a, '85, 283, '87, 193a, '87, 193a, '85, 283, '87, 193a, '87, 193 '95, 380, 1900, 174; hbt. '78, 97, 123, '82, 117a, '83, 116a, 171, '84, 189, '85, 99a, '87, 193a, '90, 83a, 85a, '99, 353; meas. '81, 121; mig. '78, 123, '81, 120, '85, 63, '88, 433, '92, 29ª, '95, 123, 235, 242, 1900, 174; nst. '81, 120, '82, 171, '83, 40, 118a, '85, 283, '88, 21, '90, 84a; plm. '76, 24 (melan.), '80, 28 (alb.); song, '85, 259; misc. '81, 196, '85, 99ª, '90, 394.

formicivorus (* Ant-eating Woodpecker, bairdi, caculeatus), Arız. ¹83, 24^b, '85, 174^b, 356^b, '86, 427^b, '90, 48^b, 249–251°*, 253°, '94, 220° Inot 'California Woodpecker'l; g. dist. '97, 120; N. M. '86, 79b, '87, 345b, '98, 308b.—anat. '87, 346; hbt. '83, 24b, '86, 79b, '90, 253c; meas. '90, 250°, 251, 251°; nst. '86, 427°; plm. '83, 24°, '87, 345 (mlt.); syn. '91, 88°, 89, 94, '97, 120, 132°.

frontalis, 1900, 257*, see Centurus. fumosus, 1900, 258*, see Centurus. l'herminieri, W. I. '79, 229, '86. 377, '91, 48.—meas., plm., syn. '86, 377.

portoricensis, W. I., meas., plm. syn. '86, 377.

torquatus (* Lewis's Woodpecker, ^b Asyndesmus, ^c Picus), Ariz. '85, 356^b, '86, 427, '90, 48, 254; Cal. '86, 94, '96, 85, '98, 197; Colo. '81, 143, '83, 196, '85, 17, 143, '94, 268, '95, 153*, '98, 188; g. dist. '93, 134; Ida. '94, 394*, '97, 354; Kan. '94, 260; Mant '94, 303. N. M. '88, 319. Ora Mont. '94, 303; N. M. '88, 319; Ore. '79, 195°, '86, 165, '88, 240, 255; Tex. '87, 183^a, 191; Wash. '82, 227, '92, 355, '97, 175, 1900, 352.—anat. '88, 319; fd. '86, 427, '88, 255, '96, 85, '98, 188; hbt. '86, 165, 427, '88, 255, '90, 254, '98, 188, 1900, 352; mig. '86, 427, '88, 255; plm. '86, 427, '92, 394°; nst. '88, 255.

Woodpecker, uropygialis (Gila b Centurus), Ariz. '81, 73b, '83, 24b, '85, 226b, '86, 428; g. dist. '93, 134; L. Cal. '95, 138; Mex. '85, 228b.-fd., nst. '86, 428; plm. '83, 24b.

veræcrucis, 1900, 259*, see Centurus.

Melanetta, see Oidemia.

```
MELANOLEUCUS.
melania (Cymochorea), see
                              Oceano-
      droma.
   - (Oceanodroma), see Oceanodroma.
  — (Thalassidroma),
                       see
                              Oceano-
      droma.
melanicterus (Gymnomystax), see Gym-
      nomystax.
Melanipitta, see Mellopitta.
Melanism, see Albinism.
Melanıtta, see Oıdemia.
Melanobucco, see Lybius.
  abbotti, '97, 164*, see Lybius.
melanocephala (Arenaria), see Are-
      naria.
   - (Emberiza), see Emberiza.
  — (Goniaphea), see Zamelodia.
  — (Habia), see Zamelodia.
 --- (Hedymeles), see Zamelodia.
—— (Motacilla), see Motacilla.
 --- (Strepsilas), see Arenaria.
- (Sylvia), see Melizophilus.
___ (Zamelodia), see Zamelodia.
melanocephalus (Icterus), see Icterus.
—— (Melizophilus), see Melizophilus.
—— (Ptilopus), see Ptilopus.
melanochloris (Parra), see Metopidius
      indicus.
Melanocorypha calandra, Helg. '95,
  334.
    sibirica, Helg. '95, 334.
    yeltoniensis, Helg. '95, 334.
melanocoryphus (Coccyzus), see Coc-
      cyzus.
    -(Sthenelides), see Cygnus nigri-
      collis.
melanocorys (Calamospiza), see Cala-
      mospiza.
melanogaster (Cinclus), see Cinclus.
  — (Hirundo),
                   see
                         Petrochelidon
      fulva.
  — (Myrmotherula), see Myrmothe-
  - (Petrochelidon), see Petrochelidon.
  — (Thalassidroma), see Thalassi-
      droma.
melanoleuca (Gambetta), see Totanus.
--- (Glottis), see Totanus.
—— (Lamprospiza), see Lamprospiza.
  - (Poospiza), see Poospiza.
melanoleucus Aëronautes), see Aëro-
      nautes.
  — (Ammodramus), see A. nigrescens.
   - (Anseranas), see Anseranas.
  — (Buteo), see Geranoaetus.
   - (Ceophlœus), see Ceophlœus.
—— (Cypselus) see Aëronautes.
```

— (Geranoætus), see Geranoætus.

—— (Micropus), see Aëronautes. --- (Scolopax), see Totanus.

—— (Totanus), see Totanus.

melanomus (Plectrophanes), see Calcarius ornatus. melanonota (Sarcidiornis), see Sarci-

diornis.

melanonotus (Euplocamus), see Euplocamus.

melanope (Motacilla), see Motacilla. melanophaia (Porzana), see Porzana. melanophrys (Diomedea), see medea.

melanopis (Psarocolius), see Icterus hypomelas.

- (Theristicus), see Theristicus.

Melanopitta, see Mellopitta.

(Melanerpes), see M.melanopogon formicivorus.

melanops (Geothlypis), see Geothlypis. — (Phlœocryptes), see Phlœocryptes. melanopsis (Otus), see Asio stygius. melanoptera (Dendroica), see D. ruficapilla.

- (Sterna) see S. anætheta.

— (Tanagra), see Tanagra. melanopterus (Lybius), see Lybius.

--- (Mimus), see M. gilvus.

Melanoptila glabrirostris, anat. '88,

melanopygia (Parra), see Jacana nigra. melanopygius (Lanio), see Lanio. melanospilus (Ptilopus), see Ptilopus. Melanospiza, '98, 224*.

melanostoma (Harporhynchus), see H. guttatus.

Melanotis cærulescens, hbt. '92, 288. longirostris, Mex. '98, 340.

melanotis (Psaltriparus), see Psaltriparus.

— (Sterna), see S. caspia.

—— (Sylochelidon), see Sterna caspia.

____ (Thalassites), see Sterna caspia. melanoviridis (Parra), see Metopidius indicus.

melanura (Ceyx), see Ceyx.

— (Glaucis), see G. hirsuta.

- (Limosa), see L. belgica.

- (Polioptila), see P. californica or plumbea.

melanuroides (Limosa), see L. belgica. melanurus (Puffinus), see Priofinus cinereus.

(Thamnophilus), see Thamnophi-

— (Trogon), see Trogon.

melba (Cypselus), see Cypselus.

Meleagrinæ, '81, 80.

Meleagris, '93, 99, 109, '99, 107. ellioti, '92, 167*, see intermedia. fera (a Wild Turkey, b occidentalis, c gallopavo, d americana, e sylvestris), Ala. '79, 12ª; Ark. '90, 396ª; Colo.

'85, 174; Europe, '80, 66°; Fla. '88, 270° [osceola?], '89, 246° [osceola?]; Ga '83, 41d; g. dist. '90, 390a, 391a?, 393a, '93, 133c, '99, 108, 232, Ind. '82, 21^d, '88, 349°, '97, 245°; Ky. '89, 313°; Mass. '76, 53°, 55°, '78, 139°, '81, 60, '88, 204°, '90, 393°, 394°; Me. '81, 60; Mich. '90, 393ª '93, 295a; Minn. '84, 247d; Miss. '82, 93d; Mo. '79, 147°, '96, 221°; N. C. '86, 103°, 314°, '89, 121°, 275°, N. E. '76, 73°, '90, 394°, Ont. '94, 69°; Pa. '93, 39°, '96, 292°, '99, 310, S. C. '79, 217^d, '91, 327°; S. D. '85, 285^d; Tenn. '86, 319°, '87, 129°, Tex. '82, 175 [intermedia?]; Va. '88, 18°; Vt. '88, 204a.—anat. '87, 342a, fd. '87, 129c; hbt. '96, 221°; nst. '83, 41d, '89, 313°; plm. '80, 29° (alb.), '90, 376°, 397°. '92, 169°; syn. '80, 100°d, '97, 272°, '98, 64°, '99, 77, 108, 231, 232; misc. '77, 74°, '83, 116°, '84, 187°, 187°, '87, 340°, '88, 314°, '91, 388°, 391°, '92, 286°.

(a Mexican Turkey, gallopavo b merriami, c mexicana), Aris. '86, 389°, '90, 49°, 52°, '92, 168°; Cal. '90, 216°; g. dist. '93, 134°, '99, 107, 232, 1900, 121^{bk}; N. M. '86, 80, '92, 360^a, '98, 307^c, Tex. '87, 187^c, '92, 233^c [intermedia].—hbt. '86, 80; nst. '87, 187^c; plm. '90, 376^c, '92, 169^c; syn. '97, 272^a, '98, 64, '99, 107, 231, 232, 1900, 122^c, 123^b.

intermedia (Rio Grande Turkey, b gallopavo, c ellioti), Tex. 82, 41b, 175b, '92, 167c*, 233c, 1900, 341; g. dist. '93, 60°, 134°, '99, 232°.-fd. hbt. '82, 175b; syn. '93, 60°, '97, 275, '98, 64, '99, 108, 231, 232.

merriami, 1900, 120*, see gallopavo.

osceola (Florida Wild Turkey, b gallopavo), Fla. '88, 270b, '89, 246b, '90, 376*, '91, 136b, 137b, '92, 105, 212, 215, '95, 364; g. dist. '99, 232.— hbt. '92, 215; plm. '92, 169, 215; syn. '91, 89, '92, 105, '99, 108, 231, 232.

meleagris (Cyrtonyx), see Cyrtonyx.

---- (Numida), see Numida.

meligera (Anorthura), see A. alascensis.

Meliphagidæ, '81, 34, '94, 143, '96, 111. Melizophilus melanocephalus (b Sylvia), Helg. '95, 332b.

undatus, Helg. '95, 332.

Mellisuga, '86, 353.

coccinea, misc. '96, 266. minima, Jamaica, '92, 277. '94.

126; W. I. '81, 153, '86, 354.—meas. '86, 354, nst. '94, 126; pim. '86, 354; song, '81, 153; syn. '86, 354.

mellivora (Florisuga) see Florisuga. Mellopitta (b Coracopitta), '89, 79, '93, 52h, 184, '94, 238.

meloda (.Egialitis), see .Egialitis. - (Melospiza), see M. fasciata. melodia (Fringilla), see Melospiza fasciata.

- (Melospiza), see M: fasciata. melodus (Ægialeus), see Ægialitis.

- (.Egialitis), see .E. meloda or circumcincta.

- (Charadrius), see Ægialitis. Melopelia, '87, 115.

leucoptera (* White-winged Dove), Arıs. '77, 95, '83, 32, '86, 68, 421, 1900, 33^a; Bahamas, '91, 351; Cal. '77, 95?, '90, 216, Colo. '77, 83, '85, 17; Fla. '89, 160, 246, '97, 89; Jamaica, '92, 123, '94, 123; L. Cal. '95, 137, Mex. '85, 229; Tex. '92, 233; W. I. '87, 115, 180.—fd. '83, 32, '92, 123, '97, 89, hbt. '92, 123; meas. '83, 32; nst. '83, 32, '86, 421, '92, 123, '94, 123; plm. '86, 296; song, '83, 32, '86, 68; syn. '87, 115, misc. 1900, 33°. Melopyrrha, '86, 206.

nigra, W. I. '86, 206, 501, '92, 272.

—meas., plm., syn. '86, 206. Melospiza, '96, 112, 113, '97, 231. adusta, Mex. '99, 28*.-syn. '99, 183.

caurina, '99, 36*, see rufina. cinerea (Aleutian Song Sparrow), Alas. '85, 157, '95, 144; g. dist. '93, 126 .- meas., nst. '95, 148; syn. '95, 149. 391.

clementæ (San Clemente Song Sparrow), Cal. '86, 453 ['samuelis'], '91, 86, 305.—syn. '91, 86, '99, 183.

cooperi, '99, 35*, see samuelis. fallax (Desert Song Sparrow), Aris. '82, 196, '84, 224, '87, 203; Cal. '78, 66 [heermanni?]; N. M. '84, 224.-meas. '79, 160, '82, 196; plm. '82, 196, '92, 85; syn. '79, 157, '82, 229, '84, 223, '99, 183.

fasciata (a Song Sparrow, b melodia, c Fringilla), Ala. '79, 8b; Bermuda, '85, 95; D. C. '88, 22, Fla. '88, 274, '89, 323, '95, 365; Ga. '96, 214; g. dist. '93, 133, 135; Ia. '95, 122, 236; Ill. '90, 242; Ind. '95, 122, 236; Ill. '90, 242; Ind. '89, 25; I. T. '84, 335a; Kan. '94, 215a; Ky. '89, 315; La. '82, 49a?; Man. '86, 324; Mass. '78, 191b, '84, 6^a, '87, 260, '88, 389, '89, 45, 101, '95, 87^a, '98, 76, '99, 182; *Me*. '82,

148, '87, 260; Mich. '81, 196a, '93, 226; Minn. '79, 153a, '80, 14b, '84, 245; Miss. '99, 269; Mo. '79, 143b, '95, 3ª, '96, 218, '98, 27; Mont. '95, 217 [montana]; N. B. '82, 148, '83, 7a, '87, 260', '89, 118, 241, 242a; N. C. '86, 101', 314, N. H. '87, 105, '88, 150, 152, 154, '89, 77, 78, N. J. '79, 82^a, '94, 139; N. S. '84, 269^a, '87, 16, '99, 253; N. Y. '79, 32^b, 35^b, '81, 230, '82, 188b, '84, 176, 177, 178, '85, 147, '89, 130, 138a, '95, 82; O. '95. 242; Ont. '83, 144a, '88, 211; Pa. '92, '82, 13, 39, '87, 259a, 293, '92, 338; Va. '82, 48^a; Wis. '82, 188^b, '88, 326; W. Va. '98, 136.-anat. '95, 187, '96, 114 (fig.); fd. '88, 211; hbt. '83, 7^a, '84, 189^a, '92, 68^a, '95, 82, '99, 221–225; meas. '79, 160^b, '99, 222; mig. '83, 7a, '84, 176, 177, 178, '87, 260, 260, '88, 326, '92, 37a, 38a, '95, 122, 129a 236, 239a, 242, 244a, '99, 198; nst. '80, 14^b, '83, 117^b, 235^a, '87, 260, '88, 22, '89, 183^a, '95, 82, '96, 294, '99, 182, 221; plm. '76, 21^b (alb.), '78, 120^b, '81, 158^b, '82, 39, '92, 85, '96, 242 (mlt.), '99, 221; song, '84, 65^a, 70^a, 71^a, '85, 147, '89, 197; syn. '77, 73, '79, 138^b, 155-160^b, '80, 37^c, 97, 106^b, 177, 178, '84, 103, '99, 183; misc. '81, 179^a, 196^a, '86, 271^a, '87, 74ª. '90, 389ª.

(a Swamp georgiana Sparrow, b palustris), Ala, '79, 8b; Colo. '87, 264; Fla. '88, 274, '89, 323, '91, 133*, 138, '92, 213, '95, 365, '98, 270*; Ia. '95, 122*, 236*; Ill. '90, 242; Ind. '89, 25; La. '82, 163b, '87, 302a; Man. '86, 324; Mass. '83, 58, '84, 14⁵, '85, 216⁵, 307^a, 380^a, '86, 136^a, '88, 389, '89, 45, 183^a; Me. '82, 148^b; Mich. '93, 230; Minn. '79, 153"; Miss. '99, 270; 230; Minn. 79, 155-; Miss. 99, 270; Mo. '79, 143b, '95, 3a, 224a, '96, 218; N. B. '87, 239a, '89, 118; N. C. '98, 275; N. F. 1900, 72; N. H. '88, 150, 152, '89, 78; N. J. '92, 204; N. S. '87, 16, '91, 165; N. Y. '79, 32b, 35b, '82, 220b, '82, 221a, '84, 175b, '85 '81, 230^b, '83, 235^a, '84, 176^b, '85, 149^b; O. '86, 277^b; Pa. '99, 312; P. '96, 112, 114 (fig.); hbt. '81, 179b;

meas. '89, 148; mig. '84, 176b, 176b, '85, 380a '88, 327, 328, '89, 183a, '95, 122b, 129a, 236b, '99, 198, 270; nst. '83, 235a; plm. '78, 120b, '79, 29a (alb.), '83, 58b, '86, 277b, '89, 148, song. '84, 67a, '85, 149, syn. '83, 58b, '86, 371; misc. '85, 100a (corr.). goldmani, Mex., meas. '99, 29*.—syn. '99, 183.

graminea (Santa Barbara Song Sparrow), Cal '91, 86, 305.—syn. '91, 86, '99, 183.

guttata (*Rusty Song Sparrow, b morphna), Cal. '78, 66, '86, 182 [samuelis?]; Ore. '86, 169, '88, 359 [merrilli]; Wash. '81, 128, '82, 227, 229, '92, 45, '97, 178, 1900, 355.—mcas. '79, 160; nst. '86, 169, 1900, 355; plm. '82, 229, '88, 359, '92, 86, 1900, 10°; syn. '79, 158, '82, 229, '99, 183b.

heermanni (Heermann's Song Sparrow), Cal. '78, 66, '86, 182 [samuelis?], '89, 221 [samuelis?], L. Cal. '95, 141; Ore. '88, 359 [merrilli?].—meas. '79, 160; plm. '88, 359 [merrilli?], '92, 85; syn. '79, 157, '90, 191, '99, 183.

insignis (Bischoff's Song Sparrow, b kenaiensis), Alas. '95, 144, 1900, 29b*.—meas. '79, 160, '95, 146, 147, 148; nst. '95, 148; plm. '79, 159; syn. '79, 159, '95, 149, '97, 122. juddi (Dakota Song Sparrow), g.

juddi (Dakota Song Sparrow), g. dist. '97, 122; N. D. '96, 132*.—syn. '97, 122.

kenaiensis, 1900, 29*, see insignis. lincolnii (a Lincoln's Sparrow or Finch), Alas. '98, 128; Ariz. '82, 107, '85, 354, '87, 204, '94, 218a; B. C. '93, 21 [striata?]; Cal. '78, 66, '87, 93 [striata?]; '98, 235 [striata?]; Colo. '80, 229, '81, 90, '83, 189, '85, 16, 142, '87, 125; Conn. '86, 487, '93, 206a, 207, '94, 181, '95, 86; D. C. '84, 397, '88, 148; g. dist. '93, 126; Ia. '95, 123; I'll. '90, 242; Ind. '82, 21, '89, 25; Labrador, '98, 203a; Man. '86, 324; Mass. '99, 196a; Md. '88, 148; Much. '85, 65; Minn. '79, 154; Mo. '79, 143, '95, 222a; Mo. River, '95, 227a; Mont. '88, 18, '94, 306, '95, 217; N. B. '98, 189; N. M. '86, 74; N. Y. '78, 197, '79, 6, '81, 126, 230, 246, '84, 31, 175, '96, 87; Ore. '88, 359 [striata?]; Que. '84, 295; S. D. '85, 280; Tex. '82, 13, 39, '84, 121, '87, 293, '92, 338, 1900, 346.—anat. '96, 112, 114 (fig.); hbt. '81, 90, '93, 206; meas. '78, 198, '81, 246;

mig. '84, 31, 175, '85, 65, '95, 123, '99, 196^a; nst. '78, 197, '81, 246; plm. '93, 21, '98, 128, song. '80, 229, '88, 359, '98, 128, 189; syn. '79, 138, '93, 21, '94, 50; misc. '98, 203^a.

merrilli (Merrill's Song Sparrow, b ingersolli), Cal. '99, 342b; Ida. '96, 46*, '97, 122, '98, 16, Orc. '88, 359 [' heermanni '].—mig. '98, 16; nst. '96, 46, '98, 16; syn. '97, 122.

mexicana, Mex. '79, 158, 160, '94, 67.—meas., pim. '79, 160; syn. '90, 191, '99, 183.

montana (a Mountain Song Sparrow, b fallax), Ariz. '84, 223, '87, 204; Colo. '83, 189b, '85, 16b '85, 141b, '87, 125, '94, 216, g. dist. '84, 224*. Ida. 1900, 245; Mont. '82, 62b, '88, 17, '94, 306, '95, 217 [fasciata']; N. M. '85, 124, 236, '98, 310, Ore. '79, 165b [merrilli?], '88, 139, 359 [merrilli']; Tex. '89, 240; Wash. 1900, 245 [merrilli?]—mig. '84, 224; plm. '88, 359, '92, 85; song, '85, 236, '98, 310; syn. '84, 223, '90, 191, '99, 183.

pusillula, '99, 35*, see samuelis. rivularis (Brown's Song Sparrow), L. Cal. '92, 188.—nst. '89, 329; plm. '92, 86; syn. '99, 183.

rufina (Sooty Song Sparrow, b caurina), Alas. '95, 148, '98, 128, '99, 36b*; Ore. '86, 169.—meas., plm. '79, 160; syn. '79, 159, '99, 183, 183b.

samuelis (Samuel's Song Sparrow, b Ammodramus, cooperi, d pusillula), Cal. '86, 182, 453 [graminea 7], '90, 215b, '99, 35c*, 35d*; Colo. '87, 93.—meas. '79, 160; plm. '79, 157, '87, 93, '92, 86; syn. '79, 158, '99, 183, 183c, 183c, 183d.

183, 183°, 183°. striata (Forbush's Sparrow, blin-colni). B. C. '90, 63, '93, 21; Cal. '87, 193°, '89, 221°, '98, 235°; g. dist. '89, 89*—plm. '93, 21; syn. '90, 63, '93, 21, 292, '94, 50.

melpoda (Estrilda), see Habropyga.
—— (Fringilla), see Habropyga.
—— (Habropyga), see Habropyga.
—— (Catharus), see Catharus

melpomene (Catharus), see Catharus.

Melzer, James Pearson.

Little Blue Heron in New Hampshire,

'97, 316.
mendozæ (Pseudochloris) see Pseudo-

chloris.
meninting (Alcedo), see Alcedo.
menstruus (Pionus), see Pionus.
mentalis (Callolophus), see Chrysophlegma.

—— (Chrysophlegma), see Chrysophlegma.

— (Chrysopicus), see Chrysophlegma. —— (Dendrornis), see Dendrornis.

- (Picus), see Chrysophlegma.

---- (Rhodospingus), see Rhodospingus. Menura, '81, 32, 36.

superba, plm. '81, 240.

Menuridæ, '81, 33. Menzbier, Michael Alexander.

Ornithologie du Turkestan (rev.), '88, 447, '90, 77.

Merganetta frænata, Chili, '96, 162.

Merganser, '93, 99, 107.

americanus (a American Merganser, Goosander or Sheldrake, b Mergus), Aris. '86, 384, '90, 48, 50; Cal. '87, 87; Colo. '85, 18b, 144b; g. dist. '93, 125; Ida. '97, 350, Ind. '88, 346; Ky. '89, 312; La. '97, 285; Man. '86, 148; Mass. '96, 203; Me. 1900, 208", Mich. '93, 222; Minn. '84, 249b; Mont. '95, 212; N. B. '82, 152b, '89, 117; N. M. 87, 344; N. Y. '81, 235b; Ont. '85, 372b, '87, 247a; Ore. '79, 198b, '86, 163, '88, 141; Que. '82, 240b; S. D. '85, 288b; Tex. '82, 42b, '87, 184; Wash. '92, 41, '97, 171, 1900, 242.—fd. '86, 272", '89, 117; nst. '87, 344; syn. '86, 1272, '97, 316, '99, 103; misc. '93, 293ª, '94, 69ª.

comatus, Asia, '96, 162. merganser (a European Goosander, b Mergus), Helg. '95, 327b.—syn. '86,

127*, '96, 164.

serrator (* Red-breasted Merganser or Sheldrake, b Mergus), Alas. '80, 35b, '85, 158, 201b, 241b, '87, 12, '80, 35°, '85, 158, 201°, 241°, '87, 12, '95, 276, '98, 126, 1900, 183°; Cal. '86, 89, '89, 222°; Colo. '87, 264, '94, 183°; Fla. '88, 378, '92, 211; Ga. '96, 215; g. dist. '93, 125; Greenl. '89, 215; H. I. 1900, 203°; Helg. '95, 327°; Hud. B. '90, 320; Ida. '97, 350; Ill. '77, 68°; Ind. '88, 346; Kan. '94, 260°; Ky. '89, 312; Man. '86, 148; Mass. '92, 304, '94, 225, '96, 203, '97, 228: Me. '82. 152°, '95, 387°; Mich. 228; Me. '82, 152b, '95, 387a; Mich. '93, 222; Minn. '84, 249b; Mont. '94, 301, '95, 212; N. F. 1900, 71; N. J. 779, 226^b; N. S. '87, 14^a, '95, 90, 377; N. Y. '81, 235^b, '84, 177^b; Ont. '85, 372^b; Ore. '79, 198^b, '86, 163, '88, 141; Que. '82, 240^b, '89, 146; Wash. '93, 17, '97, 171, 1900, 350. anat. '96, 111a; fd. 1900, 203b; hbt. '92, 223; meas. '95, 388; mig. '84, 177b; nst. '87, 14a, '89, 146, '93, 222, '95, 388; plm. '83, 126b (alb.), 1900, 183ª (mlt.).

merganser (Merganser), see Merganser. Merganser, American, see Merganser americanus.

Hooded, see Lophodytes cucullatus. Red-breasted, see Merganser serrator.

Mergulus, see Alle. Mergus, '85, 96, '97, 118.

albellus (Smew, b Mergellus), g. dist. '97, 118, Helg. '95, 327b; N. Am. '84, 384, '96, 163.—syn. '97, 118; misc. '80, 88^b, '88, 422.

anatarius, plm. '88, 422 (hyb.).

Meriden Scientific Association, Transactions, titles (Nos. 2282-2283), '92, 193.

meridionalis (Dryobates), see D. medianus.

- (Gelochelidon), see G. nilotica.

— (Heterospizias), see Heterospizias.

---- (Lanius), see Lanius. —— (Parus), see P. sclateri.

—— (Serinus), see S. serinus.

--- (Sturnella), see Sturnella.

— (Trogon), see Trogon.

merle (Turdus), see Mimus orpheus. Merlin, see Falco regulus.

American, see Falco columbarius. Black, see Falco suckleyi.

Richardson's, see Falco richardsonii. merlini (Coccygus), see Saurothera.

— (Saurothera), see Saurothera. Meropidæ, '81, 74, 75.

Meropodidæ, '93, 68.

Merops, '94, 236, 237. apiaster, Helg. '95, 336.

bicolor, P. I., hbt. '94, 237. philippinus, P. I., hbt. '94, 237.

Merriam, Augustus Chapman.

The Coues lexicon of North American birds, '84, 36-49.

Merriam Clinton Hart.

Passerculus princeps and Parus hudsonicus in Connecticut, '76, 52.

Review of birds of Connecticut (rev.), '77, 107.

Correction [Colymbus cristatus not a Conn. bird], '78, 47.

Remarks on some birds of Lewis Co.,

New York, '78, 52-56, 123-128. see Willard, S. L., 'birds of central N. Y.' (rev.), '78, 83.

see Rathbun, F. R., 'birds of Cayuga. Wayne Seneca and counties' (rev.), '78, 85.

Nesting of Banded Three-toed Woodpecker (Picoides americanus) in northern N. Y. '78, 200.

Remarks on some birds of Lewis Co., New York, '79, 1-7. see Rathbun, F. R., 'revised list of birds of central New York' (rev.), '79, 172-175.

Preliminary list of birds in Adirondack region, New York, '81, 225-235.

Xanthocephalus icterocephalus in Lower Canada, '81, 246.

Breeding of Barrow's Golden-eye in Lower Canada, '81, 249.

Breeding of Pine Grosbeak (Pinicola enucleator) in Lower Canada, '82, 120.

Addenda to preliminary list of birds in Adirondack region, New York, '82, 128, 256, '84, 58.

List of birds within ten miles from Point de Monts, Quebec, Canada; based upon notes of N. A. Comeau, '82, 233-242, '83, 244, '84, 295, '85, 113, 315.

see Gentry, T. G., 'nests and eggs of birds of U. S.' (rev.), '82, 246-249.

A bird new to northern North America, '83, 213.

Breeding of Harlequin Duck (Histrionicus minutus), '83, 220.

Bird migration, '84, 71-76.

Plea for metric system in ornithology, '84, 203-205.

Vireo philadelphicus in northern New York, '84, 291.

Breeding of Passerculus princeps on Sable Island, '84, 390.

Preliminary report of committee on bird migration, '85, 53-65.

see Langille, J. H., 'our birds in their haunts' (rev.), '85, 91-94.

A bird new to the Bermudas (rev.), '85, 95.

Nest and eggs of Blackburnian Warbler, '85, 103.

Swainson's Warbler off southern Florida, '85, 104.

A remarkable migration of Canada Jays, '85, 107.

White Pelican on Lake Ontario, '85, 111.

Committee on migration and geographical distribution of N. Am. birds. Circular for 1885, '85, 117-120.

Change of color in wing-feathers of Willow Grouse, '85, 201-203.

Probable breeding of Wheatear (Saxicola ananthe) on north shore of Gulf of St. Lawrence, '85, 305.

Eggs of Knot (Tringa canutus) found at last! '85, 312-313.

Kirtland's Warbler from Straits of Mackinac, '85, 376.

Odd nesting habits of Blue Yellowbacked Warbler in Missouri, '85, 377.

Swainson's Warbler in Jamaica, '85, 377.

An albino Surf Duck (Edemia perspicillata), '85, 386.

What birds indicate proximity to water?, '88, 119.

Euetheia canora from Sombrero Key, Florida—a bird new to United States. '88, 322.

Descr. of breeding plumage of Chadbourne's Field Sparrow (Spisella arenacea), with evidence of specific distinctness, '88, 402.

A hawk bearing a legend, '89, 276. Biological survey of San Francisc

Biological survey of San Francisco mountain region and desert of Little Colorado, Arizona [N. Amer. Fauna, No. 3] (rev.), '91, 95-98.

Birds observed in Idaho [N. Amer. Fauna, No. 5] (rev.), '91, 385.

Dwarf Screech Owl (Mcgascops flammeolus idahoensis), '92, 169-171 (col. pl.).

Carolina Paroquet (Conurus carolinensis) in Missouri, '92, 301.

Geographic distribution of life in N. America (rev.), '92, 377-382.

Report of ornithologist and mammalogist for 1892 (rev.), '93, 347.

Faunal position of Lower California, '93, 305.

Water Ouzel in coast range of Monterey, Cal. '94, 258.

Leconte Thrasher, Harporhynchus lecontei, '95, 54-60 (col. pl., 5 figs., map).

Report of ornithologist and mammalogist for 1893 (rev.), '95, 98.

Laws of temperature control of the geographical distribution of terrestrial animals and plants (rev.), '95, 174

Geographic distribution of animals and plants in North America (rev.), '95, 384.

Syrnium occidentale caurinum, a new Owl from the Puget Sound region, '98, 39.

Results of a biological survey of Mount Shasta, Cal. [in N. Amer. Fauna, No. 16] (rev.), 1900, 73.

Merriam, Florence Augusta.

Birds through an opera glass (rev.), '89, 330.

250

Was he a philanthropist? '90, 404-407.

Interesting nesting site of a Winter Wren (Troglodytes hiemalis), '90,

Nesting habits of Phainopepla nitens ın California, '96, 38-43.

Notes on some birds of southern California, '96, 115-124.

How birds affect the farm and garden (rev.), '96, 337.

A-birding on a bronco (rev.), '97, 107.

Bird protection in New York, '98, 111, '99, 58.

Birds of village and field (rev.), '98, 206.

merriami (Cyrtonyx), see Cyrtonyx. - (Meleagris), see M. gallopavo. Merrill, Harry.

Notes on a few Maine birds, '81, 249-250.

Maine notes, '82, 190.

Occurrence of Larus glaucescens at Grand Menan, N. B. '83, 125.

Connecticut Warbler-a correction, '86, 413.

Pelecanus erythrorhynchos in Maine, **'92**, 292.

Lagopus lagopus in Maine, '92, 300. Black Gyrfalcon (Falco rusticolus obsoletus) in Maine, '99, 182.

Merrill, James Cushing.

Notes on Texan birds, '76, 88-89. A Hummingbird new to fauna of the United States, '77, 26.

Notes on Molothrus aneus, '77, 85-

Occurrence of Myiarchus crinitus erythrocercus at Fort Brown, Texas, '78, 99.

Notes on ornithology of southern Texas (rev.), '79, 50-52. see Maynard, C. J., 'birds of Florida'

(rev.), '79, 114.

Notes on winter plumage of Leucosticte tephrocotis and var. littoralis, **'80**, 75–77.

Oölogical notes from Montana, '81, 203-207.

Nesting habits of Canada Goose (Bernicla canadensis), '83, 124.

Republication in 'The Auk' of descriptions of N. Am. birds,—a suggestion, '85, 389.

Notes on birds of Fort Klamath, Oregon, with remarks by Wm. Brewster, '88, 139-146, 251-262, 357-366.

Notes on birds of Fort Sherman, Idaho, '97, 347-357, '98, 14.

Obituary of Charles E. Bendire, '98, 1-6 (portrait).

Spotted Sandpiper removing young, '98, 52.

merrilli (Melospiza), see Melospiza.

- (Nyctidromus), see Nyctidromus. - (Otocoris), see Otocoris.

merillus (Accipiter), see Falco regulus. Merula, '81, 171, '83, 100, 101, '84, 182, '86, 2, 450, '88, 443, '90, 194, 277, '93, 113, 131, '94, 233.

albiventris, Venes. '97, 363.

aurantia, W. I. '86, 3, '93, 342.meas., plm., syn. '86, 3.

cacozela, Colom. '99, 91.

celænops (b Turdus), Japan, '88, 196°.

confinis (Saint Lucas Robin), L. Cal. '84, 284, 285.—misc. '93, 142. conradi (b Turdus), Ecuador, 1900,

81b. flavirostris (b Turdus), Cal. '77, 90b?.

fumigata, Braz., meas. '90, 135. fusa, Colom. 1900, 82.

grayi (b Turdus), C. R. '91, 274.anat. '82, 215b; meas. '91, 274, 275; nst. '91, 274.

graysoni, Mex. '83, 169.

gymnophthalma (b Turdus caribbœus), Venez. '97, 363; W. I. '79, 49, 229, '86, 4, '93, 220.—anat. '79, 49b, 229^b; meas., plm., syn. '86, 4.

incompta, Colom. '98, 339.

intermedia, Turkestan, '96, 331. jamaicensis, W. I. '86, 2, '93, 342. -meas., plm., syn. '86, 2.

leucauchen, Mex., syn. '98, 161. leucomelas (b Turdus), Argent. '83, 85b; Braz. 1900, 299b; Urug., hbt., nst. '83, 85b.

leucops (b Turdus lawrencei), syn. '97, 225°.

merula (a European Blackbird, b Turdus), Germany, '96, 307a, 310a; Helg. '95, 331; N. Y. '80, 120ª (introduced) .- misc. '85, 129; song, '96,

(a American migratoria Robin. b Turdus), Ala. '78, 169b; Alas. '81, 5^a, '87, 13; Ark. 1900, 55^a; B. C. 1900, 107, Canada, '88, 211; Conn. '84, 90b; Cuba, '86, 3; D. C. '88, 25; '88, 277, '90, 120, '91, 138, '92, 214, '95, 188*, '97, 325; Ga. '96, 213; g. dist. '77, 9b; G. Br. '92, 290b; Helg. '91, 300, '95, 331; Hud. B. '90, 322;

Ia. '84, 861, 861, '95, 121, 236; Ill. '88, 434; Ind. '89, 30; Kan. '94, 215a, Ky. '89, 316, La. '82, 160, '92, 206, Man. '86, 328. Mass. '83, 149ª, '84, 6ª, '88, 389, '89, 46, 107. '90, 360–373. '95, 87ª, '98, 162–167; Mc. '82, 108b, '89, 281ª; Mich. '81, 196ª, '93, 360–373. '95, 87ª, '98, 162–167; Mc. '82, 108b, '89, 281ª; Mich. '81, 196ª, '93, 1082, 128, 248, 248, 118, 1868, 188, 1888, 1 230; Minn. '80, 13b, '84, 244; Mo. '79, 140b, '95, 1-11a, 219a, '96, 219; N. B. '82, 108b, '83, 7a, 11a, 235a, '84, 294^a, '87, 213^a, '89, 119, 241, 1900, 294, '87, 213', '89, 119, 241, 1900, 177; N. C. '86, 101a', 178, 311a', 314, '87, 245, '89, 119a', 122a'; N. E. '76, 72b', 90b', '77, 12b', '92, 68a', 68a'; N. F. 1900, 73; N. H. '87, 108, '88, 151, 153, 155, '89, 78, 79, N. J. '79, 81a', '80, 134a', '92, 204, '94, 140; N. S. '82, 15b', 202, 204, '94, 140; N. S. '82, 20 115^b, '84, 269^a, '87, 15^a, 16, '99, 253; N. Y. '79, 31^b, 33^b, '81, 226, '82, 187^b, '84, 126^b, 178, '89, 131, 202, '98, 274, 332; O. '95, 242; Ont. '83, 144a, '84, 161; Pa. '89, 141a, '92, 141, '93, 41, 46, '96, 285, 297; P. E. I. '85, 265a, '93, 6a, 15, Que. '82, 234b, '85, 102b, 150, '91, 317; S. C. '79, 210b, 29, 30^a, 31^a, 32^a, 33^a, '94, 34^a; S. D. '85, 277; Tenn. '86, 315, '87, 133, Tex. '82, 6b, '84, 123, '87, 298, '92, 345, 1900, 348; Va. '86, 159a, '89, 52; Wash. '82, 227b; Wis. '82, 187b, '88, 327a; W. Va. '98, 137.—anat. '83, 172a, '85, 303a; fd. '81, 25a, 110a, 226, '82, 6b, '84, 87b, '85, 265a, 277, 220, 82, 6°, 84, 87°, 85, 265°, 277, 299°, 300°, 86, 477°, 88, 211, '93, 15, '97, 421°, '99, 253, 284, 362°; hbt. '97, 421ª, '79, 178^a, '83, 11^a, '84, 87^a, 189^a, '86, 315, '90, 86^a, 110^a, 360–373, 394, '91, 107^a, '92, 286^a, '94, 68^a, 68^a, 71^a, 71^a, 261^a, 278^a, '95, 1-11^a, '96, 219, '97, 413^a, '98, 162-167, 274, 1900, 100-103 (2 pll.), 300°, meas. '77, 9°, '98, 164, 166; mig. '80, 134°, '84, 178, 189°, '85, 97°, 277, '86, 475, '87, 67°, '88, 277, 327ª, 434, '89, 141ª, 202, '88, 277, 327°, 434, '89, 141°, 202, 241, '90, 396, '91, 109, 195, '92, 29°, 30°, 31°, 32°, 33°, '94, 104°, '95, 121, 129°, 236, 239°, 242, 244°, '97, 325; nst. '78, 97°, 103°, '83, 117°, 235°, 237°, '85, 97°, 277, '86, 315, '87, 245, 264, '89, 30, 150, 182°, 182°, 182°, '90, 82°, 83°, 394°, '91, 106°, 109, '94, 125°, '08, 162, 240°, 274, 332. 135a, '98, 162, 240a, 274, 332; plm. '76, 21^b (alb.), 24^b (melan.), '77, 9^b, '78, 47^b (melan.), 104^a (alb.), '80, 46^b (melan.), '84, 90 (melan.), 126^b (mlt.), 287^a (alb.), '85, 102^b (alb.), 114^b (alb.), 303^a (melan.), 304 (alb.), '86, 178, 284^a (melan.), '92, 304^a (melan.), '98, 166; song, '84, 70^a, 126^b, '88, 277, '90, 199, 1900, 114^b (alb.), 303^a

403; syn. '84, 123, '86, 3; misc. '77, 8b, '78, 104a, '81, 125a, 196a, '83, 73, 175^a, '84, 244, '85, 211^a, 300^a, '86, 400^a, '88, 316^a, '90, 82^a, 391^a, 396^a, 397°, '91, 391°, '94, 71°, '95, 304°, '96, 348°, 1900, 55°, 56°, 109°. minuscula, Colom. '99, 91. nigrirostris, W. I. '79, 48, '86, 4 .-meas., plm., syn. '86, 4. obscura (b Turdus), Helg. '95. 331b. plebeius, Mex. '98, 161. propinqua (a Western Robin, b Turdus, e Turdus migratorius), Alas. '98, 130; Arız. '82, 68b, '88, 167, '90, 49, 264; B. C. 1900, 107; Cal. '86, 186, '89, 222a, '90, 297, '99, 159a; Colo. '79, 91°, '81, 85°, '83, 152°, '85, 15, 140, '87, 123, '94, 216, 270; g. dist. '77, 9b*, '80, 89b, Ida. '98, 21, 1900, 245; Kan. '84, 100, '86, 115; Minn. '97, 181, 1900, 245, 357; Wyo. '89, 193.—fd. '79, 163b, '89, 73, 193; hbt. ⁹⁷, 318^a, 319^a; meas. ⁸², 68^b, ⁸³, 152^b; nst. ⁷⁹, 163^b, ⁸¹, 85^b, ⁸⁸, 365, ⁹⁹, 159^a, 1900, 245; plm. ⁸¹, 85^b, ⁸², 68^b, ⁸³, 152^b, ⁸⁶, 172 (alb.); syn. ⁸⁴, 123; misc. ⁹², 69. rufiventris (b Turdus), Urug., nst. '83, 85b. tamaulipensis, Mex. '97, 75*. tristis, syn. '98, 161. xanthosceles, W. I. '93, 220, '97, 362. merula (Cinclus), see Cinclus. - (Dendrocincla), see D. castanoptera. - (Merula), see Merula. - (Turdus), see Merula. merulinius (Larus), see Hydrochelidon surinamensis. Mesitidæ, '94, 242. mesoleuca (Ruticilla), see Ruticilla. mesoleucus (Contopus), see Contopus. - (Pipilo), see Pipilo. - (Thryothorus), see Troglodytes. — (Troglodytes), see Troglodytes. Mesomyodi, '81, 32. Mesotreron, 1900, 80. Metallura districta, Colom. 1900, 82. smaragdinicollis, Colom., plm. '99,

tyrianthina, g. dist. '99, 139.

Methriopterus, '83, 169.

--- (Himantopus), see Himantopus. occidentalis, Mex. '83, 169. —— (Legriocinclus), see Ramphocin-Metopiana peposaca, Argent., Urug., hbt. '84, 274. clus brachyurus. —— (Myıarchus), see Myiarchus. Metopidius, '88, 292. — (Nyctibius), see Nytibius. africanus, g. dist., fd., hbt., meas., —— (Peucæa), see P. arizonæ. plm., syn. '88, 289, 292, 293, 301. — (Phalacrocorax), see Phalacroalbinucha, Madagascar, '88, 293, 300. — (Phasianus), see Geococcyx affinis. indicus (b Jacana), g. dist., hbt., meas., nst., plm., syn. '88, 292b, 299b. — (Psilorhinus), see Psilorhinus. - (Pterodroma), see Ramphocinclus Meves, Wilhelm. Die Grosse und Farbe der Augen aller brachyurus. - (Pyrocephalus), see Pyrocephalus. Europaischen Vogel, etc. (rev.), --- (Spinus), see Astragalınus. **'86**, 265. - (Tantalus), see Plegadis autummexicana (Anas), see Spatula clypeata. nalis. — (Certhia), see C. albescens. —— (Todus), see T. hypochondriacus. —— (Chrysomitris), see Astragalinus. - (Cœreba), see Cœreba. —— (Trogon), see Trogon. - (Coturniculus), see Peucæa ari-—— (Xanthornus), see Gymnomystax melanicterus. Mexico (see also separate States of). - (Culicivora), see Polioptila mexi-Allen, J. A., '76, 93, '87, 65, '98, 339cana or plumbea. — (Curvirostra), see Loxia strick-Butler, A. W., '81, 49. landi. Chapman, F. M., '94, 245, '98, 279. ---- (Grus), see Grus. Ferrari-Perez, F., '87, 65. - (Henicorhina), see Henicorhina. Goss, N. S., '88, 240-244. - (Loxia), see L. stricklandi. Lawrence, G. N., '76, 93. Nelson, E. W., '94, 39-45, '97, 42-- (Meleagris), see M. gallopavo. — (Melospiza), see Melospiza. 76, '98, 115-122, 155-161, 217-223, '99, 25-31, 296, 1900, 253---- (Muscivora), see Muscivora. --- (Peucæa), see P. arizonæ. 270. —— (Platalea), see Ajaja ajaja. Oswald, F. L., '81, 51. Palmer, T. S., '94, 39-45. Stone, W., '92, 195. ---- (Polioptila), see Polioptila. --- (Sialia), see S. mexicana, occidentalis or bairdi. - (Sitta), see Sitta. Mexico, Mexico. Butler, A. W., '88, 264-266. Nelson, E. W., '97, 75. —— (Spinus), see Astragalinus. ---- (Spizella), see Spizella. --- (Sturnella), see S. hoopesi or in-Meyer, Adolph Bernhard. expectata. A supposed new species of Humming-— (Thamnophilus), see T. doliatus. — (Tyrannula), see Myiarchus. bird in Royal Zoölogical Museum of Dresden, '90, 315. mexicanoides (Colaptes), see Colaptes. Another specimen of Labrador Duck, mexicanus (Accipiter), see A. gund-**'92**, 389. lachi. Meyer, A. B., and Wiglesworth. L. W. Birds of Celebes and neighboring --- (Asio), see Asio. islands (rev.), 1900, 399-401. --- (Astragalinus), see Astragalinus. - (Carbo), see Phalacrocorax. Mezotreron dohertyi, syn. 1900. 80. - (Carpodacus), see Carpodacus. miamensis (Thryothorus), see T. mia-- (Catherpes), see C. mexicanus, almensis. bifrons or conspersus. Michigan. - (Charadrius), see Himantopus. Allen, J. A., '79, 123, '80, 54, 110, - (Cinclus), see Cinclus. '81, 46. Atkins, H. A., '79, 238, '83, 174, 174, — (Coccothraustes), see Cocothrau-175, 175, 237, '85, 98. Barrows, W. B., '95, 387. stes. ---- (Colaptes), see C. cafer. —— (Crypturus), see Crypturus. Brewster, W., '89, 286-291. Collins, W. H., '80, 61-62, '81, 47, — (Falco), see Falco. (Geococcyx), see G. affinis. '83, 176, 234. Coues, E., '80, 49-50. --- (Graculus), see Phalacrocorax.

Covert, A. B., '77, 75, '81, 47, '96, 255-256. Deane, R., '97, 316 Dunn, J. O., '95, 389. Eddy, N. A., '83, 235. George, A. B, '90, 388. Gibbs, M., '80, 110, '85, 212, 302, '87, 66, 339, 38, 312, 312, 312, 30, 84, 85, 85, '92, 67, 68. Gunn, C. W., '79, 186, '81, 119-120. Henshaw, H. W., '81, 195-196. Herbert, A., '81, 48. Lawrence, R. B., '87, 69, '90, 204, 391, '92, 67. Lockwood, E. A., '88, 315. Maynard, C. J., '76, 2-6. Merriam, C. H., '85, 64-65, 376. Mosely, E. L., '89, 174, '90, 391. Mulliken, W. E., '96, 174. Purdie, H. A., '79, 185. Purdy, J. B., '97, 220-221, 406, '99, 77, 1900, 174. Ridgway, R., '84, 389. Roney, H. B., '80, 180. Selous, P. S., 1900, 293. Swales, B., '94, 70. Trombley, J., '82, 250-251. Warren, O. B., '94, 180, '95, 191-192, '98, 193, '99, 12–19. Washburn, F. L., '89, 279-280. Watkins, L. W., '95, 77. White, S. E., '93, 221-230. Wood, J. C., 1900, 390-391. Wood, N. A., '97, 216. Michigan Ornithological Club, '96, 194, '97, 101, 256. Michoacan, Mexico. Nelson, E. W., '94, 40-41, '99, 28, 1900, 254-255. Palmer, T. S., '94, 40-41. Micrastur, '77, 72, '85, 205. Micrastures, '77, 70. Micrathena, see Micropallas. Micrathene, see Micropallas. graysoni, '86, 333*, see Micropallas. microcephala (Sylvania), see Wilsonia. — (Wilsonia), see Wilsonia. Microcerculus daulias, C. R. '89, 171. microceros (Ciceronia), see Simorhynchus pusillus. -- (Phaleris), see Simorhynchus pusillus. (Simorhynchus), see S. pusillus. Microglossus, '92, 279. aterrimus, plm. 95, 74. Microhierax, '94, 233.
Microligea (b Ligea), '84, 1b*, 236b, 290*, '85, 295, 367, '86, 44, 1900, 217.

palustris (b Ligea, c Geothlypis),

W. I. '84, 1b* (col. pl.), 285, '86, 44,

1900, 217°, -meas. '84, 15, '86, 44; flm. '86, 44, 1900, 217°; syn. '84, 290, '86, 44. micromegas (Nesoctites), see Nesoc-- (Picumnus) see Nesoctites. Micropalama, '87, 312, '88, 193, '93, 108. himantopus (Stilt Sandpiper), B. C. 1900, 104; Colo. '87, 264; Colom. 1900, 364; Fla. 89, 156, '92, 212; g. dist. '93, 125: Hud. B. '90, 321; Ill. '77, 68. '96, 180; Jamaica, '92, 13; Man. '93, 49; Mass. '79, 63, '80, 44, '95, 310, '96, 88; Md. '86, 140, '99, 76, Me. '78, 102; N. B. '82, 105; N. C. '99, 246; N. E. '76, 73, 92, '77, 17, 48; N. J. '79, 63, '95, 171; N. Y. '78, 148, '85, 273, '95, 313; O. '90, 393; R. I. '80, 237; Sask. '86, 151; S. D '85, 286; Tex. '87, 186, '88, 110, '92, 232; Va. '97, 88; W. I. '87, 312; Wyo. '89, 341.-hbt. '85, 273, '93, 293; plm. 1900, 370 (mlt.); syn. '87, 312. Micropallas, '89, 71, '93, 110, 130. graysoni (b Micrathene), Mex. '86, 333b*, '98, 317. whitneyi (Elf Owl, b Micrathene), Ariz. '83, 27-29^b, '86, 424, '88, 372^b?; g. dist. '93, 134; Mex. '85, 231; N. M. '92, 362; Tex. '89, 276.—hbt. '83, 27b, 178b, '86, 424; meas. '83, 29b; nst. '83, 27b, '86, 424, '88, 372b; plm., song, '83, 27b; syn. '89, 71a. (b Aphalus), Microparra capensis Africa, '88, 293b, 301b.—hbt., meas. '88, 302b; plm. '88, 293b, 302b; syn. '88, 301b. Micropodidæ, '86, 404, '89, 13, '95, 156. Micropodinæ, '89, 13. Micropodoideæ, '86, 406, '89, 12, 196. Micropsitta, '92, 279. Micropternus badiosus, Borneo, syn. **'**91, 8. Micropus, see Cypselus. microrhyncha (Arbelorhina), see Cœreba cæruleus. – (Cœreba), see C. cæruleus. microsoma (Halocyptena), see Halocyptena. Microstictus, '91, 93. Micruria, see Brachyrhamphus. micrus (Vireo), see Vireo. Middendorff, Alexander Theodor von. Obituary of, '94, 264. migrans (Lanius), see L. ludovicianus. Migration. A. O. U. committee, '84, 71, '85, 117. Allen J. A., '80, 151.

Butler, A. W., '92, 238, '93, 155.

Chapman, F. M., '88, 37, '94, 12.

Cooke, W. W., '84, 332, '95, 150.

Chadbourne, A. P., '88, 255.

Bain, F., '85, 262.

Cox, P., '89, 241.

Deane, R., '77, 9.

Baker, C. F., '96, 20. Brewster, W., '95, 245.

Drew, F. M., '85, 11. Dutcher, W., '84, 174. Grundtvig, F. L., '83, 65. Job, H. K., '83, 147. Jones, L., '95, 117, 231, 237. Libby, O. G, '99, 140. Loomis, L. M., '92, 28, '94, 26, 94. Mackay, G. H., '93, 245. Merriam, C. H., '85, 53. Murdoch, J., '78, 75. Scott, W. E. D., '79, 81, '81, 97. Stone, W., '89, 139, '91, 194. Trowbridge, C. C., '95, 259. Willard, S. W., '84, 221. migratoria (Columba), see Ectopistes. — (Merula), see Merula. migratorius (Ectopistes), see Ectopistes. ---- (Planesticus), see Merula. - (Turdus), see Merula migratoria or propinqua. miliaria (Emberiza), see Emberiza. militaris (Ara), see Ara. (Trupialis), see Trupialis. Millais, John Guille. Change of birds to spring plumage without a moult (rev.), '97, 109-111. Miller, Fanny. Strange story of a California bird, '79, 109. Miller, Gerritt Smith, Jr. Description of an apparently new Poocates from Oregon, '88, 404. Cape Cod bird notes, '90, 226-229. Further Cape Cod notes, '91, 117-120. First plumage of Otocoris alpestris strigata, '91, 314. Crymophilus fulicarius in Provincetown harbor, '92, 298. Two Cape Cod records, '92, 396-397. Plumbeous Vireo in central New York, '94, 79. Ground Cuckoo of Andros Island [W. I.], '94, 164. Dryobates scalaris lucasanus in San Diego Co., California, '94, 178. · The systematic name of the Mexican Creeper, '95, 185. Description of a new Jay [Aphelo-

coma gracilis] from Mexico, '96, 34-37 (fig.). Some abnormal color markings, '97, 275-278. see Winge, O., ['birds at Danish lighthouses, 1883-1897'] '97, 415-417. Treatment of nomina nuda, '97, 427-Fauna of Muskeget Island-a protest. '98, 75-77. Miller, James Henry. Great Gray Owl in Lewis Co., New York, '90, 206. Miller, Mary Mann. Birds feeding on hairy caterpillars, **'99**, 362, Miller, Olive Thorne. Bird-ways (rev.), '86, 400. Little brothers of the air (rev.), '92, Popular vs. scientific ornithology, '94, A bird-lover in the West (rev.), '94, 243. Captive wild birds, '97, 251. Upon the tree tops (rev.), '97, 333. First book of birds (rev.), '99, 368. Miller, Walter. Scientific names of Latin and Greek derivation (rev.), '97, 332. Milne-Edwards, Alphonse. Obituary of, 1900, 320. chimango, Argent. '84, 111; Bras. '91, 161; Urug. '84, 111.—anat. '82, 88; hbt., fd., nst. '84, 111. Milvidæ, '92, 174.

Milvago, '77, 71.

Milvulus, '93, 132.

forficatus (a Scissor-tailed Flycatcher), Conn. Swallow-tailed '77, 21; Fla. '86, 134, '89, 161, 318; Mass. '85, 218, '86, 320; Md. '96, 68, 83: N. W. T. '85, 218; O. '83, 118*; Tex. '82, 40, 168, '87, 192, '89, 239, '92, 235, '94, 222, 1900, 344; Va. '83, 59. '96, 83; Vt. '86, 271.—fd. '82, 168; hbt. '82, 168; mig. '92, 235; nst. 77, 86a, '82, 168, '87, 192; plm. '80, 28 (alb.); misc. '83, 177a (not Forktailed'), 178a, 178a, '90, 80a.

tyrannus (Fork-tailed Flycatcher), C. R. '90, 333, '92, 251, 322; Braz. '90, 271, 1900, 299; Urug. '82, 203; W. I. '88, 158.—meas., nst. '92, 322. Milvus, '85, 205, '93, 99, 1900, 167.

ater, Helg. '95, 329. ictinus, Helg. '95, 329. Milwaukee Public Museum, circular of, title (No. 965), '85, 372.

Mimeta, '94, 58.

Mimidæ, '97, 341.

Miminæ, '83. 104, '89, 277, '93, 112.

Mimocichla, '83, 101, '84, 182, '86, 5. ardosiaca, W. I. '81, 151, '86, 6.—fd. '81, 151; meas., fim., syn. '86, 6; nst. '84, 285, '85, 295; song, '81, 151. plumbea, Bahamas, '80, 107, '86, 6, '91, 66, 294, 298, 333, 335, 336, 350, 350, 351, 1900, 289.—fd. '91, 66; hbt. '91, 387; meas., flm., syn. '86, 6, 1900, 289.

ravida, W. I. '86, 499*, 501, '88

ravida, W. I. '86, 499*, 501, '88, 156.

rubripes, W. I. '86, 5, '89, 30, 31, '91, 300, '92, 272.—hbt. '91, 387; mcas., syn. '86, 5; plm. '86, 5, '91, 189 (alb.).

schistacea, W. I., meas., nst., plm., syn. '86, 5.

verrillorum, Dominica, meas., syn. '91, 217*.

Mimodes, '83, 169.

graysoni (b Harporhynchus), Socorro I., fd., song, '98, 317; syn. '83, 169b.

Mimus, '77, 64, '82, 215, '86, 19, '93, 112, '97, 97.

arenaceus, Bras. '90, 135*. elegans, W. I. '86, 19, 20, '91, 298, 333, 351.—meas., plm. '86, 20; syn. '86, 20, '91, 45, 298.

gilvus, Venez. '97, 363; W. I. '80, 166, '86, 20, '87, 95, '93, 220.—meas., syn. '86, 20; plm. '86, 20, '93, 220.

gracilis, Mex., syn. '98, 159. gundlachi, Bahamas, '86, 21, '91, 67, 295, 297, 298, 335, 336, 336, 337, 337, 338, 339, 351, 351, '92, 48, 49, 1900, 289; Cuba, '86, 21.—fd. '91, 67, meas., syn., plm. '86, 21, '91, 67. hillii, W. I. '86, 22, '93, 341, '94, 127; hbt. '94, 127; nst. '94, 127; meas., plm., syn. '86, 22.

lawrencei, Mex. '83, 169, '98, 159.

-syn. '98, 159.

leucophæus, Yucatan, '89, 171.

magnirostris, W. I. '87, 178*, 181. modulator (b calandria), g. dist. '90, 136; Urug., nst., song, '83, 85b. orpheus (b dominicus), Bahamas, '91, 294, 295, 296, 350, 350, '92, 48; g. dist. '91, 45; Jamaica, '93, 341, '94, 127; W. I. '81, 151b, '86, 20b, 501.—meas., plm., syn. '86, 20b.

patagonicus, Patagonia, '83, 86?. polyglottos (a Mockingbird), Ala. '78, 169; Ariz. '78, 93, '82, 68, '86,

2993, '88, 159-161, '90, 48, '94, 220; Ark. '82, 90; Bahamas '91, 66; Bermuda, '96, 237; Cal. '78, 65, '86, 874, 185, '90, 297, '98, 197, 236; Colo. '83, 153, '85, 15, '85, 140; Cuba, '86, 19: D. C. '88, 24; Fla. '88, 276, '90, 115, 343, '91, 138, '92, 214, '95, 365; Ga. '82, 961, 991, '83, 37, '96, 213; Ill. '83, 581, Ind. '85, 981; Kan. '83, 188, 240, Ky. '83, 171, '89, 316; La. '82, 160, '87, 300°; Mass. '76, 30, '78, 139, '79, 64, '83, 233, '84, 192, 286a '89, 340, '90, 393a, '91, 117, 119, 120, 395, '92, 68°, 74°, '93, 295°, '95, 84°, 308, '97, 100, 324, '98, 59, 333, '99, 196^a; Me. '97, 224, 324^a; Mo. '79, 140, '90, 393, '96, 222^a; N. C. '86, 99a, 175; N. E. '76, 73; N. J. '85, 86, '88, 421, '89, 304, '94, 140; N. J. 1900, 390; N. M. '78, 93; N. S. '96, 344; N. Y. '78, 129, '79, 32, '80, 46, '81, 125, '84, 131, '88, 183, 1900, 390a?; Ont. '84, 85², '96, 344, Pa. '95, 190; S. C. '79, 210, '90, 30, 129, '92, 28*, 30*, 36*, 39*, '94, 103*, '99, 198*; Tenn. '86, 315; Tex. '82, 7, 34, '87, 297, '88, 119ª, '89, 240, '92, 342, '94, 222a, 1900, 348; Wyo. '82, 180. '94, 258, '95, 309.—fd. '82, 7, '92, 342, '94, 258, '96, 167a, '97, 224, 319a, '98, 59; hbt. '82, 101a, 160, '88, 119a, 159, '97, 319a; meas. '82, 68; mig. '91, 109, '92, 28a, 30a, 36a, 39a, '94, 103a, 104a, '99, 198a; nst. '82, 7, 180, '83, 37, '87, 297, 300a, '88, 276, '89, 304, '90, 300a, '81, 100, 200a, 200a, '81, 100, 200a, '80, 276, '89, 304, '90, 200a, '80, 200°, '91, 109, '92, 338°, '94, 258, '95, 308; plm. '79, 27ª (alb.), '82, 69, '88, 159, '94, 258; song, '82, 101^a, '84, 69^a, 131, '85, 307, '86, 185, '87, 297, '90, 343; syn. '86, 19, '90, 192; misc. '88, 314^a, '89, 197, '90, 199^a, 200, '92, 285ª, '94, 69, 1900, 109ª.

portoricensis, Porto Rico, '91, 46.

—syn. '91, 46. rostratus, W. I. '85, 291.

saturninus, Braz. '90, 135*.
mindorensis (Loriculus), see Loriculus.
— (Penelopides), see Penelopides.
miniata (Setophaga), see Setophaga.

miniata (Setophaga), see Setophaga. miniatus (Chrysonotus), see Chrysophlegma malaccensis.

minima (Branta), see Branta.

—— (Fringilla), see Acanthis cabaret.

—— (Habrura), see H. pectoralis.

(Mellisuga), see Mellisuga.(Ornismya), see Mellisuga.

minimus (Empidonax), see Empidonax.
—— (Myiopagis), see Myiopagis.

--- (Parus), see Psaltriparus.

—— (Psaltriparus), see P. minimus or californicus. —— (Trochilus), see Mellisuga. —— (Turdus), see Hylocichla fuscescens or Seiurus aurocapillus. Minnesota. Benner, F., '80, 11-20, '92, 193. Brackett, F. H., '89, 183. Brauns, E. O., '88, 313. Cantwell, G. G., '89, 340-341. Cooke, W. W., '81, 186, '84, 242-250, '85, 32. Coues, E., '82, 47. Gault, B. T., '95, 80, '97, 222-223. Guilford, H. M., '93, 86. Hallock, C., '84, 187-188, '88, 314, '92, 193. Hatch, P. L., '82, 47. Lano, A., '96, 78-79, 342, '97, 317, '98, 54-55, 186-187, '99, 76-77. Mackay, G. H., '93, 300. McGee, W. J., '80, 53. Mitchell, W., '95, 185. Peabody, P. B., '95, 11-16, '96, 79. Roberts, T. S., '77, 34-36, '79, 152-155, 237-238, '80, 11-20, 61, '81, 48, 49, '90, 213, '93, 288-290, '99, 236-246, 1900, 272-283. Tiffany, W. L., '81, 51, '85, 297. Walford, W. L., '80, 183-184. Williams, R. S., '79, 182. Minnesota Academy of Natural Sciences, Bulletin, titles (Nos. 2284-2285), '92, 193. minor (Ægialitis), see Æ. dubia. —— (Botaurus), see B. lentiginosus. —— (Chordeiles), see Chordeiles minor or chapmani. —— (Coccyzus), see Coccyzus. —— (Chordeiles), see Chordeiles minor or chapmani. —— (Coccyzus), see Coccyzus. —— (Colymbus), see Colymbus. —— (Coccyzus), see Coccyzus. —— (Clymbus), see Fulmarus. —— (Fulmarus), see Fulmarus. —— (Fulmarus), see Fulmarus. —— (Fulmarus), see Fulmarus. —— (Fulmarus), see Fulmarus. —— (Hadrostomus), see Platypsaris. —— (Hemipalama), see Furnarius. —— (Hemipalama), see Furnarius. —— (Hemipalama), see Furnarius. —— (Hemipalama), see Furnarius. —— (Hemipalama), see Molothrus bonariensis. —— (Icterus), see Molothrus bonariensis.	— (Philohela), see Philohela — (Picus), see Dryobates. — (Platypsaris), see Platypsaris. — (Podiceps), see Colymbus. — (Psittacus), see Amazona agilis. — (Rusticola), see Philohela. — (Scolopax), see Philohela. — (Sicalis), see S. chapmani. — (Turdus), see Hylocichla fuscescens. Minor ornithological papers (Nos. 1-2697), '76, 30, '77, 73-76, '80, 43-46, 112-115, 180-181, '81, 47-53, 112-113, '82, 115-118, '83, 116-119, 171-178, 233-238, '84, 85-89, 185-190, 285-289, '85, 96-101, 209-214, 295-302, 372-375, '86, 270-272, 475-478, '87, 66-69, 337-342, '88, 312-317, '89, 174-184, '90, 79-86, 198-201, 388-398, '91, 106-110, 387-392, '92, 66-69, 187-196, 282-290, 383-387, '93, 292-297, '94, 67-71. Minot, Henry Davis. Great Carolina Wren in Massachusetts, '76, 76. Land birds and game birds of New England (rev.), '77, 49, '81, 241; 2d ed. '94, 190, '95, 284-286. Summer birds of Adirondacks (rev.), '78, 36. Diary of a bird (rev.), '80, 112. Notes on Colorado birds, '80, 223-232. Obituary of, '91, 121. Memorial of, '97, 431. Minot, H. D., and Brewster, W. Land and game birds of New England (rev.), '81, 241-244; 2d ed. '94, 190, '95, 284-286. Minot, H. D., and Roosevelt, T., Jr., see Roosevelt and Minot. minuscula (Merula), see Merula. minuta (Ardetta), see Ardetta. — (Buteola), see Buteo brachyurus. — (Crex), see Porzana flaviventris. — (Etyphonia), see Euphonia. — (Ortygometra), see Porzana flaviventris. — (Etyphonia), see Piaya. — (Porzana) see P flaviventris. — (Piaya), see Piaya. — (Porzana) see Piaya.
	(Ortygometra), see Porzana flavi-
—— (Hemiprocne), see H. zonaris.	ventris.
(Icterus), see Molothrus bonari-	
	—— (Porzana), see P. flaviventris.
(Lanius), see Lanius.	(Sporophila), see Sporophila.
(Linaria), see Acanthis cabaret.	—— (Sterna), see S. minuta or antil-
—— (Lophorina), see Lophorina.	larum.
— (Lophotriccus), see Lophotriccus.	— (Tringa), see Tringa.
—— (Loxia), see Loxia.	minutilla (Actodromas), see Tringa.
—— (Pediœcetes), see Pediœcetes.	—— (Tringa), see Tringa.

```
minutulus (Trochilus), see Mellisuga
        minima.
minutus (Anser), see A. erythropus.
--- (Antichromus), see Antichromus.
    - (Buteo), see B. brachyurus.
--- (Chroicocephalus), see Larus.
---- (Colœus), see Corvus.
— (Corvus), see Corvus.
--- (Crybastus), see Porzana flaviven-
         tris.
   — (Frugilegus), see Corvus.
—— (Histrionicus), see H. histrionicus.
—— (Larus), see Larus.
 --- (Myiodioctes), see Wilsonia mi-
        crocephala.
    - (Picumnus), see Picumnus.
    - (Rallus), see Porzana flaviventris.
Mionectes oleagineus, Braz. '90, 270;
   Fenes. '97, 365.
      olivaceus, Venez. '97, 365.
Mirafra, '94, 233.
'Miranda' expedition, '94, 341.
Mississippi.
   Allison A., '99, 266-270, 1900, 297. Cooke, W. W., '85, 31.
   Hay, O. P., '82, 89-94.
Nesbitt, N. B., '85, 213.
   Wood, C. H., '88, 314.
Mississippi Valley.
   Cooke, W. W., '83, 118, 119, '85, 212,
      301.
   Widmann, O., '85, 212.
mississippiensis (Ictinia), see Ictinia.
Missouri.
  Abert, J. W., '83, 172.
Allen, J. A., '78, 148-149.
Baskett, J. N., '96, 258-259.
Blines, J., '90, 393, '92, 69, '94, 68.
Bryant, J. A., '95, 82, 181-182.
Cooke W W. '83, 119, '94, 100, '96
   Cooke, W. W., '83, 118, '84, 188, '85, 97, '87, 67.
  Coues, E., '80, 20-25.
Deane, R., '97, 316-317.
Ewing, H. C., '82, 115.
Gault, B. T., '92, 396.
Lawrence, G. N., '77, 52.
Merriam, C. H., '85, 377, '92, 301.
Merrill, J. C. '77, 73
   Merrill, J. C., '77, 73.
   Sampson, F. A., '85, 210.
Scott, W. E. D., '79, 139-147.
   Shipley, E. P., '91, 392.
   Smith, E., '80, 181.
Smith, P. W., Jr., '90, 81.
   Widmann, O., '80, 191-192, '83, 118.
      '84, 188, '85, 380, 381-382, '95, 1-
      11, 112-117, 219-225, 350-355, '96,
      216-222, '97, 305-310, '98, 22-27.
              Botanical Garden, report
Missouri
   (rev.), '96, 167.
Mitchell, Robert H.
```

```
Capture of Clarke's Nutcracker in
      Crittenden Co., Arkansas, '94, 327.
Mitchell, Walton Irving.
  Breeding of Blue-gray Gnatcatcher in
      Minnesota, '95, 185.
  Birds killed by a storm, '96, 348.
  Peculiar nesting of Maryland Yellow-
     throat, '97, 408.
  Summer birds of San Miguel Co.,
New Mexico, '98, 306-311.
mitrata (Cyanolyca), see C. ornata.
  - (Motacilla), see Wilsonia.
  - (Nectarina),
                         see Chlorophanes
        atricapilla.
 - (Setophaga), see Wilsonia.
--- (Sylvania), see Wilsonia.
  - (Sylvia), see Wilsonia.
   - (Wilsonia), see Wilsonia.
mitratus (Myioctonus), see Wilsonia.
   — (Myiodioctes), see Wilsonia.
  — (Parus), see Parus.
  — (Sylvania), see Wilsonia.
Mitrephanes, '82, 55*, '87, 66.
     atriceps (b Empidonax), C. R. '85,
  291b.
     aurantiiventris, syn. '92, 55.
     phæocercus, Guatemala, '88, 137;
  Mex. '88, 137.—syn. '82, 55.
     tenuirostris, Mex. '88, 137*.
Mitrephorus, see Mitrephanes.
Mitrospingus, '98, 225*.
Mixornis, '94, 235.
mixtus (Dryobates), see Dryobates.
     - (Picus), see Dryobates.
Mniotilta, '86, 26, '93, 112, 130.
     varia (* Black-and-white Warbler
  or Creeper, borealis), Ala. '78, 172;
  Ark. '82, 90; Bahamas, '91, 67, 294,
  295, 296, 298, 335, 336, 337, 338,
  338, '92, 48; Cal. '96, 260; Colo. '80,
  338, 92, 48; Cal. '96, 200; Colo. '80, 226, '85, 15; Colom. 1900, 367; C. 8, '90, 335, '91, 277; Cuba, '92, 273; D. C. '88, 23, '92, 307; Fla. '85, 62, '87, 275, '90, 16, 313, '91, 127*, 138, '92, 213, '93, 338, '95, 365; Ga. '96, 214; Gulf of Mex. '81, 251*; Ia. '95, 123, 235; Ill. '87, 433*, 434; Ind. '82, 17*, '89, 26; Jamaica, '93, 340; Kan. '85, 112, Ky, '89, 315, La. '82, 40*? '82
  112; Ky. '89, 315; La. '82, 49a?, '82, 161, '87, 301; Man. '86, 325, '87,
  353°; Mass. '84, 6°, 191°, '87, 389, '89,
  45, 102, '90, 217, '97, 326; Me. '82, 109;
  Mich. '93, 227, 1900, 391; Miss. '82,
```

90; Mo. '79, 141; N. C. '86, 173, '87, 244, '89, 121; N. H. '88, 150, 152,

'89, 77; N. J. '94, 139; N. S. '87, 15*, 16; N. Y. '79, 32, '81, 227, 245*, '84,

176, 210, '89, 130, 131*; O. '95, 241; Ont. '84, 193; Pa. '79, 234, '92, 138, '93, 37*, 40, 45, '96, 284, 295;

P. E. I. '93, 13; Que. '89, 148: S. C. '79, 211, '90, 127, '91, 331, '92, 31*, 32*, 33*, '94, 109*; S. D. '85, 278; Tenn. '86, 316, '87, 132; Tex. '82, 8, 36, '87, 295, '92, 303, 340, 1900, 347; I'a. '89, 51, IV. I. '81, 151, '86, 26, 501, '87, 181, '91, 47, 48; Wis. '83, 66, 67, '87, 326.—hbt. '87, 301; mig. '81, 251^a, '83, 66, 67, '84, 176, '85, 62, '88, 326, 433^a, 434, '89, 130, 131^a, '91, 69^a, '92, 31^a, 32^a, 35^a, '94, 109^a, '95, 123, 235, 241; nst. '84, 87a, 193a, '87, 301, '96, 284; plm. '78, 22, '84, 190^a, '89, 148; song, '84, 210; syn. '81, 170^b, '86, 26.

Mniotiltidæ (* Warblers), '81, 28, 34, '82, 252, '83, 117a, '85, 365-368, '87, 149, '93, 111, '94, 142a, '95, 289, '97, 341, 1900, 109ⁿ, 311.

Moas, see Dinornithes.

mocinno (Pharomachrus), see Pharomachrus.

Mockbird, see Mimus polyglottos. Mockingbird, see Mimus polyglottos or Galeoscoptes carolinensis.

American, see Harporhynchus rufus. Carolina, see Harporhynchus rufus. English, see Mimus polyglottos. Ferrugineus, see Harporhynchus rufus.

French, see Harporhynchus rufus or Lanius ludovicianus.

Gundlach's, see Mimus gundlachi. Mountain, see Oroscoptes montanus. Sandy, see Harporhynchus rufus.

modesta (Elænia), see Elænia. —(Eudromias), see Eudromias.

- (Galerita), see Galerita. modestus (Geothlypis), see Geothlypis.

--- (Thryophilus), see Thryophilus.

- (Vireo), see Vireo.

—— (Vireonella), see Vireo. modularis (Accentor), see Accentor. modulator (Mimus), see Mimus. mollis (Æstrelata), see Æstrelata. mollissima (Somateria), see S. mollis-

sima, borealis or dresseri. Molly-hawk or Molly-mawk, see Diomedea melanophrys.

Molothrus, '84, 45, 48, 53, '88, 413, 414, 441, 443, '91, 344, '96, 71, '97,

ater (a Cowbird or Cow Bunting, b pecoris), B. C. 1900, 106; Colo. '83, 192, '85, 16, 142; D. C. '88, 21, '89, 72; Fla. '88, 272, '89, 320, '91, 138, '92, 213, '95, 365; g. dist. '93, 133; Ga. '83, 39, '96, 212; Ia. '95, 121, 236; Ida. '98, 14; Ind. '89, 23; Ky. '89, 314; Man. '86, 321, '93, 50°;

Mass. '83, 121, '88, 207, '89, 44, 72, 100, '90, 368a, '99, 196a; Mich. '81, 309; N. Y. '79, 32, '81, 230, '82, 188b 785, 152b, 309; O. '89, 201, '95, 242; Ont. '85, 106, '87, 248a, '90, 80; Pa. '92, 136, '93, 39, '96, 283, '97, 102a; S. C. '79, 215; S. D. '85, 282; Tenn. '86, 318; Tex. '77, 85*, '82, 40, 166, '87, 290, '92, 237, 1900, 345; Wash. '89, 113, '97, 177.—anat. '88, 441; fd. '89, 72; hbt. '82, 166, '84, 186, 189a, '88, 21, '89, 23, 72, '90, 368a, '96, 71, '98, 26a, meas. '76, 75b; mig. '85, 282, '89, 72, '95, 121, 128a, 236, 242, ²⁸², ³⁹, ³⁹, ³⁹, ³⁹, ³⁸, ³⁹, ³⁹, ³⁹, ³⁸, ³⁹, '95, 215; plm. '76, 22° (alb.), '78, 123, '83, 121, '86, 323, '98, 26ª (mlt.); song, '85, 152b, syn. '85, 49t; misc. '79, 111^a, '81, 196^a, '90, 81^a, 390^a, '92, 386^a, '97, 102^a (corr.).

atronitens, g. dist. '91, 346; W. I. '93, 220.—plm., syn. '91, 346. badius, misc. '96, 72.

bonariensis, Braz. '90, 269; Urug. '83, 133; W. I. '86, 220.—hbt., nst. '83, 133; plm., syn. '91, 345; misc. '96, 71.

cabanisii, g. dist., meas., plm., syn. '91, 346; misc. '92, 202 (corr.).

obscurus (Dwarf Cowbird), Ariz. '79, 123, '82, 85, 200, '85, 163, '87, 22, '90, 257; g. dist. '93, 134; N. M. '92, 364; Tex. '77, 85, '79, 123, '82, 11, 40, 166, '87, 290, '92, 237, 1900, 345.—hbt. '77, 85, '82, 166, '87, 22; meas. '76, 75, '79, 123, '82, 200, '85, 163; nst. '82, 11, '85, 166, '85, 163, '87, 22, 290, '92, 237; plm. '82, 200. purpurascens, Peru, plm., syn. '91, 347.

rufo-axillaris, Urug., hbt., nst. '83, 134; misc. '96, 72.

venezuelensis, Venez. '91, 347*.

moluccensis (Pitta), see Pitta. Momotidæ, '81, 29, 31, 74, 75, '83, 238, '93, 68.

Momotus cæruleiceps, misc. '80, 88, '8**2**. 242.

goldmani, Mex. 1900, 256*. lessoni, C. R. '92, 322; g. dist. 1900, 257.—fd., hbt., nst., plm. '92, 323.

```
nattereri, Braz. '91, 158.
                                              ---- (Myadestes), see Myadestes.
     saturatus, Mex. '97, 49*.
                                               --- (Oroscoptes), see Oroscoptes.
     subrufescens, Colom. '99, 137.
                                              --- (Orpheus), see Oroscoptes.
     swainsoni, Venez. '97, 362; W. I.
   '93, 220.
Mona Island, West Indies.
   Cory, C. B., '92, 228-229.
monachus (Bolborhynchus), see Bolbo-
       rhynchus.
Monasa morpheus, B_{i}as. '91, 158.
     nigrifrons, Braz. '91, 159.
mondetura (Peristera), see Peristera.
                                                     nops.
monedula (Corvus), see Corvus.
mongola (Ægialitis), see Ægialitis.
mongolicus (Ægialitis), see Æ. mon-
       gola.
    - (Charadrius), see Ægialıtis.
  — (Phasianus), see Phasianus.
Monilipitta, '96, 60.
monocerata (Ceratorhina), see Cero-
                                                   '98, 72,
       rhinca.
                                                   99, 363.
    - (Cerorhinca), see Cerorhinca.
Montana.
  Bendire, C. E., '89, 150-152.
Coues, E., '79, 49-50.
   Grinnell, G. B., '90, 389, '92, 385.
  Henshaw, H. W., '80, 107-108.
Hoffman, W. J., '85, 7-10.
                                                     ochracea.
  Knowlton, F. H., '94, 298-308.
  McChesney, C. E., '80, 107-108.
  Merrill, J. C., '80, 75-77, '81, 203-
     207.
  Richmond, C. W., '94, 298-308.
Ridgway, R., '98, 319, 321.
  Thorne, P. M., '89, 336, '95, 211-219.
  Williams, R. S., '82, 61-63, 118, 122-
123, '83, 59, '86, 274, '88, 14-18,
    '90, 98, 292-293.
montana (Ægialitis), see Ægialitis.
 --- (Allenia), see Allenia.
 --- (Atticora), see Atticora.
---- (Certhia), see Certhia.
 — (Cichlherminia), see Allenia.
  - (Columba), see Geotrygon.
—— (Dendroica), see Dendroica,
                                                  ana.
                                             Moran, Daniel E.
--- (Geotrygon), see Geotrygon.
   — (Melospiza), see Melospiza.
 - (Peristera), see Geotrygon.
                                                  N. Y. '82, 52.
 --- (Pinicola), see Pinicola.
 --- (Pyrgita), see Passer.
   — (Saxicola), see S. oreophila.

    (Spizella), see S. monticola or

       ochracea.
                                                    sonorana.
                                             Morden, John A.
   – (Zenaida), see Geotrygon chrysia.
montanus (Buteo), see B. swainsoni.

    (Coccothraustes), see Coccothrau-

    (Dryobates), see D. monticola.

  — (Junco), see Junco.
 --- (Margarops), see Allenia.
```

```
---- (Parus), see P. gambelı.
--- (Passer), see Passer.
--- (Picus), see Dryobates major.
 —— (Podasocys), see Ægialitis.
 --- (Turdus), see Allenia.
montensis (Myiopatis), see Myiopatis.
montezumæ (Cyrtonyx), see Cyrtonyx.
--- (Gymnostinops), see Gymnosti-
  — (Ostinops), see Gymnostinops.
Montgomery, Thomas H., Jr.
  Extensive migration in birds as a
    check upon production of geograph-
    ical varieties (rev.), '96, 335.
  Birds of West Chester, Pa. (rev.),
  Observations on food of Owls (rev.),
Monticola, '94, 233.
    cyanus, Helg. '95, 331.
    saxatilis, Helg. '95, 331.
monticola (Dryobates), see Dryobates.
—— (Spizella), see S. monticola or

    (Troglodytes), see Troglodytes.

monticolor (Columba), see C. corensis.
Montifringilla nivalis, Helg. '95, 335.
montifringilla (Fringilla), see Fringilla.
montium (Acanthis), see A. flavirostris.
Moore, Henry Frank.
  Protonotaria citrea in Montgomery
    Co., Pennsylvania, '88, 210.
Moore, William Henry.
  Lincoln's Sparrow in New Bruns-
    wick, '98, 189.
  Long-billed Marsh Wren in New
    Brunswick, '98, 192.
  New Brunswick notes, 1900, 177.
Moose-bird, see Perisoreus canadensis,
    P. obscurus or Nucifraga columbi-
  Tufted Titmouse on Staten Island,
  Capture of Baird's Sandpiper on Long
    Island, '82, 60.
morcomi (Atthis), see Atthis.
   – (Dendroica), see D. æstiva or
  Cowbirds in a Black-and-white Creep-
    er's nest, '84, 193.
Morden, John A., and Saunders, W. E.
  Birds of western Ontario (rev.), '84,
More, A. G., Harvie-Brown and others,
```

see Harvie-Brown, Cordeaux, Kermode, Barrington and More. moreleti (Spermophila), see Sporophila sharpeı.

morelleti (Fringilla), see Fringilla. - (Sporophila), see S. sharpei.

Morelos, Mexico.

Nelson, E. W., '97, 44, 68, 1900, 269. Morinella, see Arenaria.

morinella (Arenaria), see A. interpres. morinellus (Eudromias), see Eudromias. morio (Psilorhinus), see Psilorhinus.

Mormonidæ, '80, 127, 128.

Morocco.

Dalgleish, J. J., '84, 97.

Morococcyx, '97, 91.

morpheus (Monasa), see Monasa. morphna (Melospiza), see M. guttata. Morrell, Clarence Henry.

Some winter birds of Nova Scotia, '99, 250-253.

Morris, George Spencer.

Notes and extracts from a letter of Edward Harris, '95, 225-231.

Morris, Robert Oliver.

Occurrence of Florida Gallinule at Springfield, Massachusetts, '87, 72. Double-crested Cormorant near Springfield, Mass. '87, 253.

The Evening Grosbeak (Coccothraustes vespertina) near Springfield, Mass. '90, 289.

Mockingbird at Springfield, Mass. '91, 117.

Larus atricilla at Springfield, Mass. **'88**, 107.

Birds near Springfield, Mass. '89,

Notes from Springfield, Mass. '92, 74. Perisoreus canadensis in Mass. '92,

Rare visitants to Connecticut River valley in 1893, '94, 181.

Bird notes from Springfield, Mass. '95, 86,

Rare visitors to Connecticut River valley in Mass. in 1895, '96, 86.

Unusual visits of birds in western Mass. during 1896, '97, 100. Springfield, Mass., bird notes, '99,

85. Morris, Robert O., and Colburn, W. W.,

see Colburn and Morris.

Morrison, George A.

Bird protection in Wisconsin, '98, 99.

Morse, Albert Pitts.

Annotated list of birds of Wellesley [Mass.] and vicinity (rev.), '97. 335.

Mortimer, [D. =] Benjamin.

260

Notes on habits of a few birds of Orange Co., Florida, '90, 337-343. mortonii (Fringilla), see Brachyspiza peruviana.

moschata (Cairina), see Cairina.

moschitus (Chrysolampis), see Chrysolampis.

Mosjisovics, von Mojsvár, Felix G. Hermann August.

Obituary of, '98, 79, 214.

Motacilla, '84, 44, 46, '85, 365, 368, '93, 99, '94, 233.

alba (a White Wagtail), Helg. '95, 324; Germany, '96, 301, 305a, 309a.— hbt. '96, 301; mlt. '96, 149a.

citreola, Helg. '95, 334. lugens, mlt. '96, 240.

lugubris (a Pied Wagtail, b varrelli), Helg. '93, 334; N. Atlantic Ocean, '84, 398b.—mlt. '96, 149a.

melanocephala, Helg. '95, 334.

melanope, Helg. '95, 334. (Swinhoe's Wagtail), ocularis Alas. '84, 77, 78, 81, '85, 157?, '88, 410; Cal. '84, 78; L. Cal. '82, 257; Siberia, '84, 78.—plm. '84, 81; syn. **'84**, 387**.**

rayi, Helg. '95, 324.

motacilla (Henicocichla), see Seiurus.

– (Seiurus), see Seiurus.

– (Siurus), see Seiurus.

- (Turdus), see Seiurus motacilla or noveboracensis.

Motacillidæ, '81, 28, 34, '85, 365, '93, 112, 1900, 189.

motmot (Ortalida), see Ortalis. Motmot, Coast, see Momotus saturatus.

Goldman's, see Momotus goldmani. motzfeldi (('epphus), see Cepphus. motzfieldi (Cepphus), see C. motzfeldi.

Moult (see also Plumage).

Allen, J. A., 1900, 327. Dwight, J., Jr., 1900, 34, 143, 368.

Merriam, C. H., '85, 201. Mountain-dick, see Platypsaris nigra.

Mountain-witch, see Geotrygon cristata. moussieri (Ruticilla), see Ruticilla. Mud-hen, see Botaurus lentiginosus or

Fulica americana.

Red-billed, see Gallinula galeata. mugitans (Botaurus), see B. lentigi-

Muller, A., Blasius, R., and Rohweder,

[Migration in 1880], '83, 229, see Blasius R.

mülleri (Brachyurus), see Pitta sordida. - (Pitta), see P. sordida.

Mulleripicus, '94, 234.

ferruginea, misc. '96, 266.

Mulliken, W. Earle. Baird's Sandpiper in Michigan, '96, 174. multicolor (Spindalis), see Spindalis. - (Tanagra), see Spindalis multicolor or pretrei. - (Todus), see Todus. multiguttata (Dendrornis), see Dendrornis. - (Nucifraga), see Nucifraga. multipunctata (Nucifraga), see Nucifraga. Munia, '94, 235. fuscans, Borneo, syn. '90, 355. oryzivora (a Java Sparrow), Mass. '85, 314ª (cage). rubronigra (b Amadina), Maine, '80, 120b (cage). muraria (Tichodroma), see Tichodroma. Murdoch, John. Pigeon Hawk (Falco columbarius) at sea, '77, 79. Effects of the warm winter on migration of birds, '78, 75. Second capture of Orange-crowned Warbler (Helminthophaga celata) in New Hampshire, '78, 96. Phalarope—an etymological blunder, **'78**, 150. Birds attributed to Point Barrow, Alaska, '85, 200. Birds of Point Barrow, Alaska (rev.), '86, 122-124. A historical notice of Ross's Rosy Gull (Rhodostethia rosea), '99. 146-155. murinus (Thamnophilus), see Thamnophilus. — (Thryomanes), see Thryomanes. --- (Thryothorus), see Thryomanes leucogaster. Murre, see Uria troile. Brunnich's, see Uria lomvia. California, see Uria californica. Common, see Uria troile. Pacific, see Uria arra. Pallas's, see Uria arra. Murrelet, Ancient, see Synthliboramphus antiquus. Craveri's, see Brachyramphus craveri. Kittlitz's, see Brachyramphus kittlitzii. Marbled, see Brachyramphus marmo-Xantus's, see Brachyramphus hypoleucus. Muscaccipiter, '81, 243. Muscicapa, '94, 233.

atricapilla, Helg. '95, 330. collaris, Helg. '95, 330.

grisola, Heig. '95, 330. parva, *Helg.* '95. 330. Muscicapidæ, '81. 34, '83. 99, '89, 330. Muscisaxicola occipitalis, Peru, '88, 194. Muscivora, 1900, 167. mexicana, Colom. '99, 137. regius, Braz. '90, 270. tyrannus, Venez. '97, 365. Museum, The (magazine, Albion, N. Y.), '85, 320, 391, '95, 96. Museum of Comparative Zoology, bird collection of, '85, 224. Museum of Natural History, Beach, Florida, '96, 268. Museum of Natural History, Providence, R. I. '96, 350. musica (Cyanophonia), see Euphonia flavifrons. --- (Euphonia), see Euphonia. - (Pipra), see Euphonia. — (Tanagra), see Euphonia. Musician, see Myadestes montanus. musicus (Contopus), see Contopus pertinax. (Cygnus), see Olor cygnus. - (Thryothorus), see Troglodytes. - (Troglodytes), see Troglodytes. — (Turdus), see Turdus. Musophaga, '81, 156. cristata, misc. '93, 186. Musophagidæ, '81, 73, 75, '82, 114, 177. mustelina (Hylocichla), see Hylocichla. - (Synallaxis), see Synallaxis. mustelinus (Turdus), see Hylocichla. mutus (Lagopus), see Lagopus. Myadestes, '83, 170, '84, 56, 182, '86, 9, '90, 194, 279, '93, 113, 131, '95, armillatus, W. I., meas., plm., syn. **'**86, 14. cinereus, Mex. '99, 296. dominicanus, W. I. '83, 170, '86, 11.—meas., plm., syn. '86, 11. elizabeth, W. I., meas., plm., syn. **'86**, 13. genibarbis, W. I. '80, 166, '86, 10. -meas., plm., syn. '86, 10. insularis, Mex '83, 170.
montanus, W. I. '81, 130*, 151,
'86, 12, '95, 297.—meas., plm., syn. '86, 12; misc. '84, 285. occidentalis, Mex. '83, 170. sanctæ-luciæ, W. I., meas., plm., syn. '83, 170, '86, 11. sibilans, W. I. '79, 48, '86, 9.meas., plm., syn. '86, 9. solitarius, W. I. '86, 13, '93, 341.

-meas., plm., syn. '86, 13.

townsendii (a Townsend's Solitaire), .1112. '82, 76, '88, 167; Cal. 78, 65, '84, 91, '86, 186, '87, 86, '90, 297, '98, 197; Colo. '79, 93, '81, 86, '83, 160, 239, '85, 15, 140, '87, 125, '94, 270; g. dist. '93, 135; Ida. '98, 21; Ill. '76, 40; Kan. '84, 100; Mont. '90, 98, '95, 218; Neb. '84, 286a, '90, 408; N. M. '85, 128, 331, '92, 369, '94, 717, '98, 311; Ore. '88, 365; Wash. '82, 227, '97, 180, Wyo. '89, 193.—fd. '89, 193, '97, 319a; hbt. '82, 76, '85, 128, 140, '88, 365, '89, 193, '97, 319a; meas. '77, 78, '83, 239, '84, 92; nst. '77, 77, '81, 86, '83, 239, '84, 92; nst. '77, 77, '81, 86, '83, 239, '84, 91, '89, 194, '298, 211, '898, 231, '8 '89, 184, '98, 311; plm. '85, 331; song, '81, 86, '85, 128; misc. '87, 169.

unicolor (b obscurus), misc. '90, 200b, '97, 334.

Myadestinæ, '84, 181.

Mycteria americana (Jabiru, b Ciconia). Europe, '80, 66b?.

Myiadectes, see Myadestes.

Myiadectinæ, '83, 104.

Myiadestes, see Myadestes.

myiadestina (Phæornis), see Phæornis. Myiarchus, '77, 64, '86, 237, 253, '94, 168.

antillarum, W. I., meas., plm., syn. '86, 238.

barbirostris (b Blacicus), W. I., '86, 241^b, '93, 177^b.—meas., plm. 241b; syn. '86, 241b, '94, 168, '99, 330b.

berlepschii, W. I. '88, 266*, '91, 48.

boreus, '98, 179*, see crinitus. brevipennis, W. I. '93, 355.

(Ash-throated Flvcinerascens catcher), Ariz. '85, 356; Calif. '78, 66, '85, 98, '86, 180, '89, 223, '96, 85, 119; Colo. '85, 17; g. dist. '93, 134; L. Cal. '95, 140; N. M. '92, 358, 363; Tex. '87, 192, '92, 236,-fd. '96. 85; nst. '85, 98, '87, 192, '95, 140; plm. '79, 42; song, '96, 119; syn. '97, 92.

crinitus (a Crested or Great Crested Flycatcher, b cristatus, b oreus), Ala. '79, 10; Ark. '82, 92; Colom. 1900, 364; C. R. '90, 334, '92, 251; Cuba, '86, 241; D. C. '88, 21, '92, 307; Fla. '88, 272, '89, 319, '91, 138, '92, 213, 218, '95, 365, '98, 174", 179°*; Ga. '82, 96", '83, 40; g. dist. '93, 133; Ia. '95, 124, 235; Ill. '78, 165; Ind. '82, 17, '89, 23; Ky. '89, 314; La. '82, 163, '87, 303ª; Man. '86, 320, 453, '93, 50; Mass. '88, 389,

'89, 44, 100; Me. '76, 95a; Miss. '82, 92, Mo. '79, 145; N. B. '82, 149; N. C. '86, 105, '89, 121; N. E. '76, 73, '77, 16: N. H. '88, 149, 151b, 154, '89, 78, '90, 111a; N. J. '94, 137; N. 03, 78, 94; N. Y. '81, 231, '85, 254; O. '95, 241; Pa. '84, 391, '92, 136, '93, 39, 44, '96, 280a, 282; S. C. '79, 215, '85, 721, '90, 39, '91, 328; Tenn. '86, 319, Tex. '82, 40, 169, '87, 192, '92, 236, 1900, 345; Vt. '84, 7a, '95, 311. -fd. '90, 290a, '99, 362a; hbt. '78, 25a, '90, 111a, 290a; mig. '91, 135, '95, 124, 129a, 235, 241, '98, 174a; nst. '82, 169, '83, 40, '84, 391, '87, 192, '88, 21, '90, 85, 288, 290a; plm. '89, 319; song, '84, 65a, '85, 254; syn. '86, 241, '99, 131°; misc. '82, 113 (corr.), '84, 86ª, '88, 200b.

denigratus, W. I. '86, 500*, 502, '88, 158.

dominicensis (b ruficaudatus), S. C. '89, 184; W. I. '83, 95b, '86, 240. -meas., plm., syn. '86, 240.

ferox, Braz. '90, 270.

flammulatus, syn. '94, 168.

inquietus, Mex. '94, 66, 67.

lawrenceii (Lawrence's Flycatcher), Ariz. '81, 252.—nst. '89, 329; misc. '80, 88.

lucaysiensis, Bahamas, '91, 1900, 288.

magister (Arizona Crested Flycatcher, b cooperi. c Tyrannula cooperi), Ariz. '82, 203b, 258b, '85, 198, 207, '87, 17; g. dist. '81, 252b; Mex. '85, 207; N. M. '82, 203b.—fd.. meas. '82, 203^b; nst. '82, 203^b, '87, 17; plm.
'85, 198, '92, 196; song, '82, 203^b; syn. '79, 51^b, '82, 203^b, '85, 208^c; misc. '80, 88b.

mexicanus (Mexican Crested Flycatcher, b erythrocercus, c Tyrannula), g. dist. '93, 134; Tex. '78, 99b, 144b, '80, 90^b, '81, 252^b, '92, 236?.—meas., nst. '78, 100b; syn. '80, 178, '81, 252b, '82, 203, '85, 208c, '97, 92, 127. nigricapillus, C. R. '92, 251.

nuttingi (Nutting's Flycatcher, b cinerescens), Ariz. '82, 240b, '87, 18^b, '92, 394; C. R. '83, 228; g. dist. '93, 60; nst. '87, 18^b, '92, 394; plm. '87, 18b; syn. '93, 60.

oberi, W. I. '79, 48, '80, 166, '86, 239.— meas., plm., syn. '86, 239.

olivascens (Olivaceous Flycatcher, b lawrencei), Ariz. '81, 252b, '82, 204^b, '85, 199, '85, 208, '87, 18, '90, 49; Colo. '89, 276; Mex. '85, 208.—meas. '82, 205b; plm. '82, 204b,

MYIARCHUS OLIVASCENS. 263 '85, 199, '92, 196; song, '82, 204b. platyrhynchus, Yucatan, '85, 295. ruficaudatus, '83, 95*, see dominicensis. sagræ (b phæbe), Bahamas, '86, 238, '91, 294, 295, 297, 298, 334, 335, 339, 350, 351, '92, 49, Cuba, '86, 238b, '92, 272.-meas., plm., syn. '86, 238b; plm. '91, 190 (alb.). sclateri, W. I. '79, 229, '86, 240.meas. plm., syn. '86, 240. stolidus, Jamaica, '94, 126; W. I. '81, 153, '86, 237, '93, 177.—meas. '86, 238; nst. '94, 126; plm. '83, 95, '86, 237; syn. '86, 237. tuberculifer (b coalei), S. Am. '87, 156b; Venes. '97, 365.—syn. '94, 168. tyrannulus, Braz. '90, 270; Urug. '83, 202; Venez. '97, 365; W. I. '93, 220, '96, 332.—nst. '83, 202, '96, 332; syn. '90, 270. validus, W. I. '86, 237, '93, 177. meas., plm., syn. '86, 237. yucatanensis, syn. '80, 178, '94, 168; misc. '94, 71. Myiobius nævius, Urug. '83, Venez. '97, 365.-hbt. '83, 201. ridgwayi, Bras. '88, 457*. xanthopygus, Bras., plm., syn. '88, 458. Myiochanes, see Blacicus. Myiodioctes, see Wilsonia. Myiodynastes audax, C. R. '92, 251; Venez. '97, 365. bairdi (b Saurophagus), Cal. '77, solitarius, Braz. '90, 270; Urug., hbt. '83, 201. luteiventris (Sulphur-bellied Flycatcher), Ariz. '80, 90, '88, 385; C. R. '91, 272, '92, 250. Myiopagis jaliscensis, Mex. 1900, 264*. minimus, Mex. '98, 340. Myiopatis montensis, Colom. 1900, 82. Myiothera, '76, 51. Myiotheretes rufiventris, Urug., hbt. '83, 140. Myiozetetes cayennensis, Braz. '90, 270; Venez. '97, 365. similis, syn. 1900, 124. sulphureus (b Tyrannus luggeri), Braz. '90, 270; misc. '80, 42b.

329, '90, 235; syn. 1900, 124.

384b.

virescens (b Sublegatus), Braz. '90,

Myospiza, '98, 224%. Myristicivora, '94, 233. Myrmeciza, '84, 229. albiventris, Venez. '97, 365; IV. I '93, 343*, '97, 362. occidentalis, '91, 191*, see Myrmelastes. pelzelni, syn. '90, 380. Myrmecophaga, 1900, 167. (b Myrme-Myrmelastes immaculata ciza), Mex., mcas. '91, 193b. intermedia (b Myrmeciza), Costa R. '92, 173b. lawrencei, Nicaragua, '94, 171. occidentalis (b Myrmeciza). Costa R. '91, 191b*. Myrmochanes hypoleucus, Bolivia, '90, 382. Myrmotherula melanogastra, Braz. '91. 28. cinereiventris, Bras. '91, 29. inornata, syn. '90, 380. myrtha (Ciccaba), see Syrnium. -(Syrnium), see Syrnium. Myrtle Bird, see Dendroica coronata. mystacea (Columba), see Geotrygon. -(Dendrochelidon), see Dendrochelidon. - (Geotrygon), see Geotrygon. mysticalis (Thryothorus), see Thryothorus. N nacunda (Podager), see Podager. Nænia, '77, 24, '78, 141. nævia (Ardea), see Nycticorax. — (Hesperocichla), Hesperosee cichla. - (Locustella), see Locustella. — (Motacilla), see Seiurus noveboracensis. --- (Nyctiardea), see Nycticorax. - (Rissa), see R. tridactyla. - (Sterna), see Hydrochelidon surinamensis. nævius (Diplopterus), see Diplopterus. - (Falco), see F. anatum. ___ (Myiobius), see Myiobius. — (Nycticorax), see Nycticorax. -- (Siurus), see Seiurus noveboracensis or notabilis. -(Thamnophilus), see Thamnophitexensis (Giraud's or Texas Flylus. - (Turdus), see Hesperocichla. catcher, b superciliosus), C. R. '90, 235, 333, '92, 250; g. dist. '93, 141, 1900, 124; Mex. '95, 357; Venez. '97, 365.—meas. '90, 235; nst. '89, namiyei (Chelidon), see Hirundo. - (Hirundo), see Hirundo. ---- (Icoturus), see Icoturus.

nana (Dendrornis), see Dendrornis.

— (Psittacara), see Conurus.

Nannochordeiles, '97, 419.

Nannocnus, '88, 196. Nannopterum, 1900, 80. Nansen, Fridtjof, and Collett, Robert, see Collett and Nansen. nanus (Conurus), see Conurus. - (Empidonax), see Empidonax. --- (Hylocichla), see H. pallasii. — (Pediœcetes), see Pediœcetes. - (Turdus), see Hylocichla aonalaschkæ or pallasıı. --- (Vireo), see Vireo. napæa (Dacnis), see Dacnis. napæum (Ornithion), see Ornithion. narcissina (Zanthopygia), see Zanthopygia. Nash, Charles W. Bird notes from Toronto, Canada, '96, Birds of Ontario in relation to agriculture (rev.), '99, 204. Nelson's Sparrow (Ammodramus nelsoni) at Toronto, Ontario, '99, 277. Check list of the birds of Ontario (rev.), 1900, 394. Nasica longirostris, Braz. '91, 27. nasica (Treron), see Treron. nasicus (Corvus), see Corvus. --- (Frugilegus), see Corvus. —— (Microcorax), see Corvus. Nasiterna, see Micropsitta. nasutus (Cymborhynchus), see C. macrorhynchus. Natatores, '78, 17, '81, 77, 78. National Academy of Sciences, '84, 306. nativitatis (Puffinus), see Puffinus. nattereri (Momotus), see Momotus. - (Rupornis), see Rupornis. Naturalist (magazine), '90, 219. Naturalist in Florida (mag.), '85, 115. Naturalists and Feather Merchants (mag.), '91, 247. Naturalists' Advertiser (mag.), '85, 391. Naturalists' Companion (mag.), '85, 391. Nature's Realm (mag.), '91, 247. nearctica (Aythya), see A. marila. nebouxii (Sula), see Sula. Nebraska. Allen, J. A., '79, 110-112, '89, 332-Aughey, S., '79, 110-112. Barbour, E. H., '95, 297, '96, 263. Bruner, L., '97, 323. Cary, M., '99, 352-353. Coleman, G. A., '88, 425-426. Cooke, W. W., '85, 32. Deane, R., '98, 185. Hall, A., '84, 286. Kline, H. A., '83, 236, '85, 97. Libbey, D. S., '80, 44, Ragsdale, G. H., '81, 62.

Taylor, W. E., '89, 181. Toppan, G. L., '90, 408. Nebraska Ornithological Club, '99, 303. Nebraska Ornithologists' Union, 1900, nebularius (Totanus), see Totanus. nebulosa (Strix), see Syrnium. nebulosum (Syrnium), see Syrnium. Nectariniidæ, '81, 34, 1900, 189. nectarinioides (Cinnyris), see Cinnyris. Nectris, '86, 402. neglecta (Sturnella), see Sturnella. neglectus (Parus), see Parus. --- (Salpinctes), see Salpinctes. nehrkorni (Cyanolesbia), see Cyanolesbia. Nehrling, Heinrich. Ornithological observations in Texas (rev.), '81, 109. The Bluebird (rev.), '81, 109. List of birds observed at Houston, Harris Co., Texas, and in the counties Montgomery, Galveston and Ford Bend, '82, 6-13, 166-175, 222-225. North American birds [or Die Nord-Amerikanische Vogelwelt] (rev.), '89, 283, '90, 78, '93, 387. Our native birds of song and beauty (rev.), '94, 166, '96, 334, '97, 335. Bird protection in Wisconsin, '98, 97. Evening Grosbeak (Coccothraustes vespertinus), 1900, 294. Bird notes from Sao Paulo, Brazil, 1900, 298. Nelson, Edward William. Additions to avi-fauna of Illinois, with notes, '76, 39-44. Contribution to biography of Wilson's Phalarope, '77, 38-43. Louisiana Heron in Indiana, '77, 51. Birds of northeastern Illinois (rev.), 77, 68. Notes upon birds observed in southern Illinois (rev.), '78, 36. Rock Ptarmigan (Lagopus rupestris) in Aleutian Islands, '78, 38. An afternoon in the vicinity of St. Michael's, Alaska, '80, 33-36. Coturniculus lecontei [in Illinois], '80, 51. Door-yard birds of the far north, '81, 1–6. Habits of Black Brant in vicinity of St. Michael's, Alaska, '81, 131-138. Birds of Behring Sea and the Arctic Ocean (rev.), '84, 76-81. Brief diagnoses of two new races of North American birds, '84, 165.

Ornithological report in 'Cruise of the Corwin'-[Letter], '84, 202.

Breeding habits of Pectoral Sandpiper (Actodromas maculata), '84, 218-221.

Counter-notes on some species of birds attributed to Point Barrow, Alaska, '85, 239-241.

Scott's Oriole (Icterus parisorum) in central New Mexico, '91, 237.

Preliminary descriptions of new birds from Mexico and Guatemala, '97, 42-76.

With Bob-white in Mexico, '98, 115-122 (col. pl.).

Notes on certain species of Mexican bırds, '98, 155–161.

Imperial Ivory-billed Woodpecker, Campephilus imperialis, '98, 217-223 (col. pl.).

New birds from Tres Marias Is. (rev.), '98, 340.

New birds from Mexico (rev.), '98, 340.

Descriptions of new birds from Mexico, '99, 25-31.

Natural history of the Tres Marias (rev.), '99, 296.

New birds from north-western Mexico (rev.), '99, 296.

Description of a new subspecies of Meleagris gallopavo and proposed changes in nomenclature of certain North American birds, 1900, 120-

Descriptions of thirty new North American birds, 1900, 253-270.

Nelson, E. W., and Henshaw, H. W. Natural history collections made in Alaska (rev.), '89, 61-63.

Nelson, E. W., and Palmer, T. S. Descriptions of five new birds from Mexico, '94, 39-45.

Nelson, Julius.

Catalogue of birds of New Jersey (rev.), '91, 104.

nelsoni (Ammodramus), see Ammodramus.

— (Dryobates), see Dryobates.

—— (Geothlypis), see Geothlypis. —— (Icterus), see Icterus.

- (Lagopus), see Lagopus.

---- (Larus), see Larus.

nengeta (Tænioptera), see Tænioptera. Neocorvs, see Anthus.

Neocrex columbianus, Colom. '99, 91.

Neolesbia, '93, 67. Neomorphine, '97, 91, '99, 110. Neomorphus, '97, 91.

Neorhynchus, '77, 64.

neoxena (Ardetta), see Ardetta. --- (Engyptila), see Leptotila.

- (Leptotila), see Leptotila. neoxenus (Botaurus), see Ardetta.

— (Euptilotis), see Euptilotis. nepalensis (Pitta), see Pitta. Nephœcetes, see Cypseloides.

Nesacanthis, '91, 92.

nesiotes (Coccyzus), see C. minor. Nesoceleus, '86, 380.

fernandinæ, W. I., meas.. plm., syn. **'86**, 380.

Nesochen, '96, 162.

nesoctites, '91, 93.

micromegas (b Picumnus, c Picus passerinus, d Picumnus lawrencei), W. I. '81, 129⁴, 153⁴* (col. pl.), 155⁶, '86, 372⁵, '96, 333.—libt. '81, 153⁴; meas. '81, 129⁴, '86, 373⁵; nst. '81, 153⁴; plm. '86, 373⁵; syn. '81, 129⁵, '86, 372b, '91, 93b.

Nesomimus, '90, 273, '95, 71, '97, 330,

'98, 208.

macdonaldi, Galap. Is. '90, 273. personatus, Galap. Is. '90, 273.

nesophilus (Thryomanes), see T. leucophrys or spilurus.

Nesopsar, '86, 223, '88, 414.

nigerrimus, W. I. '86, 223, '93, 178.—meas., plm., syn. '86, 223. Nesospingus, '86, 199.

speculiferus, W. I. '76. 47, '86, 199; meas., plm., syn. '86, 199.

Nesotriccus ridgwayi, Cocos I., '96, 75. Nesting, see Nidification.

Nestor, '82, 88.
Netta rufina (Rufous-crested Duck, ^b Fuligula), N. Am. '84, 384^b; N. Y. '81, 173b.

Nettion, '96, 162, '99, 103.

carolinensis (* Green-winged Teal, Duerquedula, CAnas), Alaska, '85, 158°, 201, 241, '87, 12°; Ariz. '86, 384°, '92, 198°; Cal. '86, 89°, '90, 297°; Colo. '85, 18, 144; Fla. '88, 269°, 378°, '92, 211°, '95, 364°; Ga. '96, 215°; g. dist. '93, 125°; G. Br. '80, 213°; Hud. B. '90, 320°; Ia. '95, 121°, 236°; Ida. '97, 350°; Ind. '88, 346°; Iamaica, '91, 364°; Ky. '89, 312°; La. '97, 286°; Man. '86, 148°; Mass. '81, 127°, '92, 199°, '96, 200°; Minn. '84, 248; Mo. '79, 147b; Mont. '88, 17°, '94, 301°, '95, 212°; N. D. '99, 161a, 162a, 163; N. E. '83. 162a, 163a; N. F. 1900, 71c; N. M. '85, 238c, '86, 80, '92, 359c, '98, 307c; N. Y. '81, 234; Ont. '85, 372b; Ore. '79, 198b, '86, 163c, '88, 141c, '91, 366 (fossil), '93, 344 (fossil); Pa. '99,

NETTION CAROLINENSIS. 309°; Que. '82, 239b; S. C. '85, 193b; S. D. '85, 288; Tex. '82, 42, 224b, '87, 184°, '92, 231°, 1900, 339; Wash. '92, 353°, '97, 171°, 1900, 350; W. I. '88, 64b,-hbt. '85, 238b, '92, 384c; mig. '95, 121°, 236°; nst. '85, 288; plm. '81, 162°, '85, 295° (alb.); syn. '88, 64^b, '99, 103. crecca (European Teal, b Querquedula, c Anas), Cal. '86, 125; Conn. '91, 112c; D. C. '86, 140c; Helg. '95, 340°; Mass. '90, 294°; N. E. '76, 72, 91, '77, 13, 46; N. J. '95, 171°; N. Y. '95. 70°.—fd. '90, 294°; plm. '80, 30° (alb.); syn. '99, 103. neumayeri (Sıtta), see Sitta. Nevada. Allen, J. A., '80, 105-107. Brewster, W., '82, 51. Bryant, W. E., '88, 316. Henshaw, H. W., '80, 105. Hoffman, W. J., '82, 51. Merriam, C. H., '95, 54-60. Oberholser, H. C., '98, 304. nevadensis (Amphispiza), see Amphispiza. (Poospiza), see Amphispiza. Newberry, John Strong. The flight of birds (rev.), '88, 418. Obituary of, '93, 95. New Brunswick. Allen, J. A., '80, 184. Bangs, O., '94, 81-82. Banks, J. W., '84, 95-96. Batchelder, C. F., '82, 106-111, 147-152, 249-250. Boardman, G. A., '80, 241-242, '81. 47, 58. Brewster, W., '76, 52, '81, 186, 187-188, '82, 176-177, '83, 125. Brittain, J., '89, 116-119. Chadbourne, A. P., '89, 183, 256. Chamberlain, M., '82, 104-106, '83, 6-11, 126, 174, 234, 234, 236, 237, **'84**, 185, 185, 186, 294–295, **'85**, 33– 36, '87, 260, 264, '92, 193. Cox, P., Jr., '87, 205-213, '89, 116-119, 241-243. Deane, R., '79, 63, '80, 63, 118. Dwight, J., Jr., '87, 232-239. Gilbert, H., '83, 235, '84, 89. Jack, E., '90, 392. Jeffries, J. A., '82, 181-182. Jencks, F. T., '86, 272. Merrill, H., '81, 249, '83, 125. Moore, W. H., '92, 386, '98, 189-190, 192, 1900, 177. Osborne, S. D., '78, 187-188. Pearsall, R. F., '80, 45, '81, 244-245. Purdie, H. A., '82, 122.

Rowe, R., '84, 88. Smith, E., '80, 181, '85, 301. New Brunswick Natural History Society, Bulletin, titles (Nos. 2286-2287), '92, 193. Newcomb, Raymond L. Notes on sea birds of the Grand Banks, '79, 127. newellli (Puffinus), see Puffinus. New England. Ames, C. H., '90, 394. Brewster, W., '90, 395. Newcomb, R. L., '89, 176. Osgood, F., '93, 293, 294, 295. Purdie, H. A., '77, 20. Zerega, L. A., '85, 296. Newfoundland. Allen, J. A., '79, 127-128. Brewster, W., '85, 193-195. Collins, J. W., '84, 380. Howe, R. H., Jr., 1900, 270-271. Howley, J. P., '84, 309-313. Ingersoll, E., '81, 184. Jones, J. M., '85, 297. Merriam, C. H., '84, 188, '85, 98. Murdoch, J., '77, 79. Porter, L. H., 1900, 71-73. Stejneger, L., '84, 369. New Hampshire. Allen, F. H., '89, 76-79, '94, 334, 335. Allen, J. A., '88, 149, 153-155, '99, 204. Berry, M. C., '96, 342-343. Brewster, W., '81, 125, '82, 53, '83, 12-17, '86, 277-278. Chadbourne, A. P., '85, 104, '87, 100-108, **'89**, 256. Colburn, W. W., '90, 397. Cory, C. B., '82, 184. Deane, R., '78, 39, 195, '79, 119. Faxon, W., '88, 149-153, '92, 201-202. Fox, W. H., '77, 78, '83, 61, '84, 192. Frost, E. B., '85, 379. Goodhue, C. F., '77, 76. Herrick, F. H., '84, 188. Jencks, F. T., '86, 272. Melser, J. P., '97, 316. Minot, H. D., '77, 73. Murdoch, J., '78, 96-97. Prime, W. C., '89, 68. Sage, J. H., '85, 311. Smith, E., '80, 181. Spaulding, F. B., '95, 182, '98, 50. Spelman, H. M., '81, 54, 61, '82, 119. Torrey, B., '89, 275. Webster, E. E., 1900, 169, 175-176. New Haven Ornithological Club, '88,

222.

239, 306, '89, 253-255.

Batchelder, C. F., '85, 121-128, 233-

New Jersey. Abbott, C. C., '76, 31, '77, 74, '84, 188, '85, 86-88. Abbott, W. L., '81, 49. Allen, J. A., '80, 89, 134, 137, '81, 100, 188, '86, 482. Bailey, H. B., '86, 410. Bellows, C. E., '85, 97, 298. Berier, de L., '96, 175. Braislin, W. C., '96, 81-82. Brewster, W., '81, 219, '86, 411-412. Burns, F. L., '95, 189. Chadbourne, A. P., '89, 257. Chapman, F. M., '86, 136, 485, '87, 348-349, '88, 37-39, '89, 302-305, '90, 291, '91, 104-105, 395, '92, 302-303, '93, 87, '94, 252, '96, 341, '98, 54. Childs, J. L., 1900, 67-68, 390. Davis, W. T., '94, 228-231. Dutcher, W., '82, 116. Dwight, J., Jr., '79, 63. Foster, L. S., '90, 394. Haines, B. B., '85, 96. Hales, H., '83, 174. Herrick, H., '77, 19, '80, 44. Howland, K. V. S., '94, 71. Judd, S. D., '97, 326. Kram, S. A., '95, 80. Lewis S., '90, 206. Lockwood, S., '80, 46. Martin, E., '90, 84. Morgan, T., '85, 99. Morris, R. T., '89, 179. Nichols, G. L., '80, 45. Oberholser, H. C., '95, 185. Owen, C. C., '98, 51. Reed, J. H., '97, 202, 323. Rhoads, S. N., '82, 55-56, '83, 179, **'88**, 318. Ricker [= Riker], C. B., '85, 297, 378. Rutgers, C. T., '89, 177. Sage, J. H., '95, 179. Scott, W. E. D., '79, 81-85, 222-228, **'80**, 56–57, **'81**, 56, 97–100, 115, 116, 188. Shick, C. S., '90, 81, 326-329. Southwick, W. C., '92, 303. Stone, W., '92, 203-204, '93, 85, '94, 133-140, '98, 268, 1900, 172. Thurber, E. C., '86, 411, '87, 349. Treat, M., '90, 201. Wilde, M. L. C., '97, 289-294. Zerega, L. A., '79, 239, '80, 205-208. New Mexico. Abert, J. W., '83, 172. Allen, '79, 237, '80, 89, 123-124, '99, 345-346.

Anthony, A. W., '92, 357-369.

Brewster, W., '81, 68. Coale, H. K., '87, 330-331, '94, 216-Drew, F. M., '81, 91, 142. Goss, N. S., '81, 116-117, 118-119, '87. 344. Henshaw, H. W., '85, 326-333, '86, 73-80. Marsh, C. H., '91, 110. Mitchell, W. I., '98, 306-311. Nelson, E. W., '91. 237-238. Oberholser, H. C., '97, 186-196. Shufeldt, R. W., '87, 345-346, '88, 319-320, '89, 72-74, 176, '90, 390. Stephens, F., '78, 92, '79, 189. Thurber, E. C., '90, 89-90. Wilson, S. S., '99, 188-189. New Orleans Exhibition, birds of, '84, 403. Newport Natural History Society, Proceedings, titles (Nos. 968-969), '85, 372, (Nos. 2288-2290), '92, 193. New Providence Is., West Indies. Allen, J. A., 1900, 305. Bangs, O., 1900, 283-293. Bonhote, J. L., 1900, 305. Cory, C. B., '91, 294. Ridgway, R., '91, 335-336. New Species, Subspecies and Genera. Æstrelata scalaris, '86, 390. Agelaius gubernator californicus, '97, Agelaius phœniceus grandis, '97, 57. Agelaius phœniceus richmondi, '97, Agyrtria alleni, '88, 263. Aimophila cahooni, '88, 93, see mcleodii. Aimophila mcleodii, '88, 92. Aimophila rufescens pallida, '94, 43. Aimophila rufescens sinaloa, '99, 254. Aimophila ruficeps sororia, '98, 226. Aimophila sartorii, '98, 227. Allenia, '91, 42. Amazona imperialis, '99. 186. Amazona oratrix tresmariæ, 1900, 256. Amazilia aliciæ, '95, 368. Amazilia cerviniventris chalconota, **'98**, 32. Amazilia lawrencei, '89, 209. Ammodramus caudacutus subvirgatus, **'8**7, 233. Ammodramus halophilus, '98, 265. Ammodramus henslowii occidentalis, **'91**. 145. Ammodramus maritimus fisheri, '99,

10.

NEW SPECIES. Ammodramus maritimus peninsulæ, '88, 284. Ammodramus maritimus sennetti, '88, 286. Ammodramus sandwichensis brunnescens, '88, 265. Ammodramus savannarum obscurus, 97, 61. Amphispiza belli clementæ, '98, 230, see belli. Amphispiza bilineata deserticola, '98, 229. Amphispiza bilineata pacifica, 1900, 267, see deserticola. Amphispiza ferrariperezi, '86, 332, see Aimophila. Amydrus dubius, '97, 158. Anas diazi, '86, 332. Anas maculosa, '89, 263. Anorthura meligera, 1900, 25, see alascensis. Anous stolidus ridgwayi, '98, 36. Antichromus, '99, 187. Antrostomus chiapensis, 1900, 261. Antrostomus oaxacæ, 1900, 260. Antrostomus ridgwayi, '97, 50. Antrostomus vociferus arizonæ, '81, 69, see macromystax. Aphelocoma gracilis, '96, 34. Aphelocoma insularis, '86, 452. Aphelocoma sieberi colimæ, '99, 27. Aphelocoma sieberi potosina, '99, 27. Ardea bahamensis, '88, 83. Ardea virescens anthonyi, '95, 257. Ardea virescens frazari, '88, 83. Ardea wardi, '82, 5. Ardetta neoxena, '86, 262. Arremonops richmondi, '98, 228. Arremonops venezuelensis, '98, 228. Arquatella couesi, '80, Tringa. Astragalinus mexicanus jouyi, '98, Astur atricapillus henshawi, '84, 166,

344. 75. 176. see Accipiter striatulus. Atlapetes pileatus dilutus, '98, 228. Atthis morcomi, '98, 325. Aulacorhamphus dimidiatus, '86, 333. Auriparus flaviceps lamprocephalus, **'97**, 391. Automolus pectoralis, '97, 54. Basileuterus belli scitulus, 1900, 268. Chordeiles Basileuterus flavigaster, '97, 67. **'96**, 136. Basileuterus godmani, '88, 450. Basileuterus vermivorus olivascens, **'93**, 343. Blacops, '99, 186. Brachyspiza, '98, 224. Brachyspiza capensis insularis, '98. 321.

Bubo virginianus occidentalis. '96. 155, see arcticus. Calcarius lapponicus alascensis, '98, Calcarius Iapponicus coloratus, '98, 320. Callipepla gambeli deserticola, 371, see Lophortyx gambeli. Callipepla gambeli fulvipectus, Callipepla squamata pallida, '81, 72, see castanogastris. Callipepla squamata castanogastris, **'83**. 34. Callothrus æneus assimilis. 1900, 266. Calocitta formosa azurea, '97, 55. Calyptophilus, '84, 3. Campylorhynchus zonatus costaricensis, '88, 449, see Heleodytes. Canachites canadensis osgoodi, 1900, Cardinalis cardinalis littoralis, '97, 64. Cardinalis cardinalis superbus, '85, Cardinalis robinsoni, '95, 370. Carpodacus clementis, '98, 258. Carpodacus mcgregori, '97, 165. Catharus occidentalis fulvescens, '97, Centurus bahamensis, '92, 270. Centurus blakei, '86, 337. Centurus caymanensis, '86, 499. Centurus nyeanus, '86, 336. Ceophlœus pileatus abieticola, Cepphus snowi, '97, 201. Certhia mexicana albescens, '88, 450. Certhiola godmani, '89, 219, see Cœreba luteola. Certhiola sharpei, '86, 497, see Cœ-Certhiola wellsi, '89, 219, see Cœreba. Chætura dominicana colardeaui, '91, 59, see acuta. Chaulelasmus couesi, '76, 46. Chloropeta similis, '97, 163. Chlorospingus atriceps, '97, 65, see postocularis. Chlorospingus leotaudi, '93, 342. Chordeiles chapmani, '88, 38. virginianus aserriensis, Chrysotis caymanensis, '86, 497. Cichlherminia lawrencei, '91, 44. Cinnyris nectarinioides, '97, 158. Cissolopha pulchra, '97, 56. Cistothorus marianæ, '88, 188. Cistothorus palustris griseus, '93, 216. Cistothorus palustris plesius, '97, 188.

269

Coccothraustes vespertinus mexicanus, '97, 311. Colaptes auratus luteus, '98, 177. Colaptes chrysoides brunnescens, '95, Colaptes gundlachi, '86, 498. Colinus godmani, '97, 45. Colinus graysoni nigripectus, '97, 47. Colinus insignis, '97, 46. Colinus ridgwayi, '85, 199. Colinus salvini, '97, 45. Colinus virginianus maculatus, '99, 26. Columba fasciata vioscæ, '88, 86. Compsothlypis americana usneæ, '96, 44. Compsothlypis pulchra, '89, 93. Contopus frazari, '83, 94, see Blacicus hispaniolensis. Contopus pertinax pallidiventris, '97, 310. Contopus richardsonii peninsulæ, '91, Contopus richardsoni saturatus, 1900, 116, see richardsonii. Crithagra kilimensis, '97, 155. Crithagra striolata affinis, '97, 156. Crypturus inornatus, 1900, 253. Cumana, 1900, 65. Cupidonia pinnata, '85, 82, see Tympanuchus americanus. Cyanerpes, '99, 32, see Cœreba. Cyanocitta stelleri azteca, '99, 256. Cyanocompsa concreta cyanescens, **'98**, 229. Cyanocorax affinis zeledoni, '99, 255. Cyanolyca mitrata, '99, 255, see ornata. Cyanomyia salvini, '93, 214. Cypselus brunneitorques griseifrons, 1900, 262, Cyrtonyx merriami, '97, 48. Cyrtonyx montezumæ mearnsi, 1900, 255, see montezumæ. Delattria pringlei, '97, 51. Dendrocopus purus, '84, 35, see Dryobates cissa. Dendræca palmarum hypochrysea, '76, Dendroica achrustera, 1900, 292. Dendroica æstiva rubiginosa, '97, 76. Dendroica æstiva sonorana, '88, 137. Dendroica flavida, '87, 179. Dendroica goldmani, '97, 66. Dendroica nigrifrons, '89, 94. Dendroica pityophila bahamensis, '91, 348. Dendroica vitellina, '86, 497. Dendrornis flavigaster megarhyn-

chus, 1900, 265.

Dendrortyx oaxacæ, '97, 43, see macrourus. Dendrortyx macrourus dilutus, 1900, 254, see macrourus. Dendrortyx macrourus griseipectus, '97, 44, see macrourus. Dendrortyx macrourus striatus, '97, 44, see macrourus. Doleromya pallida, '95, 369. Dryobates pubescens oreœcus, 253. Dryobates sanctorum, '97, 50. Dryobates villosus intermedius, 1900, Dryobates villosus montanus, '96, 32. Elainea albiventris, '97, 368. Elamea barbadensis, '88, 47. Elainea cherriei, '95, 279. Empidonax bairdi occidentalis, '97, Empidonax bairdi perplexus, 1900, Empidonax cineritius, '88, 90. Empidonax griseus, '89, 87. Empidonax insulicola, '97, 300, see difficilis. Empidonax pulverius, '89, 86. Empidonax timidus, 1900, 263. Empidonax traillii alnorum, '95, 161. Engyptila collaris, '86, 498, see Leptotila. Engyptıla neoxena, '87, 179, see Leptotila. Engyptila wellsi, '84, 180, see Leptotila. Eriocnemis aurea, '90, 315. Eriocnemis incultus, '89, 210. Estrilda cyanocephala, '97, 157. Eucometis cristata affinis, '88. 451. Eucometis spodocephala pallida, '88, 451. Eucometis spodocephala stictothorax, ***88**, 451. Euetheia bryanti, '98, 322. Euetheia coryi, '98, 322. Euctheia grandior, '87, 245. Euphonia godmani, '89, 90. Falco sparverius æquatorialis, 269. Falco sparverius deserticolus, '92. 263. Falco sparverius peninsularis, 267. Fulmarus glacialis columba, '95, 105. Geothlypis coryı, '86, 334. Geothlypis flaviceps, '99, 31. Geothlypis maynardi, 1900, 290. Geothlypis tanneri, '86, 335. Geothlypis trichas arizela, '99, 257,

see occidentalis.

Junco ridgwayi, '90, 243, see annec-

Geothlypis trichas ignota, '90, 11. Geothlypis trichas modestus, 1900, Geothlypis trichas occidentalis, '83, 159. Glaucidium fisheri, '94, 41. Glaucidium gnoma hoskinsii, '88, 136. Gymnostinops cassini, '98, 327. Hæmatopus frazari, '88, 84. Hæmatopus galapagensis, '86, 331. Harporhynchus cinereus mearnsi, '95, Harporhynchus curvirostris maculatus, 1900, 269. Harporhynchus lecontei arenicola, '97, 167. Harporhynchus redivivus pasadenensis, '98, 237. Heleodytes alticolus, '97, 68. Heleodytes brunneicapillus bryanti, '94, 212. Heleodytes capistratus nigricaudatus, **'9**7, 70. Heleodytes humilis rufus, '97, 69. Heleodytes occidentalis, '97, 69. Helminthophaga cincinnatiensis, '80, Helminthophaga leucobronchialis, '76, Hemithraupis, '98, 226, see Sporathraupis. Hemiura pacifica, '97, 72. Henicorhina mexicana, '97, 73. Henicorhina leucophrys capitalis, '97, 74. Heterospingus, '98, 225. Hirundo sclateri, '84, 2, Horizopus, '99, 331, see Contopus. Hyetornis fieldi, '95, 278. Hylocichla fuliginosa, fuscescens 1900, 271, see fuscescens. Hylocichla ustulata almæ, '98, 304, see swainsoni. Hylocichla ustulata œdica, '99, 23. Hylorchilus, '97, 71. Icterus bairdi, '86, 500. Icterus gularis yucatanensis, '88, 454. Icterus lawrencii, '87, 178. Icterus northropi, '90, 343. Icterus wagleri castaneopectus, '88, 91, see wagleri. Incaspiza, '98, 224. Junco fulvescens, '97, 61. Junco hyemalis carolinensis, '86, 108. Junco hyemalis shufeldti, '87, 330, see connectens. Junco mearnsi, '97, 94. Junco montanus, '98, 321. Junco pinosus, '93, 47.

Lagopus alba alleni, '84, 369. Lagopus evermanni, '96, 25. Lagopus rupestris nelsoni, '84, 226. Lagopus rupestris townsendi, '96, 26. Lagopus welchi, '85, 194. Lampornis ellioti, '90, 374, see virginalis. Lampornis hendersoni, '87, 177. Laniarius abbotti, '97, 161. Lanius ludovicianus anthonyi, 261. Lanius Iudovicianus migrans, '98, 248. see ludovicianus. Larus barrovianus, '86, 330. Larus kumlieni, '83, 216. Larus nelsoni, '84, 250. Larus schistisagus, '84, 231. Lawrencia, '86, 382. Ligea, '84, 1, see Microligea. Ligea palustris, '84, 1, see Microligea. Loxigilla barbadensis, '86, 382, see Pyrrhulagra. Loxigilla richardsoni, '86, 382, see Pyrrhulagra. Lysurus, '98, 225. Margarops montanus rufus, '88, 47, see Allenia montana. Megascops asio aikeni, '91, 139. Megascops asio macfarlanei, '91, 140. Megascops asio saturatus, '91, 141, see kennicotti. Megascops aspersus, '88, 87, see trichopsis. Megascops marmoratus, '97, 49, see guatemalæ. Megascops pinosus, '94, 39. Megascops ridgwayi, '94, 40. Megascops vinaceus, '88, 88. Melanerpes dubius veræcrucis, 1900, 259, see Centurus. Melanerpes formicivorus aculeatus, '90, 249, see bairdi. Melanerpes frontalis, 1900, 257, see Centurus. Melanerpes santacruzi fumosus, 1900, 258, see Centurus. Melanobucco abbotti, '97, 164, see Lybius. Melanospiza, '98, 224. Meleagris gallopavo ellioti, '92, 167, see intermedia. Meleagris gallopavo merriami, 1900, 120, see gallopavo. Meleagris gallopavo osceola, '90, 376. Melospiza adusta, '99, 28. Melospiza fasciata caurina, '99, 36, see rufina.

Melospiza fasciata cooperi, '99, 35, see samuelis. Melospiza fasciata juddi. '96, 132. Melospiza fasciata merrilli, '96, 46. Melospiza fasciata montana, '84, 224. Melospiza fasciata pusillula, '99, 35, see samuelis. Melospiza goldmani, '99, 29. Melospiza lincolni striata, '89, 89. Melospiza melodia kenaiensis, 1900, 29, see insignis. Melospiza melodia morphna, '99, 183, see guttata. Merula tamaulipensis, '97, 75. Micrathene graysoni, '86, 333, see Micropallas. Mimocichla ravida, '86, 499. Mimocichla verrillorum, '91, 217. Mimus arenaceus, '90, 135. Mimus magnirostris, '87, 178. Mimus saturninus, '90, 136. Mitrephanes, '82, 55. Mitrephanes phæocercus tenuirostris, **'88**, 137. Mitrospingus, '98, 225. Molothrus venezuelensis, '91, 347. Momotus goldmani, 1900, 256. Momotus mexicanus saturatus, 49. Myiadestes montanus, '81, 130. Myiarchus berlepschii, '88, 266. Myiarchus crinitus boreus, '98, 179, see crinitus. Myiarchus denigratus, '86, 500. Myiarchus ruficaudatus, '83, 95, see dominicensis. Myobius ridgwayi, '88, 457. Myiopagis placens jaliscensis, 1900, 264. Myospiza, '98, 224. Myrmeciza immaculata occidentalis, '91, 191, see Myrmelastes. Myrmeciza longipes albiventris, '93, 343. Nyctibius jamaicensis mexicanus. 1900, 260. Nyctidromus albicollis merrilli, '88, 44. Oceanodroma kaedingi, '98, 37. Œdicnemus dominicensis, '84, 4. Ornithium imberbe ridgwayi, '82, 208, see Ornithion. Otocoris alpestris adusta, '90, 148. Otocoris alpestris arenicola, '84, 265. Otocoris alpestris giraudi, '84, 266. Otocoris alpestris hoyti, '96, 130, see leucolæma. Otocoris alpestris merrilli, '90, 153. Otocoris alpestris oaxacæ, '97, 54. Otocoris alpestris pallida, '90, 154.

Otocoris alpestris praticola, '84, 264. Otocoris alpestris rubea, '84, 267. Otocoris alpestris strigata, '84, 267. Otophanes, '88, 88. Otophanes mcleodii, '88, 89. Pachyrhamphus major uropygialis, '99, 28. Pachyrhamphus salvini, '99, 186. Pan, '99, 77, see Semnornis. Parra violacea, '81, 130, see Jacana spinosa. Parus atricristatus castaneifrons, '87, .28, see atricristatus. Parus bicolor floridanus, '98, 181, see bicolor. Parus bicolor texensis, '87, 29. Parus carolinensis agilis, '88, 46. Parus hudsonicus columbianus, '93, Parus hudsonicus ungava, '93, 328. Passerella iliaca annectens, 1900, 30, see unalaschcensis. Passerella iliaca insularis, 1900, 30, see unalaschensis. Passerella iliaca fuliginosa, '99, 36, see unalaschensis. Passerella stephensi, '95, 348. Pealea, '86, 334. Perisoreus obscurus griseus, '99, 255. see obscurus. Peucæa illinoensis, '79, 219, see bachmani. Peucæa ruficeps australis, '97, 63. Peucæa ruficeps fusca, '97, 62. Peucæa ruficeps eremœca, '82, 26, see Aimophila. Peucæa ruficeps scottii, '88, 41, see Aimophila. Phalænoptilus nuttalli nitidus, '87, 147. Philortyx personatus, '86, 333, see fasciatus. Phœnicophilus dominicensis, '81, 129, see Phænicophilus. Phœnicothraupis rubicoides affinis, '97, 66. Pholidauges femoralis, '97, 160.

Picoides americanus bacatus, 1900,

Picoides arcticus labradorius, 1900,

Picoides arcticus tenuirostris, 1900,

Picoides tridactylus alascensis, '84,

Picolaptes compressus insignis, '97,

Picumnus lawrencii, '81, 129, see Ne-

136, see americanus.

138, see americanus.

soctites micromegas.

131, see arcticus.

Blacicus hispaniolensis.

Sayornis dominicensis, '83, 95, see

Sayornis saya yukonensis, 1900, 115,

272

Pinicola enucleator alascensis, '98. 319. **'**97. Pinicola enucleator californica, 182. Pinicola enucleator montana. '98, 319. Pipilo clementæ, '97, 294. Pipilo complexus, '86, 332. Pipilo fuscus potosinus, '99, 254. Pipilo fuscus senicula, '95, 111. Pipilo maculatus atratus, '99, 254, see megalonyx. Pipilo maculatus magnirostris, '91, 146, see megalonyx. Pipilo orizabæ, '94, 161, see maculatus. Pipilo submaculatus, '86, 332, see maculatus. Plagiospiza, '98, 224. Platypsaris aglaiæ sumichrasti, '97, Polioptila californica, '81, 103. Polioptila nigriceps restricta, '89, 97. Poocætes gramineus affinis, '88, 404. Prionops vinaceigularis, '97, 162. Progne subis hesperia, '89, 92. Psaltriparus lloydi, '88, 43. Pselliophorus, '98, 225. Psittacula cyanopyga pallida, '89, 85. Pterocorys, '84, 228. Puffinus borealis, '81, 84. Puffinus newelli, 1900, 246. Pyroderus masoni, '86, 333. Pyrrhulagra affinis, '98, 322. Pyrrhulagra coryi, '98, 323. Pyrrhulagra crissalis, '98, 323. Pyrrhulagra dominicana, '98, 323. Pyrrhuloxia sinuata beckhami, '87, 347, see sinuata. Pyrrhuloxia sinuata peninsulæ, '87, 347. Quiscalus caymanensis, '86, 499. Quiscalus macrourus obscurus, 1900, 267. Rallus longirostris scottii, '88, 305. Ramphocelus costaricensis, '91, 62. Regulus calendula grinnelli, '97, 399, see calendula. Rhamphocinclus sanctæ-luciæ, '87, 94, see Ramphocinclus. Rhodothraupis, '98, 226. Rhynchospiza, '98, 224. Rougetius abbotti, '94, 74. Rupornis ridgwayi, '84, 4. Salpinctes obsoletus neglectus, 70. 98, Salpinctes obsoletus pulverius, 238, see obsoletus. Saurothera andria, '94, 164.

see saya. Scops asio bendirei, '82, 31, see Megascops. Selasphorus alleni, '77, 53. Selasphorus henshawi, '77, 102, see rufus. Semnornis, 1900, 179. Sermopsis, '98, 225. Sialia mexicana bairdi, '94, 157. Sialia sialis grata, '98, 182, see sialis. Sicalis chapmani, '99, 37. Sitta carolinensis atkinsi, '90, 118. Sitta carolinensis lagunæ, '91, 149, see aculeata. Sitta carolinensis mexicana, '94, 45. Sitta pusilla caniceps, '98, 180, see pusilla. Sittasomus phelpsi, '97, 369. jaliscensis, Sittasomus sylvioides 1900, 264. Spectyto cunicularia bahamensis, '91, 348. Spectyto cunicularia cavicola, 1900, 287. Speotyto cunicularia obscura, '95, 372, see hypogæa. Spindalis salvini, '86, 499. Spindalis zena stejnegeri, '91, 348. Spinus alleni, '99, 37. Spinus pinus macroptera, '97, 311. Spinus tristis pallidus, '90, 244, see Astragalinus. Spinus tristis salicamans, '97, 397, see Astragalinus. Spizella monticola ochracea, '82, 228. Spizella pusilla arenacea, '86, 248. Spizella socialis mexicana, '99, 30. Sporathraupis, '98, 331. Stelgidostomus, '98, 226. Strix dominicensis, '83, 95, see glaucops. Sturnella magna alticola, 1900, 266. Sula brewsteri, '88, 242. Sula gossi, '88, 241, see nebouxii. Symphemia semipalmata inornata, **'87**, 145. Synallaxis coryi, '88, 458. Syrnium occidentale caurinum, '98, Thalurania ridgwayi, 1900, 262. Thryothorus cerroensis, '97, 166, see Thryomanes. Thryothorus felix grandis, 1900, 269. Thryothorus felix β lawrencii, '78, Thryothorus guadeloupensis, '86, 381, see Troglodytes.

Thryothorus leucophrys, '95, 52, see Thryomanes.

Thryothorus ludovicianus lomitensis, '90, 58.

Thryophilus sinaloa cinereus, '89, 96. Tityra nigriceps, '88, 287.

Tityra personata griseiceps, '88, 263. Totanus solitarius cinnamomeus. '90. 377, Helodromas.

Trochilus violajugulum, '88, 168. Troglodytes aëdon marianæ, '85, 351, see aztecus.

Troglodytes cahooni, '88, 94. Troglodytes tobagensis, '88, 404. Turdus migratorius propinquus, '77, 9, see Merula.

Tyrannus cubensis, '98, 330.

Tyrannus tyrannus vexator, '98, 178, see tyrannus.

Vireo alleni, '86, 500.

Vireo amauronotus strenuus, 1900,

Vireo caymanensis, '87, 7.

Vireo huttoni insularis, '93, 239, see obscurus.

Vireo huttoni stephensi, '82, 142. Vireo noveboracensis maynardi, '87,

Vireo noveboracensis micrus, '99, 30.

Vireo perquisitor, 1900, 267. Vireo solitarius alticola, '86, 111.

Vireo solitarius lucasanus, '91, 147. Vireo vicinior californicus, '90, 159,

see vicinior. Vireosylvia canescens, '87, 178, see Vireo.

Xanthoura luxuosa glaucescens, 1900,

Xanthoura luxuosa speciosa, 1900, 265.

Xanthoura luxuosa vivida, 1900, 28. Xanthoura yncas galeata, 1900, 27.

Zenaida bogotensis, '85, 358, see ruficauda.

Zenaida rubripes, '85, 357, see vinaceo-rufa.

Zenaida richardsoni, '87, 7, see zenaida.

Zenaida spadicea, '86, 498.

Zonotrichia leucophrys nuttalli, '99, 37, see gambelii.

Newton, Alfred.
Article 'Ornithology' from Encyclopædia Brittanica, 9th ed. '85, 205. Fossil birds (rev.), '92, 183.

Dictionary of birds (rev.), '93, 308, 357-360, '94, 56-60, '95, 96, 169,

'96, 351, '97, 234-244, 1900, 77. Orcadian home of the Garefowl (rev.), '99, 91.

Newton, H., Harvie-Brown, J. A., and Cordeaux, J., see Harvie-Brown, Cordeaux and Newton.

Newton, Edward. Obituary of, '97, 431.

newtoni (Certhiola), see Cœreba.

- (Cœreba), see Cœreba.

- (Gymnoglaux), see Gymnasio nudipes.

New York.

Adney, E. T., '84, 390, '86, 409-410. Akhurst, J., '77, 52. Aldrich, S., '92, 385.

Allen, C. S., '92, 313-321, '93, 53-59. Allen, J. A., '76, 96, '77, 110, '78, 34-35, 36, 47, 79, 171, 80, 62-63, 119, 120, 133-134, 136-137, 175, 233, '81, 172, 173, '83, 233, '86, 274–275, 479, 490, '87, 154, 284– 286, '94, 168, 1900, 313-314.

Badger, G. B., 89, 67-68.

Bagg, E., '78, 197-198, '79, 237, '80, 238, '81, 246, '85, 109, '87, 154, '90, 229-232, '94, 162-164, '97, 226-227, 1900, 177-178. Bailey, H. B., '77, 78-79. Ballou, W. H., '81, 52. Bamber, O. S., '90, 395.

Barnum, M. K., '83, 177, 236.

Batchelder, C. F., '90, 295, '91, 392. Beard, D. C., '92, 286. Bergtold, W. H., '90, 209-210, 400.

Berier, deL., '80, 46-47, '81, 11-13,

125-126, 247, 248, '86, 281. Bicknell, E. P., '77, 74, '78, 128-132, '79, 60, 183-184, '80, 7-11,182, '82, 152-159, '83, 50, '95, 306. Bowdish, B. S., '91, 394, 396. Braislin, W. C., '96, 87-88, '97, 99-

100, '98, 55-56, 58, '99, 190-193, 1900, 69–71.

Brewer, T. M., '78, 148. Brewster, W., '81, 219-220, '83, 50-54, 57-58, '85, 82, '86, 389-393, '93. 83.

Brownell, C. L., '97, 406.

Bruce, D. T., '85, 212.

Burtch, V., '97, 93. Chadbourne, A. P., '88, 202, '89, 257. Chapman, F. M., '93, 87-88, '96, 341,

343, '97, 202. Cheney, A. N. '93, 294.

Childs, J. L., 1900, 390. Chubb, S. H., '97, 408. Clark, E., '90, 389. Clute, W. N., '90, 85.

Conklin, C. E., '97, 97-98. Coues, E., '78, 41, '79, 31, '80, 63,

187, '82, 250, '83, 124. Coues, G. H., '79, 31-33.

Dakin, J. A., '83, 176. Damon, J. L. [misprint for Davison, J. L.], '85, 309. Davis, F. J., '81, 47, 47. Davison, J. L., '84, 294, '85, 217-218, 296, 298, 309, '87, 67, 159, '88, 430-431, '89, 176, 191-192, '90, 391, 393, '91, 396.

Deane, R., '79, 184, '80, 118.

Dorr, E. P., '90, 389, '92, 68.

Dutcher, B. H., '89, 124-131. Dutcher, W., '79, 242, '80, 186–187, '84, 31–35, 174–179, '85, 36–39, 99, '86, 432-444, '88, 169-183, '89, 131-139, 175, 181, '90, 396, 396, '92, 390-392, '93, 83-84, 265-266, **'95**, 181, 290-291. Dwight, J., Jr., '88, 324, '97, 95. Eagle, C. H., '78, 47, 94. Earle, C., '81, 58. Eaton, E. H., '96, 178-179. [Editors], '82, 123-124. Edson, J. M., '86, 479. Evans, E. M., '89, 192. Fish, E. E., '83, 171. Fish, E. E., 83, 171.

Fisher, A. K., '78, 191-192, '79, 61-62, 234, '80, 117, '81, 245, '82, 249, 251, '83, 116, 121, 180-181, '85, 221, 306-307, 378, '90, 395.

Floyd, H. W., '98, 190.

Foote, F. H., '97, 224.

Foster, L. S., '87, 341, '89, 177, 179, '205, 170, '06, 175, 200, 251 '95, 179, '96, 175, '99, 351, Fowler, H. G., '77, 75, '78, 34-35, Frazer, A., '89, 178. Fraser, A. A., '92, 68. Fraser, D., '95, 290. Fraser, J. T., '84, 293. Fuertes, L. A., '98, 188-189. Fuller, A. R., '83, 118. Furness, C. E., '96, 175. Geipel, P., Jr., '87, 67. Gray, H., '83, 176. Green, M. M., '87, 73, 350, '89, 68, **'90**, 390, **'92**, 67. Gregg, W. H., '80, 173, '81, 52. Griffing, M. B., '83, 177, '85, 97, 101. Grinnell, G. B., '78, 147, '85, 299. Hale, W. A., '92, 67. Harris, G. F., '88, 320-321 Harris, G. E., '88, 320-321. Hason, I. N. D., '89, 178. Hasbrouck, E. M., '90, 206. Helme, A. H., '83, 234, '85, 100, 1900, 295-296. Hendrickson, W. F., '84, 290-291, **'89**, 190–191. Henshaw, H. W., '85, 384. Higgins, F. W., '90, 83. Higgins, H. C., '93, 301.

Hollick, A., '86, 476. Hough, R. B., '80, 119. Howell, A. H., '92, 306-307, 395, '93, 90-91, '94, 82-84, '99, 85. Howey, J. M., '78, 40, '83, 174, '85, 97. Hutchins, J. P., '80, 44. Ingersoll, E., '80, 173, '81, 184. Ingersoll, S. I., '85, 301. Jencks, F. T., '81, 48. Johnson, F. E., '79, 189, '91, 114, 116. Johnson, W. S., '95, 177, 301, '97, 88, 316. Jones, H. T., '78, 189. Kennard, F. H., '95, 304-305. King, F. H., '78, 194-195, '82, 186-189. Kirkover, H. D., Jr., '98, 50. Knapp, G. A., '85, 298. Langille, J. H., '82, 119-120, '83, 238, '84, 285. LaRue, G. W., '91, 390. Lattin, F. H., '83, 174. Lawrence, G. N., '77, 18, '81, 49, '84, 240-242, '89, 201-203. Lawrence, N. T., '78, 102, '80, 154-157, '85, 272-274. Lawrence, R. B., '80, 116-117, 122, '85, 300, '87, 340, 341, '90, 388, 388, '96, 82. Lee, L. A., '80, 118-119, 190. Linden, C., '81, 50, '84, 184, '89, 177. Lintner, G. A., '83, 123-124, 180, '84, 391. Lock, B., '85, 296. Loring, J. A., '90, 392, 395. Lucas, F. A., '81, 125. Marshall, W. B., '92, 203, 390-391. Mather, F., '84, 288. Maxfield, C. C., '91, 108. Mearns, E. A., '78, 45-46, 69-72, 100, 146, '79, 33-37, '80, 175, 189, '81, 172, '90, 55-56, 90-91. Merriam, C. H., '78, 52-56, 83-86, 123-128, 200, '79, 1-7, '81, 225-235, '80, 44, '82, 128, 256-257, '83, 50, 117, 178, 237, '84, 58-59, 291, '85, 59-60, 103, '86, 475. Mickle, W., '84, 288. Miller, G. S., Jr., '92, 201, '94, 79. Miller, J. H., '90, 206. Minot, H. D., '78, 36, 83-86. Moran, D. E., '82, 52, 60. Murphy, M. D., Jr., '90, 83. Nicholas, G. L., '81, 49, 1900, 386. Osborn, S. D., '81, 50. Paine, A. G., Jr., '87, 339. Park, A. F., '80, 185, 190, 239, '81, 177, '82, 61, '84, 196, '85, 296, '86,

96.

484-485, '88, 111, '90, 400, '91, 114. Perrior, A. W., 1900, 68. Pentz, J., '93, 297. Porter, L. H., '95, 76. Posson, N. F., '90, 85, '99, 193-196. Proctor, T., '95, 390. Purdie, H. A., '80, 240. Ralph, W. L., '87, 154, '90, 229-232. Rathbun, F. R., '78, 85, '79, 172-175, '83, 235. Rathbun, S. F., '79, 116-117, 172-175, '83, 174. Reed, J. H., '98, 40-43. Rich, G. C., '83, 175, 177, 178. Rich, L. R., '85, 98. Ridgway, R., '80, 119. Rintoul, W. H., '84, 186. Roe, E., '83, 179. Roosevelt, T., '78, 36, 83-86, '79, 171. Sampson, J. A., '90, 396. Sargent, H. B., '93, 369. Savage, J., '95, 312-314, 393. Short, E. H., '94, 168. Spears, R. S., '92, 386. Spencer, L. F., '85, 298. Stearns, W. A., '80, 233, 242. Stevenson, W. G., '85, 212. Stone, C. F., '99, 284-285. Swift, E., '88, 432, '89, 176, 179.
Tarrant, W. P., '83, 235.
Thayer, G. H., 1900, 388-389.
Townsend, A. H., '83, 117, '85, 298.
Trembly, C. C., '90, 86.
Turner, M. H., '84, 291. Vaughan, C. W., '96, 80. Voorhees, C. G., '88, 427. Whitfield, R. P., '90, 284-285. '91, 113, '93, 301-303, '96, 78, '99, 85, 1900, 63. Wright, F. S., '79, 116-117, 172-175, '83, 236. Wyman, W. B., '84, 288. Young, C. C., '93, 78, '94, 78. Zerega, L. A., '80, 205, '81, 248, '83, 117, '84, 288. New York Academy of Sciences, Trans-

actions, titles (Nos. 2291-2296),

New York Lyceum of Natural History,

New York Staatszeitung, title (No.

Annals, titles, '76, 31.

'92, 194.

608), '84, 190.

New Zealand. Wakefield, E., '90, 395. Nicaragua. Chapman, F. M., '94, 171. Nutting, C. C., '83, 228, '84, 84, '85, 293-294. Richmond, C. W., '93, 84-85, '95, 19-32, '98, 7-10. Ridgway, R., '83, 228, '84, 84, '85, 291, '98, 228. Zeledon, J. C., '85, 370. Nicholas, G. L. Swallow-tailed Kite at Piermont. New York, 1900, 386. nichollsı (Chrysotis), see Amazona bouqueti. Nichols, Howard Gardner. Obituary of, '97, 115. Nicholson, Francis. Sundevall's 'Tentamen' Itranslation] (rev.), '91, 227. Nicterodius, see Nycticorax. Nidification. Allen, J. A., '78, 23, '79, 25-27, '85, 129, '87, 284. Allen, C. S., '92, 313, '93, 53. Anthony, A. W., '98, 140, 1900, 247. Bailey, H. B., '76, 24-28, '83, 37. Barlow, C., '97, 14, '99, 156. Bicknell, E. F., '80, 7. Bendire, C. E., '76, 44, '88, 225, 351, 366, '89, 32, 107, 150, 226, 298, '90, 22, '95, 270. Bowles, C. W., and Bowles, J. H., **'98**, 138. Brewer, T., '78, 72, '79, 87, 96, 148. Brewster, W., '77, 37-38, '78, 133-135, '79, 75, 99, '81, 143, '85, 346, '88, 337, 1900, 207. Brimley, C. S., '90, 323, '91, 199. Chamberlain, M., '85, 33. Cherrie, G. K., '90, 233, 329. Clarke, C. K., '98, 328. Cooper, J. G., '76, 79, '78, 8, 68, '79, 86. Coues, E., '80, 20, '88, 405. Deane, R., '79, 37-39. Goss, B. F., '83, 43. Goss, N. S., '78, 32-34, '84, 18, 124, '85, 19, 274, '88, 27. Hazard, R. G., '94, 280. Henshaw, H. W., '76, 14-17, '78, 112-115. Holterhoff, G., Jr., '83, 48. Howe, R. H., Jr., '98, 162. Hoxie, W., '86, 245. Ingersoll, E., '76, 77-79. Job, H. K., '99, 161.

Jones, C. M., '76, 11-13. Kennard, F. H., '94, 197. Lawrence, G. N., '89, 19. Mackay, G. H., '93, 333, '95, 32, '96, 47, '97, 278, 383, '98, 168, '99, 259. Mailliard, J., '98, 230. Merriam, C. H., '83, 220. Merriam, F. A., '96, 38. Merrill, J. C., '77, 85-87, '81, 203. Osborne, S. D., '79, 23. Palmer, W., '96, 99. Peabody, P. B., '95, 11 Pennock, C. J., '90, 56. Price, W. W., '88, 385, '95, 17. Purdie, H. A., '78, 166. Reed, J. H., '98, 40. Rhoads, S. N., '92, 1. Ridgway, R., '80, 221. Roberts, T. S., '77, 34-36. Saunders, W. E., 1900, 358. Scott, W. E. D., '85, 1, 159, 242, 321, **'86**, 81. Shufeldt, R. W., '96, 312. Van Fleet, W., '76, 9-11. Warren, J., '76, 6-8. Widmann, O., '97, 303. Wilde, M. L. C., '97, 289. Nidiologist, The (magazine), '94, 89, '95, 200, '96, 268. niger (Anous), see A. stolidus. (Centrites), see Centrites. - (Cypseloides), see C. niger or borealis. (Cypselus), see Cypseloides. --- (Hadrostomus), see Platypsaris. - (Hæmatopus), see H. bachmani. - (Himantopus), see H. mexicanus. — (Hirundo), see Cypseloides. --- (Holoquiscalus), see Quiscalus. --- (Hydrochelidon), see H. surinamensis. - (Hylocharis), see Mellisuga minima. — (Lanius), see Platypsaris. — (Molothrus), see M. bonariensis. (Nechopætes), see Cypseloides. —— (Nephocætes), see Cypseloides. —— (Oriolus), see Quiscalus. --- (Pachyramphus), see Platypsaris. — (Quiscalus), see Quiscalus. nigerrimus (Agelaius), see Nesopsar. - (Agelœus), see Nesopsar. - (Icterus), see Nesopsar. - (Nesopsar), see Nesopsar. Nigger-Boy, see Aramus giganteus. Nighthawk, see Chordeiles virginianus. Florida, see Chordeiles chapmanı. Little, see Chordeiles minor. Sennett's, see Chordeiles sennetti. Texan, see Chordeiles texensis.

Western, see Chordeiles henryi. Nightingale, see Hylocichla mustelina. English, see Mimus orpheus. French, see Mimus hillii. Spanish, see Mimus hillii. Night-jar, see Chordeiles virginianus. nigra (Astrapia), see Astrapia. - (Ciconia), see Ciconia. --- (Hydrochelidon), see H. leucoptera or surinamensis. —— (Jacana), see Jacana. ---- (Loxia), see Melopyrrha. —— (Melopyrrha), see Melopyrrha. --- (Oidemia), see Oidemia. --- (Parra), see Jacana. — (Penelopina), see Penelopina. — (Platypsaris), see Platypsaris. —— (Pyrrhula), see Melopyrrha. —— (Rhyncops), see Rynchops. ---- (Rynchops), see Rynchops. - (Sterna), see Hydrochelidon surinamensis. – (Viralva), see Hydrochelidon surinamensis. nigrescens (Ammodramus), see Ammodramus. - (Antrostomus), see Antrostomus. —— (Blacicus), see Blacicus. —— (Bernicla), see Branta nigricans. —— (Branta), see B. nigricans. — (Dendroica), see Dendroica. --- (Myiochanes), see Blacicus. --- (Pachyramphus), see Platypsaris nigra. — (Sayornis), see S. nigricans. — (Strix), see Strix. nigricans (Alle), see A. alle. ---- (Bernicla), see Branta. ---- (Branta), see Branta. —— (Sayornis), see Sayornis. - (Serpophaga), see Serpophaga. nigricapillus (Formicarius), see Formicarius. — (Myiarchus), see Myiarchus. —— (Perisoreus), see Perisoreus. nigricaudatus (Heleodytes), see Heleodytes. nigricephala (Spindalis), see Spindalis. – (Tanagra), see Spindalis. nigriceps (Falco), see F. peregrinus. — (Mecocerculus), see Mecocerculus. – (Polioptila), see Polioptila. --- (Tityra), see Tityra. nigricollis (Busarellus), see Busarellus. — (Colymbus), see C. nigricollis or californicus. --- (Cygnus), see Cygnus.

- (Himantopus), see H. mexicanus.

- (Lampornis), see Lampornis.

```
—— (Macrotarsus), see Himantopus | niveus (Chasmorhynchus), see Chasmo-
        mexicanus.
                                                         rhynchus.
  — (Malımbus), see Malimbus.
                                                      - (Larus), see L. californicus.
— (Stachyris), see Stachyris.
— (Timalia), see Stachyris.
                                                  nivœa (Nyctiardea), see Nycticorax
                                                         nævius.
nigricristatus
                 (Thamnophilus),
                                                 nivosa (Ægialitis), see Ægialitis.
                                          see
        Thamnophilus.
                                                  nobilis (Euplocamus), see E. 1gnitus.
                                                      - (Gracula), see Gracula.
nigrifrons (Chlorospingus), see Chloro-
                                                 nocticolor (Diglossa), see Diglossa.
        spingus.
                                                 noctis (Fringilla), see Pyrrhulagra.
--- (Dendroica), see Dendroica.
                                                    — (Loxigilla), see Pyrrhulagra noctis
--- (Formicarius), see Formicarius.
                                                         or sclateri.
--- (Monasa), see Monasa.
                                                    — (Pyrrhulagra), see Pyrrhulagra.
nigrilora (Compsothlypis), see Comp-
                                                  noctua (Athene), see Athene.
        sothlypis.
                                                 Noddy, see Anous stolidus or Fulmarus

    (Parula), see Compsothlypis.

                                                       glacialis.
nigripectus (Colinus), see Colinus.
                                                    Ridgway's, see Anous ridgwayi.
nigripes (Diomedea), see Diomedea.
                                                  noguchii (Picus), see Pıcus.
nigrirostris (Arremon), see Arremon.
                                                  Nomenclature, see Synonymy.
--- (Merula), see Merula.
                                                 Nomonyx, '80, 178, '88, 68.
--- (Turdus), see Merula.
                                                       dominicus (Masked Duck, b Eris-
nigrocinereus
                   (Thamnophilus),
                                                    matura), Argent. '84, 274b; Cuba, '92,
                                                    272; Jamaica, '91, 364; Mass. '89,
        Thamnophilus.
                                                    336; N. Y. '81, 235; Tex. '95, 297;
nigrogularis (Colinus), see Colinus.
                                                    Urug. '84, 274b; W. I. '88, 68.—hbt. '84, 274b, '91, 364; meas. '88, 68;
nigro-lineata (Grallaria), see Grallaria.
nigrorufa (Poospiza), see Poospiza.
nilotica (Gelochelidon), see Gelocheli-
                                                    plm. '88, 68, '91, 364; syn. '80, 178b,
        don.
                                                    '88, 68.
     - (Sterna), see Gelochelidon.
                                                  Nonpareil, see Cyanospiza ciris.
Ninox, '94, 236.
                                                    Western, see Cyanospiza versicolor.
     albigulare, anat. '82, 87.
                                                 North America.
     lugubris, P. I. '94, 236.
                                                    Baird, S. F., '80, 180.
Bates, F. A., '93, 295.
Coues, E., '80, 180-181.
     philippensis, P. I. '94, 236.
nisoria (Surnia), see S. ulula.
                                                    Merriam, C. H., '86, 271.
Nehrling, H., '82, 117-118.
---- (Sylvia), see Sylvia.
Nisus, see Accipiter.
nisus (Accipiter), see Accipiter.
                                                 North Carolina.
                                                    Allen, J. A., '80, 134, 1900, 82.
Atkinson, G. F., '92, 190.
Batchelder, C. F., '86, 307-314.
Berier, deL., '79, 190.
nitens (Columba), see Columba.
— (Janthœnas), see Columba.
— (Phainopepla), see Phainopepla.
nitida (Arbelorhina), see Cœreba.
  — (Asturina), see Asturina.
                                                    Brewster, W., '86, 94-112, 173-179.
                                                    Brimley, C. S., '90, 323-326, '91, 108, 108, 199-200, 316-317, '93, 241-244, '94, 332-333.
  -- (Cœreba), see Cœreba.
nitidus (Cyanerpes), see Cœreba.
    – (Phalænoptilus), see Phalænopti-
                                                    Brimley, H. H., '92, 299-300.
                                                   Coues, E., '78, 40, '97, 96.
Deane, R., '80, 126.
Fisher, A. K., '90, 203.
Hallock, C., '92, 386.
    - (Phylloscopus), see Phylloscopus.
nivalis (Chen), see Chen.
    – (Emberiza), see Passerina.
    – (Fringilla), see Junco hyemalis.
                                                   Jeffries, J. A., '89, 119-122.
Jeffries, W. A., '89, 119-122.
Jencks, F. T., '81, 122.
  - (Montifringilla), see Montifrin-
       gilla.
--- (Passerina), see Passerina.
--- (Plectrophanes), see Passerina.
                                                    Johnson, L. N., '89, 275.
    - (Plectrophenax), see Passerina ni-
                                                    Lawrence, G. N., '77, 18.
                                                   Mackay, G. H., '92, 389.
Morgan, G. H., '80, 44.
Pearson, T. G., '97, 202, '98, 275, '99,
       valis or townsendi.
nivaria (Haplospiza), see Haplospiza.
nivea (Egretta), see Ardea cærulea.
(Nyctea), see N. nyctea.
                                                      246-250.
niveigularis (Tyrannus), see Tyrannus.
                                                    Sennett, G. B., '87, 240-245.
```

Allen, F. H., '91, 164-166, '95, 89-90.

Nova Scotia.

Stone, W., 1900, 171-172. North Dakota (see also Dakota). Abbott, W. L., '81, 49. Bishop, L. B., '96, 129-135. Boardman, G. A., '84, 286. Coues, E., '79, 49-50. Job, H. K., '99, 161-165. Judd, E. T., '92, 385, '94, 70. Rolfe, E. S., '99, 356-357. Northrop, John I. Birds of Andros I., Bahamas, '91, 64-80 (col. pl.). Obituary of, '91, 400. northropi (Icterus), see Icterus. Northwest Territory, Canada. Allen, J. A., 1900, 181-182. Bishop, L. B., 1900, 114. Norton, Arthur Herbert. Xanthocephalus xanthocephalus and Spisa americana in Maine, '93, 302. Corrections.—Xanthocephalus xanthocephalus and Spisa americana in Maine, '94, 78. Recent observations on Histrionicus histrionicus in Maine, '96, 229-234. A noteworthy plumage observed in American Eider Drake (Somateria dresseri), '97, 303. Sharp-tailed Sparrows of (rev.), '97, 334. Perfected plumage of King Eider (Somateria spectabilis), 1900, 16-18. Norton, Richard. Ceophlæus pileatus in Franklin Co., Massachusetts, '88, 111. norvegius (Archibuteo), see A. lagopus. Norway. Dalgleish, J. J., '80, 74, 143-144, 215. notabilis (Seiurus), see Seiurus. notata (Bleda), see Bleda. — (Chrysomitris), see Spinus. — (Phlegopsis), see Phlegopsis. notatus (Picolaptes), see Dendrornis multiguttata. - (Spinus), see Spinus. Notes and calls, see Song. Nothoprocta, '97, 417. Nothura maculosa, Argent., hbt., nst. '84, 317; anat. '84, 317, '88, 106, 108. Notornis, '81, 109, '85, 209. notosticta (Peucæa), see Peucæa. novæ-guineæ (Parra), see Hydralector gallinaceus. - (Pitta), see P. atricapilla. novæ-hollandiæ (Calopsittacus), Calopsittacus. --- (Hydralector), see H. gallinaceus. —— (Nymphicus), see Calopsittacus. novæ-zelandiæ (Limosa), see L. baueri.

Bangs, O., '94, 81-82. Brewer, T. M., '78, 49. Chadbourne, A. P., '89, 256. Chamberlain, M., '83, 176, '87, 253, 256. Coues, W. P., '90, 212. Deane, R., '79, 64, '80, 118. Downs, A., '92, 194. Dwight, J., Jr., '87, 13-16, '96, 344. Gilpin, J. B., '92, 194, 194, '83, 234, '84, 89. Goss, N. S., '85, 221-222. Jack, E., '93, 292. Jones, J. M., '80, 44, '81, 50, '82, 115, '83, 117, '84, 286, 287, '86, 135-136, '87, 68, 339, '89, 174. Kempton, A. C., '90, 398. McKinlay, J., '85, 39-43, '99, 75-76. Merriam, C. H., '84, 390. Morrell, C. H., '99, 250-253. Piers, H., '98, 195-196. Smith, E., '80, 181. Thompson, E. E., '89, 64. Tufts, H. F., '96, 341. Nova Scotian Institute of Natural Sciences, titles (Nos. 2297-2301), '92, 194. noveboracensis (Coturnicops), see Porzana (Falco), see F. sparverius. --- (Fulica), see Porzana. - (Henicocichla), see Seiurus. --- (Lamvireo), see Vireo. —— (Motacilla), see Seiurus. ---- (Muscicapa), see Vireo. --- (Porzana), see Porzana. --- (Scolopax), see Macrorhamphus griseus. — (Seiurus), see Seiurus. — (Sylvia), see Seiurus. ---- (Sylvicola), see Vireo. —— (Turdus), see Seiurus. - (Vireo), see V. noveboracensis or modestus. Novitates Zoologicæ (magazine), '93, 388. Nowell, John Rowland. Song season of Cardinal (Cardinalis cardinalis), '99, 278-280. Nowotny, Dr. Breeding of the Carolina Paroquet in captivity, '98, 28-32. nuchalis (Buteo), see B. harlani. - (Dulus), see Dulus.

— (Sphyrapicus), see Sphyrapicus.

Nucifraga, '78, 79, '94, 179, '95, 167,

168, '96, 73.

caryocatactes, Helg. '95, 330; Japan, '90, 276.—mig. '87, 156, 251, '88, 422; nst. '95, 74; syn. '94, 179; misc, '88, 422.

columbiana (a Clarke's Nutcracker or Crow, b Picicorvus), Alas. '87, 255^b 256^b; Aris. '90, 49^b, 256; Ark. '94, 327^b; B. C. '87, 341^b, Cal. '87, '94, 321°; B. C. '87, 341°, Cal. '87, 88°, '97, 276, Colo. '79, 94°, '81, 139°, '83, 43-45°, '84, 16°, '85, 16°, '89, 124, '90, 92°, '94, 269°; g. dist. '89, 226-236°, '93, 126°, Ida. '97, 357; Kan. '89, 123°, '94, 260°; Mo. '95, 82°, 181°, Mont. '82, 62°, '94, 305; No. '96, 122, No. 126, 27°, 269 Neb. '89, 123; N. M. '86, 75^b, '98, 309; Ore. '76, 44^b, '79, 194^b, '88, 262^b, '89, 124; S. D. '85, 101^a, 282^b, '89, 123, Wash. '97, 177.—fd. '89, 123b, 226b, 234b, '94, 305, '97, 357; hbt. '83, 234b, '89, 123b, 226–236b, '94, 305, 97, 357, meas. '76, 45°, '84, 17°, '89, 124°, 229°, 233°, '90, 92°; nst. '76, 44°, '83, 43°, 234°, '89, 123°, 226– 236b, '90, 92b; plm '84, 16b, '97, 276; song, '81, 139b, '89, 226b, 234b; syn. '78, 79^a, '94, 179, '95, 168.

macrorhynchus (b leptorhynchus). Japan, '90, 276.—misc. '88, 422b. multiguttata, syn. '94, 179.

multipunctata, syn. '94, 179. nudigenis (Turdus), see Merula gymnophthalma.

nudipes (Athene), see Gymnasio.

- (Ephialtes), see Gymnasio lawrenceii.

- (Gymnasio), see Gymnasio.

-- (Gymnoglaux), see Gymnasio nudipes or lawrenceii.

- (Megascops), see Megascops.

- (Noctua), see Gymnasio nudipes or lawrenceii.

--- (Scops), see Megascops.

— (Strix), see Gymnasio. — (Surnia), see Gymnasio.

Numenius, '84, 45, 142, '87, 319, '88, 331, '93, 99.

arquatus, Helg. '95, 338; N. Y. '92, 390–392, '93, 61.—syn. '84, 142, **'93**, 61.

borealis (* Eskimo Curlew), Alas. '85, 63, 201; Argent. '84, 316; Cal. '84, 393; Fla. '92, 212; g. dist. '93, 123; G. Br. '80, 210, '81, 64; La. '97, 289; Mass. '93, 79, '94, 75, '97, 212, '98, 52, '99, 180; N. E. '92, 16-21; N. S. '85, 41a; N. Y. '85, 273; P. E. I. '93, 79, '96, 182; Que. '82, 239; Scotland, '77, 107; S. D. '85, 287; Tex. '82, 42; Urug. '84, 316; W. I. '87, 320.—fd. '84, 393, '92, 16, '96,

182; hbt. '92, 16-21, '93, 28, 293, 293, mig. '85, 63, '92, 16, '93, 79, 248, '94, 75, '95, 260, '96, 92, '97, 212, '98, 52, '99, 180; song, '92, 16; syn. '78, 105, '87, 320; misc. '91, 24a. cyanops, Kamts. '88, 197.

hudsonicus (a Hudsonian Curlew, b rufiventris), Alaska, '85, 201, 241; Argent. '99, 292; Bahamas, '91, 339; Cal. '84, 393", '86, 92, '89, 223; Colo. '85, 143, '87, 264; Conn. '92, 384; Engl. '77, 107; Fla. '92, 212; g, dist. '93, 123, H. I. 1900, 203; Hud. B. '90, 321; Iceland, '77, 107, '80, 150; Jamaica, '92, 14'; La. '97, 289; Mass. '92, 21°, 306, 345-352, '93, 370, '95, 77, '97, 213, N. Am. W. coast, '77, 95°, N. J. '79, 226; N. Y. '85, 273, '99, 195, 1900, 177; Que. '82, 239; S. D. '85, 287; Spain, '80, 150; Wash. '92, 43, 1900, 351; W. I. '81, 128, '87, 320, '90, 374.—hbt. '92, 345-349, '93, 293, 293; fd. '84, 393", '92, 345, 348, 1900, 351; mig. '85, 273, '92, 345, '93, 247, 370, '97, 213, '99, 292; plm. '80, 29 (alb.), '92, 345; song, '92, 345; syn. '87, 320.

longirostris (* Long-billed Curlew), Ariz. '86, 386; Cal. '84, 393*, '86, 92; Colo. '85, 18; Fla. '81, 19, '89, 158, '92, 212; Ga. '96, 215; Ida. '97, 351; Ill. '96, 181; Ind. '97, 199; Jamaica, '92, 14, '99, 246*; La. '97, 288; Man. '86, 152; Mass. '92, 350, '93, 296; Mo. '79, 147; Mont. '94, 302; '95, 213; N. C. '99, 246a; N. E. '76, 73, '77, 17; N. J. '79, 225; N. M. '92, 360; N. S. '85, 41"; N. Y. '82, 256, '85, 273, '92, 391, '93, 272; Ont. '87, 247^a; Ore. '79, 197, '88, 145; R. I. '99, 190; S. D. '85, 286; Tex. '82, 42, 222, '87, 186, '92, 232, 1900, 341; Wash. '92, 354, '97, 172; W. I. '87, 320.—anat. '85, 208; hbt. '93, 293, 293; meas. '79, 197; nst. '97, 172, '86, 124; plm. '80, 29 (alb.), 1900, 370 (mlt.); syn. '87, 320.

phæopus (Whimbrel), Greenl. '89, 217; Helg. '95, 338.

tahitiensis (Bristle-thighed lew), Alas. '84, 79, '87, 12. tenuirostris, Helg. '95, 338.

Numida, '87, 223.

meleagris, Cuba, '92, 272; Jamaica, '92, 121; W. I. '81, 155, '87, 223. hbt. '92, 121; syn. '87, 223.

Numidinæ, '81, 80.

Nutcracker, Blue, see Cyanocephala cyanocephala.

Clarke's, see Nucifraga columbiana.

Nuthatch, '83, 76. Brown-headed, see Sitta pusilla. European, see Sitta neumayeri. Florida Brown-headed, see Sitta [caniceps =] pusilla. Florida White-breasted, Sitta see atkınsi. Pygmy, see Sitta pygmæa. Red-bellied, see Sitta canadensis. Red-breasted, see Sitta canadensis. Slender-billed, see Sitta aculeata. White-bellied, see Sitta carolinensis. White-breasted, see Sitta carolinensis. White-naped, see Sitta leuconucha. Nuthatches, see Sittinæ. Nuttall Ornithological Club [historical sketch of], '76, 29-32; [list of papers read], '76, 30; [notes], '84, 106, '85, 116, 224, 390, '86, 143, '89, 83; [memoir], '86, 287, '95, 317, 377.
Nuttall, Thomas, and Chamberlain, Montague. A popular handbook of ornithology of eastern U. S. (rev.), '92, 59-61; 2d ed. '97, 109. nuttalli (Antrostomus), see Phalænoptilus nuttallii or nitidus. (Dryobates), see Dryobates. --- (Phalænoptilus), see P. nuttallii, nitidus or californicus. - (Pica), see Pica. - (Picus), see Dryobates. - (Zonotrichia), see Z. gambelii. Nuttallornis, see Contopus. Nutting, Charles Cleveland. Zoological explorations on the lower Saskatchewan River (rev.), '93, Nutting, C. C., and Ridgway, R. Birds from Gulf of Nicoya, Costa Rica (rev.), '83, 228. Catalogue of a collection of birds made in the interior of Costa Rica (rev.), '84, 84. Birds from Nicaragua (rev.), '85, 293. nuttingi (Myiarchus), see Myiarchus. Nyctala acadica (* Saw-whet or Acadian Owl, b albifrons), Aris. '90, 48, 54, '92, 170°; Cal. '87, 88; Colo. '94, 183; D. C. '84, 397, '87, 161, '89, 189, '91, 313; G. Br. '80, 74; Ida.

'97, 353; Ill. '77, 83; Ind. '88, 351;

Lake Superior, '89, 178; Man. '86, 155; Mass. '77, 84, '81, 143-145, 145,

185, '82, 23-25, '88, 389, 390, '94, 77; Me. '82, 150, '84, 94; Mich. '93,

224, '95, 191; Mo. '95, 82; N. B. '82,

150; N. C. '93, 242; N. E. '76, 72, 777, 14; N. H. '90, 113a; N. J. '79, 85^a; N. Y. '81, 232, '85, 272, '86, 240, '87, 341, '90, 90, 231; O. '89, 329, '95, 191; Ont. '83, 145ª; Ore. '86, 165, '88, 146; Pa. '79, 235, '96, 291a, 293, '99, 311; P. E. I. '85, 266a; Que. '82, 237; S. D. '85, 284; Vt. '82, 64, '95, 312"; Wash. '92, 44.—fd. '82, 237, '89, 189, '94, 77, '97, 353; hbt. '77, 83, '82, 23; meas. '77, 84, '81, 144; nst. '81, 143, 185, '82, 23, 183, '84, 94, '88, 351, '90, 231, '91, 107, '92, 1702, '94, 77, 78; plm., syn. '82, 23; song, '82, 23, '85, 266°; misc. '80, 87b, '87, 67t, '90, 395. richardsoni (a Richardson's Owl, b tengmalmi), Alas. '84, 79; B. C. 1900, 105; g. dist. '93, 126; Ida. '97, 353; Man. '86, 155; Mass. '83, 122, '85, 384; N. H. '83, 61; Ore. '77,

94^b; Pa. '99, 311; Que. '82, 237; R. I. '81, 123, '86, 271^a.—hbt. '83, 61, '85, 384; song, '82, 237. tengmalmi, Helg. '95, 329.

Nyctale, see Nyctala.

Nyctanassa, see Nycticorax. Nyctea, '80, 172.

nyctea (a Snowy Owl, b scandiaca, c nivea), Alas. '85, 63b, 155a, 157; Arctic Am. '78, 86b; B. C. '97, 89; Cal. '90, 215c; Colo. '94, 183; Conn. '90, 394*; Ga. '96, 210a, 212; g. dist. '93, 126; Greenl. '89, 293; Helg. '95, 330; Ia. '83, 237b, 240a, '84, 186a; Ida. '97, 353; Ill. '87, 341a; Ind. '88, 351; Man. '86, 155; Mass. '83, 148a, '90, 394a, '91, 392a; Md. '83, 177a; Me. '85, 96a, '90, 394*; Mch. '88, 315a; Minn. '84, 246b; Mo. '91, 392a; Mont. '95, 214; N. E. '77, 9-11b; '92, 68; Neb. '92, 68a; N. J. '79, 223c, '90, 394a, '92, 68; N. Y. '81, 232b, '85, 37, '91, 392a, '92, 68; N. Y. '81, 232b, '85, 37, '91, 392a, '92, 68; N. Y. '81, 232b, '85, 37, '91, 392a, '92, 68; N. Y. '81, 232b, '85, 37, '91, 392a, '92, 68; N. Y. '81, 232b, '85, 37, '91, 392a, '92, 68; N. Y. '81, 232b, '85, 37, '91, 392a, '92, 68; N. Y. '81, 232b, '85, 37, '91, 392a, '92, 68; N. Y. '81, 232b, '85, 79, 394a, '92, 135, '99, 311; P. E. I. '85, 266a; Que. '82, 237b; R. I. '86, 272a; S. C. '91, 55; S. D. '85, 284b; Siberia, 1900, 309a; Va. '89, 195; Vt '82, 64b; Wash. '81, 128c, '82, 58b, 227b, '92, 355.—anat. '82, 87b; mig. '83, 245a, '85, 63b, '94, 107a, 108a; nst. 1900, 307a; plm. '83, 237b; misc. '79, 111a, '89, 179a, '90, 394a (6 items), 395a (4 items), '91, 110a, '92, 67a, 69a, 69a, 286, '94, 69a.

nyctea (Nyctea), see Nyctea. Nycterodius, see Nycticorax. nycthemerus (Phasianus), see Phasianus.

Nyctherodius, see Nycticorax.

Nyctiardea, see Nycticorax.

Nyctibius, '81, 74, '82, 88, '86, 338.

jamaicensis (b pallidus), Jamaica, '94, 125; Trinidad, '95, 204, 208 (col. pl.); W. I. '86, 338, 339b, '92, 275, 276b.-hbt. '92, 275, '94, 125, '95, 208-211, meas. '86, 338, 339b, 1900, 260; plm. '86, 338, 339b, '92, 275; song, '92, 275, 276b, '95, 208; syn. '86, 338.

mexicanus, Mex. 1900, 260*. Nycticorax (b Nyctherodius), '77, 64,

'87, 335b, '88, 48, 196.

cyanocephalus (b obscurus), Patagonia, '90, 274b.

gardeni, Argent., Urug., hbt. '84, 271.

nævius (a Black-crowned Night Heron, b Nyctiardea), Ariz. '83, 36b, '86, 385, '90, 51; Assiniboia, '86, 150°; Bahamas, '91, 78, 335; Cal. '86, 91; Colo. '86, 285, '94, 183; Fla. '87, 136, '87, 281^a, '88, 269, '89, 18, '90, 308, '91, 137, '92, 212, '95, 364; Ga. '83, 42^b, '96, 79^a, 215; Ind. '88, 348; Jamaica, '92, 10, '94, 121; Man. *86, 150; Mass. '80, 133a, '81, 127b; '86, 150; Mass. '80, 133*, '81, 127b; Me. '82, 151b; Mo. '79, 147c, '80, 191b; N. B. '87, 264; N. C. '99, 246; Nev. '80, 45b; N. J. '79, 226b, '90, 327, '94, 136; N. Y. '79, 175b, '82, 128b, '92, 318*, '93, 53*, '97, 227, '99, 193; Ore. '88, 144; S. C. '85, 192b; S. D. '84, 96b, '85, 287b; Tenn. '86, 319; Tex. '82, 223b, '84, 122b, '92, 232, 1900, 340; Va. '88, 20; Wash. '92, 42, W. J. '88, 49; Wis. '85, 97* '92, 42, W. I. '88, 49; Wis. '85, 97°, '88, 327a, 328a.—anar. 00, 173, 172; hbt. '83, 174a, '87, 281a; mig. '80, 133a, '88, 327a, 328; nst. '77, 69b' '85. 97a, '87, '88, 327a, 328a.—anat. '88, 198, '96, ['nivæa'], '83, 42b, '85, 97a, 136, '92, 318ª, '99, 246; syn. '88, 49, '99, 202; misc. '86, 272a. nycticorax, syn. '99, 202.

violaceus (* Yellow-crowned Night Heron, b Nyctherodius, c Nyctiardea, d Ardea cayennensis), Bahamas, '91, 78, 295, 339, 339, 351, '92, 487; Colo. 79, 114, '85, 18, 'C. R. '90, 332, '92, 329; Fla. '81, 21, '87, 136, 281, '89, 18, '90, 308, '91, 132, 137, '92, 212, '95, 364; Ga. '83, 42, '96, 215; g. dist. '93, 132; III. '76, 43b; Ind. '82, 18b, 22b; Iamaica, '92, 10, '94, 121; Kan. '81, 248b; Mass. '79, 124c; Minn. '93, 289; Mo. '80, 191°; N. C. '93, 243, '94, 333; N. Y. '89, 331, '93, 266; Revill Is. '98, 316; R. I. '89, 184^a, '94, 177; Tex. '78, 145°, '92, 232; W. I. '80, 169°, '86, 502, '87,

96°, '88, 48, '90, 375, '91, 47, 48. anat. '90, 277; fd. '98, 316; hbt. '87, 281a, '91, 132a, '92, 10; nst. '76, 43b, '82, 18^b, 22^b, '83, 42^b, '87, 136, '92, 10, '94, 121; plm. '91, 190 (alb.); syn. '88, 48; misc. '80, 66d.

nycticorax (Ardea), see Nycticorax nævius.

Nyctidromus, '86, 445, '88, 205, '93, 110, 132, '95, 287.

albicollis, Bras. '91, 30; C. R. '92, 324; Venez. '97, 366.-syn. '88, 402; misc. '92, 324.

derbyanus, Braz., syn. '88, 46. insularis, Mex. '98, 340.

merrilli (Merrill's Parauque, b albicollis), g. dist. '88, 44*, '93, 141; Tex. '76, 88b, '79, 51b, '80, 90b, 1900, 344. —syn. '88, 402.

Nyctinassa, see Nycticorax. Nyctiornis amicta, Borneo, syn. '91, 11. Nye, Willard, Jr.

[see Benedict and Nye, '84, 307.] A Bahaman bird (Centurus nyeanus) apparently extinct, '99, 273.

nyeanus (Centurus), see Centurus. nympha (Pitta), see Pitta. Nyroca, '96, 162, '97, 133.

nyroca (b Fuligula, c ferruginea), Helg. '95, 340; W. I. '88, 64c .- plm. '92, 162b (hyb.); syn. '96, 164. nyroca (Fuligula), see Nyroca.

--- (Nyroca), see Nyroca.

0

oahuensis (Sterna), see S. anætheta. Oaxaca, Mexico.

Nelson, E. W., 97, 43-44, 49, 51, 53, 54, 63, 66, 1900, 260, 263, 265. Ridgway, R., 1900, 28.

oaxacæ (Antrostomus), see Antrostomus.

— (Dendrortyx), see D. macrourus. — (Otocoris), see Otocoris.

Ober, Frederick Albion.

[see Lawrence, G. N., '79, 49, 228, 229.]

Camps in the Caribbees (rev.), '80, 179.

oberi (Icterus), see Icterus. (Myiarchus), see Myiarchus. Oberholser, Harry Church.

Golden Eagle in Ohio, '92, 200.

Dendroica palmarum in New Jersey. **'95**, 185.

A question of nomenclature, '96, 190-192.

Critical remarks on Mexican forms of Certhia, '96, 314-318.

- Description of two new subspecies of the Downy Woodpecker (rev.), '96,
- Description of a new subspecies of Dendroica, '97, 76-79.
- Preliminary list of birds of Wayne Co., Ohio (rev.), '97, 112.
- Critical remarks on Cistothorus palustris (Wils.) and its western allies, **'97**, 186–196.
- Description of a new Empidonax, with notes on Empidonax difficilis, **'97**, 300-303.
- Critical notes on genus Auriparus, '97, 390-394.
- Descr. of new Amazilia, '98, 32-36. Colinus virginianus in peculiar plumage, '98, 184.
- Amazılıa cerviniventris chalconota.— A correction, '98, 188.
- Description of a new North American Thrush, '98, 303-306.
- Synopsis of the Blue Honey-Creepers of tropical America, '99, 31-37.
- Description of a new Hylocichla, '99, 23 - 25.
- Authority for the combination Cypseloides niger borealis, '99, 78.
- Wrens of genus Thryomanes (rev.), **'99**, 89.
- Gallinago major versus Gallinago media, '99, 179.
- Names of the Song Sparrows, '99,
- 182. Specific name of Falco regulus, '99,
- 182. Certhia familiaris americana, not Certhia f. fusca, '99, 185.
- Second reference for Anorthura hie-
- malis pacifica, '99, 185. Piranga rubra and Carpodacus mexicanus frontalis preoccupied, '99,
- Description of new Geothlypis, '99, 256-258.

185.

- Piranga rubra not preoccupied, '99, 278-281.
- Clivicola versus Riparia, '99, 281.
- Family and subfamily names based on subgenera, '99, 285. Synopsis of the genus Contopus and
- its allies, '99, 330-337. Some untenable names in ornithology
- (rev.), '99, 370.
- New Wren from Alaska, 1900, 25.
- A further note on specific name of Falco regulus, 1900, 173.
- List of birds collected by Currie in Liberia (rev.), 1900, 186.

- Flammulated Screech Owls, Megascops flammeolus and M. f. idahoensis (rev.), 1900, 186.
- Notes on birds collected by Abbott in central Asia (rev.), 1900, 304.
- Catalogue of collection of birds from Madagascar (rev.), 1900, 304.
- Notes on some birds from Santa Barbara Is., Calif. (rev.), 1900, 304.
- Obituaries, see individual names.
- obscura (Anas), see Anas. --- (Aphelocoma), see Aphelocoma.
- —— (Canace), see Dendragapus.
 - (Helminthophila), see H. celata.
- ---- (Merula), see Merula.
- —— (Muscicapa), see Hemipus.
- —— (Penelope), see Penelope. --- (Polioptila), see Polioptila.
- (Procellaria), see Puffinus audu-
- (Speotyto), see S. hypogæa.
- obscurus (Ammodramus), see Ammodramus.
 - (Anthus), see Anthus.
 - (Dendragapus), see Dendragapus.
- --- (Empidonax), see E. wrightii.
- —— (Heleodytes), see Heleodytes.
- —— (Hemipus), see Hemipus.
- (Molothrus), see Molothrus.
 - (Myadestes), see M. unicolor.
 - (Nycticorax), see N. cyanocephalus.
- (Perisoreus), see Perisoreus.
- (Platypsaris), see Platypsaris.
- (Puffinus), see P. auduboni.
- (Quiscalus), see Quiscalus. --- (Regulus), see Regulus.
- -- (Tetrao), see Dendragapus.
- (Turdus), see Merula.
- (Vireo), see Vireo.
- Observer, The (magazine), '90, 220. obsoleta (Muscicapa), see Ornithion.
- (Rhodospiza), see Rhodospiza. obsoletum (Ornithion), see O. cineras-
- obsoletus (Dendrocolaptes), see Dendrocolaptes or Dendrornis.
 - (Dendrornis), see Dendrornis.
- -- (Falco), see Falco.
- (Hierofalco), see Falco.
- —— (Picumnus), see Picumnus.
 - -- (Rallus), see Rallus.
- (Salpinctes), see Salpinctes.
- obtectus (Parus), see P. alascensis. --- (Picolaptes), see Picolaptes.
- occidentale (Syrnium), see Syrnium. occidentalis (Æchmophorus), see Æchmophorus.

```
--- (Ammodramus), see
                             Ammodra-
       mus
 --- (Ardea), see Ardea.
--- (Audubonia), see Ardea.
 --- (Bernicla), see Branta.
 - (Branta), see Branta.
 — (Bubo), see B. arcticus.
--- (Certhia), see Certhia.
   - (Coccyzus), see Coccyzus.
   - (Crypturus), see Crypturus.
 - (Dendroica), see Dendroica.
--- (Empidonax), see Empidonax.
—— (Ereunetes), see Ereunetes.
 —— (Geothlypis), see Geothlypis.
--- (Heleodytes), see Heleodytes.
- (Herodias), see Ardea.
- (Lagopus), see L. atkhensis.
—— (Larus), see Larus.
--- (Meleagris), see M. fera.
—— (Myrmelastes), see Myrmelastes.
— (Methriopterus), see Methriop-
  — (Myadestes), see Myadestes.
 — (Myrmeciza), see Myrmelastes.
 — (Parus), see Parus.
  — (Pelecanus), see P. fuscus.
—— (Podiceps), see Æchmophorus.
  - (Procnias), see Procnias.
--- (Recurvirostra), see R. americana.
   - (Sialia), see Sialia.
 —— (Syrnium), see S. occidentale.
---- (Sylvia), see Sialia.
 — (Strix), see Syrnium occidentale.
occipitalis (Hypothymis), see Hypo-
      thymis.
   - (Muscicapa), see Hypothymis.
   - (Muscisaxicola), see Muscisaxi-
oceanica (Procellaria), see Oceanites.
oceanicus (Oceanites), see Oceanites.
Oceanites, '88, 80.
    oceanicus (a Wilson's Petrel, b Pro-
  cellaria wilsoni), Cal. '87, 87; Europe, '80, 217b; Jamaica, '91, 357?;
  Mass. '83, 244"; N. C. '99, 249; N. E.
  '83, 162a, 163a; N. J. '79, 228; N. S.
  '87, 68 [Oceanodroma leucorhoa?];
  N. Y. '84, 294, '87, 341, '89, 128, 132,
  197; Que. '84, 380; Spain, '81, 64";
  Vt. '95, 311; W. I. '88, 80.—hbt. '84,
  380, '89, 132; nst. '94, 101"; syn. '88,
  80; misc. '99, 249.
Oceanitinæ, '97, 315, '99, 100.
Oceanodroma, '96, 160.
            (b Procellaria, c Thalassi-
    castro
  droma), syn. '99, 129b, 177c.
    cryptoleucura (Hawaiian or Knud-
  sen's Petrel, b Cymochorea), D. C.
  '97, 297-299; Denmark, '97, 415; H.
```

I. '83, 168b, g. dist. '99, 101; Madeira, '99, 177 .- meas., plm. '97, 298; syn. '97, 415, '99, 101, 129, 177. furcata (Fork-tailed Petrel), Alas. '85, 158, '95, 273, '98, 125, 230-233; g. dist. '93, 125 .- anat. '89, 333; hbt., song, '98, 230, nst. '98, 125, 230. homochroa (Ashy Petrel, b Cymochorea), Cal. '86, 125b .- misc. '86, 267ь, 402ь. hornbyi (Hornby's Petrel), misc. '88, 401. kaedingi (Kaeding's Petrel), g. dist. '99, 101, L. Cal. '98, 37*, 143; Revill Is. '98, 314, 316, 317 .- fd., hbt. '98, 142a, syn. '99, 101. leucorhoa (* Leach's Petrel, b Thalassidroma, c Cymochorea), Alas. '85, 158°, '95, 272, 273°, 274°, '98, 125, 231; Bermuda, '85, 95°; Denmark, '97, 415°; Europe, '77, 107; Greenl. '89, 215; g. dist. '93, 125; Helg. '95, 341°; Mass. '89, 340, '91, 119; Me. '77, 28b, 80, '81, 249°; N. E. '83, 162*, 163ª, N. F., Grand Banks, '79, 128c; N. H. '98, 50; N. S. '87, 68a, '88, 280a, N. Y. '80, 190c, '89, 128?, 131; Que. '82, 241°, '88, 132°, '89, 146; Scotland, '84, 98°.—hbt. '81, 125°, 249°, '88, 132°, '98, 231; meas. '97, 298, '98, 125; nst. '77, 28°, 80°, '81, 249°, '84, 98°, '88, 132°, 280°, '90, 390°, '98, 125, 231; plm. '97, 297; song, '95, 272, '98, 231; sym.'97, 415. macrodactyla (Guadalupe Petrel). Cal. '98, 141; Guadalupe I. '88, 394, '89, 178, '92, 187.—nst. '98, 141. markhami, syn. '94, 170. melania (Black Petrel, b Cymochomeiania (Black Petrel, "Cymochorea melæna, "townsendi), Cal. '86, 125b, '87, 87, '94, 321c, '98, 140, 141, 144; N. Pacific Ocean, '84, 81b; Mex. '94, 169.—fd. '94, 321c; hbt. '94, 321c, '98, 141, 144; nst. '98, 141; song, '98, 140; syn. '94, 169, 170; misc. '86, 125b, 267b, 402b. socorrensis (Socorro Petrel), Cal. '95, 387, '98, 140, 141, 144; g. dist. '97, 117; L. Cal. '91, 305.—hbt. '98, 141, 144; nst. '98, 140; plm. '98, 141; syn. '97, 117. tristrami, syn. '96, 161. ocellata (Agriocharis), see Agriocharis. --- (Dendrornis), see Dendrornis. --- (Meleagris), see Agriocharis. ocellatus (Dendrocolaptes), see Dendrornis.

- (Harporhynchus), see Harporhyn-

Allen, J. A., '80, 232-233.

Ohio.

ochracea (Spizella), see Spizella. ochraceiventris (Grallaria), see Grallaria. ochraceus (Celeus), see Celeus. --- (Contopus), see Contopus. --- (Horizopus), see Contopus. — (Troglodytes), see Troglodytes. ochrocephala (Amazona), see Amazona. (Cyclorhis), see Cyclorhis. ochrocephalus (Centronyx), see Ammodramus bairdii. ochrochlora (Certhia), see Cœreba cæruleus. ochromelas (Eurylaimus), see Eurylaiochroptera (Amazona), see Amazona. --- (Leptotila), see Leptotila. ochropterus (Euscarthmus), see Euscarthmus. ochropus (Helodromas), see Helodromas. (Totanus), see Helodromas. Ochthodiæta pernix, Colom. 1900, 82. Ochthodromus, see Ægialitis. Octhera frontalis, syn. '99, 78. ocularis (Motacilla), see Motacilla. Ocydromus, '82, 88. Odontoglossæ, '81, 79, 83, '93, 107. Odontolcæ, '80, 235. Odontophorinæ, '97, 214. Odontophorus consobrinus, Mex. '93, 346. guianensis, Braz. '91, 162. odontopteron (Caprimulgus), see Stenopsis cayennensis. Odontornithes, '80, 235, '81, 107. Odontotormæ, '80, 235. Œdemia, see Oidemia. œdica (Hylocichla), see Hylocichla. Œdicnemidæ, '81, 81, '97, 102. Œdicnemus, '81, 81, '87, 226, '88, 331. dominicensis, W. I. '84, 4*, '87, 226.—meas. '84, 4, '87, 227; plm., syn. '87, 226; song, '85, 110. scolopax, Helg. '95, 338. œnanthe (Saxicola), see Saxicola. œnas (Columba), see Columba. œnea (Parra), see Metopidius indicus. ceneus (Metopidius), see M. indicus. œnone (Chrysuronia), see Chrysuronia. Enops, see Cathartes. Œstrelata, see Æstrelata. Œstrelateæ, '97, 315. Ogilvie-Grant, William Robert. see British Museum, 'cat. of birds' (rev.), vol. xvii, '93, 66-68; vol. xxii, '94, 171~173; vol. xxvi, '99, 198-203. Ognorhynchus, '92, 279.

Ballou, W. H., '80, 112. Brown, E. A., '83, 118. Bulley, R. H., '86, 277. Butler, A. W., '85, 210. Chubb, H. E., '81, 50, '84, 287, '85, 296. Comstock, F. M., '96, 171. Coues, E., '79, 52, '80, 39-40, '82, 45-46, 112-113, '83, 62-63, 110-112, '85, 289, '86, 277, '87, 150-152. Davie, O., '82, 123. Douglas, W., '83, 172. Dury, C., '77, 50, '92, 189, 190. Ernst, H., '77, 76. Fisher, W. H., '85, 211, '92, 189. Hall, A., '84, 286, '85, 98, '87, 339. Harper, S. M., '84, 186. Henninger, W. F., '98, 331, '99, 75, 284. Ingersoll, S. R., '81, 50, 50, '83, 117, '84, 286, 287, 289, '85, 297.

Jones, G. E., '79, 52, '80, 39-40.

Jones, H., '83, 186, '85, 99, '87, 150.

Jones, L., '95, 237-244.

Kirtland, J. P., '83, 127. Koch, H. A., '90, 84. Langdon, F. W., '77, 109, '78, 34, '79, 112-113, 120, 236-237, '80, 200-210, 232, '92, 190. Lindahl, J., '99, 75. McCormick, L. M., '92, 397. Oberholser, H. C., '92, 200. Shorten, J. W., '83, 172, '92, 189. Shulze, E. J., '79, 52, '80, 39-40, '82, 45-46, '87, 150. Sterling, E., '87, 68, 69, '90, 393, 397. Thompson, F. J., '85, 109. Tuttle, C., '95, 190-191. Wheaton, J. M., '77, 83, '79, 58, 62-63, '83, 110. Oidemia (b Melanetta), '88, 67, '93, 168b. americana (* American Scoter), Alas. '79, 532, '85, 158; Cal. '87, 87; Colo. '79, 114, '85, 18; g. dist. '93, 123; Hud. B. '90, 320; Mass. '91, 279-290, '96, 203, '97, 228; Mo. '78, 148; N. Y. '78, 54, '81, 235, '84, 178; Que. '82, 240; R. I. '92, 292-294"; Wash. '92, 354, 1900, 351.-hbt. '91, 279-290; mig. '84, 178, '91, 279, 287, '92, 292^a; plm. '80, 30 (alb.), '92, 153-157, '93, 166; syn. '96, 186, 190, '97, 125; misc. '96, 89.

carbo, Alas. '96, 163, '97, 135.—syn. '97, 135, '99, 131.

deglandi (* White-winged or Vel-

vet Scoter, b fusca, c Œdemia velvetina, d Melanetta velvetina, e bimaculata), Alas. '98, 126; Cal. '86, 90, '94, 97a; Colo. '94, 183; g. dist. '93, 125; Man. '86, 149; Mass. '79, 128c, '90, 394, '91, 279-290, '92, 305, 385, '96, 88, 203°, '97, 228, '99, 179; Mo. '78, 148b; N. C. '93, 242; N. D. '99, 161a, 162a, 163; N. Y. '81, 235d; O. '92, 397; Que. '82, 240b, '89, 146; R. I. '92, 292-294°; Wash. '92, 354, '97, 172, 1900, 351; Wis. '81, 187b .- hbt. '92, 305; meas. '93, 168; mig. '91, 287, '92, 292°, '94, 97°, '99, 179; nst. '99, 163; plm. '76, 23b (alb.), '92, 157-160, '93, 168, '94, 97a (mlt.); syn. '80, 88e; misc. '96, 90.

fusca (European Velvet Scoter, ^b Melanetta), Alas. '85, 291^b; Helg. '95, 326, Ill. '76, 148 [deglandi?]; Que. '82, 240 [deglandi?].—plm. '76. 23 [deglandi], '93, 175. nigra, Helg. '95, 326.

perspicillata (a Surf Scoter, b Pelionetta), Alas., '80 34, '85, 158, '98, 126; Assiniboia, '86, 149; Bermuda, '85, 95b; Cal. '87, 87, '89, 222, '94, 97^a; Conn. '95, 295-297; Europe, '77, 107, '80, 215-217; g. dist. '93, 125; Fla. '88, 319, '95, 188a; Helg. '95, 340; Ill. '76, 41; Jamaica, '91, 364; Kan. '88, 202, 203, '89, 123; Mass. '91, 279-290, '96, 203°, '97, 228; Me. '85, 386; Mo. '78, 149; N. C. '93, 242; N. J. '79, 226; N. Y. '81, 235b '86, 281; Que. '82, 240; R. I. '92, 292-294*; Wash. '92, 42, 1900, 350; W. I. '88, 67.—fd. '89, 123, 1900, 350; hbt. '89, 123, '91, 279-290; meas. '88, 203; mig. '91, 279, 287, '92, 292a, '94, 97a, '96, 90; plm. '79, 30a (alb.), '81, 162, '85, 386 (alb.), '88, 203, '92, 157-160, '93, 174, '94, 97^a (mlt.), '95, 295; syn. '88, 67; misc. '96, 90.

stejnegeri, plm. '93, 176. Oil-bird, see Fulmarus glacialis. olax (Columba), see Osmotreron. — (Osmotreron), see Osmotreron. - (Treron), see Osmotreron. Old-man-bird, see Saurothera vetula or Hyetornis pluvialis. Young, see Coccyzus minor. Old Providence Island, West Indies.

Cory, C. B., '87, 177-181, 245. Old-squaw, see Harelda hyemalis. Old-wife, see Harelda hyemalis. oleagineus (Mionectes), see Mionectes. Oligomyodæ, '81, 32, 33, 34, 35.

OLOR COLUMBIANUS. olivacea (Dendroica), see Dendroica. - (Emberiza), see Euetheia. - (Euetheia), see Euetheia. - (Fringilla), see Euetheia. - (Phonipara), see Euetheia. --- (Spermophila), see Euetheia. - (Vireosylvia), see Vireo olivaceus or calidris. - (Sylvia), see Dendroica. olivaceus (Chlorospingus), see Chlorospingus. - (Mionectes), see Mionectes. - (Muscicapa), see Vireo. --- (Myiarchus), see M. olivascens. —— (Peucedramus), see Dendroica. --- (Phyllomanes), see Vireo. -- (Regulus), see Regulus. (Sittasomus), see Sittasomus. - (Vireo), see V. olivaceus or barbatula. olivascens (Basileuterus), see Basileuterus. - (Catharus), see Catharus. (Myıarchus), see Myiarchus. - (Pithys), see Pithys. - (Saltator), see Saltator. olivetorum (Hypolais), see Hypolais. Olor, '83, 231, '93, 99, '96, 162, '99, 129, 226-229, 289, see also Cygnus. bewicki (b Cygnus), Helg. '95, 340b. -misc. '83, 62. buccinator (Trumpeter Swan. b Cygnus), Cal. '86, 91; g. dist. '93, 125; G. Br. '80, 212b; Ind. '88, 347; Ky. '89, 312?; La. '97, 287; Man. '86, 150; Minn. '84, 248°, '96, 78, 79; Ore. '79, 197^b, '86, 162, 163, '88, 143; S. D. '85, 287; Tex. '82, 224^b, '87, 185; Wash. '93, 17, '97, 181.—meas. '96, 79; syn. '83, 62; misc. '92, 384. (* Whistling columbianus American Swan, b Cygnus americanus, camericanus, d Cygnus), Alas. '81, 131*, '85, 157, '87, 12; Cal. '86, 91; Conn. '94, 74; g. dist. '93, 123; G. Br. '80, 212b; Ind. '88, 347; Ky. '89, 312?; La. '97, 287; Man. '86, 150; Mass. '76, 53°, '78, 198°, '81, 123°, '87, 68°, '91, 232°; Minn. '84, 248°; N. B. '83, 9°, '84, 89°; N. E. '76, 73°, '79, 125b; N. J. '79, 226b; N. Y. '81, 234°, '88, 176, '90, 230, 391°; O. '87, 237, 36, 16, 36, 162°, 163, '88, 143?; Pa. '80, 125°, '92, 386, '99, 309?; P. E. I. '86, 131°?; Que. '82, 239°; R. I. '80, 45°; S. C. '85, 193d; Tex. '82,

224b, 1900, 339; Wash. '92, 42.-hbt.

'92, 384; meas. '86, 131*; mig. '80, 125a, '81, 123b; song, '81, 123b; syn.

211, 396, '92, 189.

337, '87, 256-257, '89, 204, '90,

OLOR COLUMBIANUS. '83, 62, '84, 115, 385, '95, 72; misc. '81, 64°, '92, 384. cygnus (Whooping Swan, b Cygnus musicus), Helg. '95, 326b; N. Am. '84, 384?.-misc. '84, 173b; syn. '83, paloregonus (fossil), Ore. '91, 367, '93, 344. olor (Cygnus), see Cygnus. Olphe-Galliard, Leon. Contributions à la faune ornithologique de l'Europe occidentale (rev.), **'87**, 336. omissa (Euetheia), see Euetheia. omnicolor (Regulus), see Cyanotis azaræ.

Ontario. Allen, J. A., '84, 85, '91, 302-303, '94, 240-241, '99, 204-205, 1900, 394. Ames, J. H., '97, 411-412. Bell, J. T., '84, 88. Brewster, W., '93, 364. Brodie, W., '88, 211. Brown, H. H., '93, 363-364. Clarke, C. K., '97, 410-411, '98, 274-275, 328-329, '99, 351-352. Coues, E., '83, 122, '87, 245-246. Dwight, J., Jr., '96, 344. Ewart, J., '90, 395. Fleming, J. H., 1900, 176. Fraser, J. G., '84, 89. Garnier, J. H., '84, 88, 88. Kells, W. L., '84, 88, 88, '91, 109. Kingston, A. G., '92, 285. Langille, J. A., '82, 116, '92, 187. Langille, J. A., 62, 110, 52, 10... Lees, A. D., '92, 284. Lett, W. P., '85, 372. Macoun, J., '84, 88, '92, 284. McIlwraith, K. C., '88, 322. McIlwraith, T., '83, 143-147, '84, 185, 389-390, '87, 245, '92, 191. **'84**, 85, 89, 89, 185, Morden, J. A., 185, 186, 186. Merriam, C. H., '85, 111. Nash, C. W., '92, 386, '96, 347, '99, 277. Palmer, W., '98, 248. Rathbun, S. F., '83, 174.

Samuel, I. H., 1900, 386, 391-392.

358-362.

Saunders, W. E., '84, 85, 89, 89, 186,

Scott, W. L., '83, 55, 115, '84, 156-

Thompson, E. S., '85, 305-306, 334-

161, '85, 110, 373, '86, 476. Seton, E. E., see Thompson, E. S. Smith, L. H., '81, 112.

186, '85, 307-308, '87, 246-249,

'88, 205, 208, '92, 284, '99, 80, 1900,

Vennor, H. G., '84, 286. White, G. R., '83, 55, '85, 373, '86, 476, '90, 204, 400, '91, 114, '92, 284, '96, 173, '98, 183. Young, C. J., '92, 284, '98, 191-192. Onychoprion (b Haliplana), '78, 141b, '97, 314, '99, 99. Onychopterus, '94, 168. Onychotes gruberi, Cal. '77, 89.-syn. '85, 293. Oologist (Willard-Lattin's magazine), titles (Nos. 55-70), '81, 47, '86, 478, (Nos. 1519-1635) '90, 81. Oologists' Exchange (mag.), '88, 224, titles (Nos. 1944-1953), '91, 106. Oology, see Nidification. Opisthocomi, '81, 30, 80, 83, '94, 172. Opisthocomus, '81, 80. cristatus, Braz. '91, 162.—anat. '96, 72; hbt. '85, 213. opisthomelas (Puffinus), see Puffinus. Oporornis, see Geothlypis. Orange-bird, see Spindalis nigricephala. oratrix (Amazona), see Amazona. Orchilus atricapillus, C. R. '76, 47. Ord, George. see Rhoads, 'reprint of [Ord's] N. Am. Zoology in Guthrie's Geography' (rev.), '94, 190, 339, '95, 72. ordii (Falcinellus), see Plegadis autumnalis. (Ibis), see Plegadis autumnalis or gaurauna. Oregon. Allen, J. A., '76, 50, 52, '80, 105-107, '93, 343-345. Anthony, A. W., '86, 161-172, '92, 288, 288, '93, 87. Bacon, G. R., '77, 74. Bangs, O., 1900, 131. Bendire, C. E., '76, 44-45, '78, 81, '83, 177, 235, 242, '88, 226-240, 366-370, '89, 36, 37, 71, 115, 234-236. Brewer, T. M., '80, 56. Brewster, W., '88, 139-146, 251-262. 357-366. Cooper, J. G., '77, 88-97. Dwight, J., Jr., '90, 153. Farrell, T. G., '91, 391. Henshaw, H. W, '80, 105. Johnson, O. B., '81, 52. Law, G., '88, 316. Mearns, E. A., '79, 161-166, 194-199. Merrill, J. C., '88, 139-146, 251-262, 357-366.

Miller, G. S., Jr., '88, 404-405. Shufeldt, R. W., '91, 365-368. Swallow, C. W., '91, 396-397. Wilcox, T. E., '85, 315. Wilcox, W. A., '92, 68. oregona (Fringilla), see Junco. oregonus (Junco), see J. oregonus or connectens.

– (Larus), see Larus. --- (Pipilo), see Pipilo. oreœcus (Dryobates), see D. homorus.

Oreomyza bairdi, H. I. '88, 197. wilsoni, H. I., 90, 275.

Oreophasis derbianus, Mex. '98, 156. oreophila (Saxicola), see Saxicola. Oreortyx, '93, 130.

confinis (San Pedro Partridge), L. Cal. '90, 61, 281, '92, 188.—plm. 1900, 46 (mlt.); nst. '92, 287; syn. **'90**, 61.

pictus (* Mountain Partridge or Quail), B. C. '93, 291; Cal. '86, 92; g. dist. '93, 134, '94, 195; Ida. '98, 22 (introduced); Neb. '85, 300° (introd.), Ore. '86, 164; Wash. '92, 43 [Lophortyx californicus?], '93, 17, 291.—plm. '76, 22 ('Ortyx') (alb.), **'86**, 164, '94, 193–197, 1900, 46 (mlt.); misc. '86, 162, '94, 68.

plumiferus (* Plumed Partridge), Cal. '84, 355, '93, 286, 1900, 55*; g. dist. '94, 195; Nev. '93, 286.—mig. '94, 101°; plm. '94, 195 (col. pl.), 1900, 46 (mlt.); misc. '82, 243, 1900, 55ª.

Oreoscoptes, see Oroscoptes.

Oreospiza, '97, 129, 221, 232, '99, 120. chlorura (Green-tailed Towhee or Finch, b Pipilo), Aris. '82, 197b, '87, 204^b, '90, 49^b, 259^b, '94, 220^b; Cal. '96, 265^b; Colo. '79, 94^b, '80, 230^b, '81, 139b, '83, 192b, '85, 16b, 142b, '94, 269b; g. dist. '93, 135b; Mont. '94, 306b; N. M. '78, 93b, '86, 74b, '92, 366b, '98, 310; Ore. '79, 165b, '88, 359b; Tex. '87, 293b, '92, 339b.—anat. '83, 17-21b, '88, 440b, 442b, 444b; hbt. '80, 230^b, '81, 139^b, song, '80, 230^b, '88, 359^b; syn. '88, 412^b, '90, 193^b, '96, 185^b, '97, 129, 221, 232, '99, 121. organiste (Euphone), see Euphonia flavifrons.

orientalis (Coracias), see Eurystomus. --- (Corvus), see Corvus.

- (Eurystomus), see Eurystomus. Original descriptions, see New Species. Oriole, Arizona Hooded, see Icterus nelsoni.

Audubon's, see Icterus audubonii.

Baltimore, see Icterus galbula. Black, see Molothrus ater. Bullock's, see Icterus bullocki. Chestnut-breasted, see Icterus [castaneopectus =] wagleri. European, see Oriolus galbula. Hooded, see Icterus cucullatus. Northrop's, see Icterus northropi. Orchard, see Icterus spurius. Scott's, see Icterus parisorum. Southern Orchard, see Icterus [affinis =] spurius. Water, see Cinclus mexicanus.

Orioles, see Icteridæ.

Oriolidæ, '81, 34, 35, '92, 282, 1900,

Oriolus, '94, 234.

galbula (* European Oriole), Helg. '95, 331.-plm. '82, 115a.

xanthonotus, Borneo, syn. '90, 351. orizabæ (Pipilo), see P. maculatus. ornata (Bellona), see Bellona.

—(Cyanolyca), see Cyanolyca. - (Emberiza), see Calcarius.

Ornatipitta, '96, 60. ornatus (Auriparus), see A. flaviceps.

___ (Calcarius), see Calcarius. — (Centrophanes), see Calcarius.

— (Colopteryx), see Colopteryx.

— (Orthorhynchus), see Bellona cristata. -(Pachyramphus), see Pachyram-

phus. — (Pardalotus), see Pardalotus.

— (Plectrophanes), see Calcarius. — (Spizaëtus), see Spizaëtus.

Ornis (magazine), '85, 416. Ornithion cinerascens, syn. '90, 384.

imberbe (Beardless Flycatcher), g. dist. '82, 209; Tex. '80, 90.—meas. '82, 208.

napæum, Braz. '89, 172, '90, 270. pusillum, Venez. '97, 365. ridgwayi (Ridgway's Flycatcher), Arız. '82, 208*.

Ornithium, see Ornithion.

ridgwayi, '82, 208*, see Ornithion. Ornithological periodicals, see each title.

Ornithologische Monatsberichte (mag.), '93, 96.

Ornithologisches Centralblatt (mag.), titles (Nos. 183-185), '82, 117. Ornithologisches Jahrbuch (mag.), '90,

220.

Botanist Ornithologist and (magazine), '91, 247.

Ornithologist and Oölogist (mag.), '84, 106, '86, 478, '87, 272; titles (Nos.

269-363), '83, 173, (Nos. 372-446) '83, 234, (Nos. 669-772) '85, 96. Ornithologists' and Oologists' Semi-

Annual (mag.), '89, 206, titles (Nos. 1958-1990), '91, 107.

Orocetes, see Petrophila.

Oropendula, see Gymnostinops montezumæ.

Cassin's, see Gymnostinops cassini.

Oroscoptes, '82, 216, 217, '93, 112, 131. montanus (Sage Thrasher, b Orpheus). Ariz. '82, 68, '88, 159; Cal. '86, 185, '87, 86, '90, 297; Colo. '79, 91, '81, 86, '83, 153, '85, 15, 140; g. dist. '93, 135; L. Cal. '95, 142; Mont. '94, 218, 307; N. M. '92, 367; Tex. '87, 297, '92, 342, 1900, 348; Wyo. 1900, 68b.—anat. '82, 215 (fig.); hbt., song, '85, 140; meas. '82, 68; mig. '85, 13; misc. '82, 118. orpheus (Mimus), see M. hillii or or-

pheus.

- (Sylvia), see Sylvia.

- (Turdus), see Mimus.

Ortalida, see Ortalis. Ortalis, '93, 109.

maccalli (Chachalaca, b Ortalida vetula), g. dist. '93, 141; Tex. '79, 51b.-misc. '91, 390.

motmot (b Ortalida), Braz. '91, 162b.

ruficauda (b Ortalida), W. I. '87, 223b, '93, 220.

Orthonyx, '81, 36.

Orthorhynchus, '80, 169, 1900, 167. Orthotomus, '94, 236.

cineraceus, Borneo, syn. '90, 350. Ortolan, see Porzana carolina, or Ampelis cedrorum.

ortoni (Cyanocorax), see Cyanocorax. Ortygia, see Colinus.

Ortygodes variegata, syn. '93, 186.

Ortygometra, see Crex. Ortygops, see Porzana.

Ortyx, see Colinus.

oryzivora (Cassidix), see Cassidix.

- (Emberiza), see Dolichonyx.

- (Munia), see Munia.

oryzivorus (Dolichonyx), see Dolichonyx.

Oryzoborus funereus, nst. '94, 171. nuttingi, Nicaragua, '85, 294.

Osborn, Herbert. Parasites of birds [Letter], '94, 336.

Osborne, Samuel Duffield.

Nesting of Yellow-bellied Flycatcher (Empidonax flaviventris), '78, 187. Coloration of eggs, '79, 23-25. Another nest of Yellow-bellied Flycatcher (Empidonax flaviventris), 79, 240.

osburni (Laletes), see Laletes.

osceola (Meleagris), see Meleagris.

Oscines, '76, 60-63, '81, 28, 30, 32-35, 156, 158–160, 163, 168, 236, '86, 405, '90, 190.

Osgood, Fletcher.

Chuck-will's-widow in Massachusetts, '85, 220.

Feeding habits of Pine Siskin, 1900, 295.

Osgood, Wilfred Hudson.

Chamaa fasciata and its subspecies (rev.), '99, 291.

osgoodi (Canachites), see C. canadensis.

Osmotreron, '94, 236.

olax (b Treron), Borneo, syn. '91, 13b.

vernans, P. I. '94, 237.

Osprey, American, see Pandion carolinensis.

Osprey, The (magazine), '96, 268, 350, '97, 255, '99, 95, 213, 379.

Ossifraga gigantea (Giant Fulmar, Fulmarus), g. dist., hbt. '87, 3; plm. '76, 23b (alb.), '86, 404, '87, 3 (alb.). ossifragus (Colœus), see Corvus.

--- (Corvus), see Corvus.

Ostinops decumanus, Braz. '90, 132, 269; Venez. '97, 364; W. I. '93, 220. ostralegus (Hæmatopus), see Hæmatopus.

Ostrich, see Struthio camellus. Ostriches, see Struthiones.

Otidæ, '81, 81.

Otididæ, '94, 242.

Otis, '81, 81, '88, 331.

tarda, Helg. '95, 337. tetrax, Helg. '95, 337.

Otocoris (b Eremophila), '76, 61b, '82, 179, '88, 442, 443, '90, 123, '91, 90,

91, '93, 110, 347, '94, 60, '97, 231. adusta (Scorched Horned Lark), Ariz. '82, 202 ['Eremophila chrysolæma'], '90, 256; g. dist. '90, 148*, '91, 85; N. M. '92, 364.—meas. '90, 148, 149, 158; plm. '90, 157, 158; syn. '91, 85.

alpestris (a Horned or Shore Lark, Eremophila), Cal. '87, 329 [chrysolæma?]; D. C. '87, 347", '88, 148; Ga. '96, 214; g. dist. '84, 257, 263, '90, 141 (map), '93, 124, 134; Helg. '95, 334; Hud. B. '90, 322; Ia. '80, 115a [praticola?]; Mass. '83, 148", '89, 72; Me. '97, 371-374; Mich. '93, 225; Minn. '80, 13b [praticola?], '84,

245^b [praticola?]; N. C. '93, 243; N. E. '81, 238^a; N. J. '79, 81^b, 223^b, '92, 204; N. Y. '79, 175^b, '81, 177^b [praticola²], 231^b [praticola²], '84, 179^b [praticola?], '86, 441^a, '88, 111, '89, 137, 190^a, 191^a; Ont. '83, 145^b, '84, 160; Que. '82, 234^b; S. C. '79, 211^b, '82, 54^a, '85, 189^b, '93, 205; S. D. '85, 282, 283^b; Tenn. '96, 181?; Va. '89, 195^a—anat. '80, 115^a, '81, 110^a, '83, 56^b, 166^b, '88, 442^b; fd. '84, 160^b; meas. '84, 263, '90, 142, 158; mig. '84, 160^b, 179^b; nst. 1900, 307^a; plm. '83, 145^b, '84, 257, 263, '85, 282, '90, 141, 157, 158; syn. '83, 194^b, '84, 257, '91, 91; misc. '91, 110^a, '92, 194^a, 327, 333.

arenicola (a Desert Horned Lark, ^b Eremophila alpestris, ^c Eremophila chrysolæma, d Eremophila leucolæma), Ariz. '87, 20 ['chrysolæma'], '90, 256; Colo. '79, 92b, '81, 88c, '85, 17c, 142d [see '87, 124], '87, 124, '94, 244, '95, 153"; g. dist. '84, 259, 263, 265*, '90, 146; Mont. '85, 15a, '94, 304, '95, 215; Neb. '95, 187"; N. M. '85, 239°, '94, 217, '98, 309; Tex. '82, 40°, '84, 121°, 123°, '87, 193; Wash. 1900, 244 [merrilli?].—hbt. '94, 217; meas. '84, 263, 266, '90, 147, 158; mig. '94, 304; nst. '88, 260°; plm. '84, 259, 263, '90, 146, 157, 158, '94, 304 (mlt.); svn. '84, 259, '91, 91; misc. '95, 187a. chrysolæma (a Mexican Horned Lark, b Eremophila), Aris. '82, 202b?, '86, 65^a?, '87, 20?; Cal. '87, 329 ['alpestris']; Colo. '81, 88º [arenicola?], '85, 17b [arenicola?]; g. dist. '90, 149; L. Cal. '94, 168; Mex. '84, 260-263; N. M. '85, 239b?; Tex. '82, 40b?, '84, 121b, 123b?.-meas. '84, 263, '90, 150, 158; plm. '84, 260, 263, '90, 149, 157, 158; syn. '83, 194b, '84, 260, '91, 91.

giraudi (Texan Horned Lark), g. dist. '90, 145; Tex. '82, 40 [chrysolæma?], '84, 260, 263, 266*, 1900, 345.—meas. '84, 263, 266, '90, 145, 158; plm. '84, 260, 263, '90, 145, 157, 158; syn. '84, 260, '91, 91.

leucolæma (Pallid Horned Lark, b Eremophila leucolæma, c hoyti), B. C. 1900, 106; Colo. '82, 142?, '87, 124?, '83, 193-195b, '85, 16; g. dist. '83, 193-195b, '84, 258, '90, 142, '93, 126; Ida. '97, 356; Man. '86, 321; Mont. '80, 75c, '94, 304; N. D. '96. 130c*; Ore. '86, 166, 171; S. D. '85, 282; Wash. '97, 176.—meas. '84, 263,

'90, 143, 158; plm. '83, 194b, '84, 258, 263, '85, 282, '90, 142, 157, 158; syn. '83, 194b, '84, 258, '91, 91, '97, 133°; misc. '87, 124 (corr.), '93, 333. merrilli (Dusky Horned Lark, b Eremophila alpestris, c strigata), B. C. 1900, 106; g. dist. '90, 153*, '91, 85; Ida. '97, 356; Mont. '94, 304; Ore. '79, 163b, '88, 259-261c; Wash. 82, 227b, '97, 176.—hbt. '88, 259c, '90, 153, 154, 158; nst., song, '88, 259c, '90, 153, 154, 158; nst., song, '88, 259c, '91, 85; misc. '93, 333.

oaxacæ, Mex. '97, 54*.

pallida (Sonoran Horned Lark), g. dist. '90, 154*, '91, 85; Mex. '91, 305; L. Cal. '94, 168, '95, 140.—meas. '90, 155, 158; plm. '90, 157; syn. '91, 85. '96, 185, 188, '97, 127.

peregrina, syn. '91, 91.

praticola (* Prairie Horned Lark, ^b Eremophila alpestris), D. C. '88, 148; g. dist. '84, 258, 264*, '90, 144, '93, 133; Ia. '84, 86^b, '95, 133^a; Ill. '78, 165^b; Ind. '78, 189^b, '89, 23; Mass. '88, 111, '89, 71, '92, 201, '93, 50°, '94, 326, '95, 393°, '99, 85, 1900, 175; Me. '97, 371-374, 1900, 387; Minn. '80, 13b; Mo. '79, 140b; N. C. 274; Pa. '89, 198, '91, 236, 395, '92, 202, '96, 294, '99, 311; Que. '90, 387; S. C. '87, 255, '88, 206, '91, 51, 56-59, '92, 28^a, 31^a, 38^a, '94, 107^a; S. '88, 206, 20/, 90, 170, 20, 194, 326; mig. '88, 206; '91, 51, 56, 208 '04 105*, 107*, '95, '92, 28^a, 31^a, 38^a, '94, 105^a, 107^a, '95, 133^a; *nst.* '78, 40^b, 53^b, 189^b, '83, 174^a, '84, 86^b, 87^a, 89^b ['cornuta'], 189^a, '85, 217, '88, 320, '89, 200, '99, 854, '94, 326, '98, 274, '99, 311, 1900, 387; plm. '79, 28* (alb.), '84, 258, 263, '88, 206, '90, 144, 157, 158; syn. '84, 258, '91, 91; misc. '90, 86*, '91, 109ª.

rubea (Ruddy Horned Lark), Cal. '84, 260, 267*, '86, 181, 453, '89, 222?, '90, 150, '94, 219?—meas. '84, 263, 267, '90, 150, 158; plm. '84, 260, 263, '86, 181, '90, 150, 157, 158; syn. '84, 260, '91, 91.

strigata (Streaked Horned Lark, binsularis), B. C. 1900, 106; Cal. '87, 329?, '91, 305b; g. dist. '84, 267*, '90, 151; Ore. '84, 261-263, '86, 166, '88, 259-261'; Wash. '84, 261-263, '92, 45.—meas. '84, 264, 267, 268, '90, 152, 158; plm. '84, 261, 264, '90, 151, 157, 158, '91, 314; syn. '84, 261, '91, 89b, 91.

Otocorys, see Otocoris.

Otogyps auricularis (b Vultur), syn. '80, 77b, 79b.

calvus, anat. '82, 87.

Otophanes, '88, 88*.

mcleodii, Mex. '88, 89*, '91, 249 (col. pl.), 320, '93, 68.

Ottawa Field Naturalists' Club, report of ornith. branch (rev.), '83, 55; transactions, titles (Nos. 972-974), '85, 372, (No. 1055) '86, 476, '87, 272, (No. 2336), '92, 283.

Ottawa Naturalist, '87, 272, titles (Nos. 2337-2351), '92, 284.

Otus, see Asio.

otus (Asio), see Asio.

Our Animal Friends (mag.), '95, 397. Our Birds (magazine), '85, 320.

ourissia (Thaumatias), see Sporadinus maugæi.

Ousel, see Ouzel.

Oustalet, Emile.

Oiseaux du Cap Horn (rev.), '92,

Ouzel, American Water, see Cinclus mexicanus.

European Water, see Cinclus merula. Oven-bird, see Seiurus aurocapillus. Owen, Charles C.

American Egret at Maplewood, N. J., '98, 51.

Owen, Daniel G.

Notes on captive Hermit Thrush, '97, 1-8.

A family of nestlings, '99, 221-225. Owl, Acadian, see Nyctala acadica.

Aiken's Screech, see Megascops aikeni.

American Barn, see Strix pratincola. American Hawk, see Surnia caparoch.

American Long-eared, see Asio wilsonianus.

Arctic Horned, see Bubo arcticus. Bahama Burrowing, see Speotyto cavicola.

Barn, see Strix pratincola. Barred, see Syrnium nebulosum. Bottom, see Syrnium nebulosum. Burrowing, see Speotyto hypogæa. California Pygmy, see Glaucidium californicum.

California Screech, see Megascops bendirei.

California Mottled, see Megascops bendirei.

Chihuahua Screech, see Megascops vinaceus.

Clarion Burrowing, see Spectyto rostrata.

Dusky Burrowing, see Speotyto [obscura =] hypogæa.

Dusky Eared, see Pseudoscops grammicus.

Dusky Horned, see Bubo saturatus. Dwarf Screech, see Megascops idahoensis.

Elf, see Micropallas whitneyi.

European Hawk, see Surnia ulula.

Ferruginous Pygmy, see Glaucidium phalænoides.

Flammulated, see Megascops flammeolus.

Flammulated Screech, see Megascops flammeolus.

Florida Barred, see Syrnium alleni. Florida Burrowing, see Speotyto floridanus.

Florida Screech, see Megascops floridanus.

Grayson's Elf, see Micropallas graysoni.

Great Gray, see Scotiaptex cinerea. Great Horned, see Bubo virginianus.

Hawk, see Surnia ulula or caparoch. Hoot, see Syrnium nebulosum.

Hoskin's Pygmy, see Glaucidium hoskinsii.

Kennicott's Screech, see Megascops kennicottii.

Lapland Gray, see Scotiaptex lapponica.

Lapp, see Scotiaptex lapponica. Little Screech, see Megascops asio. Long-eared, see Asio wilsonianus.

MacFarlane's Screech, see Megascops macfarlanei.

Marsh, see Asio accipitrinus. Mexican Barred, see Syrnium sar-

torii.

Mexican Screech, see Megascops trichopsis or cineraceus.

Monkey-faced, see Strix pratincola.

Mottled, see Megascops asio.

Mrs. Maxwell's, see Megascops maxwelliæ.

Northern Spotted, see Syrnium caurinum.

Pacific Horned, see Bubo pacificus. Pinny, see Rissa tridactyla. Prairie, see Speotyto hypogæa. Puget Sound Screech, see Megascops [saturatus =] kennicottii. Pygmy, see Glaucidium gnoma. Richardson's, see Nyctala richard-Rocky Mountain Screech, see Megascops maxwelliæ. Saw-whet, see Nyctala acadica. Screech, see Megascops asio. Short-eared, see Asio accipitrinus. Snowy or Snow, see Nyctea nyctea. Spectral, see Scotiaptex cinerea. Spotted, see Syrnium occidentale. Spotted Screech, see Megascops [aspersus = 1 trichopsis. Texas Barred, see Syrnium [helveolum =] alleni. Texas Screech, see Megascops mccallii. Western Horned, see Bubo arcticus. White, see Nyctea nyctea. White Screech, see Strix furcata. Whitney's Pygmy, see Micropallas whitneyi. Owls, see Striges. Oxycerca, '94, 235. Oxyechus, see Ægialitis. Oxypogon cyanolæmus, Colom. 138. oxypterus (Buteo), see B. swainsoni. Oxyrhamphidæ, '81, 36, '89, 267. oyapocensis (Thryothorus), coraya. Oyster-catcher, see Hæmatopus ostralegus. American, see Hæmatopus palliatus. Black, see Hæmatopus bachmani. Frazar's, see Hæmatopus frazari. Pratt's, see Hæmatopus prattii. Oyster-catchers, see Hæmatopodidæ.

P

Pachycephalidæ, '81, 34.

Pachyramphus sp.?, Urug. '83, 203.

albinucha, Argent., syn. '92, 175.

albogriseus, W. I. '93, 220.

atricapillus, Braz. '91, 25.

cinereiventris, Venez. '97, 365, 369.

cinereus, Braz, '91, 25; Venez. '97, 365.

major (b Bathmidurus), Mex. '98, 156; misc. '80, 88b.

ornatus, C. R. '92, 173.

rufus, Braz. '91, 25.

salvini, sym. '99, 186*.

similis, syn. '99, 186. uropygialis, Mex. '99, 28*. Pachyrhamphus, see Pachyramphus. pachyrhyncha (Geospiza), see Geospiza. - (Nucifraga), see N. caryocatactes. -(Rhynchopsitta), see Rhynchopsitta. pacifica (Amphispiza), see A. deserticola. --- (Gavia), see Gavia. --- (Hemiura), see Hemiura. - (Hirundo), see H. javanica. --- (Tringa), see Tringa. pacificus (Anorthura), see Anorthura. --- (Bubo), see Bubo. --- (Colymbus), see Gavia. --- (Fulmarus), see F. glupischa. --- (Troglodytes), see Anorthura. --- (Urinator), see Gavia. Pacific Coast of America. Cooper, J. G., '77, 88-97. Packard, Alpheus Spring. Occurrence of Groove-billed Ani at Juniper Inlet, Florida, '91, 313. The Labrador coast (rev.), '92, 171. Pæcilonitta bahamensis (b Dafila, c Dafila urophasianus), Argent., Urug. '84, 274^b; N. Am., W. coast, '77, 96°?; W. I. '80, 107^b, '88, 62^b, '90, 373^b, '91, 296b, 335b.—meas., plm., syn. '88, 62b. galapagensis, Galap. Is. '90, 273. Padda, '94, 233. pagana (Elænia), see Elænia. Pagophila, '78, 186, '82, 179, '97, 313, '99, 98**.** alba (a Ivory Gull, b eburnea, ^c Gavia, ^d brachytarsi), Alas. '85, 63^b; Arctic Am. '78, 86b; Arctic Ocean, 1900, 309ª; B. C. 1900, 104°; g. dist. '93, 123°; Greenl. '89, 213°, '91, 320°; Helg. '95, 341°; N. B. '81, 187°; N. S. '87, 339"; N. Y. '95, 290°; Que. '82, 241b; Siberia, '84, 80b; Spitzbergen, '88, 202°.-meas., nst. '88, 202°; mig. '85, 63°; syn. '80, 88°, '82, 179°, '97, 313, '99, 99. Palæocycnus, '83, 231. Palæornis longicauda, Borneo, syn. '91, Palæornithidæ, '81, 76. Palæotetrix gilli (fossil), Ore. '91, 367, **'93**, 344. Palamedea, '81, 79, '96, 63, 164. cornuta, plm. '99, 320. Palamedeæ, '81, 79, 83, '82, 47. Palamedeidæ, '81, 79, '83, 232. palawa (Meleagris), see M. fera. pallasi (Cinclus), see Cinclus. --- (Hylocichla), see Hylocichla.

- (Turdus), see Hylocichla. Pallasia, see Pterocorys. Pallasicarbo, '99, 297, 1900, 80. pallens (Accipiter), see Accipiter. - (Galbula), see Galbula. pallescens (Acanthis), see A. exilipes. --- (Anorthura), see Anorthura. --- (Bubo), see B. arcticus. - (Columbigallina), see Columbigal-— (Empidonax), see E. pygmæus. — (Mitrephanes), see Empidonax pygmæus. — (Mitrephorus), see Empidonax pygmæus. — (Piaya), see Piaya. --- (Troglodytes), see Troglodytes. palliata (Dendrornis), see Dendrornis. palliatus (Hæmatopus), see Hæmatopus. - (Junco), see Junco. pallida (Aimophila), see Aimophila. - (Callipepla), see C. castanogastris. — (Doleromya), see Doleromya. — (Emberiza), see Spizella socialis. — (Eucometis), see Eucometis. — (Hypolais), see Hypolais. - (Otocoris), see Otocoris. --- (Psittacula), see Psittacula. --- (Spizella), see Spizella. pallidicinctus (Tympanuchus), see Tympanuchus. pallidiventris (Contopus), see Contopus. --- (Horizopus), see Contopus. -- (Setophaga), see Setophaga. pallidus (Astragalinus), see Astragalinus. --- (Blacicus), see Blacicus. --- (Contopus), see Blacicus. —— (Eupsychortyx), see Eupsychortyx. — (Formicarius), see Formicarius. ---- (Myiobius), see Blacicus. – (Nyctibius), see N. jamaicensis. —— (Polyborus), see Polyborus. —— (Spilornis), see Spilornis. - (Spinites) see Spizella socialis. – (Spinus), see Astragalinus. --- (Thryothorus), see Thryothorus. palmarum (Arremon), see Phænicophi-(Corvus), see C. solitarius. --- (Dendroica), see Dendroica. --- (Dulus), see Phænicophilus palmarum or Dulus dominicus. - (Motacilla), see Dendroica. --- (Phænicophilus), see Phænicophi-– (Sylvia), see Dendroica.

- (Sylvicola), see Dendroica.

(Tachyphonus), see Phænicophilus.
 (Tanagra), see Tanagra.

— (Turdus), see Phænicophilus.

Palmén, Johan Axel.

Bidrag till kannedomen om Sibiriska Ishafskustens fogelfauna (rev.), '88, 306-311.

Palmer, E. D.

Capture of another Flammulated Owl in California, '94, 78.

Palmer, Theodore Sherman.

Notes on some birds of Gray's Harbor, Washington, '92, 308-310.

Heleodytes vs. Campylorhynchus, '93, 86.

Turdus lawrencii Coues, '97, 225.

Extermination of noxious animals by bounties (rev.), '97, 422.

Bird protection in Washington, D. C. '99, 68.

Danger of introducing noxious animals and birds (rev.), '99, 294.

Legislation for protection of birds other than game birds (rev.), 1900, 314.

Directory of State officials and organizations for protection of birds and game (rev.), 1900, 396.

Protection and importation of birds (rev.), 1900, 397.

Review of economic ornithology in U. S. (rev.), 1900, 397.

Palmer, T. S., and Nelson, E. W., see Nelson and Palmer.

Palmer, William.

Abundance of Parus atricapillus near Washington, '85, 304.
Occurrence of Helminthophila leuco-

Occurrence of Helminthophila leucobronchialis in Virginia, '85, 304.

Occurrence of Traill's Flycatcher near Washington, D. C. '89, 71.

First occurrence of Philadelphia Vireo near Washington D. C. '89, 74. Notes on birds observed during cruise of 'Grampus' in 1887 (rev.), '91,

of 'Grampus' in 1887 (rev.), '91 305.

Plumages of young Hooded Warbler, '94, 282-291 (4 figs.).

Ruff and Western Sandpiper near Washington, D. C. '94, 325. An Asiatic Cuckoo on Pribylof Is..

Alaska, '94, 325.
Four additions to birds of the Vir-

Four additions to birds of the Virginias, '94, 333.

Scissor-tailed Flycatcher in Virginia and Maryland, '96, 83.

Second occurrence of Lark Sparrow in Virginia, '96, 84.

Florida Ground Owl (Specity floridana), '96, 99-108 (col. pl., 2 figs.). see Stone. W., 'moulting of birds'

(rev.), '96, 240-243.

Note on Buteo borealis lucasanus, '96, 342.

Breeding of Yellow-throated Warbler (Dendroica dominica) in Virginia, near Washington, '96, 343.

Wood Ibis in Virginia and Maryland, '97, 208.

An addition to North American Petrels, '97, 297-299.

Bachman's Sparrow in Virginia, '97, 322.

Sitkan Kinglet, '97, 399-401.

Tree Swallow breeding in Virginia, '97, 408.

Our small eastern Shrikes, '98, 244-258.

Avifauna of Pribilof Islands (rev.), 1900, 74-76.

Ecology of Maryland Yellow-throat and its relatives, 1900, 216-242.

Palmer, W., and Smith, H. M., see Smith and Palmer.

palmeri (Harporhynchus), see Harporhynchus.

Palmetto-bird, see Geothlypis ignota. paloccidentalis (Ardea), see Ardea. paloregonus (Olor), see Olor.

palpebralis (Geothlypis), see G. palpebralis or ralphi.

paludicola (Cistothorus), see C. paludicola or plesius.

—— (Telmatodytes), see Cistothorus paludicola or plesius.

Paludicolæ, '93, 107, '97, 340, palumbarius (Accipiter), see Accipiter. palumbus (Columba), see Columba. palustris (Acrocephalus), see Acrocephalus.

—— (Brachyotus), see Asio accipitrinus.

— (Cistothorus), see C. palustris or paludicola.

(Geothlypis), see Microligea.

— (Ligea), see Microligea.

---- (Megalurus), see Megalurus. ---- (Melospiza), see M. georgiana

— (Melospiza), see M. georgiana. — (Microligea), see Microligea.

—— (Microngea), see Microngea
—— (Parus), see Parus.

- (Spermophila), see Sporophila.

—— (Telmatodytes), see Cistothorus palustris or plesius.

pamirensis (Ægialitis), see Ægialitis. Pan, '99, 77*, see Semnornis. Panama.

Allen, J. A., '99, 292-293. Ridgway, R., '98, 229.

panaya (Onychoprion), see Sterna anæthetus.

— (Sterna), see S. anæthetus. panayensis (Haliplana), see Sterna anæ-

--- (Onychoprion), see Sterna anæthetus.

— (Sterna), see S. anæthetus.

Pandion, '78, 77, '81, 77, 201, '87, 37, '91, 236, '94, 233.

carolinensis (a American Osprey or Fish Hawk, b haliaetus), Alas. '84, 79, '87, 12; Ariz. '83, 29, '86, 423, '90, 48; Assimboia, '86, 154; Bahamas, '91, 297, 351; B. C. '94, 322; Cal. '87, 91; Colo. '79, 96b, '85, 17; Conn. '95, 264, 266, Fla. '81, 42, '87, 275a, '88, 271, '89, 248, '90, 310, '91, 132a, 137, '92, 212, '95, 364; Ga. '83, 41; Ida. '97, 353; Ind. '88, 350; Jamaica, '92, 127; La. '82, 164; Man. '86, 329; Mass. '87, 156", '94, 84, '97, 279; Me. '80, 114a, 186b; Mex. '85, 230°; Mich. '93, 224; Minn. '84, 247, '86, 154; Mont. '94, 303; N. B. '89, 117b; N. C. '99, 247a; N. F. 1900, 72; N. H. '87, 104; N. J. '79, 224b, '90, 81a, 328, '94, 136; N. M. '86, 80, '92, 361; N. S. '91, 165; N. Y. '81, 233, '89, 129, '92, 313a, '93, 53a, 54a, 57^a, '95, 361^a; Ore. '79, 196, '86, 162, 165, '88, 146; Pa. '99, 311; P. E. I. '93, 9; Que. '82, 238b; R. I. '95, 300a, 389; S. C. '85, 192b; S. D. '85, 285; Tenn. '86, 319; Tex. '87, 189, 299, 1900, 343; Va. '76, 26b; Wash. '92, 43, '97, 174, 1900, 244; W. I. '81, 128^b, '87, 38, '92, 289^a,—anat. '86, 475, '91, 236; fd. '86, 80, '93, 200^a, '95, 361^a; hbt. '84, 86^a, '92, 313–321^a (2 pll.), '95, 361^a; meas. '92, 315^a, 316^a; mig. '85, 212^a, '95, 264, 266, 300^a, 361^a; nst. '76, 26^b, '80, 114^a, 186^b, '81, 42^a, '83, 41, 237^a, '85, 210^a, '90, 394, '91, 106a, '92, 286a, 313a '94, 322, '95, 300a, 361a, 389, '99, 247a; song, '92, 313a, '95, 300a; syn. '78, 78b, '87, 38; misc. '81, 59a, '83, 177a, '89, 178a, 180a, '92, 286a, '97, 396a (fig.).

haliaëtus, Helg. '95, 326.—anat. '82, 88; syn. '78, 78.

ridgwayi, Bahamas, '87, 155.
Pandiones, '77, 71, '78, 77.
panini (Penelopides), see Penelopides.

pannosa (Dendrœca), see Dendroica cærulescens.

- (Sylvicola), see Dendroica cærulescens.

Panurus, '84, 280.

biarmicus, Helg. '95, 336.

Panychlora russata, Colom. '99, 138. Panyptila, '80, 178, '86, 446, 447, '87,

171, '89, 9. cayennensis, Nicar. '94, 171, '98, 7 (col. pl.).—hbt. '98, 8; nst. '93, 84,

'98, 7, 10; song, '93, 85, '98, 9; syn. '98, 7; misc. '84, 386.

sancti-hieronymi, Guat. '98, 7.

papa (Gypagus), see Gyparchus.

—— (Sarcoramphus), see Gyparchus.

—— (Vultur), see Gyparchus. papantzın (Trochilus), see Eugenes fulgens.

Papegais, '90, 72.

Parabuteo, '83, 228.

harrisi (Harris's Hawk, b Buteo), Aris. '86, 422; C. R. '90, 333, '92, 328; La. '92, 205; L. Cal. '94, 168*, '95, 137; Tex. '80, 46b, '92, 233, 1900, 342.-nst. '95, 137, 1900, 342; blm. '87, 26.

paradisæa (Sterna), see S. paradisæa or dougalli.

- (Muscipeta), see Terpsiphone affinis.

Paradiseidæ, '91, 34, 35, '92, 282.

paradiseus (Ptilorhis), see Ptilorhis. - (Dissemurus), see D. brachypho-

Paradisornis, '86, 398.

paradoxus (Syrrhaptes), see Syrrhaptes. paraguaiæ (Gallinago), see Gallinago. Parakeet, Carolina, see Conurus carolinensis.

Parasites.

Kellogg, V. L., '99, 232.

Osborn, H., '94, 336.

parasiticus (Stercorarius), see Stercorarius.

Parauque, Merrill's, see Nyctidromus merrilli.

Pardalotus, '87, 249.

affinis, syn. '87, 249. assimilis, syn. '87, 249.

ornatus, syn. '87, 249.

pardalotus (Dendrornis), see Dendrornis.

parellina (Cyanocompsa), see Cyanocompsa.

-(Cyanospiza), see Cyanocompsa. pareola (Chiroxiphia), see Chiroxiphia. Paridæ (* Titmice), '81, 28, 34, 163, '84, 280, '87, 249a, '92, 172, '93, 112, 1900, 189.

parisiorum (Icterus), see I. parisorum. parisorum (Icterus), see Icterus.

Park, Austin F.

An owl-eating owl, '80, 185.

Capture of Leach's Petrel 160 miles from the sea, '80, 190.

Philadelphia Vireo in eastern New York, '80, 239.

Breeding of Horned Lark in eastern New York, '81, 177.

Capture of Sea Dove 150 miles from the sea, '82, 61.

Lesser Glaucous-winged Gull in New York, '84, 196.

Swallow-tailed Kite in Rensselaer Co., N. Y. '86, 484,

Breeding of Prairie Horned Lark in eastern New York-a correction, '88, 111.

American Barn Owl near Troy, New York, '90, 400.

Strix pratincola again near Troy, N. Y. '91, 114.

Obituary of, '93, 384-385.

Park, F. T.

Acanthis linaria in Alabama, '93,

Parker, William Kitchen.

Ægithognathous birds (rev.), '77, 23. Obituary of, '90, 411.

Parkhurst, Howard Elmore.

The birds' calendar (rev.), '95, 67. parkmanii (Troglodytes), see T. parkmanii or aztecus.

Paroaria capitata, Bolivia, '90, 382. cervicalis, Boliv. '90, 382.

cucullata, Urug., hbt., song, '83,

gularis, Braz. '90, 268.

Paroquet, Carolina, see Conurus carolinensis.

Cockatoo, see Calopsitta novæhollan-

Short-footed, see Conurus brevipes. Parotia lawesii, New Guinea, '86, 399. Parra, see Jacana.

violacea, '81, 130*, see Jacana spinosa.

Parrakeet, see Conurus carolinensis.

Parridæ, '81, 81, '97, 102, 103. Parroquet, see Conurus carolinensis.

Parrot, Black-billed, see Amazona agilis. Sea, see Fratercula arctica.

Thick-billed, see Rhynchopsitta pachyrhyncha.

Tres Marias, see Amazona tresmariæ. Yellow-billed, see Amazona collaria. Parrots, see Psittaci.

Partridge, see Bonasa umbellus (in North); Colinus virginianus (in South).

Birch, see Bonasa togata.

Buff-breasted, see Callipepla fulvipectus.

California, see Lophortyx californicus.

Canadian Ruffed, see Bonasa togata. Chestnut-bellied Scaled, see Callipepla castanogastris.

Desert, see Callipepla deserticola. Gambel's, see Lophortyx gambeli. Massena, see Cyrtonyx montezumæ. Mountain, see Oreortyx pictus. Plumed, see Oreortyx plumiferus. San Pedro, see Oreortyx confinis. Scaled, see Callipepla squamata. Spruce, see Canachites canadensis. Valley, see Lophortyx vallicolus. Virginia, see Colinus virginianus. Water, see Porzana concolor.

Parula, see Compsothlypis. Parus, '84, 280, '87, 249, '93, 112, '94, 235.

agilis (Plumbeous Chickadee, b-carolinensis), g. dist. '93, 135; Tex. '79, 76b, '88, 46*, 400, '89, 241, '92, 344, '94, 261, 1900, 348.—nst. '94, 261. alascensis (Siberian Chickadee, b cinctus, c obtectus), Alas. '78, 37b, '80, 89b, '84, 77b, '85, 373b, '88, 410c; g. dist. '93, 127c.—nst. '85, 373b; syn. '84, 78b, '85, 371b, '97, 132.

ater (a Coal Tit), Germany, '96, 300, 308a; Helg. '95, 336.—hbt. '96, 300; syn. '96, 327.

atricapillus (a Chickadee or Blackcapped Titmouse), D. C. '84, 397, '85, 304; g. dist. '93, 127; Ida. '98, 20; Ind. '89, 29; Kan. '94, 215"; Kv. '89. 316; Mass. '83, 59, '84, 6ª, '88, 389, '89, 46, 105; Me. '79, 140, '82, 109; Mich. '93, 229; Minn. '84, 244; N. B. '82, 109, '89, 119; N. C. '86, 177, 313°, 314, '89, 120; N. F. 1900, 73; N. H. '87, 107, '88, 151, 153, 155, '89, 77, 79; N. J. '79, 81; N. S. '87, 16, '91, 165, '99, 253; N. Y. '79, 32, '81, 12, 226, 245*, '82, 155, 187, '84, 135; Ont. '83, 145°, '84, 157; Pa. '92, 140, '93, 37, 41, 43, 46, '96, 285, 297; P. E. I. '85, 265°, '93, 5°, 14; Que. '82, 234, '89, 144, 149; Tenn. '87, 133?; Tex. '87, 298, '88, 119 [atricristatus?]; W. Va. '98, 137.-fd. '95, 383, '98, 144, 150-155; hbt. '85, 265, '86, 313a, '90, 107a, '92, 67, '98, 152a;

mig. '81, 12; nst. '86, 400, '98, 20; plm. '78, 19, '79, 27^a (alb.), '84, 135 (mlt.), '86, 177, 313^a, '98, 20; song, '84, 135, '97, 99, syn. '82, 228; misc. '90, 394.

atricristatus (a Black-crested Titmouse, b Lophophanes, c castaneifrons), g. dist. '93, 135; Tex. '79, 76b, '80, 46a, '81, 114b, '82, 35b, '87, 28c*, 298, '88, 119a, 400c, '89, 241, '92, 343.—fd. '92, 343; hbt. '88, 119a, '89, 241; meas. '79, 76b; nst. '79, 76b, '87, 298, '92, 343; plm. '87, 28; song, '89, 241; syn. '88, 400c.

bicolor (a Tufted Titmouse, b Lophophanes, floridanus), Ala. '78, 170b; Ark. '82, 90b; Conn. '77, 108b; D. C. '88, 25; Denmark, '80, 69?; Europe, '80, 66?; Fla. '81, 40ª, '88, 277, '90, 119, '91, 127°, 138, '92, 214, '95, 366, '98, 181°*; Ga. '83, 37b, '96, 214; g. dist. '93, 133; Ind. '82, 18a, '83, 171a, '89, 29; Ky. '89, 316; La. '82, 161b, '87, 301a; Mich. 310, 237; Miss. '82, 90°; Mo. '79, 140°, '96, 220; N. C. '86, 100°, 177, 314, '87, 245, '89, 121; Neb. '85, 277°; N. J. '79, 81°, 223°, '86, 410°, '88, 421, '89, 305, '94, 140, '97, 325; N. Y. '78, 129°, '79, 34°, '82, 30°, '94, 140, '97, 325; N. Y. '78, 129°, '79, 34°, '82, 30°, '94, 140, '97, 325; N. Y. '78, 129°, '79, 34°, '82, 30°, '94, 140°, 52⁵, 78⁴, 134⁵, ⁹93, 277, ⁹99, 196; *Pa*.
⁹93, 38, 41; *S. C.* ⁷79, 211⁵, ⁸89, 75^{*},
⁹90, 130, ⁹91, 333, ⁹97, 98; *S. D.* ⁸85, 277b; Sweden, '80, 69?; Tenn. '86, 316, '87, 133; Tex. '82, 8b.-hbt. '87, 3012, '97, 325; meas. '98, 181; mig. '92, 36^a; nst. '82, 8^b, '83, 37^b, '86, 410°, '90, 85°, '97, 98; plm. '78, 19°, '79, 116b (alb.), '80, 27b (alb.), '87, 29; song, '81, 40a, '84, 134b, '87, 245; syn. '99, 131°; misc. '90, 81°.

borealis (b colletti), Helg. '95, 336. —syn. '90, 275b.

brittannicus, syn. '96, 327; misc. '87, 65.

carolinensis (a Carolina Chickadee), Ala. '78, 170; Ark. '82, 90; D. C. '84, 397, '85, 304, '88, 25; Fla. '88, 277, '90, 119, '91, 138, '92, 214, '95, 366; Ga. '83, 37, '96, 214; g. dist. '93, 133; Ind. '89, 29; Ky. '89, 316; La. '82, 161, '87, 301a; Mo. '96, 220; N. C. '86, 100, 177, 309a, 314, '87, 245, '89, 120; N. J. '79, 81, 223, '92, 204, '94, 140; N. Y. '80, 173?, '89, 331; Ore. '77, 90 [occidentalis']; S. C. '79, 211, '89, 75a, '90, 130, '91, 333, '92, 35a, 37a; Tenn. '86, 316, '87, 133; Tex. '82, 8,

35, '87, 298.—hbt. '86, 177, '87, 301*; mig. '92, 35*, 37*; nst. '82, 8, '83, 37, '86, 177, '94, 135*; plm. '79, 39; song, '78, 170, '86, 177.

castaneifrons, '87, 28*, see atricristatus.

cineraceus (Ashy Titmouse), L. Cal. '84, 284.

cœruleus (* Blue Tit), Germany, '96, 300, 308*; Helg. '95, 336.—hbt. '96, 300.

columbianus (Columbian Chickadee), B. C. '93, 16, 23*, 325, 1900, 107; g. dist. '93, 331, '94, 47.—meas. '93, 23, 332; syn. '93, 325, 332, 333, '94, 47; misc. '93, 333.

cristatus, Helg. '95, 336.

dresseri, G. Br., plm., syn. '87, 64; syn. '96, 327.

floridanus, '98, 181*, see bicolor.

gambeli (* Mountain Chickadee or Titmouse, b montanus), Arız. '90, 49, 263; B. C. 1900, 107; Cal. '80, 47b, '87, 88; Colo. '79, 92b, '81, 87b, '83, 154b, 240b, '85, 15b, 140b, '87, 123, 125, '94, 270; g. dist. '93, 127; Ida. '98, 21; Mont. '81, 204b, '82, 62b, '88, 118, '94, 308; N. M. '85, 126b, 331b, '98, 311; Ore. '79, 163b, '88, 359a, 362a, 363; Wash. '92, 47, '97, 180; Wyo. '81, 204b, hbt. '85, 127a; meas. '80, 47b, '81, 205b, '88, 119, 364; nst. '78, 102b, '79, 92b, '80, 47b, '81, 204b, '83, 240b, '88, 118, 363, '90, 263; song, '81, 87b, '82, 62b, '85, 127a, '88, 363, '94, 308.

griseus (Gray Titmouse, bLophophanes, Lophophanes inornatus), Ariz. '82, 79°, '90, 48; Colo. '81, 87°, '85, 15b, '94, 270; g. dist. '82, 257b; N. M. '99, 189.

hudsonicus (* Hudsonian Chickadee, * bevura, * cungava), Alas. '84, 283b, '88, 410, 1900, 118b; Conn. '76, 52; g. dist. '93, 321-333, 127, 331; Hud. B. '90, 322; Labrador, '93, 328c*; Man. '86, 327; Mass. '81, 54, 114, '90, 291, 407, '96, 346; N. B. '82, 109, '83, 10a, '87, 261, '89, 119, '94, 82b; N. H. '87, 107, '88, 153; N. S. '87, 16, '94, 82a, '99, 253; N. Y. '81, 226, '90, 232; Ont. '83, 55 [not rufescens,' see '83, 116], '84, 157, '89, 204; P. E. I. '85, 265, '93, 5a, 14; Que. '82, 234, '84, 88, '89, 149; R. I. '81, 54; Vt. '90, 407, '96, 345.—fd. '81, 54; Vt. '90, 407, '96, 345.—fd. '96, 346; hbt. '85, 265, '94, 82a; meas. '93, 24, 328, 329°, 330°, 331b, 332, 332b, 332c; nst. '83, 10a, '87, 261;

plm. '78, 20, '93, 323, 327, 1900, 118b, song, '81, 54, '93, 14, '96, 346; syn. '78, 105, '93, 321-333, 3245, 328c, 331b, '94, 49, 49b, 49c, 1900, 113b, 118b; misc. '84, 88a, 185, '93, 333, 333b, 333c.

inornatus (Plain or Gray Titmouse, b Lophophanes), Cal. '78, 68b, '79, 182b, '86, 186, '89, 221, '96, 122; g. dist. '93, 135.—meas. '78, 69b, '79, 183b; nst. '78, 68b, '79, 182b, '96, 122; plm. '79, 39b.

kamtschatkensis (b Pœcila), Helg. '95, 336.—syn. '86, 266b.

major, Germany, '96, 300; Helg. '95, 336.—hbt. '96, 300.

mitratus, syn. '90, 275.

neglectus (Californian Chickadee), Cal. '80, 42, 89.—plm., syn. '80, 42. occidentalis (Oregon Chickadee), Alas. '81, 6° ['Black-capped Tit-mouse']. R C '03, 201, 382. Cal

Alas. '81, 6" ['Black-capped Titmouse']; B. C. '93, 291, 382; Cal. '86, 186, '87, 86; g. dist. '93, 127; Ore. '86, 171; Wash. '82, 227, 228, '93, 17, 291, 382, '97, 180, 1900, 357. —plm., sym. '82, 228; misc. '80, 87. palustris ("Swamp Titmouse).

palustris (* Swamp Titmouse), Germany, '96, 300, 306*; Helg. '95, 336.—hbt. '96, 300; syn. '96, 327.

rufescens (Chestnut-backed Chickadee), Alas. '98, 130; B. C. 1900, 107; g. dist. '93, 127; Ida. '97, 349, '98, 21; Ont. '83, 55 (= hudsonicus, see '83, 116); Ore. '86, 171, '88, 363?, '91, 397; Wash. '92, 47, 1900, 357,—nst. '86, 171, 1900, 357; plm. '78, 20; syn. '80, 42.

sclateri (Mexican Chickadee, b meridionalis), Ariz. '81, 252b, '82, 79b, '91, 90b; Mex. '81, 252b, '95, 358b.—meas., plm., song, '82, 80b; syn. '91, 90b, '98, 160, '99, 126; misc. '80, 88b.

septentrionalis (Long-tailed Chickadee, b turneri), Alas. '85, 207b, B. C. 1900, 107; Colo. '80, 225, '81, 87, '83, 154, '85, 15, '87, 123, '94, 270; g. dist. '93, 127; Man. '86, 327; Mont. '88, 119, '94, 308, '95, 218; N. M. '85, 331; S. D. '85, 277.—meas., nst. '88, 119; plm. '81, 85, '83, 154, '92, 195b; song, '80, 225, '87, 123; syn. '83, 154.

stoneyi (Kowak Chickadee, b hudsonicus), Alas. '87, 13b, 336, '88, 400, '93, 330; g. dist. '93, 127.—meas. '93, 24, 331, 332; plm., syn. '93, 330; misc. '93, 333.

texensis (Texan Tufted Titmouse), g. dist. '93, 135; Tex. '87, 29*, '88, 400, '92, 343, 1900, 348.

ungava, '93, 328*, see hudsonicus, wollweberi (Bridled Titmouse, b Lophophanes), Artz. '82, 79b, '85, 349b, '86, 84-86, '88, 166, '90, 48; g. dist. '93, 135.—meas. '86, 85, 86; nst. '85, 349b, '86, 84.

parva (Himatione), see Himatione.

- ---- (Muscicapa), see Muscicapa.
- --- (Porzana), see Porzana.
- --- (Spermophila), see Sporophila parva or sharpei.
- —— (Sporophila), see S. parva or sharpei.
- --- (Sula), see S. piscator.
- parvirostris (Crypturus), see Crypturus. parvulus (Antrostomus), see Antrostomus.
- —— (Troglodytes), see Anorthura troglodytes.
- parvus (Phœnicopterus), see Phœnicopterus.
- —— (Tyranniscus), see Tyranniscus. parzudaki (Ornismya), see Sporadinus riccordi.

pasadenensis (Harporhynchus), see Harporhynchus.

pascuus (Corvus), see Corvus. Passer, '84, 57, '86, 211, '93, 99, '94,

domesticus (a English or European House Sparrow), Australia, '82, 117a, '84, 87°; Bermuda, '96, 239; Bahamas. '91, 395; Canada, '84, 87a; D. C. '88, 22; Fla. '90, 342, '97, 99; Germany, '96, 306a; Greenl. '89, 297; Helg. '95, 325, '96, 146°; Ill. '84, 85° '95, 395; Ky. '89, 316; La. '87, 304, '92, 206; Mass. '89, 45, 101; Me. '83, 112, '97, 414^a; Mich. '93, 230; Minn. '96, 348^a; Mo. '80, 192; N. B. '84, 295; N. C. '86, 314; N. H. '88, 152; N. J. '89, 198a: N. S. '90, 212, '99, 253; N. Ý. '79, 32, '82, 256, '85, 309; O. '83, 127a; Ont. '83, 145, '84, 159; Pa. '89, 140*, '92, 137; Que. '84, 295; R. I. '91, 392; S. C. '85, 190, '89, 197*; N. M. '98, 309*; New Zealand, '83, 119; Tenn. '86, 318, '87, 131; Tex. '92, 231; Va. '86, 161a; W. I. '86, 211; Wis. '86, 286a; W. Va. '98, 136.-anat. '96, 114; fd. '84, 159, '85, 300, '89, 180a, '90, 388a, 388a, '96, 285°; hbt. '84, 85°, 159, 188°, 301, '98, 193; plm. '76, 21 (alb.), '80,

30 (alb.), '97, 107; syn. '86, 211, '88, 412; misc. '79, 111a, '80, 41, '81, 193a, '82, 117a, '83, 119, 171, '84, 87 (5 items), 186a, 287a, 287a, '85, 211a, 296a, '86, 400a, 476a (7 items), 485, '87, 68a, 338a, 360, 177a (3 items), 179a, 181a (4 items), 326a, '90, 83a, 200, 392, 413a, '91, 387a, 388a (7 items), 389a (6 items), 391a, '92, 286, '96, 338a, 348a, '99, 295a, 1900, 57, 87a, griseigularis, syn. '88, 412.

montanus (b Pyrgita), Helg. '95, 336; Ky. (introduced), '89, 316; Mo. (introd.), '77, 73b, '80, 121b, 191b, '89, 326.—hbt., nst. '80, 191b; plm. '80, 27 (alb.); syn. '83, 113; misc. '82, 243. saturatus, Japan, '88, 196.

Passerculus, see Ammodramus. Passerella, '78, 3, 138, '89, 107.

annectens, 1900, 30*, see unalaschcensis.

fuliginosa, 1900, 30*, see unalaschcensis.

iliaca (* Fox Sparrow or Foxcolored Sparrow), Ala. '79, 9; Alaska, '80, 35, '81, 3ª, 5ª, '87, 13; Europe, '80, 66; Fla. '81, 15?, '89, 323, '92. 213, '95, 365; Ga. '96, 214; g. dist. 78, 7, '89, 107, 108, '93, 126; Ia. '95, 121, 236; III. '90, 242; Ind. '89, 25; Kan. '94, 215a; Ky. '89, 315; La. '99, 267; Man. '86, 324; Mass. '83, 150a, '93, 296; Mo. '79, 144, '96, 217; Mont. '88, 18a; N. B. '83, 7a, 8a; N. F. 1900, 72; N. J. 779, 82, '91, 105, '92, 204; N. S. '90, 398*, '99, 253; N. Y. '79, 32, 36, '81, 230, '84, 177, 178, '85, 150, '89, 176*, '99, 283*; O.
'95, 242; Que. '84, 295, '89, 148; S.
C. '79, 214, '99, 197; S. D. '85, 281; Tenn. '86, 318; Tex. '82, 39, '92, 339. -meas. '78, 6, '89, 109; mig. '83, 7a, 8ª, '84, 177, 178, '87, 67ª, '89, 176ª, '95, 121, 129a, 236, 242, '99, 197; nst. '89, 107, 148, '90, 398a; plm. '76, 21 (alb.); song, '81, 3a, '83, 8a, '85, 150; syn. '78, 3, '96, 265, 266 ('Fringilla'). insularis, 1900, 30*, see unalaschcensis.

megarhyncha (Thick-billed Sparrow), Cal. '78, 66, '95, 349, '98, 235; g. dist. '78, 7, '89, 107, 111, '93, 126; Ore. '88, 359.—meas. '78, 6, '89, 112, '95, 349; nst. '89, 107, 111; syn. '78, 3.

schistacea (Slate-colored Sparrow), Ariz. '82, 197; B. C. '93, 16; Colo. '85, 16; g. dist. '78, 7, '89, 107, 113, '93, 126; Ida. '98, 17; Wash.

'93, 16, 1900, 245.—meas. '78, 6; '89, 116; nst. '89, 107, 113; song, '89, 113; syn. '78, 3.

stephensi (Stephen's Sparrow), Cal. '95, 348*, '97, 122.—meas. '95, 349; syn. '97, 122.

unalaschcensis (a Townsend's Sparrow, b townsendi, c fuliginosa, d insularis, annectens), Alas. '98, 129; Cal. '87, 93, '98, 235; g. dist. '78, 7b, '89, 107, 109, '93, 126, '99, 36c*, 1900, 30, 30b, 30c, 30d*, 30c*; Ore. '79, 165b, '86, 169, '88, 359; Wash. 1900, 356.—hbt. '86, 169; meas. '78, 6b, '89, 111; nst. '89, 107, 109, '92, 288; plm. '86, 169, 1900, 10a; song, '89, 109, '98, 129; syn. '78, 3b, '80, 177b, '89, 109, '95, 149.

Passeres, '76, 61, '81, 7, 28, 30-36, 45, 80, 83, 224, '89, 266, '90, 279, '94, 315, '97, 229, 341, '99, 78.

Passeriformes, '83, 99, '85, 365, '87, 149, '88, 190, 411, '89, 266, '90, 379,'91, 90.

Passerina (b Plectrophenax), '80, 96, '82, 179b, '84, 118b, 119b, '88, 444b, '98, 323, '99, 116, see also Cyanospiza, '80, 96, '84, 229, '86, 210, '88, 412, '90, 123, '98, 323, '99, 121.

hyperborea (McKay's Snowflake, b Plectrophenax), Alas. '85, 291b, '86, 276b, '98, 269b.—g. dist. '93, 124b; plm. '85, 291b, '86, 276b (mlt.); syn. '86, 135b, '98, 324, '99, 117.

nivalis (* Snowflake or Snow Bunting, b Plectrophanes, c Plectrophenax), Alas. '85, 63b, '86, 135c, 276c, '94, 103a; Arctic R. '78, 86b, 1900, 310c, Cal. '90, 215b; Colo. '85, 16b; g. dist. '93, 124c; Gozo I. '77, 70b; Greenl. '89, 211a, 295c, '92, 282a; Helg. '95, 326c; Hud. B. '90, 322c; Ida. '98, 15c; Ind. '89, 24c; Malta, '77, 70b; Man. '85, 23b, '86, 323c; Minn. '84, 245b, '89, 341a; Mont. '80, 75a, '95, 216c; N. B. '83, 126a, '84, 294a; N. E. '86, 400c; N. J. '87, 67a; N. S. '99, 253; N. Y. '79, 32b, 33b, '81, 229b, '84, 177b, 178b, '86, 441a; Ont. '84, 159b; Pa. '90, 395c; P. E. I. '85, 263a; Que. '82, 235b; S. D. '85, 279b; Siberia, 1900, 309c; Va. '89, 195c; Wash. '97, 178c.—fd. '84, 159b, '85, 263a, '89, 295c, '94, 103a; nst. '89, 296c; plm. '79, 46b, '96, 165a, 242c (mlt.); song, '85, 263a, '89, 296c; syn. '98, 324, '99, 116; misc. '76, 31b, '81, '98, 324, '99, 116; misc. '76, 31b, '81, '81,

179^b, '83, 2^b (fig.), 177^b, '85, 101^a, '92, 68^a.

townsendi (Prybilof Snowflake, b Plectrophenax, c Plectrophenax nivalis), Alas. '85, 157c; g. dist. '87, 336b, '88, 397b.—syn. '98, 324, '99, 117.

passerina (Chamæpeleia), see Columbigallina terrestris or pallescens.

— (Columba), see Columbigallina. — (Columbigallina), see Columbigal-

lina.
—— (Emberiza), see Ammodramus savannarum.

(Fringilla), see Ammodramus savannarum.

--- (Goura), see Columbigallina.

--- (Psittacula), see Psittacula.

Passerinæ, '81, 30.

passerinii (Ramphocelus), see Ramphocelus.

passerinus (Ammodramus), see Ammodramus.

--- (Chloronerpes), see Nesoctites micromegas.

—— (Coturniculus), see Ammodramus passerinus or perpallidus.

— (Picus), see Nesoctites microme-

Pastor roseus, Helg. '95, 331. patachonica (Aptenodytes), see Aptenodytes.

Patagonia.

Allen, J. A., '92, 281, '99, 292. Lucas, F. A., '96, 61-63. Oustalet, E., '92, 281.

patagonicus (Mimus), see Mimus. patagonus (Conurus), see Conurus. Patoo, see Nyctibius jamaicensis.

Brown, see Pseudoscops grammicus. White, see Strix furcata.

White-headed, see Nyctibius jamaicensis.

Patten, Jeanie Maury.

[Bird protection in District of Columbia], '98, 95.

paulus (Hapalocercus), see Hapalocercus.

pauper (Camarhynchus), see Camarhynchus.

(Centurus), see Centurus.

Pavo cristatus, plm. '82, 134. Pavoncella (b Machetes), '80, 100b, '82, 179.

pugnax (Ruff, b Philomachus, c Machetes), G. Br. '80, 146c; Helg. '95, 339; Md. '96, 68?; Me. '76, 19b; N. C. '92, 299; O. '77, 83b; Ont. '84, 186c, '85, 336b; Va. '94, 325.—hbt.

'93, 293; plm. '81, 240°, '85, 336b, 1900, 333°; syn. '80, 100°; misc. '83, 237°.

pavonina (Balearica), see Balearica. pavua (Conurus), see Conurus. paykullı (Scolopax), see Macrorhamphus griseus.

Peabody, Putnam Burton.

Nesting of Krider's Hawk (Butco borealis krideri) in Minnesota, '95, 11-16.

White-faced Glossy Ibis breeding in Minnesota, '96, 79.

Peabody-bird, see Zonotrichia albicollis. Peach-brigade, see Contopus richardsonii or traillii.

Peacock, see Pavo cristatus.

Pealea, '86, 334*.

pealei (Ardea), see A. rufescens.

- (Demiegretta), see Ardea rufes-

-(Dichromanassa), see Ardea rufescens.

— (Falco), see Falco.

- (Herodias), see Ardea rufescens. Pearsall, Richard Franklin.

Note on the Purple Finch, '79, 122. Notes on breeding habits of Caspian Tern, '81, 63.

Notes on Winter Wren (Anorthura troglodytes hyemalis), '81, 244.

Pearson, Henry J.

Beyond Petsora eastward (rev.), 1900, 307.

Pearson, Thomas Gilbert.

Passer domesticus at Archer, Fla., and other Florida notes, '97, 99.

Brünnich's Murre (*Uria lomvia*) at Newberne, N. C. '97, 202.

An addition and a correction to list of North Carolina birds, '98, 275. Notes on some birds of eastern North Carolina, '99, 246-250.

Preliminary list of birds of Chapel Hill, N. C. (rev.), 1900, 82.

pecoris (Molothrus), see M. ater.

pectoralis (Automolus), see Automolus.

—(Colinus), see Colinus. — (Habrura), see Habrura.

- (Iynx), see I. ruficollis.

--- (Pelidna), see Tringa maculata.

---- (Phæopicus), see Meiglyptes tukki. - (Tringa), see T. maculata.

Pediocætes, see Pediœcetes.

Pediœcetes, '83, 167, '84, 54, '90, 73, '93, 109, 130, '98, 65, '99, 20-23, 107. campestris (a Prairie Sharp-tailed Grouse, b columbianus), Colo. '85, 17b; g. dist. '85, 208, '93, 134; Ill. '80, 45a, Man. '86, 153b, 453; Minn. '80, 17^b; Mont. '89, 301, '94, 302, '95, 213; S. D. '85, 285^b; Wis. '80, 45a.—anat. '93, 281; fd. '95, 213; hbt. '92, 283; meas. '93, 283; plm. '77, 66b, '92, 196, '93, 281, 1900, 164 (mlt.); syn. '99, 23.

columbianus (Columbian Sharptailed Grouse, b Tetrao), Ariz. '91, 367; Cal. '78, 96b; Colo. '85, 17 [campestris?]; g. dist. '93, 134; Ida. '97, 352; Man. '86, 153 [campestris?]; Minn. '80, 17 [campestris?]; Ore. '79, 197, '88, 145, '93, 344 (fossil); S. Dak. '85, 285 [campestris?]; Wash. '82, 227-233, '97, 173.-hbt. '89, 33, '97, 352; plm. '80, 29 (alb.), '82, 233, 1900, 164 (mlt.); syn. '95, 72, '99, 23, misc. '94, 68, 68.

lucasi (fossil), Ore. '91, 367, '93, 344.

minor (fossil), Ore. '91, 367. nanus (fossil), Ore. '93, 344.

(a Sharp-tailed phasianellus Grouse), g. dist. '93, 126; Man. '86, 329, 453, '93, 50°; Mass. '92, 387° (introduced).—plm. '84, 391 (hyb.), 1900, 164 (mlt.); syn. '99, 23; misc. **'92**, 189, 385°.

Peep, see Tringa minutilla or Ereunetes . semipalmatus.

pelagica (Chætura), see Chætura.

---- (Procellaria), see Procellaria. — (Thalassidroma), see Procellaria. pelagicus (Haliaētus), see Thalassaëtus. -- (Larus), see L. schistisagus.

- (Phalacrocorax), see Phalacrocorax.

- (Thalassaëtus), see Thalassaëtus. Pelagodroma marina (White-faced Petrel), N. Am. '85, 386.

Pelargomorphæ. '81. 78.

Pelargopsis, '94, 234.

pelasgia (Chætura), see C. pelagica. Pelecanidæ (* Pelicans), '81, 78, 194*, '93, 78*, 106, '94, 337, '96, 111.

Pelecanoidea, '94, 337.

Pelecanoides, 1900, 167.

exsul, syn. '96, 161. Pelecanus, '88, 70, '93, 99, '94, 337.

californicus (California Brown Pelican), Cal. '77, 74a, '86, 125a, 267, 401, '87, 87, 329; L. Cal. '90, 281; N. Am. '84, 384; Wash. '92, 353.—plm. '86, 267, 401.

(* American erythrorhynchos b trachyrhynchus), White Pelican, Cal. '86, 89; Canada, 1900, 177; Colo. '85, 18, 144; D. C. '84, 397; Fla. '87,

penicillatus (Phalacrocorax), see Phal-

Penguin, see Plautus impennis.

King, see Aptenodytes patachonica.

273a, 274a, '88, 377, '92, 211, '93, 337; Ind. '88, 346; Ky. '89, 312; Man. '86, 148; Mass. '77, 22b; Md. '89, 176; Mo. '89, 312; Me. '92, 292; Minn. '80, 19b, '84, 249a; N. B. '82, 106; N. C. '93, 242; N. E. '76, 60b; N. Y. '87, 67*, '93, 270, '95, 313; Ont. '84, 395*, '85, 111*; Ore. '79, 198, '83, 235*, '88, 141, '91, 366? (fossil), '93, 344 (fossil); S. D. '85, 288; Tex. '82, 225, '87, 184, 1900, 338; Va. '88, 147; Wash. '97, 171.—fd. '88, 25; hbt. '87, 274*, '88, 25, '92, 192; mig. '86, 148; nst. '80, 19b, '83, 235*; plm., syn. '80, 36. fuscus (* Brown Pelican), Bahamas, '91, 79, 295, 296; Fla. '87, 136a, 137a, 138a, 139a, 140a, 214a, 215°, 216°, 218°, 219°, 273°, 279°, 280°, 281°, '88, 377, '90, 307, '91, 133^a, 137, 231, 233, '92, 211; Ia. '90, 397^a; Ill. '80, 31, 32; Jamaica, '91, 363; Ky. '92, 206?; La. '82, 165; Minn. '84, 249a, '93, 289; S. C. '94, 85; Tex. '82, 225, 1900, 338; Venez. '97, 367; W. I. '81, 155, '88, 70, '91, 46; Wyo. '99, 351.—anat. '89, 333; fd. '87, 1392; hbt. '88, 26, meas. '99, 351; nst. '87, 218", 219", 281", '91, 231; plm. '86, 267, '91, 190, '99, 351 (mlt.); syn. '88, 70, '99, 178; misc. '91, 107a, '92, 386a, 1900, 95a. Pelican, American White, see Pelecanus erythrorhynchos. Brown, see Pelecanus fuscus. California Brown, see Pelecanus californicus. Frigate, see Fregata aquila. Pelicans, see Pelecanidæ. Pelidna, see Tringa. Pelycyornis, '96, 62. Pelzeln, August von. Obituary of, '91, 400, '92, 74. pelzelni (Euscarthmus), see Euscarth-· (Myrmeciza), see Myrmeciza. Penelope iacupema, misc. '96, 266. obscura, Argent., Urug., hbt., nst., song, '84, 275. penelope (Anas), see Mareca. - (Mareca), see Mareca. Penelopides, '94, 234, 235. affinis, P. I. '94, 236. basilanica, P. I. '94, 236. manillæ, P. I. '94, 236. mindorensis, P. I. '94, 236. panini, P. I. '94, 235. samarensis, P. I. '94, 236.

Penelopina nigra, Mex. '98, 156.

acrocorax. peninsulæ (Ammodramus), see Ammodramus. (Contopus), see Contopus. — (Cuculus), see Cuculus. - (Horizopus), see Contopus. - (Pyrrhuloxia), see Pyrrhuloxia. peninsularis (Falco), see Falco. Pennock, Charles John. Relaying of hawks in same nest when robbed, '78, 41. Note on nesting of Buteo brachyurus at St. Marks, Florida, '90, 56. Pennsylvania. Allen, J. A., '76, 96, '84, 184, '92, 176-177, '96, 244, '98, 72-73. Baily, W. L., '96, 289-297. Baily, W. L., '96, 289-297.

Batchelder, C. F., '91, 101-103.

Boudwin, G., '94, 70.

Brewster, W., '80, 1.

Castlebury, F. F., '90, 397.

Chadbourne, A. P., '89, 257. Collins, W. L., '80, 50. Congdon, H. W., '95, 189-190. Coues, E., '80, 179, '83, 171. Danenhour, F. H., '92, 283. Dwight, J., Jr., '92, 129-141, 202. Erdis, E. C., '87, 69. Fowler, H. W., '97, 326 [not 'W. Stone'], 410. Gentry, T. G., '76, 49, '78, 36, '80, 179. Haldeman, V. M., '87, 175. Homer, F. LeR., '90, 330-331. Ingersoll, E., '81, 184. Jacobs, J. W., '90, 84, 85, '91, 106. Kirkpatrick, H. C., '84, 289, '95, 309-Lawrence, R. B., '87, 349. Moore, H. F., '88, 210-211. Munson, S. A., '83, 178. Pennock, C. J., '90, 84. Raub, M. W., '92, 200. Reed, J. H., '88, 432, '89, 339-340, **297**, 374–383. Rhoads, S. N., '79, 234-235, '82, 55-56, '99, 308-313. Ridgway, R., '80, 118. Sennett, G. B., '80, 125-126, '82, 58, '89, 76, '90, 88-89. Stone, W., '86, 475, '87, 161, '88, 115, 116, 322, '89, 140-144, '94, 182, '97, 317, 324, 326 [see Fowler], **'98**, 331. Todd, W. E. C., 91, 116, 236, 238-

igneus, Borneo, '90, 352.

tegimæ, Japan, '87, 250.

239, 240, 395, 397-399, '93, 35-46, 209. Townsend, C. H., '82, 181, 251, '84, Trotter, S., '77, 79, '79, 235-236, '80, 115, 121. Tuelon, J. A., '83, 171, 233. Van Fleet, W., '76, 9-11. Warren, B. H., '81, 49, '85, 373, '86, 477, 477, '90, 395, 396. Warwick, W. T., '85, 98, 100. Wescott, C. S., '82, 117. Young, R. T., '96, 278-285. Pennsylvania [appropriations and statutes for bird protection], '89, 283. Pennsylvania, State Board of Agriculture, report, titles (Nos. 1059-1062), '86, 477. pennsylvanica (Motacilla), see Dendroica. → (Vermivora), Helmitherus see vermivorus. - (Buteo), see B. latissimus. pensilis (Rhimamphus), see Dendroica dominica. – (Sylvia), see Dendroica dominica. - (Sylvicola), see Dendroica dominica. pensilvanica (Alauda), see Anthus. pensilvanicus (Anthus), see Anthus. pensylvanica (Dendroica), see Dendroica. Penthetriopsis, '91, 92. peposaca (Metopiana), see Metopiana. percnopterus (Vultur), see Vultur. (Thryomanes), see Thrvomanes. percussus (Chloronerpes), see Xiphidiopicus. - (Chloropicus), see Xiphidiopicus. --- (Dendrobates), see Xiphidiopicus. —— (Picus), see Xiphidiopicus. - (Xiphidiopicus), see Xiphidiopi-Perdicinæ, '93, 109, '94, 172. Perdix perdix, Helg. '95, 337. perdix (Brachyrhamphus), see Brachyrhamphus. – (Perdix), see Perdix. peregrina (Helinaia), see Helminthophila. - (Helminthophila), see Helminthophila. (Otocoris), see Otocoris. – (Sylvia), see Helminthophila. peregrinator (Chætura), see C. gaumeri. peregrinus (Falco), see F. peregrinus

or anatum.

Pericrocotus, '94, 243.

Periodicals noticed, see each title. Perisoreus, '84, 57, '90, 278, '96, 73, 158. canadensis (* Canada Jay), g. dist. '93, 126; Hud. B. '90, 322; Man. '86, 321; Mass. '90, 91, '92, 395; Me. '82, 122, 149, '85, '99a; Mich. '81, 119a, '93, 225, '99, 12-19; Minn. '84, 245; '93, 225, '99, 12-19; Minn. '84, 245; N. B. '82, 181, '89, 117; N. C. '86, 101?; N. F. 1900, 72, '87, 103*, 104; N. S. '91, 165, '99, 251; N. Y. '78, 53, '81, 231, '83, 52*; Ont. '84, 160, '85, 335; P. E. I. '85, 265*, '93, 10?; Que. '82, 236, '85, 107*; Vt. '82, 64, '87, 256.—fd. '90, 12, 17, bbt '91, 391, '90, 12 91, '99, 12, 17; hbt. '91, 391, '99, 12, 251; meas. '99, 15; mig. '85, 107a'; nst. '82, 181, '85, 99a', '99, 12-19 (photos.); song, '99, 12, 14, 16; syn. '80, 107; misc. '83, 4 (fig.), '88, 316a', '90, 389, 389, 397a. capitalis (Rocky Mountain Jay, b canadensis), Ariz. '90, 49, 256; B. C. '93, 16; Colo. '79, 94b, 239, '81, 140, '85, 16, '89, 230, '94, 268; g. dist. '93, 126; Ida. '97, 356; Mont. '82, 62, '94, 304; N. M. '86, 75, '98, 309; Wash. '93, 16.—fd. '89, 230; hbt. '81, 140, '86, 75; meas. '79, 239, 240; nst. '79, 239, '97, 356; syn. '78, 79, '80, 107. fumifrons (Alaskan Jay), Alas. '80, 178, '87, 12; g. dist. '93, 126; Wash. '83, 169.
griseus, '99, 255*, see obscurus.
infaustus, Helg. '95, 330.—misc. '96, 158. nigricapillus (Labrador Jay), g. dist. '93, 126; Labrador, '82, 258, '83, obscurus (Oregon Jay, b griseus), g. dist. '93, 126, '99, 255"; Ore. '79, 195, '86, 167, '88, 226, 261, '89, 235, '91, 397; Wash. '92, 45, 309.—hbt. '86, 167, '92, 45; meas., nst., song, '85, 167; syn. '78, 79, '80, 107, 178. Perissoglossa, '94, 141, 144, see Dendroica. Perissospiza, 1900, 304. Peristera cinerea, C. R. '92, 329. mondetura, syn. '90, 385. Peristeridæ, '94, 61, '99, 319. Peristeropodes, '81, 80, '94, 172, '97, 341.

perlata (Leucocerca), see Rhipidura.

- (Rhipidura), see Rhipidura.

— (Strix), see Strix.

permagna (Treron), see Treron. Pernes, '77, 71. pernigra (Cathartes), see Cathartes. Pernis, '94, 233, 234. apivorus, Helg. '95, 329. pernix (Ochthodiæta), see Ochthodiæta. peronii (Ægialitis), see Ægialitis. — (Charadrius), see Ægialitis. perpallida (Columbigallina), see Columbigallina. perpallidus (Ammodramus), see Ammodramus. - (Coturniculus), see Ammodramus. perplexus (Empidonax), see Empidonax. perquisitor (Vireo), see Vireo. Perrior, Albert William. Food of Robin, '99, 284. Bohemian Waxwing in Onondaga Co., N. Y. 1900, 68. Obituary of John A. Dakin, 1900, persicus (Cassicus), see Cassicus. personata (Tityra), see Tityra. personatus (Icterus), see I. leucopteryx. --- (Nesomimus), see Nesomimus. — (Philortyx), see P. fasciatus. — (Trichas), see Geothlypis trichas. perspicillata (Anas), see Oidemia. --- (Oidemia), see Oidemia. - (Pelionetta), see Oidemia. perspicillatus (Lichenops), see Lichenops. - (Phalacrocorax), see Phalacrocorax. pertinax (Contopus), see C. pertinax or pallidiventris. (Conurus), see Conurus. (Horizopus), see Contopus. Peru. Saunders, H., '83, 54. peruviana (Brachyspiza), see Brachyspiza. — (Cœreba), see Cœreba. -- (Dendrornis), see D. chunchotambo. --- (Manikup), see Manikup. --- (Pyrgita), see Brachyspiza. peruvianus (Pithys), see Manikup. Petasophora coruscans, Colom.?, plm. **'89**, 210.

thalassina, Mex. '95, 357. Petchary, see Tyrannus dominicensis.

petechia (Dendroica), see Dendroica.

--- (Sylvicola), see Dendroica petechia or gundlachi.

—— (Motacilla), see Dendroica. — (Sylvia), see Dendroica.

cata. dactyla. leucura. leucura. roensis. rina. fulva (Cuban Cliff Swallow), W. I. '81, 152, '86, 57; Fla. '90, 264, 311; g. dist. '91, 86; Jamaica, '93, 181, '94, 127.-hbt. '93, 181; meas., plm. '86, 57; nst. '94, 127; syn. '86, 57, '91, 86. lunifrons (a Cliff or Eave Swallow, b pyrronota, c Hirundo), Aris.
'82, 146, '88, 31, '90, 48; Bras.'84, 368b; Cal. '86, 183, '89, 223, '96, 121; Colo. '79, 93, '83, 160, '85, 15, '87, 123, '95, 153°; Conn. '95, 83;

PETROCHELIDON LUNIFRONS. 302 petenica (Aimophila), see Aimophila. Peter-bird, or Peto, see Parus bicolor. Peters, Ernst, and Berlepsch, H. von, see Berlepsch and Peters. Petrel, Alaskan, see Æstrelata fisheri. Ashy, see Oceanodroma homochroa. Black, see Oceanodroma melania. Black-capped, see Æstrelata hasitata. Bulwer's, see Bulweria bulweri. Capped, see Æstrelata hasitata. De Filippi's, see Æstrelata defilippi-Fisher's, see Æstrelata fisheri. Fork-tailed, see Oceanodroma fur-Fulmar, see Fulmarus glacialis. Guadalupe, see Oceanodroma macro-Hawaiian, see Oceanodroma crypto-Hornby's, see Oceanodroma hornbyi. Jamaican, see Æstrelata caribbæa. Kaeding's, see Oceanodroma kaedingi. Knudsen's, see Oceanodroma crypto-Leach's, see Oceanodroma leucorhoa. Least, see Halocyptena microsoma. Peale's, see Æstrelata scalaris. Pintado, see Daption capensis. Scaled, see Æstrelata scalaris. Socorro, see Oceanodroma socor-Stormy, see Procellaria pelagica. Townsend's, see Oceanodroma town-White-bellied, see Fregetta grallaria. White-faced, see Pelagodroma ma-White-faced Stormy, see Pelagodroma marina. Wilson's, see Oceanites oceanicus. Petrels, see Procellariidæ. petrificatus (Ereunetes), see E. pusil-Petrochelidon, '84, 43, '86, 56, '93, 111.

D. C. '88, 23; Gulf of Mex. '81, 251;

Ia. '95, 122, 235; Ida. '98, 17; Ill.

'89, 338; Ind. '89, 25; Ky. '89, 315; La. '87, 304; L. Cal. '95, 141; Man. '86, 324; Mass. '84, 6a, '88, 389, '89, 45, 102; Me. '82, 110; Mex. '99, 357, 358; Mich. '93, 226; Minn. '80, 14; Mo. '79, 142, Mont. '94, 306, '95, 217; N. B. '82, 110; N. C. '93, 243; N. H. '88, 150, 152, 154, '89, 77, '98, 194"; N. J. '94, 139; N. M. '92, 366, '98, 310; N. S. '87, 15^a, 16, '91, 166^a; N. Y. '81, 229, '82, 187; O. '80, 233", '95, 242, Ore. '86, 169, '88, 360; Pa. '92, 138, '93, 40, '96, 295; P. E. I. '93, 12; Que. '82, 235; S. D. '85, 279; Tenn. '86, 317; Tex. '82, 11, 37, '87, 294, '92, 340, 1900, 347; Utah, '99, 359°; Va. '86, 161; Vt. '81, 55; Wash. '92, 356, '97, 179, 1900, 356.—hbt. '78, 105-112, '90, 396a, '91, 110, '95, 217, '97, 179. '99, 358; plm. '76, 21 (alb.), '78, 63, 135 (hyb.), '87, 309^a; syn. '78, 105, '85, 366^b, '90, 194; misc. '89, 338, '95, 375^a, '99, 359°.

melanogaster, syn. '95, 375. Petrophila, '84, 229. Pettichaps, see Sylvia orpheus. petzii (Conurus), see Conurus. Peucæa, '98, 226, '99, 80, 119.

æstivalis (* Pine-woods Sparrow), Fla. '81, 16 [bachmanii?], '88, 186, 274, 355, '89, 323, '91, 128*, 138, '92, 213, '95, 365; Ga. '83, 39; g. dıst. '79, 218, '93, 133, '85, 105; meas. '83, 39, '88, 356; nst. '83, 39, '88, 274, 355; plm. '85, 105; syn. '79, 219, '80, 52, '85, 105.

arizonæ (Arizona Sparrow, b mexicana), Aris. '85, 226; Tex. '85, 370b.

—syn. '79, 219, '85, 370; '87, 336, '88, 401, '98, 227.

australis, Mex. '97, 63*.

bachmanii (a Bachman's Sparrow or Finch, b estivalis, c illinoensis), Ala. '79, 8b; Fla. '81, 16b, '88, 186, 274, '89, 323, '92, 213, '95, 365; Ga'82, 98a, '83, 39b; g. dist. '79, 219c*, '85, 72a, '88, 351-356; Ill. '76, 42b, '78, 164b, '80, 89c, '83, 58c, '90, 242; Ind. '82, 17c, 21c; Ky. '82, 50c, '94, 244b; La. '82, 162c, '87, 302a; Md. '97, 219; Miss. '99, 269; N. C. '86, 100, 110; S. C. '91, 51, 168, '92, 31a; Tenn. '82, 192c, '86, 318; Tex. '80, 89c, '85, 299c, '87, 292, '92, 73; Va.

'97, 322, 1900, 296.—hbt. '79, 218-222°, '86, 318, '99, 269; meas. '83, 39^b, '88, 356; mig. '88, 274, '91, 51, '92, 31^e: nst. '83, 39^b, '87, 292, '88, 351-356, '97, 322, 1900, 296; plm. '82, 192°, '85, 105, '86, 110; song, '79, 8^b, 220°, 221°, '82, 98^a, '88, 351, 354, 355; syn. '79, 219°, '80, 52°, '85, 105; misc. '90, 82^a.

cassini (* Cassin's Sparrow), Ariz.
'82, 195, '85, 226; Cal. '90, 215; g.
dist. '93, 135; N. M. '86, 74, '92, 359*,
366; Tex. '78, 144, '82, 13, '87, 292,
'89, 240, '92, 73, 338, 1900, 346.—hbt.
'87, 292, '92, 73; meas.. plm. '82,
195, nst. '87, 292; song, '82, 195,
'87, 292; syn. '79, 219.

eremœca, '82, 26*, see Aimophila. fusca, Mex. '97, 62*.

illinoensis, '79, 219*, see bachmanı.

notosticta, Mex. '94, 67. scotti, '88, 41*, see Aimophila. Peucedramus, '80, 92, '85, 367, '90, 194. aurantiacus, Guat. '96, 330.

Pewee, see Sayornis phœbe.
Alaskan Wood, see Contopus [saturatus =] richardsoni.

Bahaman Wood, see Blacicus bahamensis.

Bridge, see Sayornis phœbe.
Black, see Sayornis nigricans.
Common, see Sayornis phœbe.
Large-billed Wood, see Contopus
peninsulæ.

Least, see Empidonax minimus. Richardson's, see Contopus richardsonii.

Say's, see Sayornis sayi. Western Wood, see Contopus richardsonii.

Wood, see Contopus virens. Pezopetes, '98, 223. Pezophaps, '94, 60.

Phabotreron, '94, 236.

amethystina, P. I. '94, 237. Phacellodomus inornatus, Venez. '88, 194, '97, 365, 369.

sibilatrix, Urug., nst. '83, 209. striaticollis (bruber), Urug., nst. '83, 210b syn. '89, 269.

phæa (Chamæa), see C. fasciata. Phænicophæus erythrognathus (b Rhopodytes), Borneo, '91, 11b.—syn. '91, 11b, '92, 184.

Phænicophilus, '84, 3, '86, 199. dominicensis, W. I. '81, 129*, 152, '86, 200.—fd. '81, 152; plm., syn. '86, 200. palmarum, W. I. '81, 130, 152, '86, 200.—fd., song, '81, 152; meas., plm., syn. '86, 200.

Phænicothraupis, see Phœnicothraupis. phæocephalus (Criniger), see Criniger. —— (Ixos), see Criniger.

phæocercus (Mitrephanes), see Mitrephanes.

phæonotus (Junco), see Junco. phæopus (Numenius), see Numenius. phæopyga (Porzana), see Porzana. Phæornis, '95, 72.

myiadestina, H. I. '88, 197. Phæospiza thomensis, misc. '88, 317. Phaëthon, '88, 73, '90, 72, '93, 99, '94, 337, 338.

æthereus (* Red-billed Tropic Bird), L. Cal. '88, 241*, 244; Revill. Is. '98, 314, 316, 317; W. I. '80, 169, '88, 74, '91, 362.—hbt., nst., song, '88, 244, '98, 314; meas. '88, 74, 244; plm., syn. '88, 74.

americanus (* Yellow-billed Tropic Bird, b flavirostris), Bahamas, '91, 335b, 351b; Bernuda, '96, 239b; Fla. '86, 481*; g. dist. '99, 102, 338; Jamaica, '91, 249-256b, 362b; N. Y. '80, 63b, '99, 193; W. I. '81, 155b, '88, 73b, '91, 47b, '92, 229b.—anat. '94, 338b; fd. '91, 249b, 255b; hbt. '91, 249-256b; meas. '88, 73b, '91, 249b, 254b; nst. '91, 249b, 253b; plm. '88, 73b, '91, 249b, 253b, 255b, '99, 338; syn. '88, 73b, '98, 208, '99, 102, 338.

rubricaudus (Red-tailed Tropic Bird), g. dist., syn. '99, 102; L. Cal. '98, 38.

Phæthontidæ, '81, 78, '93, 106, '94, 337. Phæthontoidea, '94, 337.

Phæthornis augusti, Venez. '97, 366. guyi, Trimdad, '95, 204; Venez. '97, 366.

Phæthusa magnirostris (b Sterna), Argent. '84, 316b; Braz. '91, 163; Venez. '97, 367.—fd., hbt. '84, 316b.

Phainopepla, '93, 111, 131, '95, 72.

nitens (Phainopepla), Ariz. '82,
77, '85, 242-246, '86, 68, '88, 31, '94,
219; Cal. '78, 65, '83, 237, '86, 183,
'87, 86, '90, 296, '96, 38-43, 265; g.
dist. '93, 135; L. Cal. '95, 142; Mex.
'85, 228.—fd. '82, 77, '85, 242, 243,
244, '86, 183, '95, 142, '96, 38, '97,
319a; hbt. '83, 237, '85, 242-246, '86,
183, '96, 38-43, '97, 319a; meas. '85,
245, 246, '86, 184; mig. '85, 242,
244; nst. '83, 237, '85, 242, 286, 183,
'96, 38; plm. '82, 77, '85, 242, 244

(mlt.), '86, 70; song, '82, 77, '85, 242, '86, 183, '96, 38; misc. '86, 477.
Phainopepla, see Phainopepla nitens. phainopeplus (Campylopterus), see Campylopterus.

Phalacrocoracidæ (a Cormorants), '81, 78, '83, 174a, '84, 189a, 189a 196a, '85, 210a, 211a, '93, 78a, 106, '94, 337, '96, 111a, '97, 87a, 205a, 316a.

Phalacrocorax, '84, 144, '85, 96, '88,

70, '93, 99, '94, 337, '99, 202.

albociliatus (a Farallone Cormorant), Cal. '85, 208, '87, 93; L. Cal. '90, 281, '97, 205a; N. Am. '84, 384, —anat. '97, 205a; nst. '89, 176, '97, 205a; plm. '92, 196.

carbo (a Cormorant, b Graculus), B. C. '77, 96b [robustus?]; g. dist. '93, 125; Greenl. '89, 215; Helg. '95, 327; Mass. '85, 112, '94, 18; Me. '85, 112; N. J. '85, 97, '95, 171; Norway, '96, 312-314; N. S. '95, 90?, N. Y. '79, 33b, 175b; N. Y. '83, 175b [= Sula bassana, see '83, 178b], '89, 133, 200, 332 [dilophus?], '94, 163; Ont. 1900, 176; Ore. '77, 96?; P. E. I. '93, 7 [dilophus?], '94, 21; S. C. '83, 186; Vt. '85, 210.—fd. '94, 163; meas. nst. '96, 313 (photo); plm. '96, 312, '97, 316; msc. '86, 125.

cincinatus (White-crested Cormorant), Alas. '85, 158; Cal. '86, 89; g. dist. '93, 125?; Ida. '97, 350; Ore. '88, 141; Wash. '93, 17, 1900, 350.—syn. '99, 202.

dilophus (a Double-crested Cormorant, b Graculus), Colo. '86, 283; g. dist. '93, 125; Man. '86, 148; Mass. '85, 112, '87, 253, '94, 175a; Me. '96, 178; Minn. '80, 20b, '84, 249; N. J. '79, 226b; N. Y. '79, 62b, '82, 128, '83, 118b, '89, 332, '90, 55, '95, 313; Ore. '83, '235?; P. E. I. '93, 7?; Que. '82, 240, '89, 146; R. I. '94, 18-25; S. D. '85, 288.—anat. '84, 196a; fd. '94, 18, 20, 22, 25, 175a; hbt. '94, 18-25, 175a; meas. '90, 55; mig. '94, 18, 24, 25; nst. '83, 235a, '91, 107; plm. '90, 55, '94, 18, 25, '96, 78; syn. '99, 202; misc. '92, 192a.

floridanus (a Florida Cormorant, b Graculus), Bahamas, '91, 79, 337, '92, 48; Fla. '81, 41a, '87, 136, 141a, 215a, 219a, 274a, 280a, 282a, '88, 377, '90, 307, '91, 133a, 137, 233a, '92, 211, '95, 364; III. '76, 44b; N. C. '99, 248; Tex. '87, 184; W. I. '88, 70; hbt. '87, 136, 215a, 281a; nst. '87,

136^a, 219^a, '88, 377, '99, 248; syn. '88, 70, '99, 202.

graculus, Helg. '95, 327.

harrisi, Galap. Is. '98, 288, 1900, 302.-syn. 1900, 80.

macropus (fossil), Orc. '91, 366, '93. 344.

mexicanus (Mexican Cormorant, b Graculus), Bahamas, '91, 337; Cuba, '88, 71; Ill. '80, 31b; Tex. 1900, 338. -hbt. '83, 116; syn. '88, 71, '99, 202.

pelagicus (Pelagic Cormorant), Alas. '85, 158; g. dist. '93, 123.syn. '84, 385, '99, 202.

penicillatus (a Brandt's Cormorant), Cal. '86, 89, '87, 329, '94, 97a; Wash. '92, 353?.—mig. '94, 97a; plm. **'**97, 316.

perspicillatus, Bering I. '84, 82; g. dist. '90, 276.—anat. '90, 276; plm. '97, 316; misc. '84, 82, 144, '88, 401. resplendens (Baird's Cormorant), Cal. '87, 87, 329; Wash. '84, 163-165.

-hbt., meas., nst., plm. '84, 163; syn. '84, 165, 385.

robustus (Violet-green Cormorant, b Graculus), Alas. '80, 35b, '98, 126, 230; g. dist. '84, 384, '93, 125; Wash. '92, 309, 1900, 350; hbt., meas., nst. **'98**, 126.

urile (Red-faced Cormorant, bicristatus), g. dist. '93, 123.-anat. '84, 189b, '89, 333, '96, 172; syn. '84, 385, '99, 202,

vigua (b brasilianus), Argent. '84, 270^b; Patagonia, '90, 274; Urug., hbt. '84, 270b; syn. '99, 202.

phalæna (Tinnunculus), see Falco sparverius.

phalænoides (Glaucidium), see Glaucidium.

'80, 178, '93, Phalænoptilus, 110, 130, '95, 287.

californicus (California Poor-will, b nuttalli), Cal. '85, 100b, '86, 179b '87, 86b, 336, '88, 396?; L. Cal. '95, 139b.—syn. '93, 68.

nitidus (Frosted Poor-will, b nuttalli, c Antrostomus nuttalli), Ariz. '81, 71°, '83, 21°, '85, 356°, '86, 429°, '87. 147*, '90, 254b; g. dist. '88, 396; Kan. '89, 124, '90, 286; N. M. '92, 362, '98, 308b; Tex. '87, 147, 191b, '89, 302, 98, 308; 1ex. 37, 147, 191, 39, 239, '92, 235.—hbt. '83, 21°, '87, 191b; meas. '90, 286; nst. '87, 191b, '90, 254b, 286; song, '86, 429b, '89, 239; syn. '87, 147, '90, 286, '93, 68. b Antrostonuttallii (Poor-will,

mus), Ariz. '81, 71b2, '83, 21b?, '85, 356?, '86, 429?; B. C. 1900, 106; Cal. '85, 100?; Colo. '83, 195°, '85, 17, 143, '94, 268; g. dist. '93, 134; L. Cal. '95, 139?; N. M. '85, 382, '86, 783, '98, 308?; S. D. '85, 283; Tex. '87, 191?, '92, 235; Wash. '97, 175.—anat. '86, 404, '90, 279; fd. '85, 382; hbt. '83, 21b?, 195b, '85, 382; nst. '85, 100; song, '86, 429; syn. '90, 286, '93, 68; misc. '89, 124 (corr.).

Phalaridion, '94, 317.

Phalarope, Northern, see Phalaropus lobatus.

Red, see Crymophilus fulicarius. Red-necked, see Phalaropus lobatus. Wilson's, see Steganopus tricolor.

Phalaropus, '78, 150, '79, 224, '85, 182, '93, 99, 108, '95, 65.

(a Northern Phalarope, lobatus b Lobipes hyperboreus, c hyperboreus), Alas. '81, 131a, '85, 63b, 157b, '98, 126; Cal. '87, 90, '94, 27a, 97a; Colo. '81, 249b, '85, 18b; Conn. '87, 78 [= Crymophilus fulicarius, see '94, 74], '93, 371a; D. C. '86, 140 [= Crymophilus fulicarius, see '86, 482]; g. dist. '93, 123; Helg. '95, 339; Hud-B. '90, 321; Ida. '97, 251; Kan. '83, 186^b; Man. '86, 151; Mass. '78, 151^c, 152^c, '80, 122^b, '91, 113^a, 119, 310, '92, 295, 296, 298, 299, '94, 226; Mont. '89, 336, '94, 302, '95, 213; N. C. '78, 40^b; N. H. '89, 68, '94, 250; N. J. '95, 189; N. Y. '78, 54^b, '80, 117^b, '81, 234^b, '83, 180^b, '84, 33^b; '86, 436, '87, 73, '89, 134-136, '90, 86°, 230, '99, 285; Ore. '79, 197b, '91, 367 (fossil), '93, 344 (fossil); Pa. '91, 240; Que. '85, 315b; S. C. '80, 242°, '85, 192°; Siberia, 1900, 309; Wash. '97, 172; Wyo. '83, 240°.—
fd. '89, 68, '94, 226; hbt. '81, 131°, '83, 186°, 240°, '89, 68, 134, 336, '93, 293, '94, 226; mig. '85, 63b, '89, 134, '90, 86a, '91, 119, 310, '94, 27a, 97a, 110°, 226, '97, 351; nst. 1900, 307° ('Red-necked Phalarope'); plm. '92, 298, 1900, 370 (mlt.); song, '94, 226; syn. '77, 38, '84, 384b, '85, 183, '97, 103°; misc. '92, 387, '94, 324a.

Phalcobænus, '77, 71. phalerata (Leucuria), see Leucuria. Phaleridæ, '92, 174. Phalerinæ, '99, 286. Phaleris, see Cyclorrhynchus. pharetra (Dendroica), see Dendroica. — (Sylvicola), see Dendroica.

Pharomachrus festatus, Colom. 1900,

mocinno, Mex. '98, 156.-syn. '99, 323.

Pharomacrus, see Pharomachrus.

phasianellus (Pediocœtes), see Pediœ-

- (Tetrao), see Pediœcetes.

Phasianidæ (* Pheasants), '81, 80, '94, 172, '97, 246a.

Phasianus, '93, 99.

colchicus (* English Pheasant), Ga. '90, 390a (introduced).-misc. '84, 288ª, 288ª.

mongolicus (a Chinese or Mongolian Pheasant) [introd.], Conn. '92, 70; Ill. '92, 67"; Ore. '92, 67", 68", '94, 70°; misc. '91, 389°, '92, 66°,

nycthemerus, misc. '94, 70.

pictus (a Golden Pheasant), misc. '92, 385°, '94, 70.

torquatus, plm. '99, 180 (hyb.); misc. '94, 70.

Pheasant, see Phasianus colchicus; Bonasa umbellus (in the South).

Chinese, see Phasianus mongolicus. English, see Phasianus colchicus. Golden, see Phasianus pictus.

Mongolian, see Phasianus mongoli-

Oregon, see Phasianus mongolicus? Pheasants, see Phasianidæ.

Phelps. William Henry.

Birds observed on a collecting trip to Bermudez, Venezuela, with critical notes and descr. of two new species by Chapman, '97, 357-371.

phelpsi (Sittasomus), see Sittasomus. Philacte, '93, 107.

canagica (Emperor Goose, b Chlæphaga), Alas. '79, 53b, '84, 80, '85, 158; B. C. '95, 76; Cal. '86, 491; g. dist. '93, 123; Kamts. '88, 311?. (Chrœcocephalus), philadelphia Larus.

— (Chroïcocephalus), see Larus.

- (Geothlypis), see Geothlypis.

—— (Larus), see Larus. - (Sterna), see Larus.

Philadelphia Academy of Natural Sciences, Proceedings, titles (No. 364), '83, 178, (Nos. 2302-2306) **'92**, 194.

philadelphicus (Lanivireo), see Vireo.

- (Vireo), see Vireo.

Philemon, '94, 58.

Philentoma, '94, 34, '99, 353.

pyrrhopterum, Borneo, syn. '90, 353.

Philepittidæ, '81, 36, '89, 267.

Philetairus socius (* Social Weaver Bird), nst. 1900, 190a.

philippensis (Loriculus), see Loriculus. - (Ninox), see Ninox.

Philippine Islands.

Allen, J. A., '98, 284-285. Steere, J. B., '94, 231-240.

philippinus (Merops), see Merops.

Phillips, Charles Lincoln.

Egg-laying extraordinary in Colaptes auratus, '87, 346.

Philohela, '78, 16, '84, 41, '88, 331, '93. 108, 130,

minor (* American Woodcock), Ala. '79, 12, '91, 391°; Colo. '86, 285; Conn. '85, 296°; D. C. '88, 20; Fla. '78, 151a, '88, 270, '89, 156, '92, 212, '95, 364; Ga. '78, 151a, '96, 215; g. dist. '93, 133; Ia. '95, 121, 236; Ind. '82, 22, '88, 348; Jamaica, '92, 12; Ky. '89, 312; La. '82, 165, '97, 288; Man. '86, 151; Mass. '83, 150a, '86, 153a, '87, 73, '88, 389, '94, 84, 291-298; Me. '82, 151, '93, 292a, 296; Mich. '93, 223; Minn. '80, 18, '84, 248; Miss. '82, 94, '85, 213ª; Mo. '79, 147; N. B. '82, 151; N. C. '86, 102, 314ª, '87, 241, '90, 391ª; N. H. '93, 293ª; N. J. '80, 134ª, '94, 136; N. S. '85, 41°, '93, 292°, '95, 90; N. Y. '81, 234, '85, 261, '92, 67^a; O. '95, 242; Pa. '96, 2912, 292; P. E. I. '93, 8; S. C. '79, 217, '93, 204, '94, 32a, '99, 197; S. D. '85, 286; Tenn. '86, 320; Tex. '87, 183; W. I. '87, 311.—anat. 788, 330°, 91, 390, 92, 286°, fd. 87, 73, 90, 397, 93, 292°, 293°, 297°; hbt. 84, 87°, 90, 392°, 395°, 396°, 91, 390°, 391°, 92, 67°, 93, 391°, 92, 67°, 93, 391°, 92, 67°, 93, 391°, 92, 67°, 93, 391°, 92, 67°, 93, 391°, 92, 67°, 93, 931°, 9 296a, '94, 70a, 291; mig. '80, 134a, ²93, 204, 292°, 294°, 295°, '94, 32°, 69°, 84, '95, 121, 236, 242, '99, 197; nst. '78, 151°, '85, 213°, 298°, '86, 102, '88, 20, 348, '90, 391°, '92, 385°, '93, 296°, '94, 68°; plm. '76, 23 (alb.), '78, 17, '79, 44, '81, 162, '93, 265. 296a (mlt.), 1900, 370 (mlt.); song, '85, 261, '87, 67a, '90, 392a, 392a, 393^a, 397^a, '91, 389^a, '92, 67^a, 68^a, '94, 69^a, 291–298; syn. '87, 311; misc. '80, 113^a, '81, 192^a, '83, 173^a, 235^a, '85, 99^a, '89, 178^a, 179^a, '90, 390^a (4 items), '90, 392a (6 items), 393a (6 items), 394a, 396a, 398a, 398a, '91, 387a, 388a, 389a (5 items), 390a (4 items), '92, 66a, 67a (7 items), 68a

72. Tex. '87, 185; Urug. '84, 272b;

```
(7 items), 69<sup>a</sup>, 69<sup>a</sup>, 69<sup>a</sup>, 386<sup>a</sup>, '93,
  292ª (6 items), 293ª (5 items), 295ª,
  296a (7 items), 297, '94, 69a (4
  items), '96, 126ª (photos).
Philomachus, see Pavoncella.
philomela (Daulias), see Daulias.
    - (Luscinia), see Daulias.
Philortyx, '85, 45.
    fasciatus (b Ortyx, c personatus),
  Mex. '86, 333°*; Cal. '77, 95°?.
     personatus, '86, 333*, see fasciatus.
Philydor erythrocercus, Bras. '91, 26.
Phlegopsis bowmani, Bras. '91, 290.—
  plm. '86, 93 (alb.).
     notata, Boliv. '90, 382.
     saturata, Nicar. '96, 331.
Phleocryptes melanops, Urug., hbt.,
  nst. '83, 206.
Phlæotomus, see Ceophlæus.
Phlogoenas, '94, 235.
Phlogopsis, see Phlegopsis.
Phodilus, '78, 78.
phæbe (Muscicapa), see Sayornis.
—— (Myiarchus), see M. sagræ.
--- (Sayornis), see Sayornis.
--- (Tyrannula), see Contopus rich-
       ardsonii.
  --- (Tyrannus), see Myiarchus sagræ.
Phœbe, see Sayornis phœbe.
  Black, see Sayornis nigricans.
  Say's, see Sayornis saya.
  Yukon, see Sayornis [yukonensis ==]
     saya.
Phœbe-bird, see Sayornis phœbe.
Phœbetria fuliginosa (Sooty Albatross,
  b Diomedea), Ore. '77, 97b?; S. Am.,
  hbt. '87, 3.
phœniceus (Agelaius), see A. phœniceus,
       bryanti or longirostris.

    (Cardinalis), see Cardinalis.

   – (Oriolus), see Agelaius.
phænicobius (Cypselus), see Cypselus.
Phœnicophilus, see Phænicophilus.
  dominicensis, '81, 129*, see Phæni-
    cophilus.
phœnicoptera (Rhodopechys), see Rho-
       dopechys.
Phœnicopteri, '84, 383.
Phænicopteridæ (* Flamingoes), '77,
    64*, '78, 184, '81, 78*, 78, 156*, 163.
Phœnicopterus, '81, 78, 156, '87, 322,
  '93, 99.
    copei (fossil), Ore. '91, 367, '93,
  344.
    parvus, syn. '93, 186.
    ruber (American Flamingo, bigni-
  palliatus), Argent. '84, 272b; Baha-
  mas, '91, 78; Fla. '89, 13, '90, 221-
  226, '92, 211; g. dist. '93, 141; Ja-
```

```
W. I. '80, 107, '81, 155, '87, 323,-fd.
  '91, 78; hbt. '90, 221-226, '91, 78;
  syn. '87, 323; misc. '82, 115a, 131a,
  '89, 13.
Phænicothraupis affinis, Mex. '97, 66*.
     carmioli, C. R. '85, 291.
     rhodinolæma, Bras. '90, 267. roseus, Mex. '98, 340.
     rubra, Venes. '97. 364.
phænicotis (Anthothreptes), see An-
       threptes.
  — (Anthreptes), see Anthreptes.
---- (Nectarinia), see Anthreptes.
phœnicura (Parra), see Hydrophasianus
       chirurgus.
Phœnicurus, see Ruticilla.
phœnicurus (Ruticilla), see Ruticilla.
Pholidauges femoralis, Africa, meas.
  '97, 160*.
Phonipara, see Euetheia.
Phororhacidæ, '96, 61, 63.
Phororhacos (fossil), '96, 61, 62, 63.
     inflatus, Patagonia, meas. '96, 61.
    longissimus, Patagonia, meas. '96,
Photogravures, see Plates.
Phoyx, '88, 196.
phragmitis (Acrocephalus), see Acro-
       cephalus.
phryganophila (Synallaxis), see Synal-
       laxis.
Phrygilus aldunatii (b Emberiza), syn.
  '88, 194<sup>b</sup>, 412.
    atriceps, syn. '88, 194, 412.
    caniceps, Urug., hbt., mlt., song,
  '83, 130.
    gayi (b formosus), syn. '88, 194,
  195b.
    punensis, syn. '88, 194, 412.
    saturatus, svn. '88, 412.
Phyllomyias incanescens, syn. '90, 384.
Phyllopseustes borealis (Kennicott's
                          b Phylloscopus,
             Warbler,
  Willow
  c kennicotti), Alas. '81, 5°, '84, 77°,
  '85, 373b, '87, 13; Helg. '95, 332b.—
nst. '85, 373b, '89, 329; syn. '80, 95b,
  '86, 128°.
Phyllornithidæ, '81, 34.
Phylloscartes ventralis, Urug. '83, 198.
Phylloscopus, '80, 95, '83, 100, '94, 233.
    bonellii, Helg, '95, 332.
    coronata, Helg. '95, 332.
    ijmæ (b Acanthopneuste), Japan,
  '93, 346b.
    nitida, Helg. '95, 332.
    proregulus, Helg. '95, 332.
    rufus, Helg. '95, 332.
```

sibilatrix (* Wood Wren), Germany, '96, 308ª; Helg. '95, 332. superciliosus, Helg. '95, 332. tristis, Helg. '95, 332.

trochilus (a Willow Wren), Germany, '96, 308"; Helg. '95, 332 .- nst. 97, 247.

viridana, Helg. '95, 332.

Phyllostrephus terrestris, syn. 1900,

Phytotoma, '97, 417.

rutila, Urug., fd., nst., song, '83,

Phytotomidæ, '81, 29, 36, '89, 267, '96,

Piaya, '97, 90.

cayana, Venez. '97, 366.—syn. '92,

184. minuta, Bras. '91, 159. pallescens, Braz. '91, 159.

mehleri, C. R., hbt., meas., nst. '92,

Pica, '85, 366.

camtschatica, Kamts. '85, 95.

hudsonica (a American or Blackbilled Magpie), B. C. '93, 291, 382; Cal. '99, 78; Colo. '79, 94, '81, 139, '83, 193, '85, 16, 142, '87, 124, '90, 80°, '94, 216°, 268; g. dist. '93, 126; Ida. '97, 356, 1900, 244; Ill. '95, 395; Kan. '86, 115; Man. '86, 321; Minn. '84, 245, '93, 289; Mont. '94, 304, '95, 215; Neb. '83, 286a, '88, 317a, '89, 1811; N. M. '98, 309; Ont. '98, 274; Ore. '79, 194, '86, 166, '88, 261; Que. '90, 387; S. D. '85, 282; Wash. '82, 227, '93, 17, 291, 382, '97, 177.anat. '88, 414; hbt. '88, 261; mig. '88, 317^a, '89, 181^a; nst. '79, 194, '85, 142, '88, 261, '91, 107a, '97, 177; syn. '80, 178.

nuttalli (* Yellow-billed Magpie), Cal. '86, 181, '99, 79.—hbt., nst. '86, 181; plm. '83, 126a; misc. '89, 180a.

pica (a European Magpie, b rustica), Helg. '95, 330.-syn. '80, 178, '86, 418ª, '87, 62ª.

rufiventris, syn. '93, 186.

pica (Fluvicola), see Fluvicola.

-- (Pica), see Pica.

Picariæ, '81, 31, 36, 73, 75, 76, 80, 83, '86, 406, 444, 445, '91, 92, '92, 184, **'93**, 66.

picazuro (Columba), see Columba.

Pici (* Woodpeckers), '81, 30, 36, 37, 75, 75^a, 76, 161, 163, '82, 132^a, 134^a, '83, 116^a, '85, 212^a, '86, 270^a, '87, 64^a, 193^a, 265^a, 340^a, '92, 174, '93, 110a, '95, 380a, '97, 105a, 338a, 421a, '99, 198a, 1900, 100a.

Picicorvus, see Nucifraga.

Picidæ, '78, 16, '81, 29, 37, '82, 132, '88, 212, '96, 85.

Piciformes, '81, 74.

Picoideæ, '86, 406. Picoides, '91, 92, '93, 110, 1900, 167. alascensis (Alaskan Three-toed Woodpecker), B. C. '93, 236, 1900, 106; g. dist. '84, 165*, '93, 126; N. W. T. 1900, 134.—plm. 1900, 134; syn. 1900, 128, 129, 132, 133, 134; misc. '93, 327, 333.

americanus (a American or Bandedbacked Three-toed Woodpecker, bbacatus, clabradorius), g. dist. '93, 126, 1900, 132-135, 136b*, 138c*, 140, 141b, 142c; Hud. B. '90, 322; Man. '86, 156, 329; Mass. '83, 122, 1900 173 [= arcticus, see 1900, 424]; Mnn. '93, 289; N. C. '86, 101?; N. E. '76, 73, '77, 16; N. H. '87, 104; N. S. '99, 251; N. Y. '78, 53, 200, '79, 6, '81, 232, '83, 52a, '98, 333; Ont. '84, 85a, 161, '89, 204; Que. '84, 295. hbt. '83, 122, '99, 251; meas. '78, 200, 1900, 132, 137b, 138c, 140, 141b, 142°; nst. '78, 200; plm. 1900, 127, 132; syn. 1900, 127, 133, 136b, 138c; misc. '93, 327, 333.

arcticus (a Arctic, or Black-backed Three-toed Woodpecker, b tenuirostris), B. C. 1900, 106; g. dist. '93, 126, 1900, 129, 130, 131b*; Ida. '97, 354: Man. '86, 155; Mass. '80, 56, '81, 182, '83, 122, '84, 12ª?, 93, 288, '88, 390, '89, 183, 1900, 173 [not 'americanus,' see 1900, 424]; Me. '82, 150; Mich. '81, 119a, '83, 235a; Minn. '79, 154; Mont. '82, 62, '94, 303; N. B. '82, 150, '89, 117; N. C. '86, 101?; N. E. '76, 73, '77, 16, '85, 296; N. F. 1900, 72; N. H. '88, 151; N. S. '91, 165; N. Y. '78, 53, '79, 6, '81, 232, '83, 52, '89, 136, '90, 206; Ont. '84, 85ª, 161, '89, 204; Ore. '79, 195, '88, 240, 254; P. E. I. '85, 265a; Que. '82, 236; Vt. '82, 63.—hbt. '83, 122; meas. 1900, 130, 139; nst. '85, 210, '88, 254, '97, 354; plm. '78, 180, '81, 161, '88, 254, 1900, 129; syn. 1900, 126, 127, 129, 131.

bacatus, 1900, 136*, see ameri-

crissoleucus, g. dist., plm. 1900, 127.

dorsalis (Alpine Three-toed Woodpecker), Ariz. '90, 48, 252; Colo. '79,

Swainson's Fruit, see Ptilopus swain-

Sea, see Cepphus grylle.

```
95, '81, 141, '85, 17, '94, 268; g. dist.
  1900, 135, '93, 126; Mont. '82, 62,
  '94, 303; N. M. '86, 78.-hbt. '90,
  252; meas. 1900, 135, 141; plm.
  1900, 135; syn. '91, 94, 1900, 129,
  135; misc. '93, 327, 333.
     funebris, China, 1900, 127.
     labradorius, 1900, 138*, see ameri-
     tenuirostris, 1900, 131*, see arcti-
     tridactylus, g. dist. 1900, 127.—
  plm. '88, 212, 1900, 127; syn. 1900,
Picolaptes, '76, 51, '90, 166.
     angustirostris (b Lepidocolaptes
  atripes), Argent., Urug., hbt. '84, 21b.
     compressus, C. R. '92, 173; syn.
  '92, 173, 175.
     insignis, Mex. '97, 54*.
    layardi, Braz. '91, 27.
     obtectus, Boliv. '90, 382.
     rikeri (b Berlepschia). Braz. '87.
  156, '91, 26b.—syn. '88, 194, '91, 26b.
picta (Setophaga), see Setophaga.
picturatus (Turtur), see Turtur.
pictus (Anser), see Philacte canagica.
 --- (Aramus), see A. giganteus.
—— (Calcarius), see Calcarius.
--- (Centrophanes), see Calcarius.
---- (Oreortyx), see Oreortyx.
   — (Phasianus), see Phasianus.
  - (Plectrophanes), see Calcarius.
picui (Columbula), see Columbula.
Picumnus, '86, 372.
    lawrencii, '81, 129* (col. pl.), see
  Nesoctites micromegas.
    cirratus, Braz. '91, 30.
    guttifer, plm. '97, 371.
    minutus, plm. '88, 212.
obsoletus, Venez. '94, 66, '97, 366,
  371; plm. '97, 371.
Picus, '85, 52, 366, 372, '86, 266, 492,
  '87, 170, 265, '91, 95, '93, 99, '95, 187.
    bengalensis, plm. '88, 212.
    martius, plm. '88, 212.
    medius, plm. '88, 212.
    noguchii, syn. '91, 93.
    undatus, syn. 1900, 128.
picus (Dendroplex), see Dendroplex.
Piers. Harry.
  Remarkable
                ornithological
                                 occur-
    rences in Nova Scotia, '98, 195.
Pigeon, Bronzed Nutmeg, see Carpo-
    phaga ænea.
  Band-tailed, see Columba fasciata.
  Cape, see Daption capensis.
  Passenger, see Ectopistes migratorius.
  Red-billed, see Columba flavirostris.
```

Viosca's, see Columba vioscæ. White-bellied, see Leptotila jamaicensis. White-crowned, see Columba leucocephala. White-fronted, see Leptotila brachyp-Wild, see Ectopistes migratorius. Wood, see Columba palumbus. Pigeons, see Columbidæ. pikii (Sterna), see S. paradisæa. pilaris (Colopterus), see Colopteryx. — (Colopteryx), see Colopteryx. - (Turdus), see Turdus. pileata (Alcedo), see Halcyon. - (Entomobia), see Halcyon. --- (Halcyon), see Halcyon. --- (Sterna), see Anous stolidus. ---- (Zonotrichia), see Brachyspiza capensis. pileatus (Accipiter), see A. gundlachi. — (Blacicus), see Blacicus. - (Ceophlœus), see C. pileatus or abieticola. - (Contopus), see Blacicus. — (Crypturus), see C. soui. --- (Cyanocorax), see Cyanocorax. — (Furnarius), see Furnarius. - (Hylotomus), see Ceophlœus pileatus or abieticola. --- (Nisus), see Accipiter gundlachi. --- (Picus), see Ceophlœus. --- (Trochilus), see Bellona cristata. pileolata (Motacilla), see Wilsonia. - (Myiodioctes), see Wilsonia. - (Sylvania), see Wilsonia. --- (Wilsonia), see Wilsonia. Pindar, L. Otley. Breeding of Branta canadensis in Tennessee, '86, 481. Evening Grosbeak in Fulton Co., Kentucky, '87, 257. Pine Grosbeak in Fulton Co., Kentucky, '88, 321. List of birds of Fulton Co., Kentucky, '89, 310-316. pinetorum (Spizella), see Spizella. Pinicola alascensis (Alaskan Pine Grosbeak), g. dist., syn. '98, 319*, '99, 114*.* californica (California Pine Grosbeak, b canadensis), Cal. '78, 66b, '97, 182*; g. dist. '99, 113.-fd., hbt., meas. '97, 183; syn. '98, 320, '99, 113.

canadensis (* Pine Grosbeak, b enu-

cleator), Colo. '85, 15 [montanus?]; Conn. '93, 207"; g. dist. '93, 126b, '95, 245-256, '99, 113; Hud. B. '90, 322b; Ill. '99, 276; Ky. '88, 321b, '89, 314b; Man. '86, 322b; Mass. '82, 116a, '83, 148a, '96, 259b; Me. '96, 21-24b, 177b; Minn. '84, 244b, '94, 70a; Mont. '94, 305b [montanus?]; N. B. '83, 6b, '83, 126a, '84, 294a, '87, 212a, '89, 117b; N. H. '87, 104b, '93, 74a, '96, 176b; N. J. '96, 175b; N. S. '82, 115b 264°; Que. '82, 120°, 235°, 254°; S. D. '79, 187b; Wis. '96, 260b,—fd. '83, '85, 264ª, '95, 245b, 251b. '96, 21b, 177b, 259b; hbt '83, 118b, 143a, '84, 158b, '90, 394b, '95, 245b; meas.'94, 1^b, '96, 23^b; mig. '83, 143^a, 148^a, 245^a, '85, 264^a, '95, 245-256^a (2 maps); nst. '83, 6b, '89, 117b, '96, 21-24b; plm. '78, 116b, '79, 46b, '83, 6b, 126a, 143*, '94, 1-3b (col. pl.), '96, 21b, 24b, 176b, 177b (mlt.); song, '80, 8t, '83, 6^b, 143^a, '84, 327^b, '85, 264^a, '95, 245^b 248^b; syn. '84, 115^b, '87, 335, '98, 320, '99, 113; misc. '83, 4^b (fig.), 118b, '94, 69a, 69a, 69a.

enucleator, Helg. '95, 336.—plm. '80, 27 (alb.).

flammula (Kadiak Pine Grosbeak, b kadiaka), Alas. '87, 336b, '88, 397b; g. dist. '99, 114.—syn. '98, 320, '99, 114.

montana (Rocky Mountain Pine Grosbeak, benucleator), Colo. '81, 89b, '85, 15b; g. dist. '98, 319*, '99, 113; Mont. '94, 305b—song, '81, 89b; syn. '98, 319, '99, 113.

Pink, see Dolichonyx oryzivorus.

pinnata (Cupidonia), see Tympanuchus americanus.

Piñon-bird, see Cyanocephalus cyanocephalus.

pinosus (Junco), see Junco.

—— (Megascops), see Megascops.

Pintail, see Dafila acuta.

pinus (Chrysomitris), see Spinus.

- —— (Dendrœca), see Dendroica vigorsii.
- --- (Helminthophila), see Helminthophila.
- --- (Spinus), see Spinus.
- --- (Sylvia), see Dendroica vigorsii.
- (Sylvicola), see Dendroica vigorsii. Pionopsitta brachyura, *Bras.* '91, 160. Pionus maximiliani, *Bras.* 1900, 299.

menstruus, Braz. '91, 160. sordidus, Colom. '99, 137; Venez. '97, 366, '99, 137.

violaceus, Brazil, '91, 160.

Pipile (b Cumana), 1900, 65, 65b*.

cujubi (b Cumana), Bras. '91, 162.
—syn. 1900, 65b.

cumanensis (b Cumana, c Penelope leucolophos), Braz. '91, 162.—syn. 1900, 65b; misc. '96, 266c.

jacutinga (b Cumana), syn. 1900, 65b.

pipile (b Cumana), W. I. '97, 362.
—syn. 1900, 65b.

pipile (Cumana), see Pipile.

(Pipile), see Pipile.

Pipilo, '86, 289, '88, 414, 439, 440, 441, 442, 443, '97, 221, '99, 120, 1900, 65. aberti (Abert's Towhee), Arız. '81, 73, '87, 204, '94, 218; Cal. '90, 297; Colo. '82, 198, '85, 16; g. dist. '90, 27, '93, 135; N. M. '78, 93, '98, 310. —hbt. '82, 198; meas. '82, 198, '90, 29; nst. '82, 198, '90, 27; plm. '79, 46, '82, 198; song, '82, 198, '90, 27. albigula (Saint Lucas Towhee), L. Cal. '90, 23, 215.—meas., nst. '90, 23; plm. '79, 46, '90, 23.

alieni (a White-eyed Towhee), Ala. '79, 9; Fla. '79, 115, '88, 274, '89, 323, '91, 128a, 138, '92, 213, '95, 365; Ga. '82, 95a, 101, '83, 39 [erythrophthalmus?]; S. C. '99, 198a, -hbt. '88, 274; mig. '99, 198a; nst. '83, 39 [erythrophthalmus?], '90, 80a; plm. '82, 101; song, '82, 101, '88, 274; syn. '80, 173; misc. '99, 198a.

arcticus (Arctic Towhee), Colo.
'81, 139?, '85, 142, '87, 125, 264;
Man. '86, 324; Mont. '81, 206?, '88,
16, '89, 152*, '94, 306?, '95, 217; Mo.
River, '95, 229; Neb. '84, 286*; S. D.
'85, 282; Tex. '87, 293, '92, 339;
Wash. '97, 178?.—meas. '81, 206?;
nst. '81, 206?; plm. '83, 191; syn.
'82, 39, '83, 192

*82, 39, '83, 192.
atratus, '99, 254*, see megalonyx.
carmani, Socorro I. '98, 264, 317.
—hbt. '98, 317; plm. '98, 264.

clementæ (San Clemente Towhee), Cal., syn. '97, 294*, '99, 120; meas., song, '97, 294.

complexus, Mex., meas. '86, 332*. consobrinus (Guadalupe Towhee), anat. '91, 220; meas. '77, 61; syn. '77, 60, 62, 65.

crissalis (California Towhee, b carolæ), Cal. '86, 87a, 182, '89, 221, '90, 23, '95, 110, 112, '99, 343b.—

meas. '90, 23, '95, 112, '99, 343^b, nst. '90, 23; flm. '79, 41, '95, 110, '99, 343^b; syn. '95, 109, '99, 343^b; misc. '78, 193, '99, 212^b.

erythrophthalmus (* Towhee, Chewink or Towhee Bunting), Ala. '79, 9; Conn. '89, 41°; D. C. '80, 112, '88, 22; Fla. '88, 274, '91, 127°, 138, '95, 365; Ga. '82, 95°, 100, '96, 213; g. dist. '93, 133; Gulf. of Mex. '81, 251"; Ia. '85, 308, '86, 475, '95, 121, 236, Ill. '78, 164, '90, 242; Ind. '82, 18, '89, 25; Ky. '89, 315; La. '82, 163, '87, 302ª; Labrador, '85, 369?; Man. '86, 324; Mass. '84, 14, '88, 388a, 389, '89, 41^a, 42^a, 43^a, 45, 101, '96, 178, 260, '97, 276, '98, 189; *Mich.* '80, 110°, '89, 280, '93, 226; Minn. '84, 245; Mo. '79, 145, '95, 117°, '96, 218; N. B. '82, 105; N. C. '86, 110, '86, N. B. 32, 103; N. C. 36, 110, 309^a, 314, '89, 121; N. H. '88, 150, '89, 77, 78; N. J. '94, 139, '98, 190; N. Y. '79, 32, 175, '81, 230, '84, 175, '85, 150, '90, 231, 295, '98, 190, 1900, 178; O. '95, 242; Ont. '87, 248^a; Pa. '89, 142^a, '92, 138, '93, 37, 248^a; Pa. '89, 142^a; Pa. '89 40, 43, 45, '96, 280a, 283, 291a, 294, 1900, 396"; Que. '90, 387; S. C. '79, 214, '88, 207^a, '90, 30, 125, '91, 329, '92, 29^a, '94, 38^a; S. D. '85, 282; Tenn. '86, 318, '87, 131; Tex. '82, 13, '87, 293, '92, 339; Va. '86, 159, 161; Wis. '82, 188; W. Va. '98, 136.—anat. '91, 220; mig. '80, 152a, '81, 251a, '84, 175, '85, 308, '89, 142a, '92, 29a, '94, 38a, '95, 121, 128a, 236, 242; nst. '82, 18, '88, 22, '90, 83°, '91, 108°; plm. '78, 41, 122, '79, 145, 214 (alb.), '80, 28 (alb.), 112, '83, 126 (alb.), '86, 110, '91, 329 (alb.), '97, 276; song, '85, 150, '90, 199; syn. '82, 39; misc. '85, 99a, '89, 24a, '90, 81a, '97, 238, 1900, 109ª.

fuscus, Mex. '95, 357.—misc. '93, 135.

intermedius, Mex. '99, 296.

maculatus (b orizabæ, c submaculatus), Mex. '86, 332c*, '94, 161b*, '95, 357b, '98, 157.—meas. '86, 332c, '94, 161b, '95, 358b; plm. '95, 357b; syn. '77, 60, 62, '83, 192, '98, 157b; misc. '93, 135.

magnirostris, '91, 146*, see megalonyx.

megalonyx (*Spurred Towhee, batratus, c magnirostris), Ariz. '78, 93, '82, 197, '85, 174, 355, '87, 204, '90, 48; Cal. '86, 182, '87, 330, '89, 223, '97, 296, '98, 235; Colo. '83, 191,

'85, 16, '87, 264, '94, 244; g. dist. '99, 254b*; Ida. '98, 17; L. Cal. '91, 146c*; N. M. '78, 93, '85, 128, '86, 74, '92, 366, '94, 216; Orc. '79, 165, '88 139; Tcx. '82, 39 [arcticus]; Wash. '82, 227, '97, 178.—anat. '88, 438, 439 (fig.), 440, 442, 444, '91, 220; meas. '77, 61, '91, 146c, '97, 296; plm. '83, 191, '98, 235; song, '82, 197, '98, 235; syn. '80, 106, '82, 39, 197, '83, 191, '92, 107c; misc. '90, 82a.

mesoleucus (Cañon Towhee, b fuscus), Arız. '78, 93b, '82, 197, '87, 204, '90, 22-27, '94, 218*, 219*, 220; Cal. '90, 215; Colo. '85, 16, '87, 123, '94, 269; Mex. '85, 228; N. M. '78, 93b, '85, 237, '86, 74, '92, 366, '94, 216, '98, 310; Tex. '87, 293.—hbt. '85, 237, '87, 123, '90, 22-29; meas. '82, 197, 198, '90, 25, 26; nst. '82, 197, '85, 228, '87, 204, 293, '90, 22-29, 214 (corr.), '92, 366, '94, 220; plm. '79, 46, '80, 28 (alb.), '82, 197, '87, 204; song, '85, 237, '87, 123.

oregonus (Oregon Towhee), B. C. '97, 277; Ore. '86, 169, '88, 359; Wash. '92, 356, 1900, 356.—nst. '86, 169; plm. '88, 359; song. '92, 356; syn. '83, 192; misc. '78, 193.

orizabæ, '94, 161*, see maculatus. potosinus, Mex. '99, 254*. senicula (Anthony's Towhee), g.

dist. '95, 111*, 165; L. Cal. '95, 141. —meas. '95, 112; syn. '95, 165. submaculatus, '86, 332*, see maculatus.

Pipilo, see Pipilo erythrophthalmus. pipiri (Tyrannus), see T. tyrannus. Pipit, American, see Anthus pensilvanicus.

Meadow, see Anthus pratensis. Red-throated, see Anthus cervinus. Richard's, see Anthus richardi. Sprague's, see Anthus spragueii. Tree, see Anthus trivialis.

Pipra auricapilla, syn. '90, 381. flavicollis ['flaviceps'], Braz. '91, 24.—song, '86, 106.

rubricapilla, Braz. '91, 25. Pipreola decora, Colom. 1900, 82. Pipridæ, '81, 32, 36, '89, 267.

Piprinæ, '81, 31. Piranga, '83, 81, '86, 198, '88, 442, 443, '93, 111.

ardens, Venez. '97, 364. bidentata, C. R. '92, 25; Mex., meas., syn. '98, 158; plm. '92, 25, '98, 158. cooperi (Cooper's Tanager), Ariz. '82, 147. '85, 198, '88, 30; Cal. '87, 88?; Colo. '85, 15; g. dist. '93, 135; Tex. '94, 222.—meas. '82, 147; plm. '82, 147, '85, 198, '88, 30; syn. '83, 81, '85, 371.

erythrocephala, misc. '84, 386.

erythromelas (a Scarlet Tanager, b Pyranga rubra), Ala. '78, 174b; Bermuda, '85, 95b; D. C. '82, 186a, '88, 23, '97, 277; Fla. '89, 324, '90, 311, '92, 213; Ga. '96, 214; g. dist. '93, 133; Gulf. of Mex. '81, 2512; Ia. '95, 123, 235; Ill. '88, 433°; Ind. '82, 16^b, '89, 25; Iamaica, '93, 180; Ky. '89, 315; La. '87, 304; Man. '86, 324; Mass. '84, 14, '88, 389, '89, 42°, 45, 101; Me. '80, 132°, '82, 111°; Mich. '83, 174^b, '93, 226; Minn. '84, 244; Mo. '79, 142b; N. B. '82, 104b, 111b, '83, 176*, '85, 266*; N. C. '86, 110; N. H. '88, 150, 152, '89, 77, 78; N. J. '96, 261; N. S. '85, 43*, 266*; N. Y. '79, 32*, '81, 229*, '84, 178, 179, 326, '88, 181, '97, 277; O. '95, 241; Pa. '88, 322, '92, 138, '93, 37, 40, 43, 45, '96, 283, 295; P. E. I. '85, 266°?; S. C. '79, 212°, '90, 125, '91, 329, '93, C. '79, 212', '90, 125, '91, 329, '93, 154; S. D. '85, 278b'; Tenn. '86, 317, '87, 131; Tex. '82, 12b', '87, 294, '92, 339; Vt. '82, 64b'; W. I. '86, 199, '91, 47; Wis. '82, 187, '88, 327; Wyo. '89, 341.—fd. '99, 362a'; hbt. '84, 190a', '96, 261; meas. '93, 303; mig. '80, 132*, '81, 251*, '82, 186*, '83, 174*, '84, 178*, 179*, '85, 98*, '88, 327, 433*, '95, 123, 132*, 235, 241; mlt. '84, 326b, '96, 241a; nst. '96, 261; 718, 62⁵, 780, 27⁵ (alb.), '88, 30, 322 (alb.), '93, 154, 302 (hyb.), '97, 277; song, '84, 64^a, 326^b, '86, 110, '90, 199, '91, 36°; syn. '86, 199, '99, 186, 281.

faceta, Colom. '98, 339. hæmalea, Venez. '97, 364.

hepatica (Hepatic Tanager), Aris.
'81, 68, '82, 146, '85, 197, '88, 30, '90,
49, 260; Cal. '90, 215; N. M. '92,
366.—hbt., song, '81, 68; meas. '82,
146; nst. '88, 30; plm. '82, 146, '85,
197, '88, 30; sym. '83, 82.

leucoptera, C. R. '92, 25.

ludoviciana (* Louisiana Tanager), Ariz. '82, 146, '85, 354, '88, 29, '90, 260; Cal. '86, 183; Colo. '79, 92, '80, 228, '81, 88, '83, 159, '85, 15, 14, '94, 269; Conn. '93, 86; g. dist. '93, 135; Ida. '98, 17, 1900, 245; Kan. '94, 260; La. 1900, 297; Mont. '82, 62,

'94, 306; N. M. '85, 333, '92, 366; N. Y. '90, 55; Ore.'79, 164, '86, 169, '88, 359; Tex. '87, 294; Wash. '92, 309, 310, '97, 178.—anat. '88, 441, 442, 444; fd. '85, 141, '88, 29, 1900, 297; hbt. '80, 228, '88, 359; mig. '90, 55, 1900, 297; meas. '82, 146, '88. 360, '90, 55; nst. '82, 62, '88, 359, '98, 17; plm. '82, 146; song, '80, 228, '86, 169, '88, 359, '97, 178; syn. '80, 37°.

roseigularis, misc. '83, 114.

rubra (a Summer Tanager or Redbird, b Pyranga æstiva), Ala. '78, 174b; Ark. '82, 91b; Bahamas. '91, 70, 1900, 305; Colom. 1900, 365; Conn. '93, 303, '95, 306; C. R. '90, 335, '92, 25; D. C. '88, 23, '92, 307, '97, 407; Fla. '88, 30, 274, '89, 324, '90, 311, '91, 138, '92, 213, '95, 365; Ga. '77, 103b, '82, 99b, '83, 39b, '96, 213; Gulf. of Mex. '81, 251a; g. dist. '93, 133; Ill. '78, 164b; Ind. '82, 16b, 20°, '85, 98°; Kan. '93, 367; Ky. '86, 487, '89, 315; La. '82, 162b, '87, 302a, 1900, 297; Md. '91, 315, '97, 407; Miss. '82, 91^b; Mo. '79, 142^b, '95, 115^a, 351^a; N. B. '82, 249^b; N. C. '86, 111; N. J. '88, 181, N. Y. '84, 290°, '86, 442, '88, 181, '90, 55; Ont. '84, 389°; Pa. '79, 235°, '97, 410, '99, 312; Que. '90, 387; R. I. '77, 21b; S. C. '79, 213b, '90, 125, '92, 35a, '93, 154; Tenn. '86, 317, '87, 131; Tex. 303; mig. '81, 251a, '91, 135, '92, 35a; nst. '79, 213', '82, 12b, '83, 39b, '87, 294, '88, 23; plm. '82, 20b, '86, 487, '88, 30, 274, '89, 324 (mlt.), '90, 55, '91, 315, '92, 25, '93, 153, 154, 302 (hyb.), '97, 406 (mlt.), 1900, 365 (mlt.); song, '82, 12, 99b, '86, 487; syn. '83, 81b, '86, 198, '99, 186, 278, 281; misc. '90, 82a.

rubriceps (Gray's Tanager), Cal. '87, 78, '88, 399.

saira, Urug., hbt., mig., syn. '83, 91. sanguinolenta, Mex., meas., plm., syn. '98, 158, 159.

piririgua (Guira), see Guira. piscator (Dysporus), see Sula.

—— (Pelecanus), see Sula. —— (Sula), see Sula.

pispoletta (Calandrella), see Calandrella.

scapularis, Honduras, '89, 172.

pityophila (Dendroica), see Dendroica.

grossus, Braz. '90, 267.

Pitylus, '98, 223.

pitangua (Megarhynchus), see Megarhynchus. Pitangus, '85, 231. bahamensis, Bahamas, '86, 233, '91, 71, 294, 298, 334, 335, 350, 350, 1900, 288 .- meas., plm., syn. '86, 233. bellicosus, Urug., fd., hbt., nst., song, '83, 200. caudifasciatus, W. I. '86, 232, 89, 32, '92, 272, '93, 177, '94, 126.— meas., plm., syn. '86, 232. derbianus (Derby Flycatcher), C. R. '90, 333, '92, 250; g dist. '93, 141; Tex. '80, 90. gabbii, W. I. '81, 153, '86, 233, '95, 279.—meas., plm., syn. '85, 233. jamaicensis, W. I. '94, 67. rufipennis, Venez. '97, 365. sulphuratus, Braz. '90, 270, 1900, 299; Trinidad, '95, 202. taylori, W. I., meas., plm., syn. **'86**, 232. pitiayumi (Compsothlypis), see Compsothlypis. - (Parula), see Compsothlypis pitiayumi or nigrilora. Pithys, 1900, 179. olivascens, Honduras, '92, 175. Pitta, '93, 51, 181-184, 187, 188, '96, angolensis, Africa, '96, 60. arcuata, syn. '94, 63, '96, 60. atricapilla, syn. '96, 65. baudi, Borneo, syn. '90, 356. brachyura (b coronata), syn. '93, 182, 188^b. cærulea, Borneo, song, '90, 356. celebensis, nst. '94, 243. coccinea, syn. '92, 220. concinna, plm. '94, 243. cucullata, syn. '96, 60. granatina, g. dist., plm., syn. '92, 218-221. irena, syn. '93, 183. iris, syn. '96, 60. moluccensis (b cyanoptera), syn. '93, 183, 183^b, 188, '94, 63. nepalensis, nst., plm. '94, 243.

nympha, syn. '91, 100.

357, '93, 188, '94, 63.

238b.

sordida (bMelanopitta), Borneo,

steerii (b Melanopitta), P. I. '94,

venusta, Borneo, hbt., syn. '90, 356.

Pittasoma zeledoni, C. R. '85, 291.

Pittidæ, '81, 36, '89, 267, '94, 62, 173, 243, '95, 65, '96, 60.

'90, 357; P. I. '94, 238b.—syn. '90,

- (Sylvicola), see Dendroica. pityophilus (Rhimamphus), see Dendroica. pityopsittacus (Loxia), see Loxia. Placellodomus, see Phacellodomus. placens (Myiopagis), see M. jaliscensis. plagiata (Asturina), see Asturina. Plagiospiza, '98, 224*. Planetis, see Onychoprion. Planesticus, see Merula. Platalea leucorodia, Helg. '95, 337. platalea (Spatula), see Spatula. Plataleæ, '99, 201. Plataleidæ (* Spoonbills), '78, 183, '81, 78, 79, 81, '93, 107°. platensis (Cistothorus), see Cistothorus. --- (Embernagra), see Embernagra. — (Leptasthenura), see Leptasthenura. (Troglodytes), see Troglodytes. Plates, illustrations, etc. (Colored plates.) Helminthophaga leucobronchialis, '76, 1; Passerculus bairdi, '78, 1; Vireo atricapillus, '79, 193; Helminthophila cincinnatiensis, '80, 193; Picumnus lawrencii, '81, 129; Ligea palustris, '84, 1; Icterus northropi. '91, 1; Otophanes mcleodii, '91, 249; Megascops vinaceus and M. aspersus, '91, 323; Dendroica ni-grifrons, '92, 1; Megascops flammeolus idahoensis, '92, 109; Meleagris gallopavo ellioti, '92, 209; Hybrid, '93, Junco + Zonotrichia, Dolichonyx oryzivorus, '93, 309; Hybrid, Carpodacus + Pinicola, '94, 1; Seiurus aurocapillus, '94, 91; Oreortyx pictus and O. p. plumiferus, '94, 193; Junco hyemalis pinosus, '94, 265; Harporhynchus lecontei, '95, 1; Tympanuchus americanus, '95, 99; Nyctibius ja-maicensis, '95, 201; Æstrelata fisheri, '95, 319; Ardetta neoxena, '96, 11; Speotyto floridana, '96, 99; Lagopus evermanni, '96, 197; Ammodramus nelsoni and A. n. subvirgatus, '96, 271; sections of feathers (Megascops), '97, 1; sections of feathers (Dolichonyx), '97, 137; Vireo philadelphicus and V. gilvus, '97, 259; Spizella pusilla arenacea, '97, 345; Colinus godmani, '98,

115; Campephilus imperialis, '98, 217; Dendroica kirtlandi, '98, 289; Ammodramus maritimus fisheri and A. sennetti, '99, 1; Leucuria phalerata, '99, 135; Icteria virens and Dendroica coronata, '99, 217; Zamelodia Iudoviciana, '99, 305; Porzana jamaicensis, 1900, 1.

(Uncolored plates.)

Spectyto cunicularia hypogæa. '80. 129 (2), 131; sections of feathers, '82, 129; J. J. Audubon, '86, 417; S. F. Baird, '87, 273; Camptolaimus labradorius, '91, 125; Fish Hawk's nest, '92, 313 (2); Black Duck's nest, '93, 1; Black Duck group, '93, 1; bills of Oidemia deglandi, '93, 176; Gambel's Partridge, '94, 128 (3); Aptenodytes longirostris, '94, 281; J. J. Audubon, '94, 309; Geo. N. Lawrence, '96, 1; Ruffed Grouse, '96, 126 (5); Woodcock, '96, 127 (2); breeding Cormorants, '96, 312; Hawks and Owls, directive patterns, '97, 396; Chas. E. Bendire, '98, 1; Canada Jay, '99, 17 (4); Prothonotary Warbler, nest, etc. '99, 238 (2), 242 (2), 244 (2); Robin, nest cleaning, 1900, 102 (2); Bluebird, nest cleaning, 1900, 103 (2); Ptarmigan feathers, 1900, 150; downfeathers of Grouse, 1900, 151; Whistler and nest, 1900, 208 (2), 212 (2); colony of Wedge-tailed Petrels, 1900, 248; Franklin's Gull and nest, 1900, 272, 275, 280; Sage Cock, 1900, 325.

(Maps.)
Haiti, '80, 151; Arizona, '86, 251;
Killdeer migration, '89, 261;
Horned Larks, distribution, '90,
159; Florida, '90, 301; Ivory-billed
Woodpecker, distribution, '91, 187;
Carolina Paroquet, distribution, '91,
369; N. Am. faunal areas, '93, 97
(2); Megascops, distribution, '93,
264 (2); Red-shouldered Hawks,
local breeding, '94, 198; Philippine
Is. '94, 230; Leconte's Thrasher,
distribution, '95, 59; Pine Grosbeak, migration, '95, 253, 255;
Hawk migration, '95, 267, 268.

(Text-figures.)

Selasphorus alleni, S. rufus, '77, 53, 101; egg-holder, '78, 91; Wilson's school-house, '80, 199; carpus of Circus hudsonius, '81, 199; carpus of Bubo and Otogyps, '82, 87;

crania of several Passeres, '82, 215; cuts of several N. Am species, '83, 1-5; hermaphrodite, '83, 17; primaries of Larus kumlieni, '83, 216; details of Ligea palustris, '84, 2; details of Calyptophilus frugivorus, '84, 3, bill of Diomedea brachyura, '85, 175-177; head of Merula gymnophthalma, '86, 4; head of Cichlherminia dominicensis, '86, 8; head of Margarops montanus, '86, 15; head of Ramphocinclus brachyurus, '86, 16; head of Catharopeza bishopi, '86, 41; head of Microligea palustris, '86, 44; head of Glossiptila ruficollis, '86, 54; pelvis of Buteo borealis calurus, '86, 133; head of Calyptophilus frugivorus, '86, 201; head of Loxigilla violacea, '86, 203; head of L. noctis, '86, 204; head of L. portoricensis, '86, 205; head of Spermestes cucullatus, '86, 214; head of Hemiprocne zonaris, '86, 346; head of Priotelus temnurus, '86, 360; head of Todus subulatus, '86, 370; malformed bill of Campephilus bairdi, '86, 374; head of Conurus euops, '86, 455; cranium of Xanthocephalus xanthocephalus, 267; supernumerary toe of Buteo latissimus, '87, 332; spur on wing of Dolichonyx oryzivorus, '87, 333; arm muscles of Xanthocephalus xanthocephalus and Tyrannus tyrannus, '87, 356; pterylosis of Dryobates villosus harrisii, '88, 213, 215; pterylosis of Sphyrapicus varius nuchalis, '88, 216, 217; crania of Habia melanocephala and Pipilo maculatus megalonyx, '88, 439; crania of Antrostomus vociferus, Dendrochelidon mystacea and Chætura pelagica, '89, 10; graphic migration charts, '89, 141-143, '90, 195, 196; tongues of seven species, '94, 144; photo-apparatus, '94, 187; bills of Harporhynchus lecontei, '95, 57; graphic migration charts, '95, 121-124, 235, 236, 241, 242; tarsus and plantar tendons of several species, '95, 157; egg-blower, '95, 197; Porzana carolina caught by mussel, '95, 298; head and foot of Aphelocoma couchi and A. gracilis, '96, 36; diagram of burrows of Speotyto floridana, '96, 102, 107; tongues of twelve species, '96, 114; protective coloration, diagram, '96,

125, 320; microscopic feather barbs, '97, 36; bill of Carpodacus, '97, 165; graphic chart of song season of Cardinal, '99, 279, 280; Chelidon erythrogaster nest building, '99, 358; bills of Picoides arcticus and P. a. tenuirostris, 1900, 131; bills of Hæmatopus palhatus and H. prattii, 1900, 285, worn feathers of Centrocercus urophasianus, 1900, 326.

Platt, Franklin.

List of birds of Meriden, Conn. (rev.), '87, 154.

platycercus (Selasphorus), see Selasphorus.

— (Trochilus), see Selasphorus. Platycichla, '84, 182.

Platylophus coronatus, Borneo, syn. '90, 352.

Platypsaris (b Hadrostomus), '86, 337b. albiventris (Xantus's Becard), Aruz., song, '88, 425; g. dist., syn. '90, 62.

aglaiæ (b Pachyrhamphus), C. R. '94, 169.—syn. '97, 52; misc. '80, 88b. hypophæus, Honduras, '92, 175. minot (b Hadrostomus), Beng. '91

minor (b Hadrostomus), Braz. '91, 25b.

nigra (b Hadrostomus, c Pachyrhamphus), Boliv. '90, 382c; W. I. '86, 337b, '93, 177b, 220c.—meas., plm., syn. '86, 337b.

obscurus, C. R. '92, 175. sumichrasti, Mex. '97, 52*.

Platyrhynchus bifasciatus, Braz. '90, 384.

insularis, Venez. '97, 363; W. I. '90, 384, '97, 362.

platyrhynchus (Myiarchus), see Myiarchus.

Platysmurus aterrimus, Borneo, syn. '90, 356.

Plautus, '85, 183, '92, 173.

impennis (a Great Auk, b Alca), g. dist. '88, 278-283a, 380-384a, '93, 125; Labrador, '85, 374a, 374a; Mass. '76, 53b; N. F. '77, 73, '89, 178a; N. S. '89, 644.—anat. '88, 329b, 331, '89, 195a, '91, 306a, '92, 100a; fd. '88, 278a, 282a; hbt. '76, 58b, '88, 278-283a, 380-384a; meas. '90, 203a; nst. '83, 175a, '89, 176a, '92, 198a, '94, 191a; plm. '80, 127b (mlt.), '81, 111b; syn. '84, 385; misc. '83, 238a, '85, 115b, 209a, '86, 262-265a, '88, 422a, '89, 176a, '90, 199, 201a, 203a, '91, 306a, 388a, '99, 91a.

Pleasants, Jacob Hall, Jr.

An overlooked volume [Imlay's 'Western Territory'], '92, 206. Rare birds near Baltimore, Maryland,

'93, 371.
plebeius (Contopus), see Contopus.

—— (Merula), see Merula.

Plectrophanes, see Passerina. Plectrophenax, see Passerina.

Plectropterinæ, '99, 129,

Plegadis (b Falcinellus), '78, 182b, '80, 101, '87, 321, '93, 107.

autumnalis (* Glossy Ibis, b Ibis ordii, c Ibis falcinellus, d falcinellus), Argent. '84, 272d; Ariz. '86, 385; Cal. '85, 311a, Conn. '87, 253a; Fla. '86, 482?, '89, 15, '92, 211; Helg. '95, 138; Ill. '81, 124d; Mass. '78, 151c, 152c; N. E. '76, 73b, '87, 97-100a; Nev. '80, 45d?; N. S. '85, 43a, '89, 64; N. Y. '87, 254a, '93, 271, '95, 393, '98, 50, '99, 193; Ont. '84, 85a; Urug. '84, 272d; W. I. '87, 321.—hbt. '84, 272d; meas. '87, 253a; syn. '80, 100d, '87, 97a, 253, 321; misc. '78, 182b, 182c.

guarauna (* White-faced Glossy Ibis, b Ibis ordi, c Falcinellus, d Ibis thalassina), Ariz. '86, 385, '90, 51; Cal. '86, 91; Colo. '85, 18, '97, 316 [not 'Guara rubra,' see '98, 183], '98, 184*; g. dist. '93, 134; Fla. '86, 481; Kan. '92, 192; Minn. '96, 79; N. Am. '82, 242d*; N. M. '92, 307, 360; Ore. '77, 73b; Tex. '78, 145c, '79, 51, '92, 345; W. I. '87, 322.—hbt. '86, 385; mst. '86, 481, '96, 79; syn. '87, 100; misc. '78, 182c.

ridgwayi (b Falcinellus), misc. '78,

plesius (Cistothorus), see Cistothorus. Pleske, Theodor.

Uebersicht der Saügethiere und Vögel der Kola-Halbinsel (rev.), '87, 61.

pliogryps (Aquila), see Aquila. Ploceidæ (* Weaver-birds), '81, 34, '96,

159, 1900, 189, 190°. Plotidæ, '81, 78, 163.

Plotus, see Anhinga.

Plover, American Golden, see Charadrius dominicus.

Asiatic Golden, see Charadrius ful-

Bartram's, see Bartramia longicauda. Belted Piping, see Ægialitis circumcincta.

Black-bellied, see Squatarola squatarola.

Field, see Bartramia longicauda.

— (Mimocichla), see Mimocichla.

—— (Lathria), see Lathria.

316

Golden, see Charadrius apricarius; C. dominicus (American references). Gray, see Squatarola squatarola. Guinea-hen, see Macrorhamphus griseus or Totanus flavipes. Killdeer, see Ægialitis vocifera. Little Ring, see Ægialitis dubia. Mongolian, see Ægialitis mongola. Mountain, see Ægialitis montana. Pacific Golden, see Charadrius fulvus. Piping, see Ægialitis meloda. Prairie, see Bartramia longicauda. Ring or Ringed, see Ægialitis hiaticula; Æ. semipalmata (American references). Ring-necked, see Ægialitis semipalmata. Sea, see Squatarola squatarola. Semipalmated, see Ægialitis semipalmata. Snowy, see Ægialitis nivosa. Upland, see Bartramia longicauda. Wilson's, see Ægialitis wilsonia. Plovers, see Charadriidæ. Plumage. Allen, J. A., '94, 91. Batchelder, C. F., '84, 16. Birtwell, F. J., '99, 313. Brewster, W., '78, 15-23, 56-64, 115-123, 175-182, '79, 39-46, '95, 99. Brown, N. C., '83, 46. Chadbourne, A. P., '96, 321, '97, 33, 137. Chapman, F. M., '90, 120, '93, 309, **'97**, 149. Coues, E., '76, 60-63. Dwight, J., Jr., '99, 217. Gundlach, J., '91, 187. Jeffries, J. A., '81, 156, '82, 129. Keeler, C. A., '93, 373. Loomis, L. M., '93, 151. McGregor, R. C., '98, 264. Mearns, E. A., '78, 69. Merriam, C. H., '88, 402. Merrill, J. C., '80, 75. Norton, A. H., '97, 303, 1900, 16. Palmer, W., '94, 282. Ridgway, R., '80, 92. Scott, W. E. D., '92, 141. Sennett, G. B., '87, 24. Shufeldt, R. W., '88, 312. Stone, W., '99, 305. Trumbull, G., '92, 153, '93, 165. plumbea (Dacnis), see Dacnis. - (Dendroica), see Dendroica. -- (Galeoscoptes), see Mimocichla. – (Hydrochelidon), see H. surinamensis. – (Ictinia), see Ictinia.

— (Mimocitta), see Mimocichla. - (Polioptila), see P. plumbea or californica. - (Spermophila), see Sporophila. - (Sporophila), see Sporophila. - (Sterna), see Hydrochelidon surinamensis. plumbeus (Anous), see Hydrochelidon surinamensis. - (Galeoscoptes), see Mimocichla ardosiacea or plumbea. - (Lanıvireo), see Vireo. — (Mimus) see Mimocichla ardosiacea. - (Psaltriparus), see Psaltriparus. – (Rostrhamus), see R. sociabilis. — (Turdus), see Mimocichla ardosiacea or plumbea. - (Vireo), see Vireo. plumiferus (Oreortyx), see Oreortyx. Plummer, Gordon. Capture of Red-bellied Woodpecker (Centurus carolinus) in eastern Massachusetts, '81, 120. pluvialis (Charadrius), see C. apricarius or dominicus. (Coccygus), see Hyetornis. — (Cuculus), see Hyetornis. — (Hyetormantis), see Hyetornis. — (Hyetornis), see Hyetornis. --- (Piaya), see Hyetornis. Pluvianus ægyptius, misc. '83, 55. pluvianus (Hyetornis), see H. pluvialis. Pneopyga, '93, 112. Pochard, American, see Aythya americana. Podager nacunda, Argent., Urug., hbt., mig., nst. '84, 24. Podargidæ, '81, 37, 74, 75, '93, 67, '97, Podargus, '81, 37, 74. Podasocys, see Ægialitis. Podica senegalensis, anat. '91, 110. Podiceps, '81, 156, '85, 96, '88, 155, '93, 99, '99, 286. cristatus, g. dist. '78, 52. podiceps (Colymbus), see Podilymbus. - (Podilymbus), see Podilymbus. Podicipedes, '92, 174.
Podicipidæ (* Grebes), '79, 111*, '83, 62, '93, 105, '97, 338, '99, 286, 1900, 53*, 95*, 200*. Podilymbus, '88, 156, '93, 99, 105. podiceps (Pied-billed, Thick-billed or Carolina Grebe), Ariz. '86, 383; Bahamas, '91, 294; Cal. '86, 88; Colo. '85, 18; Fla. '88, 268, 373, '91, 137,

'92, 211, 214, '95, 364; Ga. '96, 215; Ida. '97, 350; Ind. '82, 22, '88, 345; Jamaica, '91, 353, '94, 119; Kan. '85, 388, '86, 115, '87, 8; Ky. '89, 311; La. '82, 165; Man. '85, 314, '86, 147; Mass. '81, 127, Me. '82, 152; Mich. '93, 222; Minn. '80, 20, '84, 249, '96, 79a, 1900, 281a; Mo. '79, 147, N. C. '86, 179; N. Y. '81, 235, '82, 124; Ont. '87, 247a, Ore. '88, 140, '91, 366 (fossil), '93, 344 (fossil); Pa. '99, 309; Que. '82, 241; S. C. '79, 218; S. D. '85, 289; Tcx. '84, 122, '87, 184, '92, 345; W. I. '88, 156, '90. 375, '91, 46; Wis. '82, 188.—hbt. '82, 124, '85, 96, '91, 353; nst. '85, 388, '87, 247a; syn. '88, 156; misc. '90, 86a.

pœciloma (Hirundo), see Petrochelidon fulva.

—— (Petrochelidon), see P. fulva. Pœcilonetta, see Pæcilonitta. Poke, Shy, see Ardea virescens. Poling, Otho C.

Notes on Fringillidæ of western Illinois, '90, 238-243.

Notes on Eugenes fulgens, '90, 402. Groove-billed Ani (Crotophaga sulci-

rostris) in Arizona, '91, 313.

Polioaëtus, '78, 77, '94, 233.
poliocephala (Bleda), see Bleda.
— (Chlæphaga), see Chlæphaga.
— (Geothlypis), see Geothlypis,
poliocephalus (Dulus), see Phænicophilus palmarum.
poliogaster (Astur), see Astur.
poliogenys (Falco), see Butastur indi-

Poliolophus, '94, 235. polionota (Spermophila), see Sporophila.

— (Šporophila), see Sporophila. poliophæa (Grus), see G. mexicana. Poliopsar, see Spodiopsar. Polioptila, '85, 368, '86, 22, '93, 113,

> 7, 224. albiloris, plm., syn. '81, 106. albiventris, Yucatan, '86, 269. bilineata, plm., syn. '81, 106.

cærulea (a Blue-gray Gnatcatcher), Alas. '78, 170; Ariz. '82, 77 [obscura?], '85, 349, '88, 166?, '90, 48?; Bahamas, '91, 296, 297, 298, 298, 334, 350, 351, '92, 48; Colo. '85, 15; Conn. '77, 20, '83, 179, '86, 487, '93, 89a; Cuba, '92, 273; D. C. '88, 25, '92, 307; Fla. '88, 277, '90, 119, 314, '91, 127a, 138, '92, 214, '95, 366; g. dist. '93, 133; Ga. '83, 37, '96, 214; Ia.

'95, 122, 235; Ind. '82, 17, '89, 29; Ky. '89, 316; La. '82, 161, '87, 301; Mass. '78, 45, 146, '80, 47, 108, '90, 229; Me. '80, 236, '83, 113, '96, 264; Mich. '93, 229; Minn. '79, 182, '95, 185°; Mo. '79, 140; N. C. '86, 178, '89, 120; N. E. '77, 14, 47, '86, 400; N. J. '94, 140; N. M. '92, 368 [ob-Scura ?] ; N. Y. '79, 174, '81, 126, '85, 272, '88, 324, '89, 305, '93, 277, O. '82, 46; Ont. '85, 334, '89, 204; R. I. '77, 20; S. C. '79, 211, '90, 130, '92, 31^a, 35^a, 36^a, 37^a, '94, 109^a; Tenn. '86, 316, '87, 133; Tex. '82, 7, 35, '87, 298, '89, 241, '92, 344, 1900, 348; W. I. '86, 23, 501, '87, 7.-meas. '98, 161; mig. '92, 31a, 35a, 36a, 37a, '94, 109^a, '95, 122, 235; nst. '82, 7, '83, 37, '87, 295, 298, '89, 29, '90, 81*, '94, 140, '95, 185°; plm. '78, 19; song, '79, 170; syn. '81, 101, 106, '86, 23; mısc. '82, 118.

cæsiogaster, Bahamas, '88, 157, '91, 67, 335, 1900, 289.

californica (Black-tailed Gnatcatcher), Cal. '81, 103*, '86, 186, '89, 173; g. dist. '93, 135; L. Cal. '95, 143; N. M. '92, 368.—meas., syn. '81, 104; nst. '89, 173.

dumicola, Urug., nst. '83, 86. lembeyei, W. I., meas., plm., syn. '86, 22.

leucogaster, Venes. '97, 363. mexicana, Mex., meas., plm., syn. '98, 160.

nigriceps, plm., syn. '81, 106.

obscura (a Western Gnatcatcher, b cærulea), Ariz. '82, 77b, '85, 349b, '88, 166b, '90, 48b; Cal. '86, 186b, '89, 221b, '96, 123; g. dist. '90, 64, '93, 135; L. Cal. '84, 83; N. M. '92, 368b.—hbt., nst. '96, 123; syn. '84, 83, '90, 64; misc. '97, 107a.

plumbea (Plumbeous Gnatcatcher), Ariz. '82, 77-79, '88, 166; Cal. '87, 88, '89, 280, '90, 296; g. dist. '81, 101-103, '93, 135; Mex. '85, 228; N. M. '92, 368.—meas., nst. '82, 77; plm. '81, 101, '82, 77, '88, 166 (mlt.), '89, 280; syn. '81, 101, 105.

restricta, Mex., meas. '89, 97*.
Polioptilæ, '81, 173, '83, 228.
poliura (Chætura), see C. acuta.
pollicaris (Rissa), see Rissa.
polo-candor (Larus), see Sterna dougalli.

polyagrus (Falco), see F. mexicanus.
—— (Hierofalco), see Falco mexicanus.
Polybori, '77, 70.

Polyborinæ, '81, 77. Polyborus, '77, 71, '87, 50. pallidus, Mex. '98, 340.

tharus, Argent., Urug., fd., hbt., meas., nst. '84, 111-113; syn. '77, 60, 65; anat. '82, 88, '91, 219.

65; anat. 82, 88, '91, 219.

cheriway (Audubon's Caracara),
Ariz. '83, 29, '86, 423, Braz. '91, 161;
C. R. '90, 333, '92, 328; Cuba, '87,
50; Fla. '87, 222, '92, 212, 215; g.
dist. '93, 141; Ont. '93, 364; Tex.
'82, 173, '87, 189, '92, 234, 1900, 343.

—fd. '87, 189; hbt. '82, 173; meas.
'77, 61; nst. '82, 173, '87, 189, '92,
215, 234, 1900, 343; plm. '83, 29, '87,
27, '91, 161, '92, 215; syn. '77, 62,
'87, 50.

Iutosus (Guadalupe Caracara), anat. '91, 219; meas. '77, 61; syn. '77, 60, 62, 65.

polychlorus (Eclectus), see Eclectus.
polyglotta (Hypolais), see Hypolais.
polyglottos (Mimus), see Mimus.
polyglottus (Mimus), see M. polyglottos
or orpheus.

--- (Orpheus), see Mimus.

—— (Turdus), see Mimus polyglottos or orpheus.

polygrammus (Melanerpes), see Centurus santacruzi.

Polysticta, see Eniconetta.

polysticta (Dendrornis), see Dendror-

polytmus (Aithurus), see Aithurus.
—— (Trochilus), see Aithurus.
pomarina (Aquila), see Aquila.

pomarinus (Stercorarius), see Stercorarius.

pomatorhinus (Stercorarius), see S. pomarinus.

Poocætes, see Poœcetes.

Poœcetes, '80, 97, '84, 54, '90, 73, '99, 20-23, 117.

affinis (Oregon Vesper Sparrow), Ore. '86, 168 [not 'confinis'], '88, 404*.—meas. '88, 405; syn. '99, 23. confinis (a Western Vesper Sparrow, b gramineus), Ariz. '82, 194, '87, 199, '90, 49, 259, '94, 218a; Cal. '78, 66, '86, 182, '87, 86; Colo. '79, 93, '81, 90b, '83, 189, '85, 16, 141; g. dist. '93, 134; Ida. '98, 15; Man. '86, 323; Minn. '80, 14; Mont. '82, 62, '88, 18, 94, 305, '95, 216; N. M. '86, 73, '92, 365, '98, 309; Ore. '79, 164, '86, 168 [affinis?], '88, 358; Tex. '82, 38, '87, 259, 291, '92, 337, 1900, 346; Wash. '97, 178, 1900, 244.—meas. '82, 194,

'87, 259; nst. '87, 291; plm. '87, 259; syn. '82, 194, '83, 189, '99, 23.

gramineus (a Vesper Sparrow, Baywinged Bunting or Grass Finch), Ala. '79, 8; Colo. '81, 90 [confinis?]; D. C. '88, 22; Fla. '88, 273, '89, 321, '92, 213, '93, 338, '95, 365; Ga. '82, 99a, '96, 214; Ia. '95, 122; Ill. '78, 164, '90, 240; Ind. '82, 18, 20, '89, 25; Ky. '89, 314; Man. '85, 23; Mass. '78, 191, '84, 6b, '88, 389, '89, 44, 100, '93, 50°; Me. '82, 148; Mich. '81, 196a, '93, 226; Miss. '99, 267; Mo. 79, 143; N. B. '82, 148; N. C. '86, 101?, 308ª, 314, '87, 241, 242; N. H. '88, 150, 152, 154, '89, 77, 78, N. J. '79, 82, '92, 204, '94, 139; N. S. '95, 90; N. Y. '81, 229, '82, 188, '84, 31, 330; O. '95, 242; Ont. '87, 248a; Pa. '92, 137, '93, 40, 44, '96, 283, 291a, 294; P. E. I. '93, 6a, 11; Que. '85, 315, '89, 144; S. C. '79, 214, '92, 31a, '94, 111^a, '99, 198; S. D. '85, 280; Tenn. '86, 317; Tex. '82, 12 [confinis?], 38?, '87, 259, 291, '92, 337; Va. '86, 161; Wis. '82, 188.-mig. '92, 31^a, '94, 111^a, '95, 122, 242, '99, 197^a, 198; nst. '82, 18, '87, 247^a, '96, 294; plm. '76, 21 (alb.), '79, 40, '80, 27 (alb.); song, '84, 330, '85, 23; syn. '80, 97, '99, 23; misc. '81, 196a, 1900, 109ª.

Poor-me-one, see Nyctibius jamaicensis.

Poor-will, see Phalænoptilus nuttallii. California, see Phalænoptilus californicus.

Frosted, see Phalænoptilus nitidus. Nuttall's, see Phalænoptilus nuttallii. Poospiza boliviana, Boliv. '88, 412.

lateralis, Urug., mig. '83, 130. melanoleuca, Urug., hbt. '83, 130. nigrorufa, Urug., hbt., song, '83, 129.

torquata, Argent. '83, 130?.
popetue (Chordeiles), see C. virginianus

or minor. Pops. see Cvanospiza ciris.

Popular Science Monthly, titles (Nos. 1672-1677), '90, 201.

Porphyrio smaragnotus, Engl. '92, 289 ['Ionornis martinica']; misc. '92, 290 (corr.).

Porphyriornis comeri, Gough. I. '95, 288.

Porphyrospiza cærulescens (b pulchra), syn. '88, 412b, '90, 384. Porphyrula, see Ionornis. porphyrura (Eudoxa), see Lampornis mango. —— (Floresia), see Lampornis mango. —— (Lampornis), see L. mango. porphyrurus (Anthracothorax), Lampornis mango. - (Lampornis), see L. mango. - (Polytmus), see Lampornis mango - (Trochilus), see Lampornis mango. Porter, Louis Hopkins. Abnormal plumage of Habia ludoviciana, '92, 302. Southern capture of Larus leucopterus, **'95**, 76. Connecticut notes, '95, 86. Newfoundland notes, 1900, 71-73. Portland Society of Natural History, '85, 223. portlandica (Sterna), see S. paradisæa. portoricensis (Asio), see Asio. (Asyndesmus), see Melanerpes. - (Certhiola), see Cœreba portoricensis or flaveola. — (Cœreba), see Cœreba. (Columba), see C. corensis. --- (Fringilla), see Euetheia bicolor. — (Icterus), see Icterus. — (Loxia), see Pyrrhulagra. --- (Loxigilla), see Pyrrhulagra. ---- (Melampicus), see Melanerpes. ---- (Melanopsar), see Icterus. --- (Melanerpes), see Melanerpes. ---- (Mimokitta), see Mimocichla ardosiacea. - (Mimus), see M. orpheus or portoricensis. — (Pendulinus), see Icterus. - (Picus), see Melanerpes. — (Pyrrhulagra), see Pyrrhulagra or Spindalis. --- (Spindalis), see Spindalis. ---- (Spizampelis), see Spindalis. —— (Tanagra), see Spindalis. (Todus), see T. multicolor. — (Xanthornus), see Icterus. Porto Rico, West Indies. Cory, C. B., '89, 276, '92, 228-229. Pratt, G. B., '99, 361. Ridgway, R., '98, 322. postocularis (Chlorospingus), see Chlorospingus. potoricensis (Turdus), see Mimocichla ardosiacea.

potosina (Aphelocoma), see Aphelo-

Porzana (b Coturnicops, c Creciscus), '77, 64, '84, 143, '87, 250, '88, 54, '93,

coma.

potosini (Pipilo), see Pipilo.

108, '94, 242b, 242c, 317.

albigularis, meas., nst. '95, 26; syn. '95, 31.

bailloni, Helg. '95, 339.

carolina (a Sora or Carolina Rail, ^b Crex), Aris. '86, 386, '90, 48, 51; Bahamas, '91, 339; Cal. '87, 90, 339; Colo. '85, 18; Conn. '95, 297 (fig.); C. R. '90, 332, '92, 329; D. C. '88, 20; Fla. '85, 62, '88, 269, '89, 155, '92, 212, '95, 364; Ga. '96, 215; G. Br. '80, 211; g. dist. '93, 125; Hud. B. '90, 321; Ia. '95, 124; Ida. '97, 351, 1900, 243; Ind. '82, 22, '88, 348; Jamaica, '92, 11; La. '97, 287; Man. '86, 150; Mass. '91, 151, '95, 88; Me. '82, 151; Mich. '93, 223; Minn. '80, 19, '84, 248; Mo. '79, 147; Mont. '94, 302?, '95, 213; N. Atlantic Ocean, '84, 399b; N. C. '86, 179; N. J. '88, 38a, 39a, 422; N. Y. '81, 234, '83, 124, '84, 176, '90, 388; Ore. '79, 197, '88, 144; S. C. '79, 217, '85, 190; S. D. '84, 96, '85, 287; Tex. '79, 51*, '82, 223, '87, 185, '92, 232, 1900, 340; Wash. '93, 17, '97, 172; W. I. '81, 128, '88, 55; Wis. '88, 328°?.anat. '88, 414, '95, 172; meas. '88, 144, '92, 11; mig. '83, 124, '84, 176, '85, 62, '88, 38^a, 328^a, '95, 124; nst. '80, 19, '85, 98^a, 209, '88, 144; plm. '76, 23 (alb.), '79, 30ª (melan.), 46, '92, 11; syn. '88, 55; misc. '80, 192a, '90, 81".

cayennensis, Braz. '91, 163.

cinereiceps (balfari, eleucogaster), C. R. '88, 194b; Nicar. '85, 294e, '95, 19-32.—hbt. '95, 19-32; meas. '95, 26, 27, 29; nst. '95, 23; plm. '95, 27, 30 (mlt.); song, '95, 20; syn. '94, 171, '95, 32.

concolor, W. I. '88, 54, '92, 11. meas., plm., syn. '88, 54.

coturniculus (Farallone Rail), syn. '91, 89, '92, 108, 175, '93, 61.

flaviventris, Cuba, '88, 54; Jamaica, '92, 11, '88, 54.—meas., plm. '88, 54, '92, 11; syn. '88, 54.

galapagoensis, syn. '94, 243.

jamaicensis (Little Black Rail), Aris. '83, 36?; Cal. '87, 87; Conn. '77, 22, '84, 393; D. C. '84, 397; Fla. '90, 400, '92, 212; g. dist. 1900, 1-8 col. pl.); Ill. '76, 43; Jamaica, '92, 11, '94, 122; Kan. '80, 60, '86, 408, '94, 260; La. '97, 287; Mass. '77, 22; Minn. '93, 289; N. C. 1900, 171; N. J. 1900, 172; N. Y. '78, 85, '80, 117, '85, 299; S. C. '91, 55; Tex. '82, 224, '86, 139; W. I. '88, 55.—hbt. 1900,

2-8; meas. '80, 61, '84, 394, 1900, 7; mig. 1900, 1, 5; nst. '76, 43, '84, 393, '94, 260, 1900, 2, 4, 171, 172; song, 1900, 1, 4; syn. '88, 55, 1900, 1.

maruetta, Helg. '95, 339.-misc. '84, 173.

melanophaia, Bras. '95, 28.

noveboracensis (* Little Yellow Rail), Cal. '86, 491, '87, 339; Conn. '88, 319, '90, 389', '95, 311; Cuba, '88, 56; D. C. '84, 397, '88, 147; g. dist. '93, 125; Ill. '76, 43, '92, 67ª, '96, 179; Kan. '85, 385, '86, 113, 115; La. '97, 287; Man. '86, 150; Mass. '81, 186, '83, 177*, '95, 87; Mich. '92, 67*; N. C. '93, 243; N. E. '76, 73, '77, 17; N. Y. '85, 274, '88, 177, '93, 272, '99, 194; Ont. '85, 110, '87, 247a, '96, 173, 347; S. C. '91, 55; Tex. '82, 224.—fd. '88, 319; hbt. '86, 113; svn. '88, 56.

parva, Helg. '95, 339.

phæopyga, Japan, '88, 196.

porzana (Spotted Crake), Greenl. '89, 217.

salinazi, g. dist. 1900, 5.

spilonota, Galap. Is., syn. '92, 175. vagans, Honduras, '89, 172; Nicar. '95, 22.

porzana (Porzana), see Porzana. Posson, Cornelius Franklin.

Birds of unusual occurrence in Orleans Co., N. Y. '99, 193-196.

Postage on specimens, '93, 388. Potomac Valley Ornithological Club, **'92,** 400.

Powers, William L.

Two new birds for Maine, '97, 219. Praeger, William Emilius.

Protective coloration of genus Ægialitis, '91, 236.

Two records from Keokuk, Iowa, '95,

Bird protection in Iowa, '98, 101.

Birds in horticulture (rev.), 1900,

Prairie-chicken, see Tympanuchus americanus.

Attwater's, see Tympanuchus att-

wateri. prasinoptera (Certhia), see Eulampis jugularis.

- (Souimanga), see Eulampis jugularis.

pratensis (Anthus), see Anthus.

- (Crex), see C. crex.

– (Grus), see G. mexicana. praticola (Otocoris), see Otocoris. Pratincola, '94, 233.

rubetra, Helg. '95, 333. rubicola, Helg. '95, 333; misc. '85, 129.

salax, syn. '89, 331.

pratincola (Aluco), see Strix.

- (Strix), see S. pratincola or fuscata.

Pratt, George Buffett.

Puerto Rico Honey Creeper, '99, 361. prattii (Hæmatopus), see Hæmatopus. Prejevalsky, Nicolas Michaelovitch.

Obituary of, '89, 80. Premnocopus, '90, 166.

Premnoplex, '92, 173.

Prentiss. Daniel Webster.

Notes on birds of Bermuda, '96, 237-240.

Obituary of, 1900, 91.

Prentiss, D. W., and Coues, E., see Coues and Prentiss.

pretrei (Spindalis), see S. petrei or zena.

-(Tanagra), see Spindalis.

prevosti (Lampornis), see Lampornis. Pribilof Islands, Alaska.

Palmer, W., '94, 325, 1900, 74-76.

Price, William Wightman.

Nest and eggs of Olive Warbler (Dendroica olivacea), '95, 17-19.

Occurrence of Vireo flavoviridis at Riverside, California, '88, 210.

Nesting of Red-faced Warbler (Cardellina rubrifrons) in Huachuca Mts., southern Arizona, '88, 385.

Xantus's Becard (Platypsaris albiventris) in Huachuca Mts., southern Arizona, '88, 425. Description of new Pine Grosbeak

from California, '97, 182-186.

Prime, William Cooper.

Northern Phalarope (Phalaropus lobatus) in Franconia Mts., New Hampshire, '89, 68.

Prince Edward Island, Canada.

Bain, F., '85, 262-267, '86, 131. Brewster, W., '77, 28. Chamberlain, M., '86, 272, '87, 260. Dwight, J., Jr., '93, 1-15.

Hitchcock, F. H., '92, 71.

Mackay, G. H., '92, 199-200, '93, 77, 79, 82.

princeps (Ammodramus), see Ammo-

- (Passerculus), see Ammodramus. principalis (Campephilus), see Campephilus.

- (Corvus), see Corvus. pringlei (Delattria), see Delattria. Priocella, '96, 162, '97, 315, '99, 100. 321

glacialoides (Slender-billed Fulmar, b tenuirostris, c Fulmarus), Alas. '84, 80b [= Puffinus tenuirostris, see '84, 233]; Cal. '87, 87°; Cape Horn, '87, 4°; Wash. '95, 109°.—hbt. '87, 4°; syn. '84, 233b, 385, '99, 100. Priofinus, '97, 315, '99, 100.

cinereus (Black-tailed Shearwater, b Puffinus), Que. '90, 387b .syn. '84, 385, '99, 101. Prion, '97, 315, 1900, 167.

turtur, Cape Horn, hbt. '87, 1.

Prioneæ, '97, 315. Prioniturus, '94, 234.

Prionochilus, '94, 235.

Prionopidæ, '81, 32, 35.

Prionops vinaceigularis, Africa, meas. **'**97, 162***.**

Priotelus, '86, 359, '96, 112.

temnurus, W. I. '86, 360, '92, 272. -meas., plm., syn. '86, 360.

priscus (Laopteryx), see Laopteryx. Probosciger, see Solenoglossus.

Procellaria pelagica (a Stormy Petrel, b Thalassidroma), Cape Horn. '87, 5"; Helg. '95, 327, Mass. '85, 99b; N. J. '95, 171?; N. Y. '89, 132, '95, 70?; Scotland, '84, 98 .- hbt. '87, 5ª.

Procellariidæ (* Petrels), '77, 69, '81, 82, 162*, '86, 390, '97, 314, '99, 99.

Procellariinæ, '97, 315, '99, 100. procerus (Xiphocolaptes), see Xiphoco-

laptes. Procnias, '95, 157, 186, 187, '96, 334. occidentalis, Venez. '97, 364. tersa (b viridis), plm. '89, 48; syn.

'90, 381b. Procniatidæ, '96, 334.

Proctor, Thomas.

Skylarks nesting on Long Island [New York], '95, 390.

Unusual song of Red-winged Blackbird, '97, 319.

Disgorgement among song-birds, '97, 412.

Progne, '77, 64, '86, 55, '88, 443, '93,

chalybea, C. R., plm. '92, 22; Urug., fd., hbt., mig. '83, 88; nst. '83, 88, '92, 22.

cryptoleuca (Cuban Martin), Fla. '89, 325, '92, 213; g. dist. '88, 399. nst. '89, 329; syn. '87, 336, '90, 66. dominicensis, W. I. '80, 166, '81, 155, '86, 56, '91, 47, 48, 294, '93, 181, 120, '94, 127; meas., plm., syn. '86, 56.

elegans, Urug. '83, 89. hesperia (Western Martin, b subis), Cal. '86, 183b, '96, 347; g. dist. '89, 92*, '90, 63; L. Cal. '95, 141; Nicar. '94, 171.—nst. '86, 183b, '95, 141; syn. '90, 63.

sinaloæ, Mex. '98, 340.

subis (a Purple Martin, b purpurea, c Hirundo purpurea), Ala. '79, 7b; Aris. '82, 146, '88, 31, '90, 49, 260; Aris. 82, 149, 60, 31, 90, 13, 200, 18, E. C. '93, 291; Bras. '84, 368; Colo. '85, 15; Conn. '95, 83; Cuba, '86, 56; D. C. '88, 23, '92, 307; Engl. '77, 107b; Fla. '81, 15, '88, 275, '89 325 °, '91, 138, '92, 213, '95, 365; Ga. '83, 39, '96, 214; G. Br. '80, 70°; Ia. '95, 122, 235; Ill. '89, 339; Ind. '89, 25; Ky. '89, 315; La. '82, 162, '87, 302, '92, 205; Man. '86, 324, '93, 50°; Mass. '81, 193*, '84, 6*, '88, 389; Me. '82, 110, '94, 68, '95, 50°; Mex. '85, 228 [hesperia], '99, 357, 358?; Mich.'93, 226; Minn. '80, 14b, '84, 244; Miss. '82, 91; Mo. '79, 143, '80, 192b, '85, 300°, '98, 22; N. B. '82, 110; N. C. '86, 111; N. D. '99, 165°; N. H. '88, 150, 152, '89, 77, 78; N. J. '94, 139; N. Y. '81, 13b, 229, '94, 164; O. '89, 201, '95, 242; Ore. '86, 169; Pa. '92, 201, 93, 242; 072. 38, 169; 74. 92, 138, '96, 283; S. C. '79, 213, '90, 125; S. D. '85, 279; Tenn. '86, 317, '87, 131; Tex. '82, 11, 37, '87, 294, '92, 340, 1900, 346; Va. '86, 161a, '89, 53ª; Wash. '92, 356, '93, 17, 291; Wis. '82, 187b; W. Va. '98, 136.—anat. '90, 279; hbt. '85, 299", 300", '98, 22, '99, 286, 287^a, 358; meas. '82, 146; mig. '85, 57, 98^a, '95, 50^a, 83, 122, 128^a, 235, 242; nst. '80, 14^b, 192^b, '81, 15, '82, 11, '83, 39, '86, 111, '88, 23, 275, '92, 205, '97, 407, '98, 193; plm. '76, 21b (alb.), '82, 146, '84, 368, '89, 93; syn. '80, 98, '84, 368, '86, 56, '90, 192, '95, 375; misc. '81, 193", '86, 477, '90, 83. tapera, Urug., fd., hbt., mig., nst. '83, 89*.*

Promeropidæ, 1900, 189. propinqua (Branta), see Branta. - (Merula), see Merula. propinquus (Sclerurus), see Sclerurus. — (Turdus), see Merula.

proregulus (Phylloscopus), see Phylloscopus.

prosphora (Fraseria), see Fraseria. Protection of birds.

Dutcher, W., '97, 21, '98, 81. Stone, W., '99, 55, 1900, 51.

Protective Coloration.

Thayer, A. H., '96, 124, 318, 1900,

Thompson, E. S., '97, 395.

Protonotaria, '86, 27, '93, 112, 130. citrea (* Prothonotary Warbler), Ala. '78, 172; Ark. '82, 90; Bahamas, 1900, 305; Colom. 1900, 367; C. R. '90, 335, '91, 278; Cuba, '86, 27; Del. 1900, 197°; Fla. '88, 275, '90, 16, 313, '91, 132a, 138, '92, 213, '95, 365; Ga. '82, 96a, '83, 38, '96, 214; g. dist. '93, 133; Gulf of Mex. '81, 55a, 251a; Ill. '76, 42, '78, 163, '80, 32, '95, 395; Ind. '82, 16, 18, 19, '89, 26, '95, 395; Kan. '85, 97°; Ky. '89, 315; La. '80, 136a, '82, 49a?, '87, 37a, 304, '88, 325; Mass. '86, 410, 487, 488, '87, 164, '92, 387*, '95, 84; Me. '78, 139, '84, 290; Minn. '99, 236-246; Miss. '82, 90; Mo. '79, 141, '95, 117*, 350; N. B. '88, 323*; N. C. '93, 244; N. Y. '88, 170, 182, '93, 276, '95, 306; Ont. '88, 322; Pa. '79, 235, '80, 115, '88, 210, '99, 312; R. I. '84, 290, '86, 271"; Tex. '82, 9; Va. '89, 195; Wis. '83, 66, 68, '85, 32.—hbt. '78, 153—162, '95, 306, '99, 236—246 (6 photos); meas. '78, 160; mig. '80, 136a, '81, 251a, '83, 66, 68, '88, 182, '91, 135; nst. '78, 153, 158, '82, 9, 18, '83, 38, '87, 304, '89, 26, '99, 236, 242; plm. '78, 22, '88, 325 (alb.); song, '78, 153, 156, 172, '95, 306, '99, 236, 245; syn. '86, 27; misc. '83, 177. **'92**, 191. Pryer, Henry James Stovin. [Edible birds' nests], '88, 335.

Obituary of, '88, 332. pryori (Hypsipetes), see Hypsipetes. Psalidoprocne, '95, 373. Psalidoprocninæ, '95, 373. psaltria (Astragalinus), see Astraga-

- (Chrysomitris), see Astragalinus. - (Fringilla), see Astragalinus.

— (Spinus), see Astragalinus. Psaltriparus, '84, 280, '92, 172, '93,

linus.

112, 131.

californicus (California Bush-Tit, b minimus), Cal. '85, 207, '86, 186b, '89, 221, '96, 123; L. Cal. '95, 143. meas. '86, 186b; nst. '86, 186b, '92, 287, '96, 123; plm. '92, 195; song. **'96**, 123.

grindæ (Grinda's Bush-Tit), L. Cal. '84, 284.—syn. '85, 208, '92, 196. iulus, Mex. '94, 245.

lloydi (Lloyd's Bush-Tit), g. dist. '93, 135; Tex. '88, 43*, 400.—meas. '88, 43; nst. '88, 43, '89, 329.

melanotis, misc. '80, 88.

minimus (a Bush-Tit or Least Tit-

mouse, b Parus), B. C. 1900, 107; Cal. '83, 174a, '86, 87a, 186?; g. dist. '93, 135; Ore. '86, 171, '88, 364; S. C. '86, 137b.-nst. '83, 174a, '86, 137b, 171, 186?; misc. '90, 82a.

plumbeus (Lead-colored Bush-Tit) Ariz. '82, 80, '86, 84, '88, 166, '89, 773, '90, 48, '94, 218; Colo. '85, 15, '94, 270; g. dist. '93, 135; Nev. '88, 364; N. M. '99, 189.—nst. '88, 166, '89, 173, '94, 218.

santaritæ (Santa Rita Bush-Tit), Arız. '89, 172; g. dist. '93, 135.

Pselliophorus, '98, 223, 225*. Pseudochloris, '88, 411.

aureiventris, syn. '88, 412. mendozæ, syn. '88, 412.

Pseudocolaptes lawrencii, C. R. '80, 42. Pseudodacnis, '87, 150.

Pseudogryphus, '80, 79, '93, 130.

californianus (a California ture), Alberta, '97, 89; Aris. '83, 31, '99, 272; Cal. '80, 82, '86, 92, '93, 287*, 300, '94, 76, '95, 81, '98, 185; g. dist. '93, 134; L. Cal. '95, 137.anat. '80, 82; fd. '86, 92, '93, 300, '95, 81; hbt. '92, 288; meas. '80, 82, '85, 169, '98, 185; plm. '83, 55, '85, 167, '93, 300; syn. '80, 79, 82, '85, 167.

Pseudogyps, '80, 80. Pseudolalage, '94, 234.

Pseudoleistes virescens, Urug., hbt., nst. '83, 135.

Pseudomitris, '99, 79.

Pseudoscines, '81, 33, 34, 36. Pseudoscops, '86, 465.

grammicus, Jamaica, '86, 465, '92, 127.—hbt., nst. '92, 127; fd., meas. '86, 465; plm., syn. '86, 465, '92, 128. Pseudotantalus, '84, 83.

Pseuduria, see Uria.

Psilopædes, '81, 80.

Psilorhinus, '91, 304. morio, syn. '91, 304.

mexicanus (b cyanogenys), C. R. '92, 250.—plm. '92, 250; syn. '91, 304, 304b.

vociferus, syn. '91, 304. Psiloscops, '99, 297, 1900, 80.

psittacea (Psittirostra), see Psittirostra.

Psittaci (a Parrots), '81, 30, 76, 83, '82, 135a, '83, 169, '92, 277, '93, 110, 1900, 84ª.

Psittacidæ, '81, 29, 76.

Psittacula, '88, 460, '89, 172.

cyanochlora, Bras., plm. '88, 461, 462,

Ptilocolpa, '94, 233.

Ptilopachys, '94, 172.

Ptilonorhynchinæ, '83, 104.

```
cyanopyga, Mex. '89, 85.
    deliciosa, Bras. '88, 461, 462, '89,
  172, '91, 160.-plm. '88, 461, 462;
  syn. '91, 160.
    exquisita, Colom. '88, 461, 462, '89,
  172.-plm. '88, 461, 462.
    guianensis, Guiana, '88, 462; Venez.
  '88, 462, '97, 366.—plm. '88, 462.
    insularis, Mex. '89, 172.
    pallida, Mex., meas. '89, 85*.
    passerina, Braz. 1900, 299; Venez.
  '88, 462,
    spengeli, Colom., plm. '88, 461, 462.
    vivida, Braz. '88, 460, '89, 172.-
  plm. '88, 460.
psittacula (Ombria), see Cyclorrhyn-
       chus.

    (Phaleris), see Cyclorrhynchus.

psittaculus (Cyclorrhynchus), see Cy-
      clorrhynchus.

    (Symorhynchus), see Cyclorrhyh-

      chus.
Psittacus, '92, 279, '93, 99.
     augustus, syn. '99, 186.
Psittirostra psittacea, H. I. '88, 197.
Psittrichas, '92, 279.
Psophia, '96, 62, 63.
Psophiidæ, '81, 81, '94, 242.
Ptarmigan, Allen's, see Lagopus alleni.
  Atkhan, see Lagopus atkhensis.
  Evermann's, see Lagopus evermanni.
  Greenland, see Lagopus reinhardi.
  Nelson's, see Lagopus nelsoni.
  Newfoundland, see Lagopus alleni.
  Reinhardt's, see Lagopus reinhardi.
  Rock, see Lagopus rupestris.
  Subalpine, see Lagopus nelsoni.
  Townsend's, see Lagopus townsendi.
  Turner's, see Lagopus atkhensis.
  Welch's, see Lagopus welchi.
  White-tailed, see Lagopus leucurus.
  Willow, see Lagopus lagopus.
pterocles (Buteo), see Buteo.
Pterocletes, '81, 80, 83, '94, 171.
Pteroclidæ, '81, 80.
Pterocorys, '84, 228*.
Pteroglossus aracari, Braz. '91, 159.
     bitorquatus, Bras. '91, 159.
     inscriptus, Braz. '91, 139.
     torquatus, Nicar. '93, 84.
     wiedi, Braz. '91, 159.
Pteronetta, '96, 162.
Pteroptochidæ, '81, 29, 36, '90, 379,
  '96, 159.
Pteroptochus, '97, 417.
     albifrons, Boliv. '90, 382.
Ptilocichla, '94, 235.
ptilocnemis (Arquatella), see Tringa.
    - (Tringa), see Tringa.
```

```
Ptilopus, '92, 81, '94, 61, 236.
     jambu, Borneo, hbt., syn. '91, 14.
     melanocephalus, misc. '92, 81.
     melanospilus, misc. '92, 81.
     swainsoni, plm. '99, 319.
     xanthorrhous, misc. '92, 81.
Ptilorhis magnifica, syn. '92, 282.
     paradiseus, misc. '80, 236.
Ptiloxena, '94, 67.
Ptycorhamphus aleuticus (* Cassin's
  Auklet), Alaska, '95, 272a; Cal. '86, 88, '87, 86, 93, '93, 298-300; Wash.
  '92, 353.—fd., hbt. '93, 298; plm. '80, 126 (mlt.), '93, 298; song, '95,
  272ª.
pubescens (Dryobates), see D. pubes-
        cens or medianus.
     - (Picus), see Dryobates pubescens
        or medianus.
Publications received, '84, 89, 190,
  289-290, 387-388; '85, 101-102, 214-215, 302-303, 375; '86, 130, 272,
  406, 479; '87, 69-71, 156-158, 251,
   342; '88, 108, 200, 317, 422; '89,
  65, 184, 272, 334; '90, 86, 201-203,
  282, 398; '91, 110, 230, 306, 392-394;
  '92, 70, 196, 290, 387; '93, 75, 203,
  297, 360; '94, 71, 173, 249, 319-321;
  '95, 74, 176, 288, 385-387; '96, 76,
  169, 253, 338-340; '97, 113, 248-250, 338-340, 425-427; '98, 73-75,
  208, 285, 342; '99, 92-94, 207, 297-
   300, 373; 1900, 89, 190-192, 315-
   317, 401.
pucherani (Asturina), see Rupornis.
    -(Cymindis), see Regerhinus unci-
       natus.
    - (Rupornis), see Rupornis.
pudica (Synallaxis), see Synallaxis.
Puebla, Mexico.
  Allen, J. A., '87, 65, '91, 303.
Cox. U. O., '94, 161-162, '95, 356-
  Nelson, E. W., '94, 41, '97, 47, 57,
     1900, 253-260.
  Palmer, T. S., '94, 41.
Ridgway, R., '86, 331-333.
puella (Hirundo), see Hirundo.
Puffin, see Fratercula arctica.
   Horned, see Fratercula corniculata.
  Large-billed, see Fratercula glacialis.
   Tufted, see Lunda cirrhata.
Puffineæ, '97, 315.
Puffinidæ (* Puffins), '83, 174*, '97, 315.
Puffininæ, '97, 315, '99, 100.
Puffins, see Puffinidæ.
```

Puffinus, '88, 81, '93, 99, '96, 160.

assimilis (Allied Shearwater), g. dist. '99, 100; sym. N. Am. '98, 48. auduboni (a Audubon's Shearwater, b obscurus), Engl. '77, 107b; France, '77, 107b; N. Y. '88, 173; S. C. '94, 85; N. Am., west coast, '77, 97b?; W. I. '81, 155b, '87, 181, '88, 81, '89, 19-21, '94, 246a—meas. '88, 82, '89, 20; nst., song, '89, 19; plm. '88, 81, '89, 19, '91, 387a; syn. '80, 178, '88, 81, '96, 161, '97, 133.

auricularis (Townsend's Shearwater), g. dist. '99, 101; L. Cal. '91, 305, '98, 38, 1900, 249; Revill Is. '98, 313, 316, 317.—hbt., nst., plm. '98, 313, 1900, 249; syn. '99, 101.

borealis (Cory's Shearwater), Mass. '81, 84*, '83, 244, '87, 71; N. Am. '82, 61; R. I. '88, 108; N. Y. '88, 170, 173, 202, '89, 128.—fd. '87, 71, '88, 108, '89, 128; hbt. '83, 244, '87, 71, '89, 128; meas. '81, 84; plm. '83, 244, '89, 183; syn. '96, 161, '97, 135, '99, 129.

bulleri, Cal. 1900, 183.

creatopus (a Pink-footed Shearwater), Cal. '86, 125, '87, 87, '94, 30a, '95, 100.—fd. '96, 227a; mig. '94, 30a, 96a.

cuneatus (b knudseni), H. I. '90, 275; Revill. Is. '98, 39, 313, 316, 1900, 250.—nst. '98, 313, 1900, 250; plm. 1900, 251; syn. '90, 275.

fuliginosus (*Sooty Shearwater, bgriseus, stricklandi), Cal. '87, 87°?; Engl. '77, 107; Europe, '80, 218b; France, '77, 107; Helg. '95, 341; Mass. '83, 244, '87, 71°, '97, 228°; N. E. '83, 162°, 163°, '84, 237.—fd. '87, 71°; hbt. '84, 380, '87, 71°; mig. '84, 237; syn. '84, 385, '86, 267°, 402°, '96, 161°, '97, 135°, 315°, '99, 101, 132°.

gravis (a Greater Shearwater, b major), Bahamas '88, 81b; Helg. '95, 341b; Mass. '83, 244a; N. E. '83, 162a, 163a, '84, 237b, 381b; N. F. Grand Banks, '79, 127b; S. C. '94, 85b.—hbt. '84, 380b, 381b; mig. '84, 237b; plm. '89, 183b; syn. '86, 267b, '88, 81b, '96, 161, '97, 124.

griseus (a Dark-bodied Shearwater), Alas. '98, 125; Cal. '87, 87 [not 'stricklandi'], '94, 30a, '95, 100, 105, '98, 197; Wash. 1900, 349.—fd. '96, 227a; meas., plm. 1900, 349; mig. '94, 30a, '96a; mlt. '96, 228; syn. '86, 267, 402, '96, 161, '99, 132.

kuhlii, syn. '96, 161, '97, 135. nativitatis, *Christmas I*. '78, 81. newelli, *H. I*. 1900, 246*.

opisthomelas (a Black-vented Shearwater, b gavia), Cal. '94, 97a, 321b, '95, 100b; g. dist. '96, 223-228; L. Cal. 1900, 247.—fd., hbt., mig., mlt., nst., song, '96, 223-228; hbt., nst., song, 1900, 247-252; syn. '96, 161, '97, 124; misc. '99, 235.

puffinus (Manx Shearwater, banglorum), Helg '95, 341b; N. F., Grand Banks, '79, 128b; N. Am. '83, 115b; N. Y. '95, 70.

tenuirostris (* Slender-billed Shearwater), Alas. '84, 80 [not Priocella tenuirostris,' see '84, 233], 108; Cal. '96, 171, '98, 197; g. dist. '93, 125; fd. '96, 227*; syn. '84, 233. puffinus (Puffinus), see Puffinus. pugnax (Machetes), see Pavoncella.

—— (Pavoncella), see Pavoncella.
—— (Philomachus), see Pavoncella.
pulchellus (Vireolanius), see Vireolanius.

pulcherrimus (Todus), see Todus. pulchra (Cissolopha), see Cissolopha. —— (Cyanocitta), see Cyanocitta.

—— (Cyanochta), see Cyanochta.

—— (Compsothlypis), see Compsothlypis.

—— (Cyanospiza), see Cyanospiza.

---- (Passerina), see Cyanospiza. ---- (Porphyrospiza), see P. cærules-

—— (Porphyrospiza), see P. cærulescens.

Pulchripitta, '96, 60. Pulsatrix torquata, Braz. '91, 160. pulverius (Empidonax), see Empidonax.

— (Salpinctes), see S. obsoletus. pumilus (Coccyzus), see Coccyzus.

—— (Zebrilus), see Zebrilus.
punctatus (Thamnophilus), see Thamnophilus.

puncticeps (Thamnophilus), see Thamnophilus.

punctigula (Chrysoptilus), see Chrysoptilus.

—— (Dendrornis), see Dendrornis.
punctipectus (Chrysoptilus), see C. guttatus.

punctulatus (Catherpes), see Catherpes. punensis (Blacicus), see Blacicus.

(Contopus), see Blacicus.
 (Phrygilus), see Phrygilus.
 punicea (Pyrrhospiza), see Pyrrhospiza.

puniceus (Trochilus), see Bellona cristata.

Purdie, Henry Augustus.

see Brewer, T. M., 'cat. of birds of New England' (rev.), '76, 72.

Nest and eggs of Traill's Flycatcher as observed in Maine, '76, 75.

Distribution of New England birdsa reply to Dr. T. M. Brewer, '77, 11-17.

Notice of a few birds of rare or accidental occurrence in New England, 77, 20-22.

Lark Finch (Chondestes grammaca) again in Massachusetts, '78, 44.

Black-throated Bunting (Euspiza americana) nesting in Mass. '78, 45.

see Sennett, G. B., 'ornith. of lower Rio Grande' (rev.), '78, 144.

Capture of Yellow-throated Warbler in Massachusetts and notes on other rare Mass. birds, '78. 146.

Nest and eggs of Yellow-bellied Flycatcher (Empidonax flaviventris), '78, 166-168.

Golden-cheeked Warbler and Blackchinned Hummingbird in Texas, 79, 60.

Great Carolina Wren (Thryothorus ludovicianus) in Connecticut, '79, 61.

Record of additional specimens of White-throated Warbler (Helminthophaga leucobronchialis), 184.

Another Kirtland's Warbler, '79, 185. Loggerhead Shrike breeding in Maine, '79, 186.

MacFarlane's Gerfalcon (Falco gyrfalco sacer) in Maine, '79, 188.
Corvus ossifragus on Long and

Staten Islands, N. Y. '80, 240.

Purple Gallinule in New England, '80, 242.

Avocet (Recurvirostra americana) in Massachusetts, '81, 123.

Melanerpes erythrocephalus about Boston, '82, 57.

Ammodramus caudacutus,-a somewhat inland record on Atlantic coast, '82, 122.

Pelidna subarquata on Maine coast, **'82**. 124**.**

Rhynchops nigra,—an early record for Massachusetts coast, '82, 125.

Garzetta candidissima at Nantucket, Massachusetts, '82, 251.

Rare Warblers in Massachusetts, '82, 252.

A flock of White Herons (Herodias egretta), in eastern Massachusetts, '83, 242.

An earlier occurrence of Prothonotary Warbler in Massachusetts, '86, 488.

Purdy, James Britton.

325

A relative of Alexander Wilson, '95,

Henslow's Sparrow (Ammodramus henslowi) breeding at Plymouth, Michigan, '97, 220.

Henslow's Sparrow in Michigan-a correction, '97, 406.

Golden Eagle and Barn Owl at Northville, Wayne Co., Mich. '99, 77.

Red-headed and other woodpeckers in Michigan in winter, 1900, 174.

purpurascens (Molothrus), see Molo-

- (Xanthornus), see Molothrus.

purpurea (Ardea), see Ardea.

--- (Chamæpelia), see Columbigallina terrestris.

- (Columbigallina), see C. terrestris. --- (Hirundo), see Progne subis.

--- (Progne), see P. subis.

purpureus (Carpodacus), see Carpodacus.

— (Centropus), see Centropus.

--- (Quiscalus), see Q. quiscula or æneus.

purus (Dendrocopus), see Dryobates cissa.

- (Manacus), see Manacus.

pusilla (Ciceronia), see Simorhynchus. --- (Emberiza), see Emberiza.

- (Euetheia), see Euetheia.

--- (Muscicapa), see Empidonax virescens or Wilsonia pusilla.

 (Myiarchus), see Empidonax virescens.

- (Pelidna), see Tringa minutilla or Ereunetes pusillus.

- (Porzana), see P. parva. —— (Serinus), see Serinus.

--- (Sitta), see Sitta.

---- (Spizella), see Spizella. --- (Sylvania), see Wilsonia.

- (Sylvia), see Compsothlypis usneæ.

-(Tringa), see T. minutilla or Ereunetes pusillus.

- (Tyrannula), Empidonax see traillii?.

-(Wilsonia), see Wilsonia.

pusillula (Melospiza), see M. samuelis. pusillum (Ornithion), see Ornithion. pusillus (Cyphorhinus), see Hemiura

leucogastra. – (Empidonax), see E. traillli.

pyrrhonota (Petrochelidon), see P. luni-

Pyrrhomitris, see Spinus.

frons.

```
--- (Ereunetes), see E. pusillus or
       occidentalis.
  - (Fratercula), see Simorhynchus.
--- (Myiodioctes), see Wilsonia.
   - (Platyrhynchus), see Empidonax
       traillii.
   - (Simorhynchus), see Simorhyn-
       chus.
   — (Vireo), see Vireo.
   - (Xiphorhynchus), see Xiphorhyn-
pustulatus (Icterus), see Icterus.
Pycnonotidæ, '81, 34.
Pycnonotus, '83, 104, '94, 235.
    xanthopygus, Helg. '95, 331.
Pycnorhamphus, see Perissospiza.
Pycraft, William Plane.
  Osteology of the Impennes (rev.), '99,
    363.
pygmæa (Alca), see Simorhynchus.
   - (Fratercula), see Simorhynchus.
  — (Limicola), see Limicola.
 --- (Sitta), see Sitta.
pygmæus (Centurus), see Centurus.
 — (Empidonax), see Empidonax.
 —— (Eurynorhynchus), see Euryno-
       rhynchus.
  - (Phaleris), see Simorhynchus.
- (Simorhynchus), see Simorhyn-
       chus.
pygmea (Porzana), see P. bailloni.
Pygmornis longuemareus, Trinidad,
  song, '95, 207.
Pygopodes, '81, 30, 82, 83, '82, 47, '84,
  383, '86, 126, '92, 174, '93, 105, '99.
  201.
Pyranga, see Piranga.
Pyrgisoma biarcuatum, N. Am., W.
  coast, '77, 92?.
    cabanisi, C. R., hbt., meas., nst.,
  plm. '92, 248.
    kieneri, syn. '98, 156.
    leucotis, C. R., plm. '92, 249.
    rubricatus (b Atlapetes), syn. '98,
  157b.
    xantusi, Mex., syn. '98, 156.
Pyrocephalus, '77, 64, '93, 132, '95, 71,
  '97, 330, '98, 208, 1900, 303.
    đubius, syn. '95, 71.
    mexicanus (a Vermilion Flycatch-
  er), Ariz. '82, 207, '87, 19, '94, 218, 220°; Cal. '87, 92; Tex. '92, 236, '96,
  plm. '82, 207; nst. '82, 207, '87, 19, '92, 236.
  258; Utah, '93, 286.-hbt., meas.,
    rubineus, Urug., hbt., nst. '83, 201.
Pyroderus masoni, Venez. '86, 333*.
Pyrrhocentor, '94, 233.
Pyrrhocorax alpinus, Helg. '95, 330.
```

```
pyrrhoptera (Muscicapa), see Philen-
         toma.
      · (Philentoma), see Philentoma.
pyrrhopterus (Icterus), see Icterus.
Pyrrhospiza humii, syn. '88, 412.
      punicea, syn. '88, 412.
pyrrhothorax (Ægialitis), see Æ. mon-
         gola.
Pyrrhula, '84, 48, 56, '88, 197.
      cassini (Cassin's Bullfinch), Alas.
   '84, 77, '88, 410.—syn. '88, 197.
      europæa, Helg. '95, 336.—syn. '88.
   197.
      griseiventris, syn. '88, 197.
      inornata, N. Am., W. coast, '77,
      kamtschatica, syn. '88, 197.
      kurilensis, syn. '88, 197.
      pyrrhula (* Bullfinch), Germany,
   '96, 310a; Helg. '95, 336.—syn. '88,
   197.
pyrrhula (Pyrrhula), see Pyrrhula.
Pyrrhulagra (b Loxigilla), '86, 203b,
   '93, 70.
      affinis, Hayti, meas. '98, 322*.
      barbadensis (b Loxigilla), W. I.
   '86, 382b*, '88, 158b.
coryi, W. I. '98, 323*.
      crissalis, W. I. '98, 323*.
      dominicana, meas. '98, 323*.
      grandis (b Loxigilla), W. I. '83,
   114b, '86, 206b.—meas., plm., syn. '86,
   206b.
      grenadensis, W. I. '93, 70.
      noctis (b Loxigilla), Bahamas, '91,
   46<sup>b</sup>, 47<sup>b</sup>, 47<sup>b</sup>, 48<sup>b</sup>, 49<sup>b</sup>, 300<sup>b</sup>; W. I. '80, 166<sup>b</sup>, '86, 204<sup>b</sup>, '87, 95<sup>b</sup>.—meas.,
   syn. '86, 204b; plm. '80, 166b, '86,
   204°, '87, 95°.
      portoricensis (b Loxigilla), W. I.,
   meas., plm., syn. '86, 205b.
      richardsoni (b Loxigilla), W. I.
   '86, 382b*, '88, 158b.
     ridgwayi, W. I. '93, 70. sclateri (b Loxigilla), W. I. '80,
   166b, '86, 204b.-plm., syn. '86, 204b.
      violacea (b Loxigilla, c Loxigilla
   bahamensis), Bahamas, '91, 70b, 294b,
  295<sup>b</sup>, 297<sup>b</sup>, 297<sup>b</sup>, 298<sup>b</sup>, 334, 335, 336, 337, 350<sup>b</sup>, 350<sup>b</sup>, 351<sup>b</sup>, 351<sup>b</sup>, 92, 48<sup>b</sup>, 49<sup>b</sup>; Jamaica, '93, 180<sup>b</sup>; W. I. '80, 42<sup>c</sup>, '81, 152, '86, 203<sup>b</sup>, '94, 126<sup>b</sup>,
   1900, 293.—nst. '94, 126b; meas. '86,
   203<sup>b</sup>; plm. '86, 203<sup>b</sup>, '93, 180<sup>b</sup>; song.
   '93, 180b; syn. '86, 203b, 204c.
```

Pyrrhulagra, Cory's, see Pyrrhulagra coryi.

Dominican, see Pyrrhulagra domini-

Haytien, see Pyrrhulagra affinis.

St. Vincent, see Pyrrhulagra crissalis. pyrrhuloides (Emberiza), see Emberiza. Pyrrhuloxia beckhami, '87, 347, see

sinuata. peninsulæ (Saint Lucas Pyrrhuloxia), L. Cal. '87, 347*, '88, 398.

Pyrrhuloxia, sinuata (Arizona b beckhami), Ariz. '82, 199, '87, 204; g. dist. '87, 347b*, '88, 398b, '97, 130; L. Cal. '90, 215; Mex. '85, 228 .- fd., plm. '82, 199; syn. '97, 95, 130. texana (* Texas Pyrrhuloxia or

Cardinal, b sinuata), g. dist. '93, 135b '97, 129; Tex. '84, 122b, '87, 293b, '88, 119a, '92, 339b, 1900, 346b.—hbt. '88, 119^a; nst. '92, 339^b; plm. '78, 122b, '79, 46b; syn. '97, 95, 129.

Pyrrhuloxia, Arizona, see Pyrrhuloxia sinuata.

St. Lucas, see Pyrrhuloxia peninsulæ. Texas, see Pyrrhuloxia texana.

Q

Qua-bird, see Nycticorax nævius. Quail, see Colinus virginianus. American, see Colinus virginianus. Arizona, see Colinus ridgwayi. Blue, see Callipepla squamata. California, see Lophortyx californicus.

Chestnut-bellied Scaled, see Callipepla castanogastris.

Cuban, see Colinus cubanensis. European, see Coturnix coturnix. Florida, see Colinus floridanus. Fool, see Cyrtonyx montezumæ. Gambel's, see Lophortyx gambelii. Guatemalan, see Colinus insignis. Masked, see Colinus ridgwayi. Massina, see Cyrtonyx montezumæ. Mearn's, see Cyrtonyx [mearnsi =] montezumæ.

Mountain, see Oreortyx pictus. Scaled, see Callipepla squamata. Spanish, see Spindalis nigricephala. Texas, see Colinus texanus. Valley, see Lophortyx vallicolus. Virginia, see Colinus virginianus.

Quail-Dove, Blue-headed, see Starnænas cyanocephala.

Key West, see Geotrygon chrysia. Ruddy, see Geotrygon montana. Quaily, see Bartramia longicauda.

Quandy, see Harelda hyemalis. Quebec, Canada.

Batchelder, C. F., '90, 387. Bishop, L. B., '89, 144-150. Brewster, W., '82, 253-256, '84, 379-

380.

Caulfield, F. B., '92, 283, 283.

Chamberlain, M., '88, 107-108. Comeau, N. A., '88, 318-319, '90, 294, '91, 317-318.

Cory, C. B., '79, 171. Couper, W., '81, 50, '84, 88.

Dionne, C. E., '98, 53. Emmett, W. T., '85, 301.

Field, G. W., '89, 183. Fisher, A. K., 1900, 65.

Goss, N. S., '83, 238.

Hardy, F. P., '88, 381.

Le Moine, J. M., '84, 185, '90, 389, 397.

Lucas, F. A., '88, 129-135, 280-282.

Maynard, C. J., '83, 233. Merriam, C. H., '81, 246, 249, '82, 120-121, 233-242, '83, 244-245, '84, 185, 295, '85, 107, 113, 305,

315.

Neilson, J., '83, 118.

Vennor, H. G., '80, 114, '81, 49.

Williams, J. B., 1900, 174-175. Wintle, E. D., '84, 88, 185, '90, 209, **'91**, 396.

Querquedula, '84, 144, '88, 63, '96, 162, 164, '99, 103.

brasiliensis, Argent., Urug., hbt. '84. 273*.*

cyanoptera (a Cinnamon Teal, b Anas), Argent. '84, 273; Ariz. '83, 36, '86, 384b, '90, 51b; B. C. 1900, 104b; Cal. '86, 89b, '89, 223b; Colo. '77, 51, '83, 198, '85, 18, 144; Fla. '89, 160b, '93, 362b; g. dist. '93, 134b; Ida. '97, 350b; Kan. '85, 112, '94, 260°; La. 1900, 170; L. Cal. '95, 136b; Man. '86, 328b; Minn. '82, 47, '93, 289^b; N. Y. '77, 75; Ore. '79, 198, '88, 141^b, '91, 366^b (fossil), '93, 344? (fossil); Tex. '82, 224, '87, 184^b, '92, 232^b; Wash. '97, 171^b; W. I. '88, 64.—hbt. '80, 181; nst. '88, 141b; syn. '99, 104.

discors (* Blue-winged Teal, b Anas), Alas. '79, 13; Aris. '83, 36, '86, 384', '90, 48', 51'; B. C. 1900, 104'; Chili, '99, 292; Colo. '81, 142, '85, 18, 144; C. R. '90, 332', '92, 329'; Engl. '85, 375 [= querquedula?]; Fla. '88, 269b, 378b, '92, 211b, '95, 364b; France, '77, 107, '80, 213; g. dist. '93, 125b; G. Br. '80, 213; Ind.

'82, 19^a, 22, '88, 346^b; Jamaica, '91, 364b; Ky. '89, 312b; La. '82, 165, '97, 286b; Man. '86, 148b; Mass. '81, 127, '96, 200°; Minn. '80, 19, '84, 248; Mo. '79, 147, '95, 10a; Mont. '88, 17a, '95, 212b; N. D. '99, 161a, 162a; N. E. '83, 162*, 163*; N. M. '92, 360°, '98, 307*; N. Y. '79, 33, '81, 234, '92, 69°; Ont. '85, 372; Ore. '91, 366 (fossil), '93, 344b (fossil); Que. '82, 239; S. C. '79, 218; S. D. '85, 288; Tenn. '86, 320b; Tex. '82, 224, '87, 184b, '92, 231b, 1900, 339; Wash. '93, 17°; W. I. '81, 128, 155, '88, 63.hbt. '90, 393b, '92, 383b; nst. '80, 19, '91, 389°; plm. '76, 23 (alb.); syn. '88, 63, '99, 104; misc. '85, 375 (corr.).

eatoni, syn. '97, 207.

flavirostris, Argent., hbt. '84, 273. hartlaubi, syn. '96, 162.

querquedula (b circia), Helg. '85, 375b, '95, 340b.—syn. '96, 164.

versicolor, Argent., Urug., hbt. '84, 274. querquedula (Querquedula), see Quer-

quedula.

Querula cruenta, Bras. '91, 25. querula (Muscicapa), see Contopus virens.

—— (Zonotrichia), see Zonotrichia. querulus (Picus), see Dryobates borealis.

quindiuna (Cyanolyca), see Cyanolyca. quinquestriata (Aimophila), see Aimophila.

—— (Zonotrichia), see Aimophila. Quiscalus, '84, 57, '85, 43, '86, 223, '92,

180, '93, 111, 130.

meus (* Bronzed Grackle or Crow Blackbird, * purpureus, * quiscula), Ark. '82, 92°; Canada, '84, 185°, 185°, Colo. '85, 16; D. C. '88, 19; Hud. B. '90, 322; Ia. '88, 207, '95, 121, 236; Ill. '88, 207; Ind. '82, 21, '89, 24; Ky. '89, 314; La. '87, 302°, 303, '88, 113, 324; Man. '86, 322; Mass. '81, 180, '84, 6a, '88, 389, '89, 44, '90, 368°, '99, 196°; Me. '82, 149, '94, 70, 1900, 208°; Mich. '93, 225; Minn. '80, 15, '84, 245°, '93, 290; Minn. '80, 15, '84, 245°, '93, 290; Minn. '80, 15, '84, 245°, '93, 290; Miss. '82, 92°; Mo. '79, 145°, '95, 3°, 223, 350°, '98, 25°; Mont. '88, 15°, '95, 216; N. B. '82, 149, '89, 117°; N. C. '93, 242, '94, 333; N. D. '99, 162°, Neb. '96, 245°; N. S. '99, 252; N. Y. '81, 231, '82, 188°, '85, 253°; O. '89, 201, '95, 242; Pa. '92, 136°, '93, 39, '96, 294; P. E. I. '93, 10; Que. '82,

236^b; R. I. 1900, 76^a; S. C. '88, 113, 208, 324, '91, 51, 167; S. D. '85, 282; Tenn. '86, 319, '87, 131^e; Tex. '82, 163^b, 167, '87, 291, '92, 238, 1900, 346; W. Va. '98, 135.—fd. '81, 181, '87, 303, '90, 208, '97, 421^a; hbt. '81, 181, '84, 86^a, '90, 208, 368^a, '95, 216, 303^a, '98, 25^a; mig. '81, 98^b, '88, 207, '91, 51, '95, 121, 129^a, 236, 239^a, 242, 244^a, '99, 144^a, 196^a; nst. '80, 15, '82, 167, '96, 294; plm. '78, 176^b, '86, 318, '92, 180; song, '82, 21, '85, 253^a; syn. '90, 77, '92, 180; misc. '80, 40

aglæus (Florida Grackle), Ala. '79, 10; Fla. '88, 273, '89, 321, '91, 138, '92, 213, '95, 365; La. '88, 113; S. C. '88, 208.—syn. '92, 180.

atroviolaceus (b Scolecophagus), W. I., meas., plm., syn. '86, 227; syn. '94, 67b.

brachypterus, W. I., meas., plm., syn. '86, 224.

caymanensis, W. I. '86, 499*, 502, '88. 158.—meas. '86, 499.

fortirostris, W. I., meas., plm., syn. '86, 223.

guadeloupensis, W. I. '79, 229, '86, 226, '91, 49.—meas., plm., syn. '86, 226.

gundlachii, W. I. '86, 226, '89, 31, '92, 272.—meas., syn. '86, 226; plm. '86, 226, '91, 190 (alb.).

inflexirostris, W. I. '79, 229, '86, 224, '87, 96.—meas., plm., syn. '86, 224.

insularis, W. I. '96, 333.

jamaicensis (b crassirostris), W. I. '86, 225b, '93, 179b, '94, 126b.—hbt. '92, 370b; meas., plm., syn. '86, 225b; song '93, 179b.

lugubris, Venez. '97, 364.—syn. '80, 166.

luminosus, W. I. '79, 49, '80, 166, '86, 225.—meas., plm., syn. '86, 225. macrourus (a Great-tailed, or Longtailed Grackle), Mex. '98, 269; Tex. '77, 85a, '92, 238, 1900, 346.—hbt., nst. '98, 269.

major (a Boat-tailed Grackle), Cal. '77, 93?; Canada, '84, 185 [zeneus?], 185a [zeneus?]; Fla. '87, 277a, '88, 273, '89, 321, '90, 341, '91, 132a, 138, '92, 213; Ga. '83, 39, '96, 212; g. dist. '87, 346, '93, 133; La. '92, 205; Mex. '77, 93; Md. '85, 100a; Me. '83, 165a [zeneus?]; N. E. '76, 72, '77, 12, 45; N. S. '80, 44; S. C. '99, 197; Tex. '82, 168.—fd. '86, 477, '90, 341,

'99, 197; hbt. '90, 341; mig. '99, 197; nst. '82, 168, '83, 39, '85, 100a, '87, 346, '89, 321; mlt. '87, 346; song, '88, 273; misc. '87, 277".

niger, W. I. '81, 153, '86, 226.meas., plm., syn. '86, 226.

obscurus, Mex., meas. 1900, 267*. quiscula (* Purple Grackle or Crow Blackbird, b purpureus, c versicolor), Cal. '77, 93^b?; D. C. '88, 19^s, 22; Ga. '83, 39^b; g. dist. '93, 133; Ky. '89, 314; La. '82, 163^b, '87, 302 [æneus?], '88, 113b, 324; Mass. '76, 53^b; N. C. '86, 107; Neb. '96, 245 [æneus?]; N. J. '94, 138; N. Y. '79, 32°, '81, 231, '85, 253°, '92, 319°, '93, 54°; Ore. 77, 93°°; Pa. '87, 69°, '89, 141, '92, 136, '96, 283; R. I. 1900, 76°; S. C. '79, 215°, '85, 189, '88, 208, 324, '90, 208; Tenn. '86, 318, '87, 131 [æneus?]; Va. '86, 161a.—anat. '88, 329^b; fd. '84, 86^a, 86^a, '85, 210^a, '86, 477^b, '97, 421^a; hbt. '85, 189, '95, 303a; mig. '80, 152a, '81, 98b, '89, 235b, '86, 130b, '93, 297.

quiscalus (Chalcophanes), see Ptiloxena atroviolaceus.

quiscula (Quiscula), see Q. quiscula or æneus.

Quit, Banana, see Cœreba flaveola. Blue, see Glossiptila ruficollis.

Orange, see Glossiptila ruficollis. quixensis (Drymophila), see Drymophila.

Quok, see Nycticorax nævius or violaceus.

R

Races (new), see New Species. radiolatus (Centurus), see Centurus.

- (Picus), see Centurus. --- (Zebrapicus), see Centurus.

Ragsdale, George Henry.
Painted Lark Bunting (Plectrophanes pictus) in Texas, 78, 92.

Olive-backed Thrush (Turdus swainsom) in Texas, '79, 116.

Nesting of Snowbird (Junco hyemalis) in eastern Tennessee, '79, 238.

Additional notes concerning Black-capped Vireo in Texas, '80, 239.

Note on Tryngites rufescens in Texas, '81, 61.

Range of Lophophanes atrocristatus in Texas, '81, 114.

Larus glaucus in Texas, '81, 187. Peucaa ruficeps eremaca, '82, 122.

Addition to Texas avifauna, '86, 281.

Change of winter habitat in Grass Finch, '87, 259.

Hiatus existing between breeding ranges of Loggerhead and Whiterumped Shrikes, '89, 224-226.

Melanerpes aurifrons in Young Co., Texas, '90, 401.

Breeding range of Sparrow Hawk (Falco sparverius) in Texas, '91, 312.

Distribution of the species of Peucæa in Cooke Co., Texas, '92, 73.

Obliteration of tarsal scutella in Accipiter cooperi, '94, 251.

Temperature and nest-building, '94, 260.

Obituary of, '95, 316.

Rail, Bahama, see Rallus coryi. Belding's, see Rallus beldingi.

Black, see Porzana jamaicensis.

California Clapper, see Rallus obso-

Caribbean Clapper, see Rallus caribæus.

Carolina, see Porzana carolina.

Clapper, see Rallus crepitans. Farallone, see Porzana coturniculus.

King, see Rallus elegans.

Little Black, see Porzana jamaicensis.

Little Yellow, see Porzana noveboracensis.

Louisiana Clapper, see Rallus saturatus.

Red, see Porzana concolor.

Red-breasted, see Rallus elegans.

Scott's, see Rallus scottii.

Sora, see Porzana carolina. Virginia, see Rallus virginianus.

Wayne's Clapper, see Rallus [waynei =] crepitans.

Yellow, see Porzana noveboracensis. Rails, see Rallidæ.

raimondi (Chlorestes), see Sporadinus riccordi.

(Gnathospiza), see Sicalis taczanowskii.

(Riccordia), see Sporadinus riccordi.

- (Sicalis), see S. raimondi.

Rain-bird, see Cypselus phœnicobius, Hemiprocne zonaris, Petrochelidon fulva, Saurothera vetula, Hyetornis pluvialis, or Tachornis phænicobius. Rain-crow, see Hæmatopus palliatus or Coccyzus americanus.

Raine, Walter.

Bird-nesting in northwest Canada (rev.), '94, 247.

Discovery of eggs of Belted Piping Plover, '96, 256.

Nidification of Dusky Horned Owl, '96, 257.

Rallidæ (* Rails), '78, 17, '81, 81, '82, 116, '87, 67a, 249a, '90, 84, '94, 242, '97, 340.
Rallina, '94, 317.

eurizonoides (b Gallinula), P. I. '89, 173b.

fasciata, Borneo, syn. '91, 16.

Rallinæ, '94, 317.

Rallites, '94, 317.

Rallus, '87, 250, '88, 52, '93, 99, 108. æquatorialis, syn. '94, 242, 243. antarcticus, Argent., Urug., hbt. '84, 276.

aquaticus, Helg. '95, 339.

beldingi (Belding's Rail), L. Cal. '82, 258; N. Am. '84, 384.—syn. '94, 242.

caribæus (Caribbean Clapper Rail), g. dist. '89, 163-165; Jamaica, '92, 11, '94, 122; Tex. '88, 319, 394; W. I. '80, 140, '88, 53.—hbt., song, '92, 11; meas. '80, 140, '89, 165; nst. '92, 11, '94, 122; plm. '80, 140, '89, 163, 165; syn. '80, 140, '88, 53, '89, 162, '94, 242.

coryi, W. I. '87, 155, '88, 53, '89, 163, 165, '91, 77, 294, 295, 386.— meas. '88, 53, '89, 165; nst. '91, 77; plm. '88, 53; syn. '88, 53, '94, 242.

crassirostris, syn. '80, 140, '89, 161.

crepitans (a Clapper Rail, b longirostris, c waynei), Bahamas, '88, 53; Fla. '89, 153, '92, 212; Ga. '83, 42; g. dist. '80, 140, '89, 161, 163, 165, 166, '99, 339°; La. '88, 108, '97, 287; Mass. '77, 22b, '81, 62b, '87, 344, '92, 74a; Me. '79, 108b, '83, 113; N. J. '79, 226b, '85, 98a, '90, 327, '97, 24a; N. Y. '78, 85 [elegans?], '85, 274, '84, 175, '93, 271; Va. '76, 27b. anat. '95, 1726; hbt. 1900, 1972; meas. '80, 140, '89, 166, '99, 339°; mig. '84, 175; nst. '76, 27°, '79, 24, '83, 42, '85, 98°; plm. '80, 140, '89, 161, 163, 165, '93, 271 (alb.), '99, 291c, 339c; syn. '80, 140, '88, 53, '89, 161, '90, 64, '94, 242, '99, 339°.

cubanus, W. I. '94, 67 .- syn. '94, 242.

elegans (King Rail), Conn. '81, 62, '82, 60, 124, '93, 207; Cuba, '88, 52, '92, 272; D. C. '88, 20; Fla. '88, 269, '89, 153, '92, 212, '95, 364; Ga. '83, 42, '96, 215; g. dist. '80, 139, '93, 132; La. '82, 165, '97, 287; Mass. '77. 22, '78, 146, '81, 62, '82, 60, '92, 396, '96, 86; Me. '82, 60, '96, 79; N. H. '88, 176; N. J. '94, 136; N. Y. '78, 85, '92, 68, '99, 194; S. D. '84, 97, '85, 287; Tex. '87, 299.—fd. '83, 172; meas., plm. '80, 139; mig. '88, 176; nst. '83, 42, '88, 20, '94, 136; syn. '80, 138, 139, '88, 52, '94, 242.

longirostris, g. dist. '80, 138-140, '89, 161.—anat. '95, 172; meas. '80, 140, '89, 161-166; plm. '80, 139, '89, 161, 165; syn. '80, 138-140, '89, 161, '94, 242.

obsoletus (California Clapper Rail, b levipes), Cal. '80, 124, 139, '87, 87, 90, '99, 291b, 339b; g. dist. '89, 165, 166.—hbt., nst. '80, 124; meas. '80, 125, 139, '89, 166, '99, 340b; plm. '80, 139, '89, 165, 166, '99, 339b; syn. '80, 139, '89, 162, 163, '94, 242, '99, 339b.

saturatus (Louisiana Clapper Rail), La. '80, 140, '89, 164, 166, '97, 287.—meas., plm. '80, 140, '89, 166; syn. '80, 140, '89, 164, '90, 65, '94, 242.

scottii (Scott's Rail), Fla. '88, 305*, 394, '89, 153-155, 166, '91, 133, 137, '92, 212.-hbt. '89, 153, '91, 133; meas. '89, 166; nst. '89, 153; plm. '89, 154, 163, 165, 166, '91, 135; syn '89, 165, '90, 65, '91, 135, '94, 242.

striatus, misc. '87, 157.

tenuirostris, Mex., meas., plm. '80, 139.

virginianus (a Virginia Rail), Ariz. '86, 385; Cal. '87, 90; Colo. '85, 18, 144, '87, 124; D. C. '88, 20; Fla. '89, 155, '91, 137, '92, 212; Kan. '86, 115; La. '82, 165, '97, 287; Man. '86, 150; Mass. '95, 88, 188; Md. '92, 68; Mich. '93, 223; Minn. '79, 153^a; Mont '95, 213; N. Am. '80, 140; N. Atlantic Ocean, '84, 399; N. J. '89, 177a, '98, 51; N. S. '87, 16; N. Y. '82, 188, 256, '84, 178, '87, 67a, '92, 68, 385a, '94, 163; O. '83, 186a; Ore. '79, 197, '86, 164; S. C. '85, 192; S. D. '85, 297, W. L. '192, 202, '207, 187a, 192, '207, 187a, 192, '207, 187a, 192, '207, 187a, '2 D. '85, 287; Wash. '92, 309, '97, 172; W. I. '88, 53; Wis. '82, 188.—meas. '80, 140; mig. '84, 178; nst. '85, 96a, 98a, '94, 163; plm. '78, 17, '79,

tral N. Y. (rev.), '78, 34, 85.

counties (rev.), '78, 85.

A partial catalogue of birds of cen-

Birds of Cayuga, Seneca and Wayne

Rathbun.

45, '80, 140; syn. '88, 53, '94, 242; misc. '98, 51. Ralph, William LaGrange. Egg of Marbled Murrelet, '98, 49. Ralph, W. L., and Bagg, E. Annotated list of birds of Oneida Co., N. Y. (1ev.), '87, 154. Additional notes on birds of Oneida Co., New York, '90, 229-232. ralphi (Geothlypis), see Geothlypis. Ramphastos, '88, 122. ariel, Braz. '91, 159. carinatus, Nicar, '93, 84. cuvieri, anat. '88, 122. erythrorhynchus, Braz. '91, 159. Ramphocelus, see Ramphocelus. Ramphocelus, '94, 66 capitalis, Venez. '94, 66. costaricensis, C. R. '91, 62*, '93, 278.—hbt. '93, 279; meas. '91, 62; plm., song, '93, 278. festæ, Panama, '99, 292. flammigerus (b Ramphopis), Columbia River, '77, 92b?. jacapa, Bras. '90, 267. magnirostris, Venez. '97, 364. passerinii, Nicar. '95, 25.—nst. '94, 171. Ramphocinclus, '86, 16. brachyurus, W. I. '80, 166, '86, 16. —meas., plm., syn. '86, 16. sanctæ-luciæ, W. I., '87, 94*, '88, 157.—meas. '87, 94. Ramphocelus, see Ramphocelus. Ramphocœnus trinitatis, Venez. '97. 365; W. I. '97, 362. Ramphomicron dorsale, Colom. rajah (Lorius), see L. garrulus. Random Notes on Natural History (magazine), '84, 206; titles (Nos. 1003-1036), '86, 270, (Nos. 1460-1486) **'89**, 183. rapax (Muscicapa), see Contopus virens. Raptatores, '83, 232. Raptores (a Birds of Prey), 77, 24a, 70a '78, 16, 77^a, 78^a, '81, 194^a, 201, '85, 203a, '86, 270a, '90, 85, '93, 109, '97, 229, 341. rara (Dendroica), see Dendroica. Rasores, '83, 232. Rathbun, Frank Root. Revised list of birds of New York (rev.), '79, 172-175. Bright feathers, or some North American birds of beauty (rev.),

'80, 234, '81, 172.

Rathbun, F. R., and Fowler, H. G.

Samuel Frederick, Wright, Frank Smith. Hooded Warbler in western New York, 79, 116. Ratitæ, '81, 82, 83, 108, '96, 62, 162, 163, '98, 338. Raub, Michael W. Golden Eagle in Pennsylvania, '92, 200. Raven, American, see Corvus sinuatus or principalis. Mexican, see Corvus sinuatus. Northern, see Corvus principalis. White-necked, see Corvus cryptoleuravida (Mimocichla), see Mimocichla. Rawson, Calvin Luther. Another Golden Eagle in Connecticut, '97, 215. rayi (Motacılla), see Motacilla. rectirostris (Holoquiscalus), see Quiscalus fortirostris. (Quiscalus), see Q. fortirostris. Recurvirostra, '87, 232. americana (a American Avocet), Arctic Am. 80, 109?; Ariz. 86, 386; Assinibora, 86, 151; Cal. 85, 311a, '86, 91, '89, 223; Colo. '85, 18, 144; Ida. '97, 351; Jamaica, '92, 12; La. '97, 288; Man. '86, 151, 328; Mass. '81, 123, '97, 212; Me. '79, 108; Mont. '88, 16*, '95, 213; N. B. '80, 241, '82, 105; N. J. '79, 224; N. M. '92, 360, '98, 307; N. Y. '93, 272; Ont. '84, 85*; S. D. '85, 286, Tex. '82, 222, '87, 185, '92, 232, 1900, 340; Vt. '85, 210 [see 211]; W. I. '87, 232.—hbt. '93, 293; plm. 1900, 370 (mlt.), syn. '81, 123, '87, 232. avocetta, Helg. '95, 339. Recurvirostridæ (* Stilts or Avocets), '93, 108°. Redbird, see Cardinalis cardinalis or Piranga rubra. Cardinal, see Cardinalis cardinalis. Piney-woods, see Piranga erythrome-Summer, see Piranga rubra. Redbreast, see Erithacus rubecula. Redhead, see Aythya americana. redivivus (Harporhynchus), see Harporhynchus. Red-legs, see Himantopus mexicanus. Redpoll, see Acanthis linaria. Greater, see Acanthis rostrata.

Greenland, see Acanthis hornemannii. Hoary, see Acanthis exilipes. Holbœll's, see Acanthis holbœllii. Lesser, see Acanthis linaria. Mealy, see Acanthis linaria or exilipes.

Redshank, Common, see Totanus totanus.

tanus.

Spotted, see Totanus ater.

Redstart, see Setophaga ruticilla.

American, see Setophaga ruticilla.

Black, see Ruticilla titys.

European, see Ruticilla phœnicura.

Painted, see Setophaga picta.

Red-bellied, see Setophaga miniata.

Red-tail, see Buteo borealis.

Black, see Buteo calurus.

Saint Lucas, see Buteo lucasanus. Western, see Buteo calurus.
Red-wing, see Agelaius phœniceus.
Bahaman, see Agelaius bryanti.
Florida, see Agelaius floridanus.
Richmond's, see Agelaius richmondi.
Sonoran, see Agelaius longirostris.

Table-land, see Agelaius grandis. Reed, J. Harris.

Albino Blackpoll Warbler, '88, 432. Troglodytes aedon (House Wren), building in a hornet's nest, '89, 339.

Unusual occurrence of Brünnich's Murres at Beverly, New Jersey, '97, 202.

Breeding of Rose-breasted Grosbeak at Beverly, New Jersey, '97, 323. A novel idea of a Tufted Titmouse,

'97, 325.

Notes on American Barn Owl in eastern Pennsylvania, '97, 374-383.
Terns of Great Gull Island, N. Y., during 1897, '98, 40-43.

Birds nesting under arc-light hoods, '98, 193.

Use of hornets' nests by birds, '98,

Accidental death of a hooded Warbler (Sylvania mitrata), '98, 272.

Nest building under difficulties, '98, 330.

Reed-bird, see Dolichonyx oryzivorus. refulgens (Thalurania), see Thalurania. Regerhinus, '87, 47.

uncinatus, W. I., meas., plm., syn. 87, 48-50.

wilsonii, W. I., meas., plm., syn. '87, 47.

regia (Muscivora), see Onychorhynchus regius.

--- (Phætusa), see Sterna maxima.

— (Sterna), see S. maxima or caspia. regius (Cicinnurus), see Cicinnurus.

— (Muscivora), see Muscivora.

—— (Thalasseus), see Sterna maxima. reguloides (Tyrannulus), see Tyrannulus.

Regulus, '93, 113.

calendula (a Ruby-crowned Kinglet or Ruby-crested Wren, b grinnelli), Ala. '78, 170; Alaska, '97, 399b*, '98, 130b; Ariz. '82, 79, '85, 173, '88, 166, '90, 49, 97, 263; Cal. '86, 186, '95, 181, '98, 236; Colo. '79, 91, '80, 225, '81, 87, 204, '83, 154, '85, 14, 15, 100°, '87, 123; D. C. '93, 206; Engl. '77, 107; Fla. '88, 277, '90, 119, 127°, 138, '92, 214, '95, 366; Ga. '82, 96°, '96, 214; g. dist. '93, 127; G. Br. '80, 69; Hud. B. '90, 322; Ia. '95, 122, 236; Ida. '98, 21; Ind. '89, 29; Ky. '89, 316; La '87, 306; Man. '86, 326; Mich. '85, 65, '93, 229; Mo. '79, 140, '96, 220; Mont. '81, 204, '82, 62, '88, 15a, '94, 308, '95, 218; N. C. '87, 241; N. E. '81, 237; N. H. '89, 79; N. J. '91, 105; N. M. '85, 238^a, 331, '92, 368; N. S. '91, 165, 166^a; N. Y. '79, 32, '81, 226, '84, 134, 179; O. '95, 242; Ont. '84, 185; Ore. '86, 162, 172, '88, 365; Pa. '89, 142*; Que. '82, 234, '84, 90; S. C. '79, 211, '89, 75a, '92, 38a; S. D. '85, 277; Tenn. '86, 316; Tex. '82, 7, 35, '87, 298, '92, 344; Wash. '92, 47, '97, 180, 1900, 245, 357; Wyo. '81, 204.-180, 1900, 243, 331, 17, 30, 225; meas.
177, 61, '79, 92, 98, '81, 87, 204, '82, 79, '84, 91, '90, 97, '97, 401; mig. '84, 179, '85, 65, '92, 384, '95, 122, 1284, 179, '85, 65, '92, 38*, '95, 122, 128*, 132*, 236, 242; nst. '76, 77, '79, 91, '81, 87, 204, '84, 90, '85, 100°, '90, '97, 263, '92, 385°, '94, 67; plm. '81, 87, '85, 99°, 173, '86, 172, 268, 406, '87, 123, '90, 292, '92, 368, '95, 181 (alb.); song, '84, 134; syn. '77, 59, 61, '81, 225, '97, 399b, '99, 132b; misc. '82, 117. **'**84,

cristatus (* European Kinglet), Germany, '96, 308*; Helg. '95, 333. —nst. '79, 97, 98; syn. '82, 179.

cuvierii (a Cuvier's Kinglet), plm. '81, 224a; misc. '76, 79, '81, 167, '88, 401.

grinnelli, '97, 399*, see calendula. himalayensis, nst. '79, 98. ignicapillus. Helg. '95, 333.—nst.

ignicapillus, Helg. '95, 333.—nst. '79, 97, 98.

obscurus (Dusky Kinglet), meas. '77, 61; syn. '77, 59, 61.

olivaceus (Western Goldencrowned Kinglet, b satrapa, c aztecus), Alas. '98, 130; Cal. '78, 65b, '86, 186, '87, 86; g. dist. '93, 127; Ida. '98, 21; Mex. '95, 359°, '98, 160; Mont. '94, 308; Ore. '86, 162, 172, '88, 364, '91, 397; Wash. '82, 227, '92, 47, '97, 180, 1900, 357.—hbt., song, '98, 130; syn. '98, 160.

satrapa (a Golden-crowned Kinglet), Ala. '78, 170; Colo. '81, 87, 244, '83, 154, '85, 15; Fla. '91, 137, 138, '95, 366; Ga. '96, 214; g. dist. '93, 127; Ia. '95, 122, 236; Ill. '88, 433; Ind. '89, 29; Ky. '89, 316; Man. '86, 328; Mass. '88, 337-344, 388a, 389, 393, '89, 42a, 105, '95, 89, '96, 346; Mich. '93, 229; Mo. '96, 220; Mont. '88, 15a; N. B. '84, 294a; N. C. '86, 99a, 177, 309a, 314, '87, 245; N. E. '76, 73, '77, 17; N. H. '87. 103a, 107, '88, 153, '89, 79; N. J. '91, 105; N. S. '87, 16, '91, 165, '99, 253; N. Y. '81, 226, '84, 134, 177, '87, 350°, '89, 105, '90, 232; O. '95, 242; Ont. '83, 145°; Pa. '89, 142°, '92, 134, 140; P. E. I. '85, 265, '93, 5a, 14; Que. '85, 301, '89, 149; S. C. '79, 211, '92, 38'; S. D. '85, 277; Tenn. '86, 316; Tex. '82, 7, 35, '87, 298, '92, 344; Va. '89, 51; Wis. '88, 326. anat. '89, 181; meas. '79, 97, '88, 341; mig. '84, 177, '88, 326, 433, '92, 38a, '95, 122, 236, 242; nst. '76, 78, '79, 96-99, '83, 176, '85, 301, ' 337-344 (photos), '89, 149; plm. '78, 19, '85, 98^a; song, '81, 225, 244, '84, 134, '88, 337, 343; syn. '98, 160 ['oblivaceus']; misc. '82, 118.

regulus (Falco), see Falco. – (Loriculus), see Loriculus. reichenbachi (Homoptila), see Leptotila.

– (Leptotila), see Leptotila. reichenovi (Corethrura), see Corethrura.

Reichenow, Anton von.

Systematische Uebersicht der Schreitvögel (rev.), '78, 183-185.

Conspectus psittacorum (rev.), '83, 169.

Die Vögel der zoologischen Garten (rev.), '83, 232.

Die Entenvögel der zoologischen Gärten (rev.), '83, 232.

Vögel Die Deutsch-Ost-Afrikas (rev.), '95, 73.

Reichenow, A. von, and Schalow, H.

Zoologischer Jahresbericht für 1879 (rev.), '81, 111.

Compendium der neu beschreibenen Gattungen und Arten (rev.), '81, 111, '83, 169.

reinhardı (Lagopus), see Lagopus. reinhardti (Lagopus), see L. reinhardi. Remiza, '87, 249.

Resler, Arthur. Note on flexor hallucis brevis in Night Heron (Nycticorax nycticorax nævius), '96, 172.

resplendens (Phalacrocorax), see P. resplendens or mexicanus.

respublica (Diphyllodes), see Schlegelia wilsoni.

restricta (Geothlypis), see G. trichas. - (Polioptila), see Polioptila.

Revillagigedo Islands, Mexico. Anthony, A. W. '98, 311-318, 1900,

247-252. Ridgway, R., '86, 333-334.

rhacocephalus (Ixos), see Alophoixus

phæocephalus.

Rhamphastidæ, '81, 29, 37, 75. rhamphastinus (Semnornis), see Semnornis.

Rhamphastos, see Ramphastos.

Rhamphocænus, see Ramphocænus.

Rhamphocinclus, see Ramphocinclus. sanctæ-luciæ, '87, 94*, see Ramphocinclus.

Rhamphocœlus, see Ramphocelus. Rhamphomicron, see Ramphomicron.

Rhea, '81, 8, 83, 202, '96, 74, 110. americana, Argent., hbt., nst., plm.

'84, 318—syn. '91, 164. Rhegmatorhina, '89, 172. gymnops, Braz. '89, 172, '91, 29. syn. '91, 29.

rhinoceros (Buceros), see Buceros. Rhinochetidæ. '94, 242.

Rhinogryphus, see Cathartes.

Rhinothera chlorophæa, Borneo, syn. '91, 11.

Rhipidura, '94, 233.

perlata, Borneo, syn. '90, 353.

Rhoads, Samuel Nicholson.

Helminthophaga pinus, Oporornis formosa and Mniotilta varia breeding in Pennsylvania, '79, 234-235.

Nesting of Empidonax minimus and Helmintherus vermivorus in Pennsylvania and New Jersey, '82, 55.

Early capture of Orange-crowned Warbler, '83, 179.

Occurrence of Larus marinus on southern coast of New Jersey, '88, 318.

The Wild Pigeon (Ectopistes migratorius) on the Pacific coast, '91, 310-312.

Breeding habits of Florida Burrowing Owl (Spectyto cunicularia floridana), '92, 1-8.

Notes on certain Washington and British Columbia birds, '93, 16-

Vireo huttoni group, with description of a new race from Vancouver Island, '93, 238-241.

Observations on British Columbia and Washington birds (rev.), '93, 290-292.

Hudsonian Chickadee and its allies, with remarks on geographic distribution of bird races in boreal America, '93, 321-333. Cinnamon Teal in Florida, '93, 362.

Birds of British Columbia and Wash-

ington, '93, 380-383.

Reprint of the North American Zoology by George Ord in Guthrie's Geography (rev.), '94, 190, '95, 72. Unseasonable nesting of Ground Dove in Florida, '95, 79.

Winter Wren a night singer, '95, 84.

Additions to avifauna of Tennessee, **'**96, 181, 244.

'Ord's Zoology' again, '96, 192. Zoology of Tennessee, No. 2, Birds

(rev.), '96, 244. Notes on some of the rarer birds of western Pennsylvania, '99, 308-313.

Rhode Island.

Allen, J. A., '80, 133, 240, '85, 208-209, 1900, 76-77. Armstrong, E. H., 1900, 175.

Bent, A. C., '98, 54.

Brewster, W., '81, 186, '90, 89. Brown, N. C., '80, 237.

Chadbourne, A. P., '89, 257.

Deane, R., '80, 116, 123. Dexter, N., '80, 45, '89, 175, '90, 394.

Dexter, S. F., '83, 118. Glezen, F. L., '94, 69. Hazard, R. G., '84, 290, '99, 83. Howe, R. H., Jr., '97, 219, '99, 179-

180, 189-190, 1900, 271.

Jencks, F. T., '80, 114, 237, '81, 54, 123, '82, 124, '83, 61-62, 122, 183, 234, 234, '84, 94, '86, 270+, 271+, 272+, **'89**, 183.

Lawton, C. H., '92, 193.

Livermore, J., '94, 177.

Mackay, G. H., '92, 292-294.

Powel, J. H., '85, 372.

Rives, W. C., '85, 208-209, '87, 73, '88, 108.

Robinson, W., '89, 194, '99. 356.

Skinner, F., '81, 113.

Southwick, J. M., '89, 183, 184+, 92, 193.

Sturtevant, E., '97, 322, '99, 284. Taylor, A. O'D., '92, 300-301.

Rhodinocichla rosea, hbt. '92, 288. schistacea, Mex. '80, 41.

rhodinolæma (Phœnicothraupis), Phœnicothraupis.

rhodocolpus (Carpodacus), see C. frontalis or clementis.

rhodogaster (Temnotrogon), see T. roseigaster.

- (Trogon), see Temnotrogon roseigaster.

Rhodopechys phænicoptera, syn. '80, 97.

Rhodospingus, '88, 411.

cruentus, syn. '88, 411. mentalis, syn. '88, 412.

Rhodospiza, '88, 411.

obsoleta, syn. '88, 411.

Rhodostethia, '78, 186.

rosea (Ross's Gull, b Larus rossii). Alas. '84, 80, '85, 63, '86, 123; Arctic R. '98, 193, 1900, 309; g. dist. '93, 123, '99, 146-155; Greenl. '86, 273b; Helg. '91, 300, '95, 328, 341; Siberia, '84, 80.—hbt. '99, 146, 151; meas., nst. '86, 274b; mig. '85, 63, '86, 123; plm. '86, 123, '99, 146; syn. '78, 187, **'99**, 146.

Rhodothraupis, '98, 226*.

Rhopoterpe torquata, Braz. '91, 29.

Rhyacophilus, see Helodromas.

Rhynchocyclus ruficauda, Braz. '90,

sulphurescens, Venez. '97, 365.

Rhynchœa, '88, 204.

semicollaris, Argent., Urug., hbt., nst. '84, 314.

Rhynchophanes, '93, 131. mccownii (* McCown's Longspur, b Plectrophanes), Ariz. '88, 321; B. C. '93, 237, 1900, 107; Cal. '77, 92b?: Colo. '83, 161, '85, 16; g. dist. '93, 134; Ill. '77, 52b; Mass. '93, 50; Minn. '89, 340, '93, 290; Mont. '79, 50°, '88, 14°, '95, 216; N. D. '79, 50°; N. M. '92, 365, '94, 216; Tex. '78, 92°, '82, 38, '84, 121?, '87, 291, '92, 337 .-- syn. '80, 97.

Rhynchopsitta pachyrhyncha, g. dist. '88, 395; Mexico, '94, 66,-svn. '88. 395; misc. '80, 88.

Rhynchortyx, '97, 214.

Rhynchospiza, '98, 224*.
Rhynchotus rufescens, Argent., hbt., nst., song, '84, 317.

riccordi (Chlorestes), see Sporadinus.

— (Hylochlaris), see Sporadinus.

—— (Orthorhynchus), see Sporadinus.
—— (Sporadicus), see Sporadinus.

— (Sporadinus), see Sporadinus.

— (Trochilus), see Sporadinus.

Rice-bird, see Dolichonyx oryzivorus. Richard, Harriet Eliza.

[Bird protection in Mass.], '98, 83. richardi (Anthus), see Anthus.

Richards, Edward Horton.

Cardinal Grosbeak in Massachusetts, '83, 59.

Richardson, Jenness.

Florida Gallinule breeding in Vermont, '89, 273.

Obituary of, '93, 307.

richardsoni (Æsalon), see Falco.

--- (Contopus), see Contopus.

--- (Dendragapus), see Dendragapus.

—— (Falco), see Falco.

--- (Horizopus), see Contopus.

—— (Loxigilla), see Pyrrhulagra. —— (Nyctala), see Nyctala.

---- (Pyrrhulagra), see Pyrrhulagra.

—— (Tetrao), see Dendragapus.

—— (Tyrannula), see Contopus.

— (Zenaida), see Z. zenaida. Richmond, Charles Wallace.

Annotated list of birds breeding in District of Columbia, '88, 18-25.

Another Saw-whet Owl (Nyctala acadica) in District of Columbia, '89, 189.

The Yellow-throated Warbler (Dendroica dominica) near Washington, D. C. '89, 339.

Barrow's Golden-eye (Glaucionetta islandica) near Washington, D. C. '91, 112.

Nest of Panyptila cayanensis (Gm.), '93, 84.

Collection of birds from eastern Nicaragua and Rio Frio, Costa Rica, and descr. of new Trogon (rev.), '94, 170.

Contribution to life history of *Porsana cineresceps*, with notes on some allies, '95, 19-32.

Status of Bischoff's Song Sparrow (Melospiza insignis Baird), '95, 144-150.

Helminthophila leucobronchialis in Maryland, '95, 307.
Descriptions of three new birds from

island of Margarita, Venezuela, '95, 367-371.

Partial list of birds collected at Alta Mira, Mexico, by Armstrong (rev.), '96, 330.

Descr. of a new species of Plover from east coast of Madagascar (rev.), '96, 331.

Descr. of a new species of Ant Thrush from Nicaragua (rev.), '96, 331.

Catalogue of collection of birds made in Kashmir, Baltistan and Ladak, with descr. of a new species of Cyanecula, '96, 331.

Cat. of collection of birds made in eastern Turkestan, the Thian-Shan Mts. and Tagdumbash Pamir, central Asia (rev.), '96, 331.

Descr. of ten new species of birds discovered in Kilimanjaro region of east Africa, '97, 154-164. see Chapman, F. M., 'notes on birds

see Chapman, F. M., 'notes on birds observed in Yucatan' (rev.), '97, 333.

Western Field Sparrow (Spizella pusilla arenacea Chadbourne), '97, 345-347 (col. pl.).

Cat. of collection of birds made in Madagascar with descr. of three new species (rev.), '97, 417.

The Cayenne Swift (Panyptila cayennensis), '98, 7-10 (col. pl.).

Description of a new species of Gymnostinops, '98, 326.

Tyrannus magnirostris d'Orb., renamed, '98, 330.

New name for genus Tetragonops, '99, 77.

Thalassidroma castro of Harcourt, '99, 177.

Pelecanus occidentalis vs. P. fuscus, '99, 178.

The name Xenocichla, '99, 183.

Four preoccupied names, '99, 186.

Overlooked descriptions of five Hummingbirds, '99, 323-325.

Date of Lacépède's 'Tableaux,' '99, 325-329.

Note on name *Drymophila*, '99, 353. Further notes on Lacépède's 'Tableaux,' 1900, 166.

The earliest name for the Roadrunner, 1900, 173.

Some necessary changes in nomenclature, 1900, 178.

New Dendrornis (rev.), 1900, 305.

Descr. of three new birds from Siam (rev.), 1900, 305.

Richmond, C. W., and Knowlton, F. H. Birds of south-central Montana, '94, 298-308.

Richmond, C. W., and Robinson, Wirt, see Robinson and Richmond.

richmondi (Agelaius), see Agelaius.
—— (Arremonops), see Arremonops.

Ricker, Everett W.

Notes on birds of Hull, Mass. (rev.), '97, 246.

Ridgway, John.

see Chapman, F. M., 'bird studies with a camera' (rev.), 1900, 312. Ridgway, Robert.

Regarding Buteo vulgaris in North America, '76, 32-39.

Geographical variation in Dendraca palmarum, '76, 81-87.

Geographical variation in Turdus migratorius, '77, 8-9.

Birds of Guadalupe I. discussed with reference to the present genesis of species, '77, 58-66.

Studies of American Falconidæ (rev.), '77, 70-73.

Description of new Wren from Tres Marias Is. '78, 10.

Three additions to avifauna of North America, '78, 37.

Eastward range of Chondestes grammaca, '78, 43.

Notes on some birds of Calaveras Co., California, '78, 64-68.

Report on ornithology of fortieth parallel (rev.), '78, 81.

Notes on birds observed at Mt. Carmel, southern Illinois, '78, 162-166.

Studies of American Herodiones. (rev.), '78, 182.

[Maxwell collection of birds of Colorado] (rev), '79, 114.

Use of trinomials in zoological nomenclature, '79, 129-134.

Partial list of birds of central California (rev.), '79, 167-171.

A new species of *Peucæa* from southern Illinois and central Texas, '79, 218-222.

Note on Helminthophaga gunni, '79, 233.

Henslow's Bunting (Coturniculus henslowi) near Washington, '79, 238.

Six species of birds new to fauna of Illinois, with notes on rare Illinois birds, '80, 30-32.

Current objectionable names of North American birds, '80, 36-38.

New Hummingbird (Atthis ellioti) from Guatemala (rev.), '80, 41.

Review of American species of genus Scops (rev.), '80, 41.

Descr. of several new species and geog. races of birds in U. S. National Museum (rev.), '80, 41.

Descr. of two new species of birds from Costa Rica and notes on rare species from that country (rev.), '80, 41.

Descr. of new species and races of American birds including a synopsis of genus *Tyrannus* (rev.), '80, 41.

Note on Peucæa illinoensis, '80, 52. Late breeding of Blue Grosbeak, '80, 53.

Description of unusual plumage of Buteo harlani, '80, 58.

Notes on American Vultures (Sarcorhamphidæ), with special reference to their generic nomenclature, '80, 77-84.

Descr. of adult plumage of Hierfalco gyrfalco obsoletus, '80, 92-95.

Northern Waxwing (Ampelis garrulus) in southern Illinois, '80, 118.

[Note on 'Greenfinch (Ligurnus chloris) in northern New York'], '80, 119; see Hough, R. B.

Supposed identity of Ardea occidentalis and A. wirdemanni, '80, 122. Moult of bill, or parts of its cover-

ing, in certain Alcidæ, '80, 126.

Rallus longirostrus and its geograph-

ical races, '80, 138-140.

Macrorhamphus griseus and M. scolo-

paceus, '80, 157-160. A new Alaskan Sandpiper, '80, 160-163.

Revisions of nomenclature of certain N. Am. birds (rev.), '80, 177-179.

Scops flammeola in Colorado, '80, 185. Little Brown Crane (Grus fraterculus), '80, 187.

Descr. of eggs of Caspian Tern (Sterna caspia), '80, 221-223.

Note on Helminthophaga cincinnatiensis, '80, 237.

Swainson's Warbler (Helonæa swainsoni) in Texas, '81, 54.

Southern range of Raven on Atlantic coast of United States, '81, 118.

An unaccountable migration of the Red-headed Woodpecker, '81, 120-122.

Caspian Tern in California, '81, 124.

Nomenclature of North American birds (rev.), '81, 164-171.

Revised catalogue of birds of Illinois (rev.), '81, 171.

A Duck new to the North American fauna (rev.), '81, 173.

Amazilia yucatanensis and A. cerviniventris (rev.), '81, 173.

A tropical American hawk to be added to the North American fauna, '81, 207-214.

The generic name Helminthophaga, '82, 53.

Great Black-backed Gull (*Larus marinus*) from a new locality, '82, 60. Additions to catalogue of N. Ambirds, '82, 61.

An apparently new Heron from Florida, '82, 1-6.

Notes on birds observed near Wheatland, Knox Co., Indiana, '82, 15-23.

Distribution of Fish Crow (Corvus ossifragus), '82, 250.

Birds new to or rare in District of Columbia, '82, 253.

List of additions to catalogue of North American birds, '82, 257.

Leconte's Bunting (Coturniculus lecontei) and other birds observed in southeastern Illinois, '83, 58.

Scissor-tail (Milvulus forficatus) at Norfolk, Virginia, '83, 59.

Remarkable points of relationship between the American Kingfishers, '83, 59.

Geographical variation in size among Anatidæ and Gruidæ, '83, 62.

Critical remarks on Tree-creepers (Certhia) of Europe and North America (rev.), '83, 113.

Review of the genus Centurus (rev.), '83, 114.

Notes on some Costa Rican birds (rev.), '83, 168.

Descr. of a new Flycatcher and a supposed new Petrel from Sandwich Is. (rev.), '83, 168.

Descr. of a new Owl from Porto Rico (rev.), '83, 168.

Descr. of two new Thrushes from the United States (rev.), '83, 168.

Two recent additions to North American bird fauna, by Belding (rev.), '83, 168.

Descr. of new races of American birds (rev.), '83, 168.

The genera Harporhynchus and Methriopterus, with description of a new genus of Miminæ (rev.), '83, 168.

Descr. of some new North American birds (rev.), '83, 168.

List of species of middle and South American birds not contained in U. S. Nat. Museum (rev), '83, 170.

Catalogue of Old World birds in U. S. Nat. Museum (rev.), '83, 231.

Descr. of some birds supposed to be undescribed from Commander Is. and Petropaulovski (rev.), '84, 82.

Descr. of new Warbler from Santa Lucia, W. I. (rev.), '84, 83.

Descr. of a supposed new Plover from Chili (rev.), '84, 83.

Descr. of new Petrel from Alaska (rev.), '84, 83.

The genus Tantalus (rev.), '84, 83.

Cat. of a collection of birds of Costa Rica, by Nutting (rev.), '84, 84.

Note on Zenaidura yucatanensis, '84, 96.

Note on Phalacrocorax violaceus resplendens, '84, 165.

Remarks upon close relationship between the White and Scarlet Ibises (Eudocimus albus and E. ruber), '84, 239.

Note on Astur atricapillus striatulus, '84, 252.

Possible specific identity of Buteo cooper with B. harlani, '84, 253. New birds from Lower California

(rev.), '84, 284.

Anthus cervinus in Lower California

(rev.), '84, 284.

Probable breeding of Red Crossbill (Loxia curvirostra americana) in central Maryland, '84, 292.

Probable breeding-place of Passerculus princeps, '84, 292.

Notes on some rare neotropical birds (rev.), '84, 386.

Probable identity of Motacilla ocularis and M. amurensis with remarks on M. blakistoni (rev.), '84, 387.

Another Kirtland's Warbler from Michigan, '84, 389.

Buteo harlani (Aud.) and B. cooperi Cass. '85, 165.

Remarks on California Vulture (Pseudogryphus californianus), '85, 167-169.

Note on Sarcorhamphus æquatorialis Sharpe, '85, 169-171.

see Gurney, J. H., 'diurnal birds of prey' (rev.), '85, 203-205.

Review οf American Crossbills (Loxia) of the L. curvirostra type (rev.), '85, 206.

Notes on Anas hyperboreus and Anser albatus (rev.), '85, 207.

Remarks on type specimens of Muscicapa fulvifrons and Mitrephorus pallescens (rev.), '85, 207.

Note regarding earliest name for Carpodacus hæmorrhous (rev.), '85, 207.

Descr. of some new N. Am. birds (rev.), '85, 207.

Descr. of new American Kingfisher

(rev.), '85, 208. Note on Psaltriparus grindæ (rev.), **'85**, 208.

Note on generic name Calodromas (rev.), '85, 208.

Notes on some Japanese birds related to N. Am. species (rev.), '85, 290.

Some Costa Rican birds with desc. of several supposed new (rev.), '85, 291.

Note on Selasphorus torridus (rev.), **'85**, 291.

Melanetta fusca in Alaska (rev.), '85,

Descr. of new Snow Bunting from Alaska (rev.), '85, 291.

Collection of birds by Benedict and Nye of steamer Albatross (rev.), '85, 291.

Descr. of new species of Field Sparrow from New Mexico (rev.), '85, 291.

Descr. of new species of Coot from West Indies (rev.), '85, 292.

Descr. of new race of Red-shouldered Hawk from Florida (rev.), '85, 292.

Two hitherto unnamed Sparrows from coast of California (rev.), '85, 292.

Æstrelata fisheri and Œ. defilippiana (rev.), '85, 292.

Icterus cucullatus and its geographical variations (rev.), '85, 292.

Descr. of a new species of Contobus from tropical America (rev.), '85, 292.

Note on the Anser leucopareius of Brandt (rev.), '85, 292.

Descr. of new Warbler from Yucatan (rev.), '85, 293.

Descr. of two new birds from Costa Rica (rev.), '85, 293.

Descr. of three supposed new Honey Creepers from the Lesser Antilles and a synopsis of the species of

the genus Certhiola (rev.), '85, 293. Cathartes burrovianus and C. urubitinga (rev.), '85, 293.

Onychotes gruberi (rev.), '85, 293.

Descr. of some new species of birds from Cozumel I., Yucatan (rev.), **'85**, 294.

Descr. of a new Cardinal Grosbeak from Arizona, '85, 343-345.

Helminthophila leucobronchialis, '85, 359-363.

Junco cinereus and its geographical races, '85, 363.

Descr. of new species of Boat-billed Heron fromCentral America (rev.), '85, 370.

Descr. of new Hawk from Cozumel (rev.), '85, 370.

Review of the Golden Warblers (rev.), '85, 370.

Remarks on type specimen of Buteo oxypterus (rev.), '85, 371.

Some emended names of N. Am. birds (rev.), '85, 371.

A new Petrel for North America, '85, 386.

Nomenclature of colors (rev.), '85, 390. **'8**7. 152.

Proper name for the Prairie Hen, '86, 132.

Milvulus forficatus at Key West, '86, 134.

Vernacular name of Plectrophenax hyperboreus, '86, 135.

Water birds of North America—a few corrections rectified, '86, 266-268.

Cat. of birds of Cozumel I., Yucatan (rev.), '86, 269.

Tringa damacensis in Alaska, '86. 275.

Breeding place of Plectrophanes hyperboreus, '86, 276.

Abnormally colored specimen of Sialıa sıalıs, '86, 282.

[Annotations to Fox's Birds of Tennessee], '86, 315, 318.

Glaucous Gull of Bering's Sea, '86, 330.

Descr. of new species of Oystercatcher from Galapagos Is. '86, 331.

Preliminary descr. of new species of birds from southern Mexico, '86, 331-333.

Descr. of two new species of birds supposed to be from Venezuela, **'86**, 333.

Descr. of new species of Elf Owl from Socorro I., Mexico, '86, 333.

Descr. of new genus of Oceanitidæ, '86, 334.

Descr. of four new species of birds from Bahama Is. '86, 334-337.

Descr. of new genus of Tyrannidæ from Santo Domingo, '86, 382.

[Answer to J. G. Cooper's 'waterbirds of North America—explanations'],'86, 403.

Melanistic phase of Broad-winged Hawk (rev.), '87, 66.

Descr. of new species of *Empidonax* from Guatemala (rev.), '87, 66.

Empidochanes furcatus and Empidonax brunneus (rev.), '87, 66.

Species of genus Empidonax (rev.),

'87, 66.

Singularly marked specimen of Sphyrapicus thyroideus, '87, 75.

A nomenclature of colors for naturalists, and compendium of useful knowledge (rev.), '87, 152.

Descr. of a new species of Myiarchus presumably from Orinoco district, South America (rev.), '87, 156.

Descr. of a new species of *Picolaptes* from the lower Amazon (rev.), '87, 156.

Descr. of a new subspecies of Cychlorhis from Yucatan (rev.), '87,

Descr. of a new Plumed Partridge from Sonora (Callipepla elegans bensoni) (rev.), '87, 156, '88, 194.

A probable hybrid between Dryobates nuttalli and D. pubescens gairdneri (rev.), '87, 156.

Campephilus imperialis in northern Sonora, '87, 161.

Trogon ambiguus breeding in southern Arizona, '87, 161.

List of birds breeding at Mt. Carmel, Illinois (rev.), '87, 251.

Clarke's Nutcracker (Picicorvus columbianus) in Bristol Bay, Alaska, '87, 255.

Clarke's Nutcracker from the Kowak River, Alaska, '87, 256.

Xanthocephalus xanthocephalus in Maine, '87, 256.

Note on Spizella monticola ochracea, '87, 258.

Manual of North American birds (rev.), '87, 333-336; 2d ed., '97, 232.

Correct subspecific title of Baird's Wren, '87, 349.

Descr. of two new races of Pyrrhuloxia sinuata, '87, 347. Spencer Fullerton Baird [Memorial address], '88, 1-14.

Descr. of a new species of Cotinga from Pacific coast of Costa Rica (rev.), '88, 194.

Descr. of a new form of Spindalis sena from the Bahamas (rev.), '88, 194.

Descr. of adult female Carpodectes antoniæ, with critical remarks, notes on habits, etc., by Zeledon (rev.), '88, 194.

Descr. of a new species of Porzana from Costa Rica (rev.), '88, 194.

Descr. of a new genus [Berlepschia] of Dendrocolaptine birds from the lower Amazon (rev.), '88, 194.

Descr. of a new species of *Phacello-domus* from Venezuela (rev.), '88, 194.

Descr. of two new species of Megascops (rev.), '88, 194.

Descr. of a new Muscisaxicola from Peru (rev.), '88, 194.

Phrygilus gayi and allied species (rev.), '88, 194.

Review of genus *Dendrocincla* (rev.), '88, 195.

Notes on Ardea wurdemanni (rev.), '88, 195.

Trogon ambiguus breeding in Arizona (rev.), '88, 195.

Descr. of a new Tityra from western Mexico, '88, 263.

Obituary of Charles Wickliffe Beckham, '88, 445.

Supplementary remarks on genus Psittacula, '88, 460-462.

Remarks on Catharus berlepschi (rev.), '89, 171.

Descr. of some new species and subspecies of birds from middle America (rev.), '89, 171.

Note on generic name Uropsila (rev.), '89, 171.

Descr. of new species and genera of birds from the lower Amazon (rev.), '89, 172.

Review of genus *Psittacula* (rev.), '89, 172.

Cat. of collection of birds made by Townsend on islands in Caribbean Sea and in Honduras (rev.), '89, 172.

Descr. of new *Psaltriparus* from southern Arizona (rev.), '89, 172.

Notes on some type-specimens of American Troglodytidæ in the Lafresnaye collection (rev.), '89, 172. 340

Ornithology of Illinois (rev.), vol. i, '90, 74-77; vol. ii, '95, 379.

Buteo brachyurus and B. fuliginosus, **'90**, 90.

Intergradation between Zonotrichia leucophrys and Z. intermedia, and between the latter and Z, gambeli, **'90**. 96.

see Salvin and Godman, 'biologia Centrali-Americana.—Aves' (rev.), **'90**, 189–195.

Harlan's Hawk a race of the Red-tail, and not a distinct species, '90, 205.

Review of genus Xiphocolaptes (rev.), '90, 271.

Review of genus Sclerurus (rev.), '90, 272.

Birds collected on Galapagos Is. in 1888 (rev.), '90, 273.

Birds collected on Santa Lucia, W. I., the Abrolhos Is., Brazil, and in the Straits of Magellan, in 1887-88 (rev.), '90, 274.

Junco hyemalis shufeldti in Maryland, '90, 289.

Yellow-crowned Regulus calendula, '90, 292.

see Allen, J. A., 'birds from Quito, Ecuador' (rev.), '90, 380. see Allen, J. A., 'birds collected in Bolivia' (rev.), '90, 381.

see Allen, J. A., 'genus Cyclorhis,' '90, 382-384.

see Allen, J. A., 'new species of South American birds,' '90, 384.

see Allen, J. A., 'individual and seasonal variation in genus Elainea, **'90**, 385–386.

see Allen, J. A., 'Maximilian types of South American birds in American Museum' (rev.), '90, 386.

Falcodominicensis versus Falco sparverioides, '91, 113.

A new name necessary for Selasphorus floresii, '91, 114.

Note on alleged occurrence of Trochilus heliosa within North American limits, '91, 115.

Cistothorus marianæ. Buteo lineatus alleni and Syrnium nebulosum alleni in South Carolina, '91, 240.

List of birds collected on Bahama Is. by naturalists of Fish Commission steamer 'Albatross,' '91, 333-339.

New or little known Central American and South American birds (rev.), '92, 174.

Descr. of a new species of Whippoor-

will from Costa Rica (rev.), '92, 174.

Notes on some birds from Honduras (rev.), '92, 175.

Descr. of two supposed new forms of Thamnophilus (rev.), '92, 175.

Further notes on genus Xiphocolaptes (rev.), '92, 175.

Note on Pachyrhamphus albinucha (rev.), '92, 175.

Notes on some Costa Rican birds (rev.), '92, 175.

Notes on genus Sittasomus (rev.), '92,

Observations on Farallone Rail (Porjamaicensis coturniculus) zana (rev.), '92, 175.

Descr. of a new Sharp-tailed Sparrow from California (rev.), '92, 175.

Directions for collecting birds (rev.), **'92**, 176.

Zonotrichia albicollis in California, **'92**, 302.

Spring arrivals at Washington, D. C. **'92**. 307.

The Humming Birds (rev.), '92, 376. Shufeldt on anatomy of Hummingbirds and Swifts (rev.), '93, 345.

Descr. of two new forms of Basileuterus rufifrons from Mexico (rev.), **'93**, 346.

Descr. of a supposed new species of Odontophorus from Mexico (rev.), **'93**, 346.

Descr. of two supposed new species of Swifts (rev.), '93, 346. see Allen, J. A., 'some Venezuelan

birds' (rev.), '94, 66.

see Allen, J. A., 'birds collected in Sonora and Chihuahua (rev.), '94, 66.

see Chapman, F. M., 'birds observed near Trinidad, Cuba' (rev.), '94,

Note on Rougetius aldabranus, '94,

Geographical variations in Sialia mexicana, '94, 145, 160.

Remarks on genus Myiarchus with special reference to M. yucatanensis (rev.), '94, 168.

A small collection of birds from Costa Rica (rev.), '94, 169.

Cat. of a collection of birds made in Alaska by Townsend, of the steamer 'Albatross' (rev.), '94, 169.

Descr. of new Storm Petrel from

coast of western Mexico (rev.), '94, 169.

341

Revision of genus Formicarius (rev.), '94, 169.

see Chapman, F. M., 'birds of island of Trinidad' (rev.), '94, 173.

Picicorvus an untenable genus, '94, 179.

Geographical, versus sexual, variation in Oreortyx pictus, '94, 193-197 (col. pl.).

Colinus virginianus cubanensis not a Florida bird, '94, 324.

Descr. of twenty-two new species of birds from the Galapagos Is. (rev.), **'95**, 70.

Descr. of some new birds from Aldabra. Assumption, and Gloriosa Islands (rev.), '95, 71.

Fisher's Petrel (Estrelata fisheri), '95, 319-322 (col. pl.).

Correct subspecific names of Texan and Mexican Screech Owls, **'95**, 389.

Junco phæonotus Wagler, not J. cinereus (Swainson), '95, 391.

Descr. of new species of Ground Warbler from eastern Mexico (rev.), '96, 330.

Preliminary descr. of new birds from Galapagos Archipelago (rev.), '96,

Descr. of a new subspecies of the genus Peucedramus (rev.), '96, 330.

Birds collected in the Seychelles, Amirantes, Gloriosa, Assumption, Aldabra, and adjacent islands, with notes on habits, etc., by the collector (rev.), '96, 331.

Characters of a new American family of Passerine birds (rev.), '96, 334.

Melopelia leucoptera in Osceola Co., Florida, **'9**7, 88.

Note on Junco annectens and J. ridgwayi, '97, 94.

Correct nomenclature of Texas Cardinal, '97, 95.

Dendroica cærulea vs. Dendroica rara. '97, 97.

Desc. of nest and eggs of Bachman's Warbler, Helminthophila bachmanii, '97, 309.

An earlier name for Ammodramus leconteii. '97, 320.

Status of Lanius robustus as a North American bird, '97, 323.

Birds of Galapagos Archipelago (rev.), '97, 329.

see Chapman, F. M., 'bird life' (rev.), '97, 336-338.

Descr. of supposed new genera, species and subspecies of American birds, '98, 223-230, 319-324, '99, 35-37, 254-256, 1900, 27-30.

Descr. of a new species of Hummingbird from Arizona, '98, 325.

Hemithraupis—a correction, '98, 330. The genus Astragalinus, '99, 79.

The generic name Aimophila versus

Peucæa, '99, 80.
gway, R., Baird, S. F., and
Brewer, T. M., see Baird, Brewer Ridgway, and Ridgway.

Ridgway, R., and Belding, L., see Belding and Ridgway.

Ridgway, R., and Nutting, C. C., see Nutting and Ridgway.

Ridgway, R., and Stejneger, L., see Stejneger and Ridgway.

Ridgway Ornithological Club of Chicago, '83, 246, '84, 106, 307, 404, '85, 116, 224, 319, '86, 287, 416, '87, 83, 251.

ridgwayi (Anous), see Anous.

—— (Antrostomus), see Antrostomus. —— (Colinus), see Colinus ridgwayi.

--- (Cotinga), see Cotinga.

— (Falcinellus), see Plegadis.

—— (Junco), see J. annectens. - (Lagopus), see Lagopus.

--- (Megascops), see Megascops.

--- (Myiobius), see Myiobius. --- (Ornithion), see Ornithion.

- (Ornithium), see Ornithion. --- (Plegadis), see Plegadis.

---- (Nesotriccus), see Nesotriccus.

- (Pandion), see Pandion.

--- (Pyrrhulagra), see Pyrrhulagra. - (Rupornis), see Rupornis.

— (Scardafella), see Scardafella. — (Thalurania). see Thalurania.

— (Urubitinga), see Urubitinga.

Ridgwayia, '84, 181.

ridibundus (Larus), see Larus.

riefferi (Pyrrophæna), see Amazilia fuscicaudata.

riisii (Elainea), see E. martinica.

Riker, Clarence B.

Helminthophila leucobronchialis in New Jersey, '85, 378.

List of birds observed at Santarem, Brazil. With annotations by F. M. Chapman, '90, 131-137, 265-271, '91, 24-31, 158-164.

rikeri (Berlepschia), see Picolaptes.

342

--- (Picolaptes), see Picolaptes. Ring-neck, see Ægialitis semipalmata. Ring-Ouzel, Alpine, see Turdus alpestris.

Northern, see Turdus torquatus. ringvia (Uria), see U. troile. Riparia, see Clivicola. riparia (Clivicola), see Clivicola.

---- (Cotile), see Clivicola. --- (Cotyle), see Clivicola. --- (Hirundo), see Clivicola.

risorius (Turtur), see Turtur.

Rissa, '78, 186, '84, 144.

brevirostris (Red-legged wake), Alas. '84, 80, '85, 158; g. dist. '93, 123; Siberia, '84, 358.—syn. '96, 161.

(a Pacific pollicaris Kıttiwake, b kotzebui, c Larus kotzebuii), Alas. '80, 34°, 35°, '84, 80°, '85, 158, '98, 125; Cal. '85, 313°, '95, 177; g. dist. '93, 123; Greenl. 1900, 185; L. Cal. '98, 267; Wash. '85, 2222, '92, 353?.—syn. '84, 385, '88, 310, '96, 161, 1900, 185.

(a Kittiwake, b Larus, tridactyla ^c nævia), Arctic R. '78, 86, 1900, 309^a; Greenl. '89, 213, 1900, 185; Helg. '95, 327; Ill. '97, 228; Malta, '77, 70; Mass. '82, 125"; Mich. '93, 222; N. Pacific Ocean, '88, 310?; N. Y. '79, 175", '94, 162, '99, 193; Ont. 1900, 177; P. E. I. '85, 266; Que. '82, 241, '84, 380, '88, 134a, '89, 145; Siberia, 1900, 309a; Vt. '86, 271a.—fd. '82, 125a, '84, 380; hbt. '82, 125a, 161, 1900, 185.

Rives, William Cabell.

Nesting of Worm-eating Warbler in Virginia, '85, 103. Birds of Newport, Rhode Island

(rev.), '85, 208.

Notes on birds of Salt Pond Mountain, Virginia, '86, 156-161.

Steganopus tricolor in Rhode Island, **'8**7, 73.

Cory's Shearwater at Newport, R. I. **'88**, 108.

Notes on birds of White Top Mountain, Virginia, '89, 50-53.

Catalogue of birds of the Virginias (rev.), '91, 105.

A new bird for the Virginias, '97, 88. Summer birds of the West Virginia spruce belt, '98, 131-137.

rivularis (Cinclodes), see Cinclodes.

---- (Cinclus), see Cinclus.

— (Melospiza), see Melospiza. rixosa (Machetornis), see Machetornis.

Road-runner, see Geococcyx californianus.

Robbins, Reginald Chauncey.

New song of Baltimore Oriole, '99, 354.

Arctic Three-toed Woodpecker in Beverly, Massachusetts, 1900, 173.

Roberts, Thomas Sadler.

Notes on breeding of Black Tern lariformis) (Hydrochelidon Minnesota, '77, 34-36.

Notes on some Minnesota birds, '79, 152-155.

Notes on Hesperophona vespertina, '79, 237-238.

Breeding of Fuligula collaris in southeastern Minnesota, and description of nest and eggs, '80, 61.

Convolutions of trachea in the Sandhill and Whooping Cranes (rev.), '80, 179.

Water birds of Minnesota (rev.), '82, 47.

Notes on some Minnesota birds, '90,

see Hatch, P. L., 'birds of Minnesota' (rev.), '93, 288-290. Prothonotary Warbler (*Protonotaria*

citrea) a common summer resident of southeastern Minnesota, **'99**. 236–246.

Account of nesting habits of Franklın's Rosy Gull (Larus franklinii) at Heron Lake, southern Minnesota, 1900, 272-283 (3 pll.).

Roberts, T. S., and Benner, Franklin. Contribution to ornithology of Minnesota, '80, 11-20.

Merula migratoria (N. Robin, see Am.); Erithacus rubecula (Europe); Todus viridis (W. I.).

American, see Merula migratoria. European, see Erithacus rubecula.

Ground, see Pipilo erythrophthalmus. Ground Swamp, see Hylocichla pal-

Little Swamp, see Hylocichla pallasii. Mountain, see Hesperocichla nævia. St. Lucas, see Merula confinis.

Swamp, see Hylocichla swainsonii. mustelina or Hesperocichla nævia. Tamaulipas, see Merula tamaulipen-

Varied, see Hesperocichla nævia. Western, see Merula propinqua.

Wood, see Hylocichla mustelina. Robin-red-breast, see Robin.

Robinson, Wirt.

Some rare Rhode Island birds, '88, 194.

Some rare Virginia birds, '88, 194. Taming Chipping Sparrows, '94, 328. A flying trip to the tropics (rev.), '95, 172.

Ammodramus henslowu—a correction, '99, 356.

Robinson, W., and Richmond, C. W.

Annotated list of birds observed on Margarita, and at Guanta and Laguayra, Venezuela, with descr. of new species (rev.), '96, 332.

robinsoni (Butorides), see Butorides.
—— (Cardinalis), see Cardinalis.

—— (Pyrrhula), see Pyrrhulagra violacea.

robustus (Callothrus), see Callothrus.

— (Lanius), see L. elegans. — (Larus), see Larus.

— (Molothrus), see Callothrus.

— (Phalacrocorax), see Phalacroco-

Rod and Gun (magazine), '76, 30. Roddy, Harry Justin.

Feeding habits of some young Raptores, '88, 244-248.

rodgersii (Fulmarus), see Fulmarus. Roe, Ettinge.

Breeding of Short-billed Marsh Wren (Cistothorus stellaris) in the Hudson highlands, '83, 179.

Rohweder, J., Blasius, J., and Müller, A., see Blasius, Müller and Rohweder.

Rolfe, Eugene S.

Nesting of Nelson's Sparrow (Ammodramus nelson) in North Dakota, '99, 356.

rollandi (Colymbus), see Colymbus.
—— (Podiceps), see Colymbus.

Rolulus roulroul, Borneo, hbt. '91, 15. Rood, E. Irene.

[Bird protection in Texas], '99, 68. Rood, E. I., and Coues, E.

Papers presented to world's congress on ornithology (rev.), '97, 108.

Rook, see Corvus frugilegus.

Roosevelt, Theodore.

Notes on some of the birds of Oyster Bay, Long Island (rev.), '79, 171. Roosevelt, Theodore, and Minot, H. D. Sumer birds of the Adirondacks (rev.), '78, 36, 85.

rosacea (Pyrrhula), see P. griseiventris.

roscoe (Geothlypis), see G. ignota or trichas.

— (Sylvia), see Geothlypis trichas. rosea (Ajaja), see A. ajaja.

--- (Rhodinocichla), see Rhodinocichla.

—— (Rhodostethia), see Rhodostethia. roseifrons (Conurus), see Conurus. roseigaster (Temnotrogon), see Temnotrogon.

—— (Trogon), see Temnotrogon. roseigularis (Piranga), see Piranga. roseipectus (Carpodacus), see Carpodacus)

Rosenstock, Rudolph, see Gätke, H. Rosette, see Sterna dougalli. roseus (Carpodacus), see Carpodacus.

- (Pastor), see Pastor.

--- (Phœnicothraupis), see Phœnicothraupis.

rositæ (Cyanospiza), see Cyanospiza.
—— (Passerina), see Cyanospiza.

rossii (Anser), see Chen.
—— (Chen), see Chen.

—— (Larus), see Rhodostethia rosea. rostrata (Acanthis), see Acanthis.

—— (Geothlypis), see Geothlypis.

—— (Geothlypis), see Geothlypi —— (Spectyto), see Spectyto.

— (Trichas), see Geothlypis. Rostratula, see Rhynchœa.

Rostratulinæ, '88, 204.

rostratus (Ammodramus), see Ammodramus.

—— (Mimus), see Mimus.

—— (Passerculus), see Ammodramus. —— (Tyrannus), see Tyrannus.

Rostrhamus, '85, 205, '87, 47.

leucopygus, Argent., Urug., hbt. '84, 111.

sociabilis, Braz. '91, 161; Fla. '81, 16, 42a, '84, 95, '89, 247, '92, 212, '95, 364, 366; g. dist. '93, 141; W. I. '87, 47.—fd. '81, 16, '84, 95, '93, 200a, '95, 364, 366; hbt. '81, 16; meas., nst. '84, 95; plm. '81, 16, '95, 366 (mlt.); syn. '87, 47.

rostripallens (Dendrornis), see Dendrornis.

Rothschild, Walter.

Novitates Zoologicæ (magazine), '93, 388.

[Museum and collections], '93, 388. Avifauna of Laysan (prospectus), '93, 388.

Rothschild, W., and Hartert, E. A review of the ornith. of the Galapagos Is. (rev.), 1900, 300-303. rothschildi (Amazona), see Amazona. Rotzell, Willett Enos.

RUTZELL, 3	11
Birds of Narberth, Pa., and vicinity (rev.), '96, 244.	— (Muscicapa), see Pıranga. — (Phœnicothraupis), see Phœnicothraupis,
Rougetius abbotti, Assumption I. '94, 74*.	—— (Phœnicosoma), see Piranga ery-
aldabranus (b Dryolimnas), Alda- bra I. '94, 74, '96, 332b.—syn. '94, 74.	thromelas. —— (Piranga), see Piranga.
bernieri (b gularis), Madagascar, '94, 74; Mauritius, '94, 74b.	—— (Pyranga), see Piranga erythro- melas.
Rough-leg, Ferruginous, see Archibu-	—— (Tanagra), see Piranga erythro- melas.
teo ferrugineus. Red, see Archibuteo ferrugineus.	rubricapilla (Helminthophıla), see Hel-
roulroul (Rolulus), see Rolulus. rousseaui (Anous), see A. stolidus.	minthophila. —— (Pipra), see Pipra.
Rowley, George Dawson.	rubricatus (Atlapetes), see Pyrgisoma.
The Pied Duck (rev.), '78, 79.	—— (Pyrgisoma), see Pyrgisoma.
Rowley, John.	rubricaudus (Phaëthon), see Phaethon.
Art of taxidermy (rev.), '98, 282.	rubriceps (Piranga), see Piranga.
Royal Society of Canada, Proceedings	rubrifrons (Cardellina), see Cardellina. rubripes (Galeoscoptes), see Mimo-
and Transactions, title (No. 1224), '92, 188.	rubripes (Galeoscoptes), see Mimo- cichla.
rubecula (Erithacus), see Erithacus.	—— (Mimocichla), see Mimocichla.
rubea (Otocoris), see Otocoris.	—— (Mimus), see Mimocichla.
ruber (Cardinalis), see Cardinalis.	(Turdus), see Mimocichla.
—— (Endocimus), see Guara.	—— (Zenaida), see Z. vinaceo-rufa.
—— (Ergaticus), see Ergaticus. —— (Eudocimus), see Guara.	rubriventris (Centurus), see Centurus. rubromitratus (Trochilus), see Selas-
—— (Loxia), see Cardinalis cardinalis.	phorus floresii.
(Phacellodomus), see P. striati-	rubronigra (Amadina), see Munia.
collis.	— (Munia), see Munia.
—— (Phœnicopterus), see Phœnicop-	Rudolf, of Austria (Crown Prince). Notes on sport and ornithology (rev.),
terus. —— (Sphyrapicus), see Sphyrapicus.	'90, 196.
(Sphyrapicus), see Sphyrapicus.(Tantalus), see Guara rubra.	rufa (Ardea), see A. rufescens.
rubetra (Pratincola), see Pratincola.	—— (Certhia), see C. fusca.
rubicola (Pratincola), see Pratincola.	—— (Dichromanassa), see Ardea ru-
rubicundus (Empidonax), see Empido- nax.	fescens. ——(Demiegretta), see Ardea rufes-
rubida (Anas), see Erismatura jamai-	cens.
censis.	—— (Dimigretta), see Ardea rufescens.
—— (Erismatura), see E. jamaicensis.	— (Formicivora), see Formicivora.
—— (Fuligula), see Erismatura jamai-	—— (Hirundo), see H. erythrogastra.
censis. rubidicollis (Melanerpes), see M. porto-	— (Limosa), see L. lapponica. — (Malacoptila), see Malacoptila.
ricensis.	rufalbus (Thryophilus), see Thryo-
(Picus), see Melanerpes portori-	philus.
censis.	— (Thryothorus), see Thryophilus.
rubiginosa (Dendroica), see Dendroica. rubiginosus (Chloronerpes), see Chlo-	rufater (Thamnophilus), see Formici- vora rufa.
ronerpes.	rufatra (Drymophila), see Drymo-
rubineus (Pyrocephalus), see Pyro-	phila.
cephalus.	rufaxilla (Columba), see Leptotila.
rubirostris (Anas), see Pæcilonitta ba- hamensis.	— (Engyptila), see Leptotila. — (Leptotila), see Leptotila.
rubra (Cardellina), see Ergaticus.	rufescens (Acanthis), see A. cabaret.
— (Cotinga), see Cotinga.	—— (Ægiothus), see Acanthis cabaret
(Fringilla), see Piranga.	or linaria.
—— (Guara), see Guara.	(Amophila), see Aimophila.
—— (Ibis), see Guara. —— (Leucibis), see Guara.	(Ardea), see Ardea. (Herodias), see Ardea.
(Deachold), dec Guara.	l (maround), see indea.

— (Parus), see Parus.	— (Tachyphonus), see Glossiptila ruficollis.
—— (Parus), see Parus.	ruficollis.
(Phymohotys) soo Phymohotys	
	fina (Columba), see Columba. (Fuligula), see Netta.
(Therestheres) see Treatedutes	(Molecules), see Netta.
— (Thryothorus), see Troglodytes.	— (Melospiza), see Melospiza.
— (Tringa), see Tryngites subrufi-	— (Netta), see Netta.
	fipectus (Automolus), see Automo-
—— (Tringites), see Tryngites subrufi-	lus.
collis. ruf	fipennis (Columbigallina), see Colum-
—— (Troglodytes), see Troglodytes.	bigallina.
— (Tryngites), see T. subruficollis.	— (Pitangus), see Pitangus.
	fipileus (Colaptes), see Colaptes.
	fitorques (Anas), see Aythya collaris.
	— (Fuligula), see Aythya collaris.
	fiventris (Merula), see Merula.
	— (Myiotheretes), see Myiotheretes.
	— (Numenius), see N. hudsonicus.
_ 1 . i	- (Pica), see Pica.
droica palmarum.	
— (Thamnophilus), see Thamnophi-	— (Saltator), see Saltator. — (Turdus), see Merula.
1 (Inaminophinas), see Inaminophi-	- (Turdus), see Merura.
	fivertex (Dendroica), see Dendroica
	fivirgata (Arremonops), see Arrem-
certhia.	onops.
	— (Embernagra), see Arremonops.
(Ortalida), see Ortalis.	fo-axillaris (Molothrus), see Molo-
—— (Ortalis), see Ortalis.	thrus.
	fomaculatus (Antrostomus), see An-
— (Zenaida), see Zenaida.	trostomus.
—— (Rhynchocyclus), see Rhynchocy- ruf	fo-olivacea (Dendrocincla), see Den-
clus.	drocincla.
	fopileata (Dendroica), see Dendroica.
minicensis. ruf	foviridis (Galbula) see Galbula.
ruficaudus (Stenorhynchus), see Cin- ruf	fula (Hirundo), see Hirundo.
clocerthia. ruf	fulus (Troglodytes), see Troglodytes.
ruficeps (Aimophila), see Aimophila, ruf	fus (Anthus), see Anthus.
— (Ammodramus), see Aimophila. —	— (Antrostomus), see Antrostomus.
—— (Hylophilus), see Hylophilus.	— (Caprimulgus), see Antrostomus.
— (Megalurus), see Megalurus.	— (Furnarius), see Furnarius.
—— (Peucæa), see Aimophila ruficeps —	— (Harporhynchus), see Harporhyn-
or eremœca.	chus.
ruficollis (Ardea), see Ardea.	— (Heleodytes), see Heleodytes.
— (Cotile) see Stelgidontervy	— (Lanius), see Lanius.
— (Cotile), see Stelgidopteryx. — (Demiegretta), see Ardea. —	— (Margarops), see Allenia montana.
— (Egretta), see Ardea.	— (Pachyramphus), see Pachyram-
(Clossintila) see Glossintila	phus.
—— (Glossiptila), see Glossiptila. —— (Herodias), see Ardea.	(Phylloscopus), see Phylloscopus.
— (Iynx), see Iynx.	— (Selasphorus), see Selasphorus.
(Prembelages) see Glossiptile	— (Tachyphonus), see Tachyphonus.
— (Pyrrhulagra), see Glossiptila. —	— (Trochilus), see Selasphorus.
	girostris (Crotophaga), see C. ani.
·	
	im Cay, West Indies.
	Ridgway, R., '91, 337-338.
(Tringa), see Tringa.	pestris (Lagopus), see Lagopus.
- (Turdus), see Turdus.	ipicola, '81, 32. ipornis, '87, 38.
	iputitis, 0/, 30.
tus.	gracilis, Yucatan, plm. '85, 370.
— (Tachyphonus), see Tachyphonus.	magnirostris (b Asturina), Venez.
	'97, 366b; W. I. '87, 39.
rufigularis (Falco), see F. albigularis.	nattereri, Bras. '91, 160.

pucherani (b Asturina), Argent., Urug. '84, 30.—anat. '82, 87, fd., hbt. '84, 30.

ridgwayi, W. I. '84, 4*, '87, 38.meas., plm., syn. '87, 38.

ruficauda, C. R. '92, 328.

ruppelli (Picus), see Xiphidiopicus per-

rusbyi (Conopophaga), see Conopophaga.

russata (Panychlora), see Panychlora. Russell, Frank.

Explorations in the far North (rev.), 1900, 181.

Russia.

Dalgleish, J. J., '80, 143, 217.

Harvie-Brown, J. A., '77, 51, '78, 35. Ridgway, R., '98, 320.

Stejneger, L., '84, 35-36, 81-82, 231-232, '85, 95, '86, 126-129, '87, 62, '88, 197, '98, 183.

rustica (Emberiza), see Embernagra.

—— (Hirundo), see Hirundo.

—— (Pica), see P. pica. rusticola (Scolopax), see Scolopax. rusticolus (Falco), see F. rusticolus or

islandus. rusticula (Scolopax), see S. rusticola.

Ruticilla, '82, 179. mesoleuca, Helg. '95, 332.

moussieri, Helg. '95, 332.

phænicura, Germany, '96, 306; Helg. '95, 332.

titys, England, 'E7, 163; Germany, '96, 299; Helg. '95, 332.-hbt. '96, 299; nst., plm. '96, 299.

ruticilla (Muscicapa), see Setophaga. - (Setophaga), see Setophaga. rutila (Phytotoma) see Phytotoma. rutilans (Synallaxis), see Synallaxis. rutilus (Antrostomus), see A. rufus.

- (Thryothorus), see Thryothorus. Rynchopidæ, '93, 106, 345, '96, 160.

Rynchops, '88, 74.

nigra (* Black Skimmer), Fla. '87, 137^a, 274^a, '88, 376, '90, 306, '92, 211; Ga. '83, 42, '96, 215; Mass. '79, 243, '82, 125, '94, 181; Me. '80, 63a; N. E. '79, 242; N. J. '79, 227, '89, 178a, '90, 327; N. Y. '85, 299, '94, 162; S. C. '85, 193; Tex. 1900, 338; Va. '76, 28; W. I. '88, 74.—nst. '76, 28, '83, 42; syn. '88, 74; misc. '88, 376, '95, 386^a.

rytirhynchus (Limnopardalus), see Limnopardalus.

--- (Rallus), see Limnopardalus.

S

sabini (Bonasa), see Bonasa.

- (Larus), see Xema.

___ (Xema), see Xema.

saccharina (Certhiola), see Cœreba.

— (Cœreba), see Cœreba.

saccharivora (Certhia), see Cœreba martinicana.

sacer (Falco), see F. gyrfalco, obsoletus or islandus.

- (Hierofalco), see Falco gyrfalco. sacra (Ardea), see Ardea.

--- (Demiegretta), see Ardea.

Sage, John Hall.

Birds and windows, '81, 188.

Capture of Great Carolina Wren ludovicianus) (Thryothorus Connecticut, in March, '83, 120.

Capture of Blue-gray Gnatcatcher (Polioptila carulea) in Connecticut, '83, 179.

Partial albino Short-eared Owl, '83, 183.

Another example of Helminthophila leucobronchialis from Connecticut, **'84**, 91, **'85**, 304.

Return of Robins to same nestingplace, '85, 304.

Nesting of Worm-eating Warbler (Helminthotherus vermivorus) in southern Connecticut, '85, 305.

Occurrence of Sharp-shinned Hawk in New Hampshire in winter, '85, 311.

Icterus galbula in Connecticut in November, '86, 135.

A partial albino Hermit Thrush, '86, 282.

Lincoln's Sparrow and Blue-gray Gnatcatcher in Connecticut, '86,

Carolina Wren in Connecticut, '86, 489.

Another Prothonotary Warbler in Massachusetts, '87, 164.

The Middletown, Conn., Glossy Ibis of 1850, '87, 253.

Interbreeding Helminthophila of pinus and H. chrysoptera, '89, 279. Black Guillemot in Connecticut, '90, 283.

Ornithologists' American Union, [Congresses], seventh, '90, 66-71; eighth, '91, 80-83; ninth, '92, 56-59; tenth, '93, 63-65; eleventh, '94, 51-56; twelfth, '95, 60-65; thirteenth, '96, 55-59; fourteenth, '97, 82-86; fifteenth, '98, 43-48; sixteenth, '99, 51-55; seventeenth, 1900, 58-63.

Ammodramus caudacutus nelsoni and subvirgatus in Connecticut, '91,

Notes on some Connecticut birds, '93, 206.

Notes on Helminthophila pinus, chrysoptera, leucobronchialis, and lawrences in Connecticut, '93, 208.

Summer Tanager in Connecticut, '93, 303.

Notes on some Connecticut birds, '94, 181, '95, 310.

Swallow roost near Portland, Conn., '95, 83.

A photograph of Audubon, '95, 93. Golden Eagle in New Jersey, '95, 179.

Sora caught by a mussel, '95, 297 (fig.).

Nesting of Helminthophila leucobronchialis in Connecticut, '95, 307.

An historic letter, '95, 359-362. List of birds found about my house at

Portland, Conn. (rev.), '98, 284. sagmatorrhina (Lunda), see L. cirrhata. sagræ (Myiarchus), see Myiarchus.

- (Muscicapa), see Myiarchus. Saint Andrews Island, West Indies. Cory, C. B., '87, 178-181.

Saint Eustatius Island, West Indies. Ridgway, R., '98, 323.

Saint Kitts Island, West Indies. Cory, C. B., '88, 266.

Saint Thomas Island, West Indies. Cory C. B., '90, 373-374.

Saint Vincent Island, West Indies. Lawrence, G. N., '79, 48-49. Ridgway, R., '98, 323.

saira (Piranga), see Piranga. salax (Pratincola), see Pratincola. salicamans (Astragalinus), see Astragalinus.

- (Spinus), see Astragalinus. salicicola (Hylocichla), see Hylocichla. salicicolus (Turdus), see Hylocichla. salinazi (Porzana), see Porzana. sallæi (Amazona), see A. ventralis.

-(Chrysotis), see Amazona ventralis.

- (Psittacus), see Amazona ventralis.

Salpinctes, '76, 50, '82, 216, '92, 85, '93, 112, 131.

guadeloupensis (Guadalupe Rock Wren), anat. '91, 221, '92, 84; meas. '77, 61; syn. '77, 60, 62, 66. neglectus, Guat. '97, 70*.

obsoletus (* Rock Wren, verius), Arız. '82, 82, '88, 162, '90, 49, 262, '94, 218a; B. C. 1900, 107; Cal. '86, 185, '89, 221, '98, 236, 238^{b*}; Colo. '80, 225, '81, 88, '83, 154, '85, 15, '87, 123, '94, 269, '95, 153°; g. dist. '93, 135, Ida. '98, 19; L. Cal. '95, 143; Mont. '94, 307, '95, 218; Neb. '85, 277; N. M. '85, 234, '92, 368, '98, 310; Ore. '79, 163, '86, 72, 303, 87; Revill. Is. '98, 315; S. D. '85, 277?; Tex, '82, 35, '84, 121?, '87, 297, '92, 342, '94, 222; 121⁷, '87, 297, '92, 342, '94, 222; Wash. '92, 47, 310, 357, '93, 87, '97, 180 .- anat. '82, 218, '91, 221; hbt. '80, 225, '85, 234, '87, 123; meas. '77, 61, '82, 218, '98, 238, 239, 239, 239, inst. '88, 162, '89, 1832, '92, 368; plm. '83, 154, 315; song, '80, 225; syn. '77, 60, 62, '98, 238', '99, 133's. pulverius, '98, 238*, see obsoletus. Saltator, '86, 201, '97, 39.

albicollis, Venez. '97, 364.

aurantiirostris, Urug., hbt., song, '83, 91.

magnoides, C. R., plm. '92, 27. grandis, C. R., hbt., meas., nst., plm., song, '92, 27.

guadeloupensis, W. I. '80, 166, '86, 201, '87, 95, '91, 49.—meas., plm., syn. '86, 201.

magnus, Braz. '90, 267. olivascens, Venez. '97, 364. rufiventris, N. Am., W. coast, '77, 92?.

saltator (Merula), see M. aurantia.

Salt Cay, West Indies. Cory, C. B., '91, 352.

saltuensis (Amazona), see Amazona. Salvadori, Tommaso.

see British Museum 'cat. of birds' (rev.), vol. xx, '92, 277-279; vol. xxi (rev.), '94, 60-62; vol. xxvii (rev.), '96, 162-164. Salvadori, T., and Festa, E.

Viaggio nel Darien, Uccelli (rev.), '99, 292.

Viaggio nell' Ecuador, Uccelli (rev.), 1900, 81, 303.

Salvin, Osbert.

[Procellariidæ] (rev.), '77, 69. [New Petrels] (rev.), '77, 70. Obituary of, '98, 286, 343-346.

Salvin, O., and Godman, F. Du Cane. Centrali-Americana.-Biologia (rev.), '81, 174, '90, 189-195.

Salvin, O., and Hartert, E.

see British Museum 'cat. of birds,' vol. xvi (rev.), '93, 66-69.

Salvin, O., and Saunders, H. see British Museum 'cat. of birds,' vol. xxv (rev.), '96, 160-162.

Salvin, O., and Sclater, P. L., see Sclater and Salvin.

salvini (Antrostomus), see Antrostomus.

- (Basileuterus), see Basileuterus.

--- (Capito), see Capito.

—— (Caprimulgus), see Antrostomus. — (Chlorostilbon), see Chlorostilbon.

— (Colinus), see Colinus.

--- (Cyanomyia), see Cyanomyia.

--- (Empidonax), see Empidonax.

--- (Pachyramphus), see Pachyramphus.

- (Spindalis), see Spindalis. samarensis (Penelopides), see Penelopides.

Samuel, John Hughes.

Western Red-tail at Toronto, Canada, 1900, 386.

List of rarer birds in vicinity of Toronto, 1900, 391.

samuelis (Ammodramus), see Melospiza.

- (Melospiza), see Melospiza. sanctæ-luciæ (Cichlherminia), see Cichlherminia.

— (Margarops), see Cichlherminia.

- (Myadestes), see Myadestes.

- (Ramphocinclus), see Ramphocinclus.

sanctæ-martæ (Centurus), see Centurus. ---- (Cyanocompsa), see Cyanocompsa.

—— (Melanerpes), see Centurus. sancti-hieronymi (Panyptila), see Panyptila.

sancti-johannis (Archibuteo), see A. sancti-johannis or lagopus.

sancti-thomæ (Certhiola), see Cœreba portoricensis.

sanctorum (Ammodramus), see Ammodramus.

- (Dryobates), see Dryobates.

—— (Passerculus), see Ammodramus.

Sandbird, see Actitis macularia. Sanderling, see Calidris arenaria.

Sanderson, Ezra Dwight.

Economic value of White-bellied Nuthatch and Black-capped Chickadee, '98, 144-155.

Sandpiper, Aleutian, see Tringa couesi. Baird's, see Tringa bairdii.

Bartramian, see Bartramia longicauda.

Bartram's, see Bartramia longicauda. Black-bellied, see Tringa pacifica. Bonaparte's, see Tringa fuscicollis.

Buff-breasted, see Tryngites subruficollis.

Cinnamon Solitary, see Helodromas cinnamomeus.

Cooper's, see Tringa cooperi. Curlew, see Tringa ferruginea. Green, see Helodromas ochropus. Least, see Tringa minutilla.

Marsh, see Totanus stagnatilis.

Pectoral, see Tringa maculata. Prybilof, see Tringa ptilocnemis.

Purple, see Tringa maritima. Red-backed, see Tringa pacifica.

Red-breasted, see Tringa canutus.

Semipalmated, see Ereunetes pusillus.

Sharp-tailed, see Tringa acuminata. Solitary, see Helodromas solitarius. Spoon-bill, see Eurynorhynchus pygmæus.

Spotted, see Actitis macularia. Stilt, see Micropalama himantopus. Western, see Ereunetes occidentalis. Western Semipalmated, see Ereunetes occidentalis.

Western Solitary, see Helodromas cinnamomeus.

White-rumped, see Tringa fuscicollis. Wood, see Totanus glareola.

Sandpipers, see Scolopacidæ. sandvicensis (Anser), see Anser.

--- (Gallinula), see Gallinula.

- (Passerculus), see Ammodramus sandwichensis.

sandwichensis (Ammodramus), see A. sandwichensis or savanna.

- (Sterna), see Sterna.

sanguinolenta (Piranga), see Piranga. sanguinolentus (Calorhamphus), see C. fuliginosus.

San Luis Potosi, Mexico.

Nelson, E. W. '99, 27, 1900, 259.

Santa Barbara Islands, California. Allen, J. A., '99, 350. Oberholser, H. C., 1900, 304. Ridgway, R., '98, 230.

santacruzi (Centurus), see Centurus. --- (Melanerpes), see Centurus.

Santa Lucia Island, West Indies. Allen, J. A., '80, 163-169, '81, 128. Cory, C. B., '86, 382, '87, 94-95.

santaritæ (Psaltriparus), see Psaltriparus.

Santo Domingo, West Indies. Cory, C. B., '83, 94-95, '84, 1-5, 285, '85, 295, '95, 278-279, '89, 183. Ridgway, R., '86, 382-383.

Sapheopipo, '91, 93.

sapphirina (Hylocharis), see Hylocharis.

Sapsucker, see Sphyrapicus varius.

Red-breasted, see Sphyrapicus ruber. Red-naped, see Sphyrapicus nuchalis. Texas, see Dryobates bairdi.

Williamson's, see Sphyrapicus thyroideus.

Yellow-bellied, see Sphyrapicus varius.

Sarcidiornis melanonota, plm. '99, 321.

Sarcogrammus, '85, 339. Sarcophanops, '94, 235.

Sarcops, '94, 233, 234.

Sarcoramphus, '80, 79. gryphus (a Condor, b æquatorialis), Chili, '80, 81b; Colom, '80, 81; g. dist. 77, 94; S. Am. '85, 169-171b.meas. '80, 82, '85, 171b; plm. '80, 81b, '85, 170b; syn. '80, 78, 79; misc. '87, 52ª, 55ª.

Sarcorhamphus, see Sarcoramphus. Sarcorhamphidæ (a Vultures), 80, 77-84, '87, 173ª, '93, 109ª.

Sargent, Harry B.

Breeding of Rough-winged Swallow at Shelter Island, New York, '93, 369.

Sarothrura, see Corythrura. sartorii (Aimophila), see Aimophila. - (Syrnium), see Syrnium.

Sasia everetti, syn. '91, 93. satrapa (Regulus), see R. satrapa or olivaceus.

- (Tyrannus), see Tyrannus. saturata (Hirundo), see Hirundo.

- (Phlegopsis), see Phlegopsis. saturatior (Bubo), see B. saturatus.

- (Colaptes), see Colaptes. saturatus (Amazilia), see Amazilia.

— (Ardea), see Butorides.

--- (Arremon), see Arremon.

--- (Bubo), see Bubo.

— (Butorides), see Butorides. — (Cardinalis), see Cardinalis.

— (Contopus), see C. richardsoni.

---- (Megascops), see M. kennicottii.

--- (Momotus), see Momotus.

--- (Passer), see Passer.

---- (Phrygilus), see Phrygilus.

---- (Rallus), see Rallus.

saturninus (Mimus), see Mimus. Saunders, Howard.

[Skua or Jager Gulls] (rev.), '77,

[Terns] (rev.), '77, 24.

The Sterninæ or Terns (rev.), '78, 140-144.

The Larinæ (rev.), '78, 185-187.

Notes on some Laridæ from Peru and Chili (rev.), '83, 54.

Manual of British birds (rev.), '90, 195.

Saunders, H., and Salvin, Osbert. see British Museum 'cat. of birds,' vol. xxv (rev.), '96, 160-162.

Saunders, William Edwin.

see McIlwraith, T., 'birds of Ontario' (rev.), '87, 246-249.

First occurrence of Western Redtail in Ontario, '88, 205.

Evening Grosbeak in Ontario, '88,

Henslow's Sparrow in Ontario, '99,

Nesting habits of Cerulean Warbler, 1900, 358-362.

Black-throated Bunting, Yellowbreasted Chat and Connecticut Warbler in Ontario, '85, 307.

Saunders, W. E., and Morden, J. A., see Morden and Saunders.

Saurothera, '86, 362, '97, 90, 91. andria, Bahamas, meas. '94, 164*.

bahamensis, Bahamas, '80, 107, '86, 364, '91, 74, 294, 336, 351, '94, 164, 1900, 288.—meas. '86, 364, '94, 165; plm. '86, 364, 1900, 288; syn. '86, 364**.**

dominicensis, W. I. '81, 154, '86, 362.—fd., hbt., song, '81, 154; meas., plm., syn. '86, 362.

merlini, W. I. '86, 363, '92, 272. -meas. '86, 363; plm. '86, 363, '91,

190 (alb.); syn. '86, 363.

vetula, W. I. '86, 362, '92, 273, 371, '94, 124.—fd., hbt., nst. '92, 371;

meas., plm., syn. '86, 362. vieilloti, W. I. '81, 155, '86, 363. meas., plm., syn. '86, 363.

Saurotherinæ, '97, 91.

Saururæ, '80, 235.

Savage, James.

Rare birds of recent occurrence near Buffalo, N. Y. '95, 312-314.

Notes from western New York, '95, 39**3.**

savanna (Ammodramus), see Ammodramus.

-(Emberiza), see Ammodramus.

- (Fringilla), see Ammodramus.

— (Passerculus), see Ammodramus. Savanna-bird, see Ammodramus savannarum.

savannarum (Ammodramus), see Ammodramus.

- (Fringilla), see Ammodramus. savignyi (Hirundo), see Hirundo.

Sawbill, see Lophodytes cucullatus. Sea, see Merganser americanus. saxatilis (Cypselus), see Aëronautes melanoleucus.

- (Monticola), see Monticola.

- (Panyptila), see Aeronautes melanoleucus.

Saxicola, '84, 182, '93, 113. albicollis, Helg. '95, 333. capistrata, Helg. '95, 333. deserti, Helg. '95, 333. leucura, Helg. '95, 333.

cenanthe (a Wheatear), Alas. '81, 5, '85, 63; Bermudas, '78, 139; Colo. '80, 224, '85, 15; g. dist. '93, 124; Greenl. '80, 109a [not 'Stonechat'], '83, 115, '85, 305, '89, 211a, 297, '92, 282a; Helg. '95, 324; La. '89, 76; Mass. '78, 139; Me. '80, 115; N. Atlantic Ocean, '84, 398?; N. S. '89, 64ª; N. Y. '78, 139, '86, 490, '93, 277; Que. '78, 139, '84, 295, 378, '85, 113, 205, 206, 204 305, '90, 294.—mig. '85, 63; nst. '85, 305, '89, 297; plm. '80, 27 (alb.); song, '89, 297.

oreophila, Asia, syn. 1900, 304.

stapazina, Helg. '95, 333.

Saxicolidæ, '84, 181.

saya (Sayornis), see Sayornis. sayi (Sayornis), see S. saya. Sayiornis, see Sayornis.

Sayles, Ira.

Sense of smell in Cathartes aura, '87,

Sayornis, '84, 38, '85, 51, '86, 236, '90. 73, '96, 112.

aquatica, C. R. '92, 250; g. dist., plm. 1900, 125.

cineracea, Venez. '97, 365.

dominicensis, '83, 95*, see Blacicus

hispaniolensis.

nigricans (a Black Phœbe or Pewee, b semiatra), Ariz. '82, 205, '87, 18, '94, 218a; Cal. '78, 66, '81, 119, '86, 180, '87, 329, '89, 222, '96, 85, 120, '98, 235; g. dist. '93, 134, 1900, 124, 125; L. Cal. '95, 140 ['nigrescens'].—fd. '96, 86; nst. '81, 119, '82, 205, '96, 120; plm. '78, 66 (alb.), 79, 42, '82, 205, 1900, 124, 125^b; syn. 1900, 124, 125b.

phæbe (* Phæbe, Pewee or Phæbebird, b fuscus), Ala. '79, 10b; Colo. '89, 276; Cuba, '86, 236; D. C. '88, 21; Fla. '88, 272, '89, 319, '91, 138, '92, 213, '95, 365; g. dist. '93, 103; Gulf of Mex. '81, 251b; Ia. '95, 121, 236; Ind. '89, 23; Ky. '89, 314; La. '92, 205; Man. '86, 320; Mass. '84,

6ª ['Bridge Pewee'], '89, 44, 100; Md. '85, 98"; Me. '82, 149", '85, 108b; Mich. '81, 196a, '93, 225; Minn. '84, 246a; Mo. '79, 145b; N. C. '86, 105, 314, '89, 120, '93, 243b; N. H. '88, 150, 151, '89, 77, 78; N. J. '94, 137; N. S. '95, 89; N. W. T. 1900, 181; N. Y. '81, 231^b, '82, 188^b, '84, 181; N. Y. 81, 2517, 62, 1887, 84, 178b, 179b, '85, 254; O.'95, 242; Ont. '89, 247a; Ore. '77, 93b?; Pa. '89, 141, '92, 136, '93, 39, 44, '96, 282, 293; S. C. '79, 215b, '90, 39, '91, 328, '94, 109"; S. D. '85, 283"; Tenn. '86, 319; Tex. '82, 40b, 169b, '87, 192, '92, 236, 1900, 345; Va. '86, 160; Wis. ²⁸², 188^b; W. Va. '98, 135.—fd. '97, 421^a, '99, 362^a; mig. '81, 251^b, '84, 178^b, 179^b, '89, 141, '94, 109^a, 110^a, '95, 121, 129^a, 236, 242; nst. '78, 25^a ['Bridge Pewee'], '80, 115^a ['Bridge Pewee'], '86, 105, 319, '87, 192, 247a, '88, 21, '91, 328, '92, 236, 286a; plm. '78, 176b; song, '82, 169, '84, 65a, '85, 254; syn. '85, 51, '86, 236, '89, 199; misc. '81, 196a.

saya (a Say's Phœbe or Flycatcher, yukonensis), Ariz. '82, 205, '87, 18,'90, 48; Cal. '86, 180, '89, 221, '90, 297, '96, 85, '98, 235; Colo. '83, 195, '85, 17, '95, 153°; g. dist. '93, 134, 1900, 115°*, 116; Ida. '98, 22; L. Cal. '95, 140; Mass. '90," 228; Mont. '94, 304, '95, 215; Mo. River, '95, 229^a; N. M. '92, 363, '94, 216^a, '98, 309; Tex. '82, 169, '84, 122, '87, 192, '92, 236; Wash. '97, 176, 1900, 353. —fd. '96, 85; meas. 1900, 116; nst. '83, 195, '92, 363, '95, 140, 215, '98, 309; plm. '82, 205, 1900, 116; syn. '80, 99, 1900, 116, 116b.

yukonensis, 1900, 115*, see saya. scalaris (Dryobates), see D. bairdi. - (Picus), see Dryobates bairdi. Scale-bird, see Chamæa henshawi. scandens (Cactornis), see Cactornis. scandiaca (Nyctea), see N. nyctea. scandulaca (Certhia), see Certhia. Scansores, '81, 28-39, 201, '92, 184. scapularis (Pitylus), see Pitylus. Scardafella, '93, 132.

inca (a Inca Dove), Ariz. '86, 421, 1900, 33*; Mex. '85, 228; Tex. '92, 233.—hbt. '85, 228, '86, 421, '92, 288, 1900, 33*; song, '85, 228.

ridgwayi, Margarita I. '96, 333. squamosa, Venez. '97, 359, 366.

Scaup, Greater, see Aythya marila. Lesser, see Aythya affinis. Scenopinus, see Scenopæetes.

Scenopæetes, '91, 115. dentirostris, syn. '91, 115.

Scenopœus, see Scenopæetes.

Schalow, Herman.

Notes on 'Lanius cristatus' and 'L. borealis,' of Nelson's 'birds of Bering Sea and Arctic Ocean,' '84,

Eine Vogelsammlung aus Westgrönland (rev.), '96, 243.

Anton Reichenow. Ein Verzeichniss seiner bisherige Arbeiten (rev.), '97, 248*.*

Die Vögel der Sammlung Plate (rev.), **'99**, 292.

Schalow, H., and Reichenow, A., see Reichenow and Schalow.

Schenckling-Provôt, C.

Tongues of birds (rev.), '95, 186.

schierbrandii (Volvocivora), see Lalage culminata.

schillingii (Sylochelidon), see Sterna caspia.

schinzii (Pelidna), see Tringa fuscicol-

- (Tringa), see Tringa fuscicollis or alpina.

schistacea (Mimocichla), see Mimocichla.

- (Passerella), see Passerella.

--- (Rhodinocichla), see Rhodinocichla.

schistisagus (Larus), see Larus.

Schistochlamys atra, Venez. '97, 364. griseocristata, syn. '88, 411.

Schistospiza, '88, 411.

Schizognathina, '81, 30.

Schlegel, Hermann.

Obituary of, '84, 205.

Schlegelia wilsoni (b Diphyllodes respublica), syn. '92, 282; misc. '81, 240°.

schœniclus (Emberiza), see Emberiza. schottii (Contopus), see Blacicus brachytarsus.

Schrenk, Leopold von. Obituary of, '94, 264.

schwaneri (Eucichla), see Eucichla. Schwarz, Eugene Amandus, and Barrows, W. B.

see Barrows and Schwarz.

Science (magazine), titles (Nos. 570-594) '84, 188, (Nos. 792-805) '85, 210, (Nos. 1042-1054) 386, 475, (Nos. 1414-1445) '89, 181, (Nos. 2352-2366) '92, 285.

Science News (magazine), titles (Nos. 15-18), '80, 45.

Science Record (magazine), titles (Nos. 806-811), '85, 211.

Scientific American (magazine), titles (Nos. 2367-2395), '92, 285.

Scissor-tail, see Milvulus forficatus.

Royal, see Alectrurus guira-yetapa. scitulus (Basileuterus), see Basileuterus. Sciurus, see Seiurus.

Sclater, Philip Lutley.

Remarks on present state of the systema avium, '81, 28-37, 73-84.

see British Museum, 'cat. of birds,' vol. xi (rev.), '87, 149; vol. xiv (rev.), '89, 266-268; vol. xv (rev.), '90, 379.

Geographical distribution of birds (rev.), '92, 183.

Remarks on divergencies between 'Rules for naming animals' of the German Zoological Society and Stricklandian code of nomenclature (rev.), '96, 325-328.

Sclater, P. L., and Hudson, W. H. Argentine ornithology (rev.), '88, 199, '89, 268.
Sclater, P. L., and Lydekker, R., see

Lydekker and Sclater.

Sclater, P. L., and Salvin, O.

Revision of neotropical Anatidæ (rev.), '77, 24.

Sclater, P. L., and Shelley, G. E. see British Museum 'cat. of birds,'

vol. xix (rev.), '92, 184.

sclateri (Chasiempis), see Chasiempis. —— (Chrysomitris), see Spinus.

(Cyanocorax), see Cyanocorax.

- (Euphonia), see Euphonia.

--- (Hirundo), see Hirundo. — (Loxigilla), see Pyrrhulagra.

— (Myiarchus), see Myiarchus.

--- (Parus), see Parus.

--- (Pyrrhulagra), see Pyrrhulagra.

—— (Spinus), see Spinus. —— (Tachycineta), see Hirundo.

— (Tanagra), see Tanagra.

Scierurus, '90, 272.

propinquus, Colom. 1900, 82. Scolecophagus, '90, 123, '93, 99, 111. affinis (fossil), Ore. '91, 368, '93,

344. carolinus (a Rusty Blackbird or Grackle, b ferrugineus), Ala. '79, 10; Alas. '87, 12; Colo. '86, 284, '87, 264; Fla. '88, 273, '91, 138, '95, 365; Ga. '96, 212; g. dist. '93, 126; Greenl. '91, 320; Hud. B. '90, 322; Ia. '88, 207, '95, 121, 236; Ill. '88, 207; Ind. '89, 24; Ky. '89, 314; La. '92, 205; Man. '86, 322; Mass. '83, 150°, '95, 87°,

'99, 196^a, Mich. '93, 225, '98, 193; Mo. '79, 145, '95, 3a, 223a, '96, 221; N. B. '85, 106b, '89, 117; N. C. '86, 179; N. F. 1900, 72; N. J. '89, 303; N. S. '87, 15a, 16; N. Y. '81, 231b, '85, 252b; O. '95, 242; P. E. I. '93, 10; Que. '83, 244b, '89, 147; S. C. '79, 215; S. D. '85, 282b; Tenn. '86, 318; Tex. '82, 167^b, 1900, 345; Wales, '85, 373^b—hbt. '95, 303^a; meas. '85, 107, mig. '88, 207, '95, 121, 129^a, 236, 242, '99, 196^a; nst. '85, 106^b, '86, 322, '89, 147; plm. '78, 176^b, '79, 29^a (alb.), '95, 242 (mlt.); song, '85, 252^b; misc. '98, 193 (corr.). cyanocephalus (* Brewer's Blackbird), Ariz. '87, 23, '90, 49, 257, '94, 220*, 221*; Cal. '86, 87*, 181, '89, 220, '96, 120; Colo. '79, 94, '81, 139, '83, 193, '85, 16, 142, '87, 124, 264; g. dist. '93, 134; Ida. '98, 14; La. S. C. '87, 76; '91, 50, 167; S. D. '85, 282; Tex. '77, 854, '82, 40, 167, '87, 291, '92, 238, 1900, 345; Wash.
'81, 128, '82, 227, '92, 45, '97, 177.—
fd. '79, 111; hbt. '79, 166, '81, 139,
'82, 167, '94, 221a, 305, '96, 120;
mig. '87, 76, '90, 257, '91, 50, 51, '94,
108a; nst. '82, 167, '86, 167, 181, 322, '88, 262, '94, 248a, '96, 120; plm. '79, 29ª (alb.), '80, 26 (alb.), '86, 167, 168 (alb.), misc. '78, 193, '82, 118. scolopacea (Limosa), see Macrorhamphus.

scolopaceus (Aramus), see A. giganteus. - (Macrorhamphus), see Macrorhamphus.

— (Notherodius), see Aramus giganteus.

Scolopacidæ (* Sandpipers or Snipes), '77, 64^a, '79, 111^a, '81, 81, 163, '87, 341^a, '93, 108, 109, '97, 338^a. Scolopacinæ, '81, 81.

Scolopax, '84, 142, '88, 330, '93, 99. rusticola (* European Woodcock), Va. '77, 74^a; Mich. '77, 75; Helg. '95, 338; Md. '96, 68.—plm. '80, 29 ['rusticolor'] (alb.); syn. '84, 173. scolopax (Œdicnemus), see Œdicnemus.

Scopidæ, '78, 184.

Scops, see Megascops.

bendirei, '82, 31*, see Megascops. scops (Megascops), see Megascops. Scopus, see Megascops.

Scoter, American, see Oidemia americana.

Black, see Oidemia americana. European Velvet, see Oidemia fusca.

Surf, see Oidemia perspicillata. Velvet, see Oidemia fusca.

White-winged, see Oidemia deglandi. White-winged Velvet, see Oidemia

Scotiaptex, '80, 178, '87, 335.

deglandi.

cinerea (a Great Gray Owl, b Syrnium, 'Ulula), Alas. '84, 79°; Colo. '81, 141^b; Conn. '93, 208^a; g. dist. '93, 126; Man. '86, 155°; Mass. '78, 140°, '83, 123°, '84, 286°, '86, 271°, '91, 313, '97, 100°; Me. '83, 113°, Minn. '84, 246°, '98, 186; N. F. 1900, 72; N. J. '95, 171; N. Y. '80, 122°, 123° '81, 232°, '88, 110°, '90, 206, 395°, '95, 181, 301; Ore. '86, 165°; R. I. '83, 183b, '86, 271a; Vt. '86, 272a; Wash. '92, 44.—meas. '83, 123b, '98, 187; song, '81, 141^b; misc. '83, 183^b.

lapponica (Lapp Owl, b Syrnium, c Strix, d Ulula), Alas. '77, 31b, '80, 91°, '84, 79d, '88, 410d.—nst. '89, 329. scoticus (Lagopus), see Lagopus.

Scotland.

Allen, J. A., '96, 251-252. Dalgleish, J. J., '84, 98. Millais, J. G., '92, 289.

Scott, William Earle Dodge. Late fall and winter notes on birds in vicinity of Princeton, N. J., 1878-79, '79, 81-85.

Notes on birds at Twin Lakes, Lake Co., Colorado, '79, 90-96.

Notes on birds observed during spring migration in western Missouri, '79, 139-147.

Notes on birds observed at Long Branch, New Jersey, '79, 222-228. Golden-winged Woodpeckers nesting in natural cavity in decayed tree, '80, 56.

Birds observed in Sumpter, Levy, and Hillsboro' counties, Florida, '81, 14-21.

Occurrence of Vireo philadelphicus in Mercer Co., New Jersey, '81, 56.

Observations on migration of birds, **'81**, 97–100.

White-bellied Swallow (Tachycineta bicolor) on New Jersey coast in November, '81, 115.

Ipswich Sparrow (Passerculus princeps) at Squan Beach, New Jersey, '81, 116.

Migration of birds at night, '81, 188. Breeding habits of Arizona birds, '85, 1-7, 159-165, 242-246, 321-326.

Winter mountain notes from southern Arizona, '85, 172-174.

Early spring notes from mountains of southern Arizona, '85, 348-356. Breeding habits of some Arizona birds, '86, 81-86.

Avifauna of Pinal Co., Arizona, '86, 249-258, 383-389, 421-432, '87, 16-24, 196-205.

Some rare Florida birds, '87, 133-

Present condition of bird rookeries of Gulf coast, Florida, '87, 135-144, 213-222, 273-284.

Another Bachman's Warbler in Florida, '87, 348.

[Destruction of birds for their plumes], '88, 128.

Avifauna of Pinal Co., with remarks on birds of Pima and Gila counties, Arizona, with annotations by J. A. Allen, '88, 29-36, 159-168.

Supplementary notes from Gulf coast of Florida, with description of a new species of Marsh Wren, '88, 183-188.

Summary of observations on birds of Gulf coast of Florida, '88, 373-379, '89, 13-18, 152-160, 245-252,

318-326, '96, 14-22, 114-120. Bachman's Warbler (Helminthophila bachmani) at Key West, Florida, in July and August, '88, 428-430.

Dendroica coronata at Key West in summer, '88, 430.

Records of rare birds at Key West, Florida and vicinity, with note on capture of a Dove (Geotrygon montana) new to North America, '89, 160.

Specific identity of Buteo brachyurus and Buteo fuliginosus, with additional records in Florida, '89, 243-245.

Second specimen of Cory's Bittern (Botaurus neoxenus), '89, 317. Key West Quail-Dove (Geotrygon

martinica) at Key West, '90, 90. Account of Flamingoes (Phanicopterus ruber) observed in vicinity of Cape Sable, Florida, '90, 221-226.

Two species of Swallow new to North America, '90, 264.

Birds observed at Dry Tortugas, Florida, '90, 301-314 (map).

Description of a new subspecies of Wild Turkey, '90, 376-377.

Little Black Rail (Porzana jamaicensis) at Key West, Florida, '90, 400. Observations on birds of Jamaica,

West Indies, '91, 249-256, 353-365, '92, 9-15, 120-129, 273-277, 369-375, '93, 177-181, 339-342.

Notes on nest and habits of Cory's Bittern (Botaurus neoxenus), '91, 309.

Florida Heron rookeries, '91, 318.

Description of adult male Botaurus neoxenus, with additional notes on the species, '92, 141.

Notes on birds of Caloosahatchie region of Florida, '92, 209-218.

[Exhibition of his mounted birds in Agassiz Museum at Cambridge, Mass.], '95, 318.

Bird studies (rev.), '98, 275-277.

Scott, William Louis.

Canadian birds-errata, '83, 115. Winter Passeres and Picariæ of Ottawa, '84, 156-161.

Generic name Troglodytes, '84, 400. Great White Egret and Yellow Rail in Ottawa, Canada, '85, 110.

The names 'Snowbird' and 'Winter Wren,' '85, 114.

scottii (Aimophila), see Aimophila.

- (Peucæa), see Aimophila. 🗕 (Rallus), see Rallus.

Screamer, Horned, see Palamedea cornuta.

Scribner's Monthly (magazine), titles (No. 447), '83, 238, '90, 198.

Scudder, Bradford Alexander.

Ectopistes migratorius, Mimus polyglottos and Sturnella magna neglecta in Bristol Co., Mass. '98, 333.

Scudder, Samuel Hubbard.

Universal index to genera in zoology (rev.), '84, 305. Scutiplantares, '81, 35.

scutulata (Anas), see Anas.

Scytalopus argentifrons, C. R. '92, 175.—misc. '94, 169.

bolivianus, Boliv. '90, 352.

latebricola, Colom. 1900, 82. Sea-crow, see Rynchops nigra.

Sea-geese, see Phalaropus. Sea-hen, see Megalestris skua.

Sea-mew, see Larus canus. Sea-mice, see Histrionicus histrionicus.

Sea-parrot, see Fratercula arctica. Sea-sawbill, see Merganser americanus.

Sea-snipe, see Limosa fedoa. Seebohm, Henry.

see British Museum 'cat. of birds,' vol. v (rev.), '83, 99-105. History of British birds (rev.), '85,

88-91.

Geographical distribution of *Charadriida* or the Plovers, Sandpipers, Snipes, and their allies (rev.), '88, 189-194.

Birds of Japanese Empire (rev.), '91, 99-101.

Obituary of, '96, 96.

[Seebohm collection], '96, 195. seebohmi (Yungipicus), see Yungipicus. Seed-eater, Sharpe's, see Sporophila sharpei.

segetum (Anser), see A. fabalis. segoviensis (Colinus), see Colinus. Seiurus, '77, 29-33, '80, 172, '82, 216, 218, '86, 41.

(a Oven-bird aurocapillus Golden-crowned Thrush), Alas. '81, 4^a?; Bahamas, '91, 68, 294, 295, 296, 297, 298, 298, 334, 335, 336, 336, 337, 338, 338, 351, '92, 49, 1900, 292; Colo. '80, 227, '85, 15; C. R. '90, 336, '92, 21; Cuba, '92, 273; D. C. '88, 24, '92, 307; Fla. '81, 15, '85, 61, '88, 276, '90, 21, 223, 314, '91, 138, '92, 214, '93, 338, '95, 365; Ga. '96, 213; Gulf of Mex. '81, 251°; g. dist. '93, 133; Ia. '95, 123, 235; Ida. '97, 93, 133; 1a. 93, 1a3, 233, 1aa. 343; Ind. 382, 17, '89, 28; Jamarca, '93, 341; Ky. '89, 316; La. '82, 161, '87, 301°; Man. '86, 326, '87, 352°, 353°; Mass. '84, 8°, '88, 88, 89, '89, 46, 103; Me. '82, 110, '85, 270. Mich. '85, 65 '82, 110, '86, 279; Mich. '85, 65, 376, '93, 228; Mo. '79, 142, '95, 117"; Mont. '95, 218; N. B. '82, 110, '89, 118; N. C. '86, 175; N. H. '88, 150, 153, 154, '89, 77, 78; N. J. '94, 140; N. S. '91, 165; N. Y. '81, 227, '84, 175, 176, 178, 213; O. '86, 400, '95, 241; Ont. '87, 248"; Ore. '77, 91?; Pa. '92, 139, '93, 37", 41", 45, '96, 284, 296; P. E. I. '93, 5", 13; Que. '84, 295, '89, 149; S. C. '79, 212, '85, 69a, '90, 128, '91, 171, 332, '92, 35a; S. D. '85, 278; Tenn. '86, 316, '87, 132; Tex. '82, 10, '87, 296, '92, 341; Va. '86, 159; W. I. '81, 151, '86, 42, '87, 95, 180, '89, 31; Wis. '88, 326, 327.—hbt. '90, 107a; mig. '81, 251a '84, 175, 176, 178, 179, '85, 61, 65, '88, 326, 327, 434, '92, 35*, '94, 70, '95, 123, 128^a, 235, 241; nst. '86, 400, '88, 24, '89, 28; plm. '78, 60, '94, 91-93 (col. pl.); song, '84, 67, 213, '85, 98ª, '88, 315, '89, 197; syn. '77,

31, '86, 42; misc. '85, 210°, '89, 24°. motacilla (a Louisiana or Largeb ludovici-Water-Thrush, billed anus), Ala. '78, 174; Bahamas, '91, 295, 296; Colom. 1900, 366; Conn. '83, 235°; C. R. '90, 336, '92, 21; D. C. '88, 24; Fla. '81, 39°, '85, 61, 62, '88, 276, '90, 21, '91, 138, '92, 214; g. dist. '93, 133; Ia. '95, 124; Ill. '76, 42b, '78, 163; Ind. '82, 17, '89, 28; Jamaica, '93, 341; La. '82, 49ª?, 161; Mass. '96, 86, 344; Me. '86, 278b [aurocapillus?], 279b; Minn. '99, 241; Mo. '79, 142; N. C. '86, 100, 242; Ont. '87, 248a; Pa. '93, 38, 41, '96, 284; R. I. '80, 116, '83, 234a; S. C. '90, 128, '91, 172, 332, '92, 34^a; Tenn. '86, 316; Tex. '82, 37, '84, 121?, '92, 303, 342, 1900, 347; W. I. '79, 230, '81, 151°, '86, 43, 501, '87, 180.—hbt. '80, 116; meas. '78, 134; mig. '85, 61, 62, '92, 34a, '94, 101a '95, 124, 242; nst. '78, 133, '83, 235a, '96, 284; plm. '78, 72; song, '84, 215, '86, 316; syn. '77, 33, '86, 43.

notabilis (a Grinnell's Water-Thrush, b nævius), Alas. '81, 4b; Aris. '88, 35; Colo. '80, 227b, '85, 15b; Colom. 1900, 366; Fla. '90, 314, '91, 38, '97, 247; g. dist. '93, 127; Ida. '97, 349; L. Cal. '84, 83; Minn. '93, 290, '99, 241; Mont. '95, 218; N. J. '92, 303; S. C. '88, 324, '91, 51, 171; S. D. '85, 278b; Tex. '86, 139, '92, 341; Va. '88, 148; W. I. '87, 180; Wyo. '80, 178.—mig. '91, 51, 135, '94, 109a.

noveboracensis (a Water-Thrush or Small-billed Water-Thrush, b nævius), Ala. '84, 286b [motacilla?]; Alas. '87, 13; Ariz. '82, 138b; Bahamas, '91, 294, 295, 298, 334, 337, 351, 352; Colom. 1900, 366; C. R. '90, 336, '92, 21; D. C. '92, 307; Europe, '80, 66 ['Sylvicola']; Fla. '81, 15b, '90, 21, 223, 314, '92, 214, '93, 338, '95, 365; Ga. '96, 213; Greenl. '83, 179, '91, 320; g. dist. '93, 127; Ida. '97, 349 [notabilis?]; Ill. '88, 434; Ind. '89, 28; Iamaica, '93, 341; Ky. '89, 316; La. '87, 306a; Man. '86, 326; Mass. '81, 127b, 242a, '87, 269, '89, 46; Me. '82, 110b; Mo. '79, 142b; N. B. '89, 118;

N. E. '81, 239b; Neb. '96, 245; N. F. 1900, 72; N. H. '88, 150, 153; N. J. '91, 105; N. S. '80, 44 [not 'motacilla'], '91, 165; N. Y. '81, 12b, 228b, '83, 177a, '84, 175b, 176b, 178^b, 214^b, '95, 70; Ont. '87, 248^a; Pa. '92, 133^a, 139, '93, 43, 45, '96, 291°, 296; P. E. I. '93, 6°, 13; Que. '82, 234, '89, 149; S. C. '79, 212°; Tex. '82, 10°, '92, 341, 1900, 347; W. I. '79, 230°, '81, 128°, '86, 42, '87, 7, 95, 180, 181, '89, 31, '91, 48, 49; Wis. '88, 326, 327; W. Va. '98, 136. -anat. '82, 215b (fig.), 218b; fd. '83, 57; meas. '82, 138', 218'; mig. '81, 12', '84, 175', 176', 178', '87, 269, '88, 326, 327, 434; nst. '83, 177', '92, 139, '96, 296; plm. '82, 138b; song, '84, 214b; syn. '77, 32b, '80, 45b, '86, 42.

Selasphorus, '86, 449, '91, 114, '93, 62,

alleni (Allen's Hummingbird, b Trochilus), Ariz. '86, 431b; Cal. '77, 53* (fig.), '80, 112, '86, 180°, '98, 235; g. dist. '93, 134; Wash. '92, 44°.—hbt. '77, 53, '83, 235; meas. '77, 57; syn. '77, 53-58, 97-102, '78, 11-15, '79, 231.

flammula, C. R. '85, 291.

floresii (Floresi's Hummingbird, b Trochilus), Cal. '87, 339, '88, 396b, '92, 377; Mex. '92, 377, 1900, 122.— syn. '91, 114, '92, 108, '93, 62. henshawi, '77, 102*, see rufus.

platycercus (Broad-tailed Hummingbird, b Trochilus), Aris. '82, 211, '86, 431b, '90, 48b, 255b, '93, 315, '94, 326; Cal. '97, 91; Colo. '79, 95, '80, 232, '81, 140, '83, 196, '85, 17, '94, 244?, 268b; g. dist. '93, 134; Mex. '95, 357; N. M. '85, 330, '86, 75, '92, 363^b, '98, 308.—anat. '90, 279^b; fd. '86, 75, '93, 315, '94, 268^b; hbt. '86, 75, '90, 255^b; meas. '82, 211; mig. '85, 330, '86, 75, 77; nst. '78, 95; plm. '82, 211, '86, 431^b; song, '80, 232, '81, 140, '95, 357; syn. '93, 62.

rufus (a Rufous Hummingbird, b Trochilus, chenshawi), Alas. '98, 128; Aris. '85, 356, '86, 431a, '90, 48b, '93, 315; Cal. '86, 180b, '87, 329b, '89, 221b, '96, 119; Colo. '81, 140, '85, 17; g. dist. '77, 101, 102*, (fig.), '93, 134; Ida. '97, 355, 1900, 244; N. M. '86, 76-78, '92, 363^b, '93, 315; Ore. '79, 195?, '86, 166^b, '88, 257^b; Wash. '92, 44, 352, '97, 175, 1900, 8-15^a, 353^b.—fd. '86, 76, 431^b, '93, 315, 1900, 8a; hbt. '86, 76, '92, 363b, '96, 119, '97, 175, 1900, 8-15a; meas. '77, 57, 1900, 13ª, 14ª; mig. '86, 76, 1900, 8a, 11a; nst. '86, 76, 166b, '89, 221b, '98, 128, 1900, 8a, 15^a, 244; plm. '77, 53 (fig.), 101; syn. '77, 53, 97, 101, 102°, '78, 11, '79, 231, '93, 62.

torridus, C. R., syn. '85, 291. Selenidera gouldi, Braz., syn. '91, 159. Selous, Percy Sherborn.

Red-necked Grebe in Michigan in winter, 1900, 293.

Obituary of, 1900, 322.

selysi (Chloronerpes), see Chloronerpes. semiatra (Sayornis), see S. nigricans. semicinereus (Dysithamnis), see Dysithamnis.

semicollaris (Rhynchæa), see Rhynchæa.

semifasciata (Tityra), see Tityra. semiflava (Geothlypis), see Geothlypis. Semimerula, '84, 182.

semipalmata (Ægialitis), see Ægialitis. — (Hemipalama), see Ereunetes pusillus.

- (Scolopax), see Symphemia. - (Symphemia), see S. semipalmata or inornata.

(Tringa), see Ereunetes pusillus. semipalmatus (Ægialeus), Ægialıtis.

— (Catoptrophorus), see Symphemia. — (Charadrius), see Ægialitis.

--- (Ereunetes), see E. pusillus.

— (Totanus), see Symphemia. Semnornis (b Pan), '99, 77b, 1900. 179*.

frantzii (b Pan), syn. '99, 77b, 1900, 179.

rhamphastinus (b Pan), syn. '99, 77°, 1900, 179.

semperi (Leucopeza), see Leucopeza. - (Margarops), see Cichlherminia sanctæ-luciæ.

senegalensis (Podica), see Podica.

- (Sterna), see S. hirundo. Senex australis, Kerguelen I. '94, 281. senex (Lybius), see Lybius.

– (Sterna), see Anous stolidus. senicula (Pipilo), see Pipilo.

seniculus (Coccygus), see Coccyzus minor.

- (Coccystes), see Coccyzus minor. — (Cuculus), see Coccyzus minor. Sennett, George Burritt.

Notes on ornithology of lower Rio Grande (rev.), '78, 144. Further notes on birds of lower Rio

Grande of Texas (rev.), '80, 111.

An unusual flight of Whistling Swans in northwestern Pennsylvania, '80,

Capture of Golden Eagle in Crawford Co., Pennsylvania, '82, 58.

Nest and eggs of Couch's Tyrant Flycatcher (T. melancholicus couchi), '84, 93.

Black-throated Auk (Synthliborhamphus antiquus) in Wisconsin, '84, 98.

[Bird collection of], '85, 319.

Ammodramus princeps in Texas, '86, 135.

Undescribed plumages of North American birds, '87, 24-28.

Descr. of two new subspecies of Titmice from Texas, '87, 28-30.

Observations in western North Carolina mountains, '87, 240-245.

Notes on Peucæa ruficeps group with description of a new subspecies, **'88**, 40-42.

Descriptions of a new species and two new subspecies of birds from Texas, '88, 43-46.

Unexpected occurrence of certain shore birds in Texas in midsummer in breeding plumage, '88, 110.

Dichromatism in genus Nyctidromus, **'88**, 205.

A new form of Clapper Rail, '88, 305. Addition to list of North American birds, '88, 319.

First description of egg of Glaucidium phalænoides (Ferruginous Pygmy Ow1), '89, 70.

Troglodytes aëdon (House Wren), breeding in a sand bank, '89, 76.

Clapper Rails of United States and West Indies, '89, 161-166.

A new species of Duck from Texas, '89, 263-265.

Micropallas whitneyi (Elf Owl) taken in Texas, '89, 276.

New Wren from lower R10 Grande, Texas, with notes on Berlandier's Wren, '90, 57-60.

King Eider (Somateria spectabilis) at Erie, Pennsylvania, '90, 88.

Bird legislation (rev.), '90, 282.

Description of a new Turkey, '92, 167-169 (col. pl.).

Obituary of, 1900, 193.

sennetti (Ammodramus), see Ammodramus.

– (Buteo), see Buteo.

- (Chordeiles), see Chordeiles.

--- (Harporhynchus), see Harporhynchus.

sepiaria (Euryzona), see Euryzona. sepium (Orthotomus), see O. cinera-

septentrionalis (Ceryle), see Ceryle.

--- (Colymbus), see Gavia lumme.

— (Parus), see Parus.

- (Picoides), see P. tridactylus — (Rissa), see Larus brachyrhyn-

chus.

— (Larus), see L. brachyrhynchus. sequoiensis (Turdus), see Hylocichla auduboni.

sericeus (Icterus), see Molothrus bonariensis.

- (Molothrus), see M. bonariensis.

- (Scolecophagus), see Molothrus bonariensis.

Serinopsis, '98, 225*.

Serinus canaria (a Canary), misc. '82, 114ª, 115ª, '84, 62ª.

citrinella (b Spinus), Helg.

335°. pusilla, Helg. '95, 335.

serinus (b meridionalis), Helg. '95, 335; Mass. '80, 120b (cage).

serinus (Serinus), see Serinus. Serpentariidæ, '77, 70, '81, 77. Serpentarius, '81, 77.

Serpophaga nigricans, Urug., fd., hbt., nst., song, '83, 199.

subcristata, Urug., hbt., nst. '83,

serrator (Merganser), see Merganser. - (Mergus), see Merganser.

serripennis (Cotyle), see Stelgidopteryx.

- (Hirundo), see Stelgidopteryx. - (Stelgidopteryx), see Stelgidopteryx.

Setaria, '94, 234.

Seton, Ernest E. [T.], see Thompson,

Setophaga, '84, 43, '85, 365, '86, 46, '93, 112, '97, 223, '99, 123. albifrons, Yucatan, '99, 137.

flammea, Mex. '98, 159. flavivertex, Colom. '99, 137.

guatemalæ, Mex. '98, 159. miniata (Red-bellied Redstart),

misc. '80, 88.

pallidiventris, Venez. '99, 1900, 185.

picta (Painted Redstart), Aris. '81, 73, 176, '82, 140, '85, 353, '88, 36, '90, 50, 261; N. M. '82, 140, '92, 367.—hbt. '81, 176; meas. '81, 177, '82, 140; nst. '81, 176, '82, 140, 249; plm. '82, 140, '85, 353.

(a American Redstart), Ala. '78, 174; Ariz. '88, 36; Ark. '82, 91; Bahamas, '91, 69, 294, 295, 296, 335, 338, 351, 354; B. C. 1900, 107; Cal. '77, 91?; Colo. '80, 228, '83, 159, '85, 15, 141; Colom. 1900, 366; C. R. '90, 337, '92, 22; Cuba, '92, 273; D. C. '88, 24, '92, 307; Europe, '80, 66; Fla. '85, 61, '88, 276, '90, 22, 314, '91, 138, '92, 214, '95, 365; Ga. '82, 95*, '96, 214; Gulf of Mex. '81, 251*; Ia. '95, 123, 235; Ida. '97, 349, '98, 19; Ill. '78, 163, '88, 433; Ind. '82, 18^a, '89, 28; Jamaica, '93, 341; Ky. '89, 316; La. '82, 49?, 162, '87, 301°; Man. '86, 327, '87, 353°; Mass. '84, 6°, 9°, '88, 389, '89, 40°, 46-104, '99, 184; Me. '82, 110; Mich. '85, 98, '93, 229; Miss. '82, 91; Mo. '79, 142, '95, 350°; Mont. '94, 307, '95, 218; N. B. '82, 110, '89, 119; N. C. '86, 175, '89, 121; N. H. '88, 151, 153, 154, '89, 77, 79; N. J. '94, 140; N. S. '84, 269*. '87, 16; N. Y. '81, 228, '82, 187, '84, 175, 176, 217, '89, 131, '98, 332; O. '95, 241; Pa. '91, 399, '92, 140, '96, 285, 296; P. E. I. '93, 5ª, 14; Que. '82, 235, '89, 149; S. C. '79, 212, '91, 172, '92, 34ª, 35ª, 36ª; S. D. '85, 278; Wis. '82, 187, '83, 66, 72, '88, 326, 326.—ant. '81, 7a; hbt. '90, 200a; meas. '79, 118; mig. '81, 251a, '83, 66, 72, '84, 175, 176, '85, 61, 98, '88, 326, 326, 433, '90, 22, '91, 69, 135, '92, 34^a, 35^a, 36^a, '95, 123, 129^a, 235, 241; nst. '79, 118, '83, 72, '89, 28, '96, 296, '98, 332, '99, 184; plm. '76, 21 (alb.), '78, 70, '86, 414^a; song, '84, 69^a, 217, '93, 14; syn. '86, 46; misc. 1900, 109*.

Severtzow, Nikolai Aleksyewvich. Obituary of, '85, 224. Sewey-sewey, see Vireo modestus. Shad-spirit, see Colaptes luteus. Shag, see Phalacrocorax dilophus. Sharpe, Richard Bowdler.

vols. i-iii (rev.), '78, 77-79; vol. iv and vi (rev.), '83, 99-105; vol. vii (rev.), '84, 278-283; vol. x (rev.), '85, 365-368; vol. xii (rev.), '88, 410-413; vol. xiii (rev.), '91, 90-92; vol. xvii (rev.), '93, 66-68;

vol. xxiii (rev.), '94, 242; vol. xxiv (rev.), '97, 102-104. Note on genus Progne, '84, 367. Ornithology at South Kensington

(rev.), '88, 124.

Birds in nature (rev.), '89, 63.

Recent attempts to classify birds (rev.), '91, 379-381.

Birds of Paradise (prospectus), '92, 207.

Zoogeographical areas of world. (rev.), '94, 63-65.

see British Ornith. Club, 'index al-

phabeticus' (rev.), 1900, 78. Hand-list of genera and species of birds (rev.), 1900, 79-81.

Sharpe, R. B., and Ogilvie-Grant, W. R.

see British Museum 'cat. of birds,' vol. xvii (rev.), '93, 66-68; vol. xxvi (rev.), '99, 198-203.

Sharpe, R. B., and Wyatt, C. W. Monograph of Hirundinidæ or family of Swallows (rev.), '95, 373-375.

sharpei (Certhiola), see Cœreba. --- (Cœreba), see Cœreba.

--- (Euetheia), see Euetheia. — (Sporophila), see Sporophila.

Shattuck, George Cheever.

An unusual set of Song Sparrow's eggs, '99, 182.

Shearwater, Allied, see Puffinus assimilis.

Audubon's, see Puffinus auduboni. Black-tailed, see Priofinus cinereus. Black-vented, see Puffinus opisthomelas.

Buller's, see Puffinus bulleri. Cinereous, see Puffinus kuhlii. Cory's, see Puffinus borealis. Dark-bodied, see Puffinus griseus. Dusky, see Puffinus auduboni. Greater, see Puffinus gravis. Manx, see Puffinus puffinus. Northern, see Puffinus borealis. Pink-footed, see Puffinus creatopus. Slender-billed, see Puffinus tenuirostris.

Sooty, see Puffinus fuliginosus. Townsend's, see Puffinus auricularis. Wedge-tailed, see Puffinus cuneatus. Sheathbill, see Chionis minor.

Sheldrake, see Merganser americanus. American, see Merganser americanus. Hooded, see Lophodytes cucullatus. Ocean, see Merganser americanus. Red-breasted, see Merganser serrator. Ruddy, see Casarca casarca.

Shelley, George Ernest, and Sclater, P.

see British Museum 'cat. of birds,' vol. xix (rev.), '92, 184.

Shetland Islands.

Harting, J. E., '92, 290.

Shick, Charles S.

Birds found breeding on Seven Mile Beach, New Jersey, '90, 326-329.

Shine-eye, see Merula jamaicensis.

Shining-eyes, see Quiscalus jamaicensis. Shoemaker, Frank Henry.

Peculiar nest of Great Horned Owl, **'97**, 318.

Shoemaker, George.

Abundance of Hermit Thrush in winter near Washington, D. C. '81, 113.

Shorebirds, see Limicolæ.

Short, Ernest Herbert.

Birds of western New York, with notes (rev.), '94, 168, '96, 245.

Shoveller, see Spatula clypeata. Shrike, Black, see Platypsaris nigra.

California, see Lanius gambeli. Great Gray, see Lanius excubitor.

Great Northern, see Lanius borealis. Island, see Lanius anthonyi.

Loggerhead, see Lanius ludovicianus. Northern, see Lanius borealis.

Red-backed, see Lanius collurio.

Southern, see Lanius ludovicianus. White-rumped, see Lanius excubito-

rides or ludovicianus.

Shrikes, see Laniidæ.

Shooting and Fishing (magazine), titles (Nos. 2518-2610), '93, 292.

Shufeldt, Robert Wilson.

Osteology of Spectyto cunicularia hypogæa (rev.), '81, 109.

Osteology of Eremothila altestris (rev.), '81, 110.

Behavior of Leucosticte tephrocotis in confinement, '81, 177.

Ossicle of antibrachium as found in some North American Falconidæ, **'81**, 197-203.

Osteology of the North American Tetraonidæ (rev.), '82, 44.

Osteology of Lanius ludovicianus excubitorides (rev.), '82, 45.

Claw on index digit of Cathartidæ (rev.), '82, 46.

Note on Mimus polyglottus, '82, 180. Notes upon osteology of Cinclus mexicanus, '82, 213-221 (fig.).

Contributions to anatomy of birds (rev.), '83, 56, 166.

Osteology of Podasocys montanus (rev.), '84, 183.

Osteology of Ceryle alcyon (rev.), '85, 95.

The avian patella (rev.), '85, 96.

Variations in form of beak during growth, in Short-tailed Albatross (Diomedea brachyura), '85, 175-178 (4 figs.).

Osteology of Numenius longirostris (rev.),, '85, 208.

Feeding habits of Phalænoptilus nuttalli, '85, 382.

['Osteology of birds'] (prospectus), '85, 390.

The free post-pubis in Falconidæ, '86, 133 (fig.).

Osteology of Trochilidæ, etc. (rev.), **'86**, 404-406.

Classification of Macrochires, '86, 414, 491-495, '87, 80-82.

Old portrait of Audubon, and a word on his drawings, '86, 417-420 (pl.). Osteology of Conurus carolinensis (rev.), '86, 479.

The skeleton in Geococcyx (rev.), '86, 479.

Contributions to science and bibliographical resumé of writings (rev.), '87, 155.

The camera and field ornithology, '87, 168.

Geococcyx californianus—a correction, '87, 254.

Individual variation in skeletons of birds, '87, 265-268 (fig.).

Note on Melanerpes formicivorus bairdi, '87, 345-346.

The dermo-tensor patagii muscle, '87, 353-356 (2 figs.).

Muscles used in classification of birds (rev.), '88, 104,

Collection of birds' sterna and skulls, collected by Streets (rev.), **'88**, 198.

Observations on pterylosis of certain Picidæ, '88, 212-218.

Notes on Melanerpes torquatus, '88, 319.

Osteological notes upon Puffins and Ravens, '88, 328.

Sternum in Solitary Sandpiper and other notes, '88, 330-332.

Skeleton in genus Sturnella, with osteological notes upon other North American Icteridæ and the Corvidæ (rev.), '88, 413.

Osteology of Porzana carolina (rev.), '88, 414.

Osteology of Habia melanocephala with comparative notes upon skeletons of certain other confrostral birds and of Tanagers (rev.), '88, 438-444.

Notes on Brewster's and the Bluefooted Gannet, '89, 67.

Notes upon sudden appearance in numbers of Evening Grosbeak at Fort Wingate, New Mexico, '89, 72-74.

Contributions to the comparative osteology of arctic and sub-arctic water-birds (rev.), '89, 333, '92, 173.

Observations upon the osteology of the North American Anseres (rev.), '89, 333.

Observations upon the osteology of the orders Tubinares and Steganopodes (rev.), '89, 333.

Osteological studies of the subfamily Ardeinæ (rev.), '89, 333, '90, 277.

The American Hawk Owl near Washington, D. C. '90, 91.

Notes on Coccothraustes vespertina as a cagebird, '90, 93-95.

Position of *Chamæa* in the system (rev.), '90, 278.

Studies of the Macrochires, etc. (rev.), '90, 278.

Comparative osteology of families of the North American Passeres (rev.), '90, 279.

Notes on anatomy of Spectyto cunicularia hypogæa (rev.), '90, 280.

A peculiar character referable to base of skull in Pandion, '91, 236.

Camera notes for ornithologists, '91, 240-243.

A female *Piranga rubra* assuming plumage of male, '91, 315.

Tertiary fossils of North American birds, '91, 365-368.

Myology of the Raven (rev.), '92, 62. Comparative osteology of United States Columbidæ (rev.), '92, 174.

Notes on the classification of the Pigeons (rev.), '94, 174.

Some comparative osteological notes on N. Am. Kites (rev.), '92, 174. Question of saurognathism of the

Question of saurognathism of the Pici and other osteological notes upon that group (rev.), '92, 174. Notes on American Bittern, '93, 77.

Notes on American Bittern, '93, 77. Sitta canadensus appearing in numbers in District of Columbia, '93, 88.

The Chionididæ, '93, 158-165.

Notes on the trunk skeleton of a hybrid Grouse, '93, 281-285.

Nesting habits of Galeoscoptes carolinensis, '93, 303.

A study of the fossil avifauna of the equus beds of the Oregon desert (rev.), '93, 343-345.

Comparative osteological notes on the extinct bird *Ichthyornis* (rev.), '93, 345.

Classification of the Longipennes (rev.), '93, 345.

Ridgway on anatomy of Hummingbirds and Swifts (rev.), '93, 345.

Ridgway on anatomy of Hummingbirds and Swifts—a rejoinder (rev.), '93, 345.

Comparative notes on Swifts and Hummingbirds (rev.), '93, 345.

Notes on photographing a live specimen of Gambel's Partridge, '94, 128-130 (3 photos.).

Random notes on some parasites of birds, '94, 186-189 (fig.).

see Raine, W., 'bird-nesting in north-west Canada,' '94, 247.

Comparative oilogy of North American birds (rev.), '94, 314.

Scientific taxidermy for museums (rev.), '94, 316.

Notes on the Steganopodes, and on fossil birds' eggs, '94, 337-339.

On the osteology of certain Cranes, Rails, and their allies, '95, 172.

The Cormorant rookeries of the Lofoten Islands, '96, 312-314 (photo.).

Notes on the moult and certain plumage phases of *Piranga rubra*, '97, 406.

Shufeldt, R. W., and Audubon, M. R. Last portrait of Audubon, with a letter to his son, '94, 309-313 (pl.).

Shufeldt, Robert W., 3d. Obituary of, '92, 398.

shufeldti (Junco), see J. connectens. Shulze, Eliza Jane, and Jones, G. E., see Jones and Shulze.

Sialia, '82, 215, 216, '86, 9, '93, 113. anabelæ (San Pedro Blue Bird), L. Cal. '90, 281, '92, 188, '94, 145, 151, 159; g. dist. '95, 166.—meas. '94, 159, 160; plm. '94, 151, 159; syn. '90, 66, '94, 159, '95, 166.

arctica (* Mountain or Arctic Bluebird), Ariz. '78, 93, '82, 76, '88, 168, 366, '90, 49, 264; Cal. '86, 186; Colo. '79, 91, '80, 225, '81, 86, '83, 153, '85, 15, 140, '86, 489, '87, 125 '94,

270, '95, 152°; g. dist. '93, 127; Ida. '98, 21; Mont. '82, 62, '94, 308; N. M. '78, 93, '85, 234, '92, 369, '94, 216, 2172, '98, 311; Tex. '82, 35, '87, 299, '92, 231; Wash. '82, 227, '92, 47, '97, 181.—fd. '87, 299, '88, 168; hbt. '83, 153; nst. '80, 225, '82, 62, '83, 153, '90, 264, '98, 21; plm. '87, 125, 299; song, '80, 225, '81, 86, '83, 153; misc. '82, 118, '93, 320, '94, 69. azurea (Azure Bluebird), Ariz., meas., plm. '85, 85; syn. '90, 191, '96, 185, 189, **'97**, 132.

bairdi (Chestnut-backed Bluebird, b mexicana), Ariz.'78, 93b?, '85, 172b?, 349b, '88, 167b [occidentalis?]; Colo. '85, 15b, 140b; g. dist. '94, 151, 157*, '95, 166; *Ida.* '98, 21; *N. M.* '78, 93^b [occidentalis?], '85, 331^b, '98, 311; Tex. '84, 121b.—plm. '94, 151; syn. '95, 166.

grata, '98, 182*, see sialis.

guatemalæ, Guat. '83, 169; Mex. '98, 161.—syn. '90, 191.

mexicana, g. dist. '94, 145-160; Mex. '95, 359.-meas. '94, 151; plm. '94, 146, 150, 151; syn. '94, 145, 150, '95, 168.

occidentalis (* Western or Mexican Bluebird, b mexicana), Ariz. '78, 93b, '82, 76b, '88, 167b, '90, 264; Cal. '86, 186b, '89, 221b, '90, 296, '96, 124, '99, 159a; Colo. '83, 153b, '87, 135b, '87, 13 1900, 358b.—anat. '82, 215b (fig.), 218b; meas. '82, 218b, '94, 156; nst. '86, 172b, 186b, '95, 152a, '96, 124, '99, 159a; plm. '94, 149, 151, 156; song, '83, 154b; syn. '94, 148, 154, '95, 165 '95, 166.

sialis (a Bluebird, b wilsonii, c grata), Ala. '78, 170; Ark. '82, 90; Bermuda, '96, 238; Colo. '85, 15, 140, '86, 489; Columbia River, '77, 90 [bairdi?]; Conn. '94, 257a; Cuba, '86, 9; D. C. '88, 25; Fla. '88, 277, '90, 120, '91, 128*, 138, '92, 214, '95, 366, '98, 182°*; Ga. '82, 97*, '83, 37, '96, 214; g. dist. '93, 133; Ia. '95, 121, 236; Ill. '88, 433; Ind. '89, 30; Kan. '94, 215"; Ky. '89, 316; La. 38, 161, '87, 301*; Man. '86, 153*, 328, 453, '93, 50; Mass. '78, 76, '83, 149*, '84, 6*, '88, 389, '89, 42*, 46,

107, '91, 239, '99, 196b; Me. '80, 132a, '82, 109; Mich. '93, 230; Minn. '84, 244; Miss. '82, 90; Mo. '79, 140, '95, 4a, '96, 222; N. B. '82, 104, 109, '83, 9a, '85, 266, '87, 211-213; N. C. '86, 178, 308^a, 314, '89, 121; N. H. '88, 151, 153, 155, '89, 78, 79; N. J. '79, 81ª, '85, 86, '89, 197, '92, 204, '94. 140; N. S. '85, 266; N. Y. '79, 32, 34, '81, 226, '82, 187, '84, 133, '89, 202; O. '95, 242; Ont. '83, 144"; Pa. '89, 141a, '92, 141, '93, 41, 46, '95, 309, '96, 285, 297; P. E. I. '85, 266?; Que. '82, 234; S. C. '79, 210, '90, 130, '91, 333, '92, 31*, '99, 198; S. D. '85, 277; Tenn. '86, 315, '87, 133; Tex. '82, 7, 34, '87, 299, '89, 241, '92, 345, 1900, 348; W1s. '82, 187; W. Va. '98, 137.—fd. '77, 74a, '79, 34, '81, 26a, 110a, '87, 299, '97, 421a, '99, 362^a; hbt. '83, 63, '86, 141, '87, 211, '91, 110, '94, 257^a, 261^a, '99, 287^a, 1900, 100; meas. '86, 283, '98, 182; mig. '80, 132°, 152°, '84, 286°, '85, 98^a, '88, 433, '89, 141^a, 202, '90, 396, '91, 195, '92, 31^a, '95, 121, 129^a, 236, 30, '90, 84, 85, '91, 110; plm. '76, 21 (alb), '78, 19, '81, 160, '82, 34, '86, 282, '96, 238; song, '84, 133, '90, 199, '96, 238; syn. '81, 170°, '86, 9, '99, 131°; misc. '81, 109b, '89, 184a, '90, 200, '91, 109, '92, 194, '95, 309.

sialis (Motacilla), see Sialia. – (Sialia), see Sialia.

Siberia.

Allen, J. A., '83, 231, '86, 122. Dalgleish, J. J., '80, 145. sibilans (Myadestes), see Myadestes. sibilatrix (Ardea), see Ardea.

— (Mareca), see Mareca.

- (Phacellodomus), see Phacellodomus.

- (Phylloscopus), see Phylloscopus. sibirica (Acanthis), see A. exilipes.

- (Melanocorypha), Melanosee corypha.

sibiricus (Lanius), see Lanius. - (Parus), see P. alascensis.

Sicalis, '86, 213.

browni, Colom. '98, 339. chapmani (b minor), Bras., plm. '90, 268b, '99, 37*.

columbiana, Braz., meas., plm. '90, 268.

(b brasiliensis), flaveola Braz.1900, 299; W. I. '86, 213.—meas., plm. '86, 213; syn. '86, 213, '88, 412b.

jamaicæ, Jamaica, '93, 179.-syn. '88, 412.

luteola, Urug., hbt., nst., song, '83, 132.

raimondi, syn. '88, 412. taczanowskii, syn. '88, 412.

sieberi (Aphelocoma), see Aphelocoma. siemiradzkii (Chrysomitris), see Spinus. - (Spinus), see Spinus.

signatus (Chrysotis), see Amazona agilis.

- (Psittacus), see Amazona agilis. siguapa (Asio), see A. stygius. siju (Athene), see Glaucidium.

—— (Glaucidium), see Glaucidium.

—— (Noctua), see Glaucidium. --- (Nyctale), see Glaucidium.

Silloway, Perley Milton. Sketches of some common birds

(rev.), '98, 281.

similis (Chloropeta), see Chloropeta. (Myiozetetes), see Myiozetetes.

-(Pachyramphus) [of Salvin], see P. salvini.

Simorhychinæ, '99, 286.

Simorhynchus, '80, 127, '85, 341, 342, '99, 286.

cristatellus (Crested Auklet, b Phaleris tetracula, ° Phaleris), Alas. '85, 159, '95, 271, 276; g. dist. '93, 125; Mass. '85, 388?; Sweden, '80, 221° .-, plm. '80, 126-128 (mlt.); syn. '80, 88^b, 128, '85, 341.

pusillus (Least Auklet, b microceros, c Ciceronia microceros, d Phaleris microceros, e Ciceronia, f Fratercula), Alas. '84, 81e, '85, 159, '95, 276; B. C. '93, 16, 17; g. dist. '93, 125; Wash. '93, 16, 17.-plm. '80, 126°, 128° (mlt.), '84, 81°; syn. '80, 88^a, 128, '91, 101°.

pygmæus (Whiskered Auklet, b camtschaticus, c Alca, d Fratercula), Alas. '85, 159, '88, 410; g. dist. '93, 125.—plm. '80, 126, 128b (mlt.); syn. '80, 178, '84, 115, 385, '91, 101^d, '99, 203°.

simplex (Lipaugus), see Lipaugus.

Sinaloa, Mexico.

Brewster, W., '89, 90-91. Nelson, E. W., '99, 28.

Ridgway, R., '88, 263, '99, 255. sinaloa (Aimophila), see Aimophila. - (Thryophilus), see Thryophilus. sinaloæ (Arremonops), see Arremonops.

--- (Progne), see Progne.

sinaloensis (Cardinalis), see Cardinalis.

sinensis (Hydrophasianus), see H. chirurgus.

singalensis (Chalcoparia), see Anthreptes phænicotis.

sinicus (Ligurinus), see Ligurinus. sinuata (Pyrrhuloxia), see P. sinuata or texana.

sinuatus (Cardinalis), see Pyrrhuloxia. - (Corvus), see C. sinuatus or prıncipalis.

Siphia, '94, 234.

beccariana, Borneo, syn. '90, 353. Siphonorhis, '86, 344.

americanus, W. I. '86, 344, '92, 276.—meas., plm., syn. '86, 344.

siquijorensis (Loriculus), see Loriculus. Siskin, Pine, see Spinus pinus. Sisopygis icterophrys, Urug., nst. '83,

141.

Sitta, '87, 249, '92, 172, '93, 99, 112, '94, 235.

(a Slender-billed aculeata hatch, blagunæ), Arız. '82, 81, '85, 172, 349, '88, 165, '90, 49, 262; B. C. 1900, 107; Cal. '78, 65, '86, 186, '89, 223; Colo. '79, 92, '81, 142, '83, 154, '85, 15, '94, 270; g. dist. '93. 135; Ida. '98, 20; L. Cal. '91, 149b*; Man. '86, 327; Mont. '82, 62, '94, 307, '95, 218; N. M. '81, 142, '85, 126, 331, '98, 311; Ore. '79, 163, '86, 171, '88, 363; S. D. '85, 277; Wash. '93, 17, '97, 180.—nst. '85, 349; song, '81, 142, '85, 127°; syn. '81, 175, '84, 281, '92, 107°.

atkinsi (Florida White-breasted Nuthatch, b carolinensis), Fla. '88, 277^b, '90, 118*, '91, 87, 138, '95, 366. —meas. '90, 118; syn. '91, 87.

canadensis (a Red-breasted, or Red-65; Colo. '85, 15, '94, 270; Conn. '93, 88, 207; D. C. '93, 88; Europe, '80, 66; Ga. '96, 213; g. dist. '93, 127; Ida. '98, 20; Ind. '89, 29; Ky. '86, '89, 316; Man. '86, 327; Mass. '83, 149, '84, 13*, 15, '87, 269, '88, 389, 392, '89, 42*, 105, '90, 229, '94, 331, '96, 346; Me. '82, 109; Mich. '80, 110°, '93, 229; Minn. '84, 244; Mo. '79, 141, '96, 220; Mont. '94, 307; N. B. '84, 294", '89, 119; Neb. '85, 277; N. C. '86, 99^a, 176, '93, 244; N. F. 1900, 73; N. H. '87, 107, '88, 153; N. S. '95, 90, '99, 253; N. Y. '78, 53, '81, 12, 226, '82, 154, '83, 52a, '84, 136. '88, 118, '89, 332a, '90, 232, '96, 175; Ont. '83, 145a, '84, 157, Ore. '79, 163, '88, 363; Pa. '92, 140?, '97, 324; P. E. I. '85, 265a, '93, 14; Que. '82, 234, '89, 149; S. C. '79, 211, '91, 173, '92, 38a, '92, 191, '94, 38a, '96, 84; S. D. '85, 277?; Tenn. '82, 192; Tex. '92, 343; Va. '89, 52; Wash. '93, 17, 291, '97, 170, 180, 1900, 245; W. Va. '98, 137; Wyo. '89, 193.—fd. '84, 157, '88, 118; hbt. '78, 196, '88, 118, '91, 151a, '93, 14; mig. '81, 12, '83, 149, '87, 269, '91, 173, '92, 38a, '94, 38a; nst. '78, 196, '84, 89, 52; song, '84, 136, '86, 176, '88, 392, '89, 52, 105, '93, 14, '96, 84; syn. '84, 281; misc. '84, 88a, '89, 184, '91, 106a. caniceps, '98, 188*, see pusilla.

caniceps, '98, 180*, see pusilla.
carolinensis (a White-breasted or White-bellied Nuthatch), Ala. '78, 171; D. C. '88, 25; Ga. '96, 213; g. dist. '93, 133; Hud. B. '90, 322; Ind. '89, 29; Ky. '89, 316; Mass. '83, 149, '85, 100, '89, 105; Md. '83, 177a; Me. '82, 109; Much. '93, 229, '98, 144, 145-150; Minn. '84, 244; Mo. '79, 141, '96, 220; N. C. '86, 176, 309a, 310a, 314, '89, 121; N. F. 1900, 72; N. H. '88, 153, '89, 77, 79; N. J. '94, 140; N. Y. '79, 32, '81, 12, 226, '82, 187, '84, 135, '85, 98a, '88, 118a, '99, 283a; Ont. '83, 145a, '84, 157; Pa. '92, 140, '93, 37a, 41, 46, '96, 285, 297; P. E. I. '85, 265a; S. C. '79, 211, '90, 130, '91, 333, '92, 37a; Tenn. '86, 316, '87, 133; Tex. '87, 298, '89, 241; Wis. '82, 187.—fd. '79, 61, '98, 148, '99, 283a, 362a; hbt. '91, 110, '98, 148, '99, 283a, 362a; hbt. '91, 110, '98, 148, '99, 283a, 149, '92, 37a; nst. '83, 177a, '85, 98a, 100, '90, 80a, '91, 106a, 110; plm. '76, 62, '80, 27 (alb.), '81, 157; song, '84, 135, '99, 283a, syn. '84, 281; misc. '86, 272, '91, 110a, 387a.

clara, Japan, '87, 249.

lagunæ, '91, 149*, see aculeata. leuconucha (White-naped Nut-hatch), L. Cal. '90, 64, 281, '92, 188.—syn. '90, 64.

mexicana, Mex. '94, 45*, '95, 358. neumayeri (* European Nuthatch), Germany, '96, 308*.

pusilla (* Brown-headed Nuthatch, b caniceps), Ala. '78, 171; Bahamas, '91, 350; Fla. '88, 277, '90, 119, '91, 138, '92, 214, '95, 366; Ga. '77, 103, '82, 97a, '83, 37, '91, 108a, '96, 213; g. dist. '93, 133, '98, 180b*; Mo. '80, 191; Neb. '96, 245; N. S. '80, 44; N. Y. '88, 432; S. C. '79, 211, '90, 130, '94, 101.—hbt., song, '78, 171, '82, 97a; meas. '83, 38; mig. '94, 101a; nst. '78, 171, '83, 37, '90, 80*, 85a, '91, 108a; plm. '88, 277 (alb.); syn. '99, 131b.

pygmæa (* Pygmy Nuthatch), Ariz. '82, 81, '85, 172, 350, '88, 165, '90, 49, 263; B. C. 1900, 107; Cal. '87, 88; Colo. '79, 92, '85, 15, '94, 270; g. dist. '93, 127, 135; Ida. '97, 349, '98, 20; Mex. '95, 358; N. M. '85, 126, 331, '98, 311; Ore. '79, 163, '86, 171, '88, 362*, 363; Wash. '97, 180.—hbt. '85, 126, 331, '88, 363, '97, 180; nst. '85, 350, '90, 83*, '98, 20; plm. '88, 363; song, '85, 126, '97, 180.

villosa, syn. '84, 281. whiteheadi, misc. '86, 266. Sittasomus, '92, 175.

æquatorialis, syn. '92, 175. amazonus, plm. '97, 370; syn. '92, 175, '97, 370.

chapadensis, plm. '97, 370; syn. '92, 175, '97, 370.

olivaceus, syn. '92, 175, '97, 370. griseus, plm., syn. '97, 370. jaliscensis, Mex. 1900, 264*. phelpsi, Venez. '97, 365, 369*. sylvioides, Mex. '98, 156; plm., syn. '97, 370.

Sittinæ (* Nuthatches), '84, 88*, '87, 249*, 1900, 110*.

sittoides (Diglossa), see Diglossa. Siurus, see Seiurus.

Skillen, James.

Change from winter to spring plumage in male Bobolink (Dolichonyx oryzivorus), '94, 180.

Skimmer, Black, see Rynchops nigra.
Blue, see Falco columbarius.
skua (Megalestris), see Megalestris.
— (Stercorarius), see Megalestris.
Skua, see Megalestris skua.

Buffon's, see Stercorarius longicau-

dus. Giant, see Megalestris antarcticus. Great, see Megalestris skua.

Pomarine, see Stercorarius pomarinus.

Skunk-head, see Oidemia perspicillata. Skylark, '83, 78, see Alauda arvensis; also Anthus pensilvanicus or Aspraguei.

Missouri, see Anthus spragueii.

Sky-poke, see Ardea virescens.

Slade, Daniel Dennison.

Wild Turkey in Massachusetts, '88, 204.

Slade, Elisha.

Note on Field Sparrow (Spizella pusilla), '81, 116.

Peculiar nidification of Bobolink, '81,

Whistling Swan in Massachusetts, '81, 123.

Icterus baltimorei and Populus tremuloides, '81, 181.

A new element in diagnosis, '84, 402. Slosson, Annie Trumbull.

Habits of Swamp Sparrow in confinement, '81, 179.

Small, Edgar Albert.

Obituary of, '84, 306.

smaragnotus (Porphyrio), see Porphyrio.

smaragdinicollis (Metallura), see Metallura.

Smew, see Mergus albellus.

Smith, Clarence Albert.

Obituary of, '96, 267.

Smith, Everett.
Birds of Maine (rev.), '83, 164-166.
Smith, Greene.

Chordiles popetue minor in Florida, '80, 54.

Smith, G. S.

Red Crossbill (Loxia curvirostra americana) in Tennessee, '81, 56.
Smith, Horace Gardner.

Additions to the avifauna of Colorado, '86, 284-286.

Another Megascops flammeolus for Colorado, '93, 364.

Smith, Herbert H.

[Collection made in Brazil], '87, 84. Smith, Hugh McCormick.

Breeding of Loxia americana in District of Columbia, '85, 379.

Ereunetes occidentalis on the lower Potomac, '85, 385.

Harelda hyemalis in Maryland in summer, '85, 385.

Birds new to District of Columbia, '86, 139.

Peculiar nest of Chelidon erythrogaster, '86, 278.

Red Phalarope in District of Columbia—a correction, '86, 482.
Range of Quiscalus major, '87, 346.

Mortality among White-bellied Swallows in Florida, '95, 183.

Smith, H. M., and Palmer, William.

Additions to avifauna of Washington and vicinity, '88, 147. smithsonianus (Larus), see Larus.

Smyth, Ellison Adger, Jr.

Old-squaw (Clangula hyemalis) in South Carolina, '88, 203.

Capture of Black-capped Petrel inland in Virginia, '93, 361.

Snake-bird, see Anhinga anhinga. Snipe, see Gallinago delicata.

American, see Gallinago delicata. European, see Gallinago gallinago.

Grass, see Tringa maculata.

Gray, see Macrorhamphus griseus. Greater, see Gallinago major.

Jack, see Gallinago delicata or Tringa maculata.

Red-bellied, see Macrorhamphus scolopaceus.

Red-breasted, see Macrorhamphus griseus.

Robin, see Tringa canutus.

Stone, see Symphemia semipalmata.

Western Red breasted see Magra

Western Red-breasted, see Macrorhamphus scolopaceus.

Wilson's, see Gallinago delicata. Snipes, see Scolopacidæ.

Snodgrass, Robert Evans.

Anatomy of the Mallophaga [or biting lice] (rev.), '99, 372.

Snow, Francis Huntington.
Catalogue of birds of Kansas (rev.),

'76, 47. Discovery of a fossil bird-track in

the Dakota sandstones (rev.), '88, 105.

Æchmophorus occidentalis in Kansas, '88, 201.

Pacific Eider in Kansas, '92, 198. Snowbird, see Junco.

Snowflake, see Passerina nivalis. McKay's, see Passerina hyperborea.

Polar, see Passerina hyperborea. Prybilof, see Passerina townsendi.

snowi (Cepphus), see Cepphus.

— (Uria), see Uria. Snyder, John Otterbein.

Notes on a few species of Idaho and Washington birds, 1900, 242-245. sociabilis (Herpetotheres), see Rostrha-

mus.
(Rosthramus), see Rostrhamus.

— (Rostrhamus), see Rostrhamus. socialis (Fringilla), see Spizella. — (Spizella), see Spizella.

socius (Philetairus), see Philetairus. Socorro Island, Mexico.

Anthony, A. W., '98, 36. Ridgway, R., '86, 333-334.

-syn. '87, 335, '96, 163, '99, 133,

socorroensis (Buteo), see Buteo. — (Columbigallina), see Columbigal-

lina.

- (Oceanodroma), see Oceanodroma. sodalis (Aquila), see Aquila.

Soldier-bird, see Ramphocelus passerinii.

Solenoglossus, see Microglossus. Solitaire, see Myadestes solitarius.

Townsend's, see Myadestes townsendii.

solitaria (Columba), see C. flavirostris.

--- (Muscicapa), see Vireo.

--- (Tringa), see Helodromas. solitarius (Amblycercus), see Amblycercus.

—— (Cassicus), see Amblycercus.

--- (Corvus), see Corvus.

---- (Frugilegus), see Corvus.

- (Helodromas), see Helodromas.

— (Lanivireo), see Vireo.

--- (Microcorax), see Corvus.

--- (Myadestes), see Myadestes.

--- (Myiodynastes), see Myiodynastes. --- (Onychotes), see O. gruberi.

--- (Pandion), see Onychotes gruberi.

- (Rhyacophilus), see Helodromas. --- (Totanus), see Helodromas soli-

tarius or cinnamomeus.

- (Vireo), see Vireo.

somalensis (Hydrochelidon), see Sterna fuliginosa.

Somateria, '93, 107.

borealis (a Greenland Eider, b mollissima), Arctic Am. '78, 86b; g. dist. '93, 123; Greenl. '89, 216, 1900, 185ª 186; Ill. '76, 41^b [dresseri?], '77, 68^b [dresseri?]; N. E. '85, 111; N. Y. '79, 175b [dresseri?]; Que. '85, 113. -hbt., nst. '89, 216; plm. 1900, 184ⁿ, 186ª (mlt.); syn. '87, 335, '99, 104, 133, 1900, 186.

dresseri (a American Eider, b mollissima), g. dist. '90, 315-319; IU. '76, 41°, '77, 68°; Man. '93, 77; Mass. '92, 305, '93, 370, '94, 223, 224, 226°, '95, 310, '96, 202; Me. '94, 69, '95, 388; Mich. '87, 69ª; N. E. '85, 111; N. S. '85, 43^a?; N. Y. '79, 175^b, '87, 341, 341, '94, 323; Ont. '90, 204; P. E. I. '85, 266°; Que. '82, 240°, '85, 113.—fd. '90, 315, 317, '94, 223, 323; hbt. '90, 315-319, '92, 334, '96, 202; meas., nst. '95, 388; mig. '85, 43°, '93, 248; plm. '97, 303; syn. '84, 385; misc. '94, 69.

mollissima (a European Eider), Helg. '95, 327; Siberia, 1900, 309a.

1900, 186. spectabilis (a King Eider), Alas. '85, 63, '86, 123, '92, 289, 1900, 183ª; Arctic Am. '78, 86; Cal. '80, 189; Ga. '90, 284; Great Lakes, '90, 397; g. dist. '93, 123; Greenl. '89, 216, 1900, 185ª; Helg. '95, 340; Ia. '95, 86; Ill. '76, 41, '77, 68; Mass. '94, 224, '96, 203; Me. '94, 69, 1900, 16-18; Minn. '93, 289; N. Y. '79, 175, '80, 62, '88, 174, '92, 68, '94, 323; Ont. '96, 347; Pa. '90, 88; Que. '82, 240; R. I. '86, 270; Va. '97, 202.fd. '88, 174, '94, 224, 323, 1900, 16; hbt. 1900, 16; meas. '89, 217, 1900, 18; mig. '85, 63, '89, 217, '94, 103a;

(mlt.); misc. '94, 69. v-nigra (a Pacific Eider), Alas. '79, 53, '85, 63, 158, 1900, 183°; g. dist. '93, 123; Greenl. '91, 320 [spectabilis ?]; Kan. '92, 198; Labrador, '85, 386 [spectabilis], '86, 141a?.—meas. '92, 198; mig. '85, 63; plm. '85, 386, 1900, 183^a (mlt.).

plm. '90, 89, 1900, 16, 183a, 186a

Song and Notes.

Allen, C. N., '81, 145. Belding, L., '96, 29. Bicknell, E. P., '84, 60, 126, 209,

322, '85, 144, 249. Brewster, W., '94, 291. Cheney, S. P., '91, 32.

sonnerati (Phyllornis), see Chloropsis zosterops.

sonninii (Eupsychortyx), see Eupsychortyx.

(Ortyx), see Eupsychortyx.

- (Perdix), see Eupsychortyx Sonora, Mexico.

Belding, L., '84, 284.

Brewster, W., '85, 196-200, '87, 159-160, '88, 91, 93-95, 137-139, '89,

85, 96-98, '93, 214-215. Clark, J. H., '98, 272-274. Nelson, E. W., '99, 26, 1900, 267, 269.

Ridgway, R., '87, 161, '89, 175, '94,

Stephens, F., '85, 225-231.

sonorana (Dendroica), see Dendroica. sonoriensis (Agelaius), see A. longirostris.

sophiæ (Amazilia), see Amazilia. Sora, see Porzana carolina.

sordida (Cyanocitta), see Aphelocoma

sieberi. - (Helminthophila), Helminsee

thophila.

---- (Pitta), see Pitta. - (Synallaxis), see Synallaxis. sordidulus (Contopus), see C. richardsoni. sordidús (Brachyurus), see Pitta. —— (Criniger), see Criniger. --- (Melanopitta), see Pitta. —— (Pionus), see Pionus. --- (Turdus), see Pitta. --- (Vireo), see Vireo. sororia (Aimophila), see Aimophila. —— (Elænia), see Elænia. soui (Crypturus), see Crypturus. - (Tinamus), see Crypturus. South America. Allen, J. A., '87, 156, '89, 171-173, '99, 292. Lucas, F. A., '87, 1-6. Ridgway, R., '87, 156, '89, 171-173. South Carolina. Allen, J. A., '80, 135, '82, 54. Brewster, W., '83, 186, '85, 65-80, 216, '86, 131, 408, 410, 483-484, '87, 68, '88, 208, '90, 208, 212. Chapman, F. M., '88, 324. Coues, E., '83, 61, '85, 301, '97, 203. Gregory, J. U., '94, 69. Hoxie, W., '86, 245-247, 412-413. Loomis, L. M., '79, 209-218, '80, 242, '81, 115-116, '82, 55, '84, 293, '85, 188–193, '86, 137–138, 139, 408, 483, 486, '87, 76, 165-166, 255, 261, 347-348, '88, 113, 206-207, 324, '89, 74-75, 194, 277-278, '90, 30-39, 124-150, '91, 49-59, 167-173, 323-333, '92, 28-39, '93, 151-155, '94, 26-39, 94-117, 255. Manigault, G., '85, 211, '92, 191. Ridgway, R., '91, 240. Smyth, E. A., Jr., '88, 203, '89, 184, '92, 191 (5 items). 239, 308-309, '92, 72, 201, '93, 204, 205, '94, 80, 85, 178-179, 256, 324, **'95**, 184, 293, 305, **'96**, 84, **'99**, 197-198. Worthington, W. W., '90, 82. South Dakota (see also Dakota). Agersborg, G. S., '85, 276-289. Brewster, W., '85, 82, '91, 145-146. Coues, E., '78, 147. Deane, R., '77, 76. McChesney, C. E., '77, 76, '79, 187-Merriam, C. H., '88, 403. Talbot, D. H., '84, 96-97. Southwick, William Coventry.

Seiurus noveboracensis notabilis in New Jersey, '92, 303. Southwick, James Mortimer. Jencks, F. T. [Checking-list of North American birds] (rev.), '83, 56. Southern range of Rissa tridactyla kotzebuei, '85, 313. spadicea (Anous), see A. stolidus. — (Zenaida), see Zenaida. - Spadiceus (Falco), see Archibuteo sancti-johannis. Spain, Dalgleish, J. J., '80, 150, 218, '81, 64. Sparrow, Acadian Sharp-tailed, Ammodramus subvirgatus. Aleutian Song, see Melospiza cinerea. Arizona, see Peucæa arizonæ. Arizona Chipping, see Spizella arizonæ. Bachman's, see Peucæa bachmanii. Baird's, see Ammodramus bairdii. Bay-winged, see Poœcetes gramineus. Belding's Marsh, see Ammodramus beldingi. Bell's, see Amphispiza belli. Bischoff's Song, see Melospiza insig-Black, see Pyrrhulagra violacea. Black-chinned, see Spizella atrigu-Black-headed, see Zonotrichia quer-Black-throated, see Amphispiza bilineata. Boucard's, see Aimophila scottii. Brewer's, see Spizella breweri. Brown, see Peucæa fusca. Brown's Song, see Melospiza rivularis. Bryant's Marsh, see Ammodramus bryanti. Cahoon's, see Aimophila [cahooni =] mcleodii. Cassin's, see Peucæa cassini. Chadbourne's Field, see arenacea. Chihuahuan Pileated, see Atlapetes dilutus. Chipping, see Spizella socialis. Cinereous Song, see Melospiza gut-Clay-colored, see Spizella pallida. Cotton-tree, see Pyrrhulagra violacea. Curação, see Brachyspiza insularis. Dakota Song, see Melospiza juddi. Desert, see Amphispiza deserticola.

Desert Song, see Melospiza fallax.

Dusky Seaside, see Ammodramus nigrescens.

English, see Passer domesticus. European House, see Passer domesti-

European Tree, see Passer montanus. Field, see Spizella pusilla.

Forbush's, see Melospiza striata.

Fox, see Passerella iliaca.

Fox-colored, see Passerella iliaca.

Gambel's, see Zonotrichia gambelii. Gambel's White-crowned, see Zonotrichia gambeli.

Golden-crowned, see Zonotrichia coronata.

Goldman's Song, see Melospiza goldmani.

Grasshopper, see Ammodramus passerinus.

Gray Sage, see Amphispiza cinerea. Ground, see Melospiza fasciata.

Harris's, see Zonotrichia querula.

Hedge, see Accentor modularis. Heermann's Song, see Melospiza

heermanni.

Henslow's, see Ammodramus henslowii.

House, see Passer domesticus. Huatusco, see Aimophila sartorii.

Intermediate, see Zonotrichia intermedia.

Intermediate White-crowned, see Zonotrichia intermedia.

Ipswich, see Ammodramus princeps. Jack, see Pyrrhulagra violacea.

Jack, see Fyrrhulagra violacea. Java, see Munia oryzivora.

Kadiak Fox, see Passerella [insularis=] unalaschcensis.

Kenai Song, see Melospiza [kenaiensis =] insignis.

Lagoon, see Ammodramus [halophilus =] guttatus.

Laguna, see Aimophila sororia.

Large-billed, see Ammodramus rostratus.

Lark, see Chondestes grammacus.

Leconte's, see Ammodramus leconteii. Lincoln's, see Melospiza lincolnii.

Louisiana Seaside, see Ammodramus fisheri.

Macgillivray's Seaside, see Ammodramus macgillivraii.

McLeod's, see Aimophila mcleodii. Merrill's song, see Melospiza merrilli.

Mexican, see Peucæa mexicana. Mexican Chipping, see Spizella mexi-

Mexican Rufous-crowned, see Aimophila scottii. Michoacan Song, see Melospiza adusta.

Minatitlan, see Ammodramus obscurus.

Mountain, see Passer montanus.

Mountain Song, see Melospiza montana.

Nelson's, see Ammodramus nelsoni. Nelson's Sharp-tailed, see Ammodramus nelsoni.

Oak-woods, see Peucæa bachmanii. Oregon Vesper, see Poœcetes affinis.

Pallid, see Ammodramus princeps.
Philip, see Passer domesticus.

Pine-woods, see Peucæa æstivalis.

Plateau, see Ammodramus [brunnescens =] bryanti.

Richmond's, see Arremonops richmondi.

Ridgway's, see Zonotrichia intermedia.

Rock, see Aimophila eremœca.

Rufous-crowned, see Aimophila ruficeps.

Rufous-winged, see Peucæa carpalis. Rusty Song, see Melospiza guttata.

Sage, see Amphispiza nevadensis. Saint Lucas, see Ammodramus gut-

Salt Marsh Song, see Melospiza [pusillula =] samuelis.

Samuels's Song, see Melospiza samuelis.

San Benito, see Ammodramus sanctorum.

San Clemente Song, see Melospiza clementæ.

San Diego Song, see Melospiza [cooperi =] samuelis.

Sandwich, see Ammodramus sandwichensis.

Santa Barbara Song, see Melospiza graminea.

Savanna, see Ammodramus savanna. Scott's, see Aimophila scottii.

Scott's Seaside, see Ammodramus peninsulæ.

Seaside, see Ammodramus maritimus. Sennett's Seaside, see Ammodramus sennetti.

Sharp-tailed, see Ammodramus caudacutus.

Sinaloa, see Aimophila sinaloa.

Slate-colored, see Passerella schistacea.

Social, see Spizella socialis.

Song, see Melospiza fasciata.

Sonora Black-throated, see Amphispiza pacifica. Sooty Fox, see Passerella [fuliginosa=] unalaschcensis.
Sooty Song, see Melospiza rufina.
Southern, see Peucæa australis.
Stephen's, see Passerella stephensi.
Swamp, see Melospiza georgiana.
Swamp Song, see Melospiza georgiana.

Tehama Song, see Melospiza [ingersolli =] merrilli.

Texas, see Arremonops rufivirgata. Texas Seaside, see Ammodramus sennetti.

Thick-billed, see Passerella mega-rhyncha.

Titlark, see Ammodramus beldingi. Townsend's, see Passerella unalaschcensis.

Tree, see Spizella monticola.

Tree (of Europe), see Passer montana.

Venezuelan Striped-crowned, see Arremonops venezuelensis.

Vesper, see Poœcetes gramineus.

Water, see Porzana noveboracensis. Western Chipping, see Spizella arizonæ.

Western Field, see Spizella arenacea. Western Grasshopper, see Ammodramus perpallidus.

Western Henslow's, see Ammodramus occidentalis.

Western Lark, see Chondestes strigatus.

Western Savanna, see Ammodramus alaudinus.

Western Song, see Melospiza fallax. Western Tree, see Spizella ochracea. Western Vesper, see Poœcetes confinis.

Western White-crowned, see Zonotrichia intermedia.

Western Yellow-winged, see Ammodramus perpallidus.

White-crowned, see Zonotrichia leucophrys.

White-throated, see Zonotrichia albicollis.

Worthen's, see Spizella worthen.
Worthen's Field see Spizella worth

Worthen's Field, see Spizella wortheni.

Yakutat Fox, see Passerella [annectens =] unalaschcensis.

Yakutat Song, see Melospiza [caurina =] rufina.

Yellow-winged, see Ammodramus passerinus.

Sparrows, see Fringillidæ. sparveria (Cerchneis), see Falco.

sparverioides (Cerchneis), see Falco.
—— (Falco), see F. sparverioides or dominicensis.

—— (Pœcilornis), see Falco.

—— (Tinnunculus), see Falco.

sparverius (Falco), see F, sparverius, deserticolus or dominicensis.

—— (Tinnunculus), see Falco sparverius, deserticolus or dominicensis.

—— (Pœcilornis), see Falco. spatiator (Grallaria), see Grallaria. Spatula, '88, 64, '93, 99, 107.

clypeata (a Shoveller Duck), Ariz.
'83, 36, '86, 384, '90, 48, 51, '92, 198a; B. C. '93, 291; Cal. '86, 89; Colo. '77, 51, '83, 198, '85, 18; Fla. '88, 269, '91, 137, '92, 211; Ga. '96, 215; H. I. 1900, 203a; Helg. '95, 340; Ida. '97, 350; Ind. '82, 19a, 22a, '88, 346; Jamaica, '91, 364; Kan. '85, 112, '86, 115; La. '97, 286; Man. '86, 149; Mass. '94, 84, '96, 201; Me. '81, 187; Minn. '80, 19, '84, 248; Mo. '79, 147, '95, 10; Mont. '88, 17a, N. D. '99, 161a, 162a, 165a; N. Y. '81, 234; Ore. '79, 198, '88, 142, '91, 366 (fossil), '93, 344 (fossil); S. C. '85, 193; S. D. '85, 288; Tex. '82, 224, '87, 184, '92, 232, 1900, 339; Wash. '93, 17, 291; W. I. '88, 64.—nst. '97, 247, '99, 165a; plm. '86, 384, '91, 190 (alb.); syn. '88, 64. platalea, Argent., Urug., hbt. '84,

274. Spaulding, Fred Benjamin.

Cowbird wintering in New Hampshire, '95, 182.

Leach's Petrel at Lancaster, N. H. '98, 50.

Species (new), see New Species.

speciosa (Columba), see Columba.
—— (Drymophila), see Drymophila.

— (Geothlypis), see Geothlypis. — (Xanthoura), see Xanthoura.

speciosus (Chrysoptilus), see C. guttatus.

— (Epimachus), see E. magnus. Speckle-cheek, see Dryobates bairdi. spectabilis (Dryotriorchis), see Dryotriorchis.

— (Somateria), see Somateria. speculifera (Symphemia), see S. inornata.

speculiferus (Catoptrophorus), see Symphemia semipalmata.

— (Chlorospingus), see Nesospingus. — (Nesospingus), see Nesospingus. -- (Totanus), see Symphemia inornata.

Spelman, Henry Munson.

Great Carolina Wren (Thryothorus ludovicianus) in New Hampshire, '81, 54.

Occurrence of Baird's Sandpiper (Tringa bairdi) on New Hampshire coast, '81, 61.

Hudsonian Titmouse in Massachusetts, '81, 114.

Capture of Worm-eating Warbler in Massachusetts, '81, 246.

Dendræca palmarum again in Massachusetts, '82, 54.

Short-billed Marsh Wren in New Hampshire, '82, 118.

Cow Bunting wintering in Massachusetts, '83, 121.

Wintering of the Red-winged Blackbird near Cambridge, Mass. '90, 288.

spengeli (Psittacula), see Psittacula. Spectyto, '86, 470, 93, 110, '99, 369.

amaura, W. I. '79, 229, '86, 472, '91, 47, 349.—meas., plm. '86, 472; syn. '86, 472, '91, 349.

bahamensis, Bahamas, '91, 348*, 349, 351.—syn. '93, 70. brachyptera, Margarita I. '96, 333. cavicola (bahamensis), Bahamas, 1900, 187b, 287*.

cunicularia, Argent., Urug., hbt. **'84**, 30. dominicensis, W. I. '81, 154, '86, 471, '91, 75, 349.—meas., plm. '86, 471, '91, 349; syn. '86, 471; misc.

'80, 87.

floridana (a Florida Burrowing Owl), Bahamas, '91, 349 [cavicola?], 350, 352, '93, 70; Fla. '83, 61ª, '86, 139a, '89, 249, '92, 1-8, 212, 216, '96, 99-108 (col. pl.), 1900, 287; g. dist. '91, 349, '93, 141.—fd. '92, 1, 8, '96, 99, 105; hbt. '92, 1-8, 216, '96, 99-108; meas. '91, 349, 1900, 287; plm. '91, 349; nst. '92, 1-8, 216, '96, 99-108; syn. '93, 70, '96, 108, '97, 134. hypogæa (* Burrowing Owl, b ob-

scura), Ariz. '86, 424; B. C. 1900, 105; Cal. '86, 93, '89, 221, '90, 297, '95, 372b*, '96, 117, '98, 187b', 234; Colo.'83, 197, '85, 17, 143; g. dist.'93, 134; La. 1900, 393; L. Cal. '95, 138; Mass. '76, 31; Minn. '90, 213, '93, 290; Mont. '95, 214; Neb. '84, 2862; N. M. '92, 361, '98, 308; S. D. '85, 284; Tex. '82, 173, '87, 190, '92, 234, '94, 222, 1900, 343; Wash. '97, 174,

1900, 244,—anat. '80, 129 (3 pll.). '81, 109a, '83, 56, 166, '90, 280; fd. '85, 284, '87, 190, '89, 175; hbt. '85, 284, '87, 190, '89, 177°; meas., plin. '98, 187b; nst. '82, 173, '83, 175a, '85, 284, '86, 93, '87, 190, '91, 109a, '98, 308, 1900, 244, song, '98, 57°; syn. '97, 135°, '98, 187°, '99, 131°; misc. '83, 175, '90, 85°.

guadeloupensis, W. I., meas., plm., syn. '86, 471.

obscura, '95, 372*, see hypogæa. rostrata, Clarion I. '98, 318; L. Cal. '91, 305.—hbt., nst. '98, 318. tolimæ, *Colom.* '99, 369. Spermestes, '86, 214.

cucullatus, W. I. '80, 121, '86, 214.—meas., plm., syn. '86, 214.

Spermophila, see Sporophila. Sphecotheres flaviventris, syn. '92, 282. Spheniscidæ, '81, 109. Spheniscus, '77, 64.

Sphenocichla, '93, 112. Sphyrapicus, '86, 375, '88, 214, 218, 332, '95, 187.

nuchalis (a Red-naped Sapsucker, or Nuchal Woodpecker), Ariz. '83, 23, '85, 174, '86, 427; Cal. '98, 196, Colo. '79, 95, '81, 141, '83, 196, '85, 17, '94, 268; g. dist. '88, 226-229, '93, 126; Ida. '97, 354; Kan. '84, 100, '86, 114; Mont. '81, 206, '94, 303; N. M. '86, 78, '98, 308; Tex. '94, 222, Wash. 1900, 244.—anat. '88, 214; fd. '83, 23; hbt. '81, 141, '86, 78; meas. '81, 207, '88, 228; nst. '81, 206, '88, 226, 240, '97, 354; plm. '86, 427, '88, 216 (fig.), 217 (fig.), 226, 332.

ruber (Red-breasted Sapsucker), Ore. '79, 195, '86, 165; Cal. '87, 91, '96, 85; g. dist. '88, 229-234; Ore. '88, 255, '89, 71; Wash. '93, 17, '97, 175.—fd. '88, 229, 234, 255, '96, 85; hbt. '88, 229; meas. '88, 233; nst. '86, 165, '88, 229, 232, 240, '89, 71; plm. '88, 229, 234, 255; song, '88, 229, 231, 233, 255.

thyroideus (Williamson's Woodpecker, b williamsoni), Ariz. '83, 23, ⁸85, 174, 349, '86, 427, '90, 48, 252; Cal. '78, 67, '87, 75, '96, 85; Colo. '79, 95, '83, 196, '85, 17, '94, 268; g. dist. '88, 235-240, '93, 126; Ida. '98, 22; Mont. '94, 303; N. M. '86, 79, '92, 362, '98, 308; Ore. '88, 255; Tex. '87, 191.—fd. '88, 255, '96, 85; hbt. '88, 228, 235, 255; meas. '87, 76, '88, 239; nst. '88, 235, 238, 240, 255, '91, 1084, '98, 308; plm. '87, 75, '88, 235,

239, '90, 252; song, '88, 235, 238, 239; misc. '80, 87b, '82, 242b, '83, 23. (a Yellow-bellied varius Sapsucker or Woodpecker), Ala. '79, 11; Bahamas, '91, 75, 294, 296, 297, 297, 338, 399; Colo. '85, 17; Fla. '88, 271, '89, 251, '90, 310, '91, 138, '92, 213, '95, 365; Ga. '96, 213; g. dist. '88, 225, '93, 126; Hud. B. '90, 322; Ill. '81, 122; Ind. '89, 22; Jamaica, '92, 275, 374; Ky. '89, 313; La. '88, 325, '92, 205; Man. '86, 156; Mass. '83, 173, '84, 12a, 15, '89, 43a, 99, '95, 301; Me.'82, 150; Mich.'93, 224, 1900, 174; Minn. '79, 154; Mo. '79, 146, '96, 220; N. B. '82, 150, '89, 117, N. C. '86, 104, '87, 242; N. D. '99, 165ª; N. H. '88, 151, 154, '89, 76, '91, 257^a; N. S. '87, 16, '91, 165; N. Y. '78, 53, '79, 1-6, 36, '81, 232, '83, 174, 176ª, '84, 1-0, 36, 31, 232, 33, 174, 176, 84, 179, '85, 258, 301, '88, 430, '95, 70; Pa, '92, 134, 135, '96, 293; P. E. I. '93, 9; Que. '84, 295; S. C. '79, 216, '92, 37°; Tenn. '86, 319; Tex. '82, 40, 170, '92, 235; Va. '89, 53; Vt. '82, 63; W. I. '86, 375, '87, 181; Wis. '82. 188; W. Va. '98, 135.—anat. '88, 325°; fd. '76, 63, 69, '79, 1, 36, 111°, '91, 270°, '92, 109–119°, '95, 380; hbt. '76, 63–70, '79, 1–6, '84, 86°, 286°, not. 70, 03-70, 779, 1-6, '84, 86*, 286*, '85, 258, '90, 394, '91, 256-270*, '92, 109-119*, 1900, 174; meas. '76, 69, '88, 225; mig. '84, 179, '92, 37*; nst. '76, 63-70, '83, 176*, '85, 301*, '88, 225, 240, 430; plm. '76, 22 (alb.), '78, 180, '86, 104, '90, 310, song, '76, 63, 69, '85, 258; syn. '86, 375.

Spider-bird, see Dendroica æstiva. spilonota (Porzana), see Porzana. Spilornis, '94, 234.

pallidus, Borneo, '91, 13.

spilurus (Thryomanes), see Thryomanes.

Thryothorus), see Thryomanes. Spindalis, '86, 195, '93, 357.

benedicti, Yucatan, syn. '85, 295. multicolor, W. I. '81, 152, '84, 285, '86, 196, '95, 279.—meas., plm., syn. '86, 196.

nigricephala, Jamaica, '86, 198, '93, 180, '94, 127.—fd. '93, 180; meas., plm., syn. '86, 198.

portoricensis, W. I., meas., plm., syn. '86, 197.

pretrei, Cuba, '86, 196, '92, 272; meas., plm., syn. '86, 196.

salvini, W. I. '86, 499*, 501, '88, 157.

stejnegeri, Bahamas, '91, 348*, 351.

townsend1, W. I. '88, 157, 194, '91, 298, 334, 350, 350.

298, 334, 350, 350.

zena, W. I. '80, 107, '86, 195, '91,
70, 294, 295, 335, 336, 337, 339, 339,
'92, 48, 1900, 293.—fd. '91, 70; meas.
'86, 195; plm. '86, 195, '87, 176; syn.
'86, 195.

spinicauda (Dafila), see Dafila. spinoletta (Anthus), see Anthus. spinosa (Anas), see Nomonyx dominicus.

- (Asarcia), see Jacana.

—— (Dendrocygna), see Nomonyx dominicus.

--- (Fulica), see Jacana.

--- (Erismatura), see E. jamaicensis.

--- (Jacana), see Jacana.

Spinus (b Pyrrhomitris), '84, 360-362, '86, 207b, '88, 444, '99, 79, 115.

alleni, Braz. '99, 37*.
barbatus (b Hypacanthis stanleyi,
c Chrysomitris, d Chrysomitris stanleyi), N. Am., W. coast, '77, 92b?;
Urug. '83, 132c—hbt., song, '83,
132c; misc. '80, 88d.

bolivianus (b Chrysomitris), syn. '88, 412b.

capitalis (b Chrysomitris), syn. '88, 412b.

capitaneus, Colom. '99, 91. columbianus, Venez. '97, 364. croceus, Panama, '94, 245.

cucullatus (b Pyrrhomitris), Venez. '97, 364; W. I. '86, 207b.—meas. '86, 208b; plm., syn. '86, 207b.

ictericus (b Chrysomitris), syn. '88, 412b.

longirostris (b Chrysomitris), syn. '88, 412b.

macroptera, Mex. '97, 311*. notatus (Black-headed Goldfinch, b Chrysomitris magellanicus), syn. '84, 362, '88, 412; misc. '80, 88b, '81,

167°.
pallidus, '90, 244*, see Astraga-

pinus (a Pine Siskin, Finch or Linnet, b Chrysomitris), Ariz. '82, 194b, '87, 199, '90, 49, 258; Cal. '78, 66b, '87, 88; Colo. '79, 93b, '81, 90b, '83, 161b, '85, 16b, 141b, '87, 124, '94, 269; Cuba, '86, 208; Fla. '91, 138; g. dist. '93, 126; Ia. '95, 122, 236; Ida. '98, 15; Ill. '90, 239; Ind. '89, 24; Ky. '89, 314; La. '88, 325a, Man. '86, 323; Mass. '83, 147a, '88, 426, '89, 43, 100; Me. '82, 148b, '88, 209;

Mich. '93, 225; Mont. '82, 62b, '94, 305; N. B. '82, 148b, '89, 118; N. C. '86, 107, '93, 243; N. F. 1900, 72; N. H. '87, 105, '88, 152; N. J. '92, 204; N. M. '85, 124b, 239s, 333b; N. S. '91, 165, '99, 252; N. Y. '79, 33b, '81, 229b, '83, 57, 58b, 176b, 180, 181^b, '84, 176^b, 177^b, 328^b, '87, 284– 286, '90, 231, '95, 70, 1900, 295^a; O. '95, 241; Ont. '83, 146^a, '84, 160^b; Ore. '79, 164b, '86, 168, '88, 358; Pa. '99, 312; P. E. I. '85, 264a, '93, 11; Que. '82, 235b, '89, 148; S. C. '79, 214b, '94, 38a; Tex. '82, 12b; Vt. 1900, 295; Wash. '92, 356, '97, 177. -fd. '83, 180^b, '84, 160^b, '85, 124^b, 239^a, '87, 199, '88, 426, 1900, 295; hbt. '83, 57^b, 161^b, 180^b, '85, 124^b, 239^a, '88, 426 '90, 252, 1900, 205 2392, '88, 426, '99, 252, 1900, 295; meas. '82, 194b, '83, 180b, 181b, '87, 286, '99, 253; mig. '83, 57b, '84, 176b, 177^b, '94, 38^a, '95, 122, 236, 241; nst. '83, 180^b, '85, 99^b, 210^b, '87, 284, '99, 252; plm. '78, 117^b, '82, 194^b, '87, 199, '97, 320 (mlt.); song, '84, 328b, '87, 284; syn. '80, 96b ['spinus'], '81, 225b, '84, 362; misc. '83, 119b.

salicamans, '97, 397*, see Astraga-

sclateri (b Chrysomitris), syn. '88, 412b.

siemiradzkii (b Chrysomitris), syn. '88, 412b.

spinus, Helg. '95, 335.

stejnegeri (b Chrysomitris), syn. '88, 412b.

xanthogaster (b Chrysomitris), syn. '88, 412°.

yarrellii (b Chrysomitris), misc. '77, 92°, '80, 88°.

spinus (Chrysomitris), see Spinus. - (Spinus), see Spinus.

Spitzbergen. Bendire, C. E., '88, 202-203.

Dalgleish, J. J. '80, 143.

spixi (Dendrornis), see Dendrornis.

Spiza, '80, 177, '93, 130. americana (a Dickeissel or Blackthroated Bunting, b Euspiza), Ariz. '87, 205; Colo. '85, 16; Colom. 1900, 365; C. R. '90, 334, '92, 248; D. C. '88, 23; Fla. '82, 250, '89, 324; Ia. '95, 123, 235; Ill. '90, 243; Ind. '82, 17. '89, 25; Jamaica '94, 126; Ky. '89, 315; La. '82, 92, '87, 304; Mass. '78, 45°; Ill. '78, 164°; Mass. '78, 190°, '79, 122°, '87, 251, '90, 229; Me. '85, 106, '93, 302, '94, 79; Minn. '80, 15b; Mo. '79, 144b; N. E. '76,

73b; N. J. '91, 395; N. Y. '89, 137, '91, 116, '93, 276, '97, 95; Ont. '85, 307ª; Pa. '79, 235°; R. I. '89, 194; S. C. '85, 192, '91, 168, '94, 35°; S. D. '85, 281; Tex. '82, 13b, '87, 294. '89, 240, '92, 339, 1900, 346; W. I.
'87, 180.—fd. '92, 339; hbt. '85, 307",
'87, 294; meas. '85, 308; mig. '92, 39, '94, 35°, '95, 123, 128°, 133°, 235; nst. '78, 45°, '79, 122°, '85, 307°, '90, 243, '92, 234°; plm. '78, 122°, '79, 41°, '83, 172; misc. '94, 79 (corr.).

townsendi (Townsend's Bunting, b Euspiza), misc. '76, 94b, '81, 167, **'88**, 401.

spiza (Chlorophanes), see Chlorophanes. - (Cœreba), eee Chlorophanes atricapilla.

(Dacnis), see Chlorophanes atricapilla.

- (Merops), see Chlorophanes. Spizaëtus, '94, 233.

ornatus (b mauduyti), Braz. '91, 161b; C. R. '92, 328; W. I. '93, 220b. Spizella, '81, 9, '86, 212.

arenacea (Western Field Sparrow), g. dist. '88, 398, 402, '97, 345-347 (col. pl.), '93, 134; La. '91, 318; Minn. '90, 214 [pusilla?]; Tex. '86, 248*, '87, 292, '92, 338 [pusilla?]. meas. '88, 403, '97, 346; nst. '89, 329, '97, 346; plm. '88, 402, '97, 345. arizonæ (* Western Chipping Sparrow), Ariz. '82, 194, '87, 200, '90, 49, 259, '94, 218ª; Cal. '78, 66, '83, 188a, '86, 182, '87, 330, '89, 223; Colo. '79, 93 ['socialis'], '81, 91, '83, 190, '85, 16, 141, '87, 124; Ida. '98, 16, Mont. '94, 306, '95, 217; N. M. '86, 74, '92, 365, '98, 310; N. W. T. 1900, 181; Ore. '79, 165, '86, 169, '88, 358; Tex. 782, 38, '86, 139, '87, 292, '92, 338; Wash. '97, 178.—hbt. '87, 200, '97, 178; meas. '82, 194; mig. '83, 190; nst. '79, 93 ['socialis'], '87, 292; plm. '82, 194, '83, 190, '86, 74, '87, 200; syn. '83, 190, '90, 191, '97, 178; misc. '87, 295.

atrigularis (Black-chinned Sparrow), Arız. '90, 48; Cal. '98, 58; g. dist. '93, 135; N. M. '92, 365.—plm. ³79, 46.

(a Brewer's breweri Sparrow), Ariz. '82, 194, '94, 218a, 219a; Cal. '87, 93, '98, 58; Colo. '83, 191, '85, 16; g. dist. '93, 135; Mont. '94, 306, '95, 217; N. M. '92, 365; Ore. '88, 359; Tex. '82, 38, '84, 121?, '87, 292; Wash. '97, 178.—nst. '95, 217; plm. '82, 194 (mlt.); song, '88, 359; syn. '78, 137; misc. '93, 320.

mexicana, Mex., meas. '99, 30*. monticola (a Tree Sparrow, b montana), Colo. '81, 91b [ochracea?], '85, 16 [ochracea?]; Conn. '87, 259; g. dist. '93, 126; Hud. B. '90, 322; Ia. '95, 121, 236, Ill. '90, 241; Ind. '89, 25; I. T. '84, 335a, 336b; Kan. '87, 11; Ky. '87, 122, '89, 315; Labrador, '87, 258; Man. '86, 323; Minn. '79, 153a; Mo. '79, 144, '95, 11a, '96, 218; N. B. '84, 294a; N. S. '99, 253; N. Y. '81, 230b, '84, 177b '85, 144, '86, 443a; O. '95, 242; Ont. '83, 144a; P. E. I. '85, 265a; Que. '84, 295; S. D. '85, 280; Tenn. '96, 181; Va. '82, 48b.—mig. '84, 177b, '95, 121, 236, 242; plm. '76, 21 (alb.); song, '85, 144, '87, 122; syn. '80, 177b.

ochracea (* Western Tree Sparrow, b monticola, "montana), Alas. '80, 35b, '81, 2a, 5a, '87, 12, 258, Colo. '81, 91°, '85, 16b, '87, 122; g. dist. '82, 228*, '93, 126; Ida. '98, 16; Kan. '87, 10, 258; Mont. '94, 301, '95, 217; N. M. '85, 236; Ore. '88, 367; Tex. '86, 139, '87, 299; Wash. '82, 227, 1900, 245.—hbt. '81, 2a; meas. '82, 228; plm. '87, 10, 258; song, '80, 35b, '87, 122.

pallida (* Clay-colored Sparrow or Bunting), Ariz. '87, 93, 200; Colo. '81, 138, '83, 191, '85, 16, 141; g. dist. '93, 134; Ill. '90, 76, 242; Man. '85, 268 ['Shattuck Bunting'], '86, 324; Minn. '79, 154, '80, 15; Mont. '95, 217; Mo. River, '95, 227a; N. C. '88, 311 [pusilla?], '98, 275 [= Melospiza georgiana]; Neb. '85, 280; N. M. '92, 365; N. W. T. 1900, 181; S. D. '85, 280; Tex. '82, 13, '87, 292, '92, :338, 1900, 346.—song, '88, 359. pinetorum, syn. '99, 30.

pusilla ("Field Sparrow), Ala. '79, 9; Conn. '87, 259; D. C. '88, 22; Fla. '88, 274, '89, 323, '92, 213, '93, 337, '95, 365; Ga. '96, 214; g. dist. '93, 33; Ia. '95, 122, 236; Ill. '90, 242; Ind. '82, 18-21, '89, 25; I. T. '83, 335*; Ky. '89, 315; La. '87, 304; Man. '86, 324; Mass. '78, 191, '81, 116, '84, 8*, '88, 389, '89, 42*, 45-101, '93, 205, '95, 188, '99, 196*; Mich. '93, 226; Minn. '90, 214; Miss. '82, 91, '99, 269; Mo. '79, 144, '96, 222; N. C. '86, 108, 308*, 310*, 314, '89, 121; N. E. '76, 73, '77, 15; N. H.

'88, 150, 152, '89, 77, 78; N. J. '89, 303, '92, 204, '94, 139; N. Y. '81, 230, '83, 53a, '85, 145, '86, 442; O. '95, 242; Ont. '87, 248a; Pa. '89, 142a, '92, 137, '93, 40, '96, 283, 294, '98, 330; Que. '89, 148; S. C. '79, 214, '90, 124, '91, 329, '92, 31a; S. D. '85, 280; Tenn. '86, 318, '87, 131; Tex. '82, 13, 38, '87, 292, '92, 338, 1900, 346; Va. '82, 48a; Wis. '82, 188; W. Va. '98, 136.—meas. '86, 249, '97, 346; mig. '89, 142a, '92, 31a, '95, 122, 128a, 236, 242, '99, 196a, 275; nst. '81, 116, 230, '82, 18, '89, 148, '96, 294, '98, 330; plm. '76, 21 (alb.), '78, 121; song, '81, 116, '82, 21, '84, 70a, '85, 145, '86, 108, '90, 199.

socialis (a Chipping Sparrow or Chipping-bird, b domestica), Ala. '79, 9; B. C. '93, 16?; Colo. '79, 93 [arizonæ?], '80, 230, '81, 91, '86, 284, '87, 264; Conn. '94, 256; Cuba, '86, 212; D. C. '88, 22, '92, 307; Fla. '88, 274, '89, 323, '92, 213, '93, 337, '95, 365, Ga. '96, 214; Ia. '95, 122, 236; Ill. '90, 241; Ind. '89, 25; Ky. '89, 315, La. '87, 304; Man. '86, 323; Mass. '88, 389, '89, 45, 101, '92, 72, '95, 305, '99, 196a; Me. '82, 148; Mich. '93, 226; Miss. '99, 269; Mo. '79, 144; Mont. '82, 62; N. B. '82, 148, '89, 118; N. C. '86, 108, '89, 120; N. H. '88, 150, 152, 154, '89, 77, 78; N. J. '80, 134^a, '94, 139, '96, 263; N. M. '99, 189; N. S. '87, 15^a, 16, '91, 165; N. Y. '79, 32, '81, 230b, '82, 188, 165; N. P. 79, 32, 61, 230, 62, 166, 282, 46, '95, 242; Ont. '87, 248 ['Chippy']; Pa. '89, 142*, '92, 137, '93, 40, 44, '95, 182, '96, 283, 294; P. E. I. '93, 12; S. C. '79, 214, '89, 197, '90, 124, '91. 328, '99, 197°; S. D. '85, 280°; Tenn. '86, 318, '87, 131; Tex. '82, 13, '84, 122, '87, 292, '92, 338; Va. '82, 48°, '85, 380, '94, 328; Vt. '98, 241°; Wash. '93, 16?; Wis. '82, 188; W. Va. '98, 136.—anat. '89, 181b; fd. '94, 256, 328, '99, 362°; hbt. '84, 190°, '85, 380, '94, 256, 328, 1900, 300 ['Hair-bird']; meas. '92, 395; mig. '80, 134*, '84, 175b, '89, 142, '95, 122, 128a, 236, 237a, 242, '99, 196a, 197a, 198, 269; nst. '87, 247 [' Chippy '], '92, 395, '94, 256, 328, '95, 182, 305, '96, 263, 294; plm. '76, 21 (alb.), '78, 121; song, '80, 230, '85, 145', '89, 197; syn. '86, 212; misc. '81, 179

['Chippy'], '85, 106a, '86, 475a, '91, 387ª, '94, 69. wortheni (Worthen's Sparrow), N. M. '85, 291.—meas., plm. '86, 249. splendens (Volatinia), see Volatinia. splendidus (Chlorostilbon), see C. aureoventris. Spodiopsar, '91, 92. spodocephala (Eucometis), see Eucometis. sponsa (Aix), see Aix. —— (Anas), see Aix. ---- (Dendrocygna), see Aix. Spoonbill, see Spatula clypeata. Roseate, see Ajaja ajaja. Spoonbills, see Plataleidæ. Sporadinus, '86, 357. elegans, W. I. '81, 153, '86, 357.meas., plm., syn. '86, 357. maugæi, W. I. '86, 359, '92, 229.meas., plm., syn. '86, 359. riccordi, Bahamas, '86, 358, '91, 74, 298, 300, 334, 350, 350; Cuba. '86, 358.-hbt. '91, 387; meas., plm., syn. '86, 358. Sporathraupis (b Hemithraupis), '98, 226^b*, 331*. '98, cyanocephala (b Aglaia), 226b, 330. Sporophila, '84, 47, 53, '85, 47. æquatorialis (b Spermophila), Ecuador, 1900, 81b. albigularis (b Spermophila), syn. **'89**. 53b. albitorques (b Spermophila), Mex. '88. 411b. cærulescens (b Spermophila), Urug., hbt., mig., nst. '83, 926. castaneiventris, Braz. '90, 268. colombiana (b Spermophila), syn. '88, 412b. corvina, Nicar, '95, 20. cucullata (b Spermophila), syn. '88, 412b. grisea, Venez. '97, 364. gutturalis (b Spermophila), Venes. '97, 364; W. I. '88, 158b. hypoxantha, plm. '83, 93. lineata (b Spermophila), Braz. '90, 268; W. I. '93, 220b. minuta, Braz. '90, 268; Venez. '97, 364. palustris (b Spermophila), Urug., hbt., meas., plm., song, '83, 92b. parva (b Spermophila), Mex. '84, 387b.—plm. '89, 54b; syn. '88, 402b, 412b, '89, 53b, 54b. plumbea (b Spermophila), syn. '88, 412b.

polionota (b Spermophila), syn. '88, 412b. sharpei (a Sharpe's Seed-eater. ^b Spermophila moreleti, ^c morelleti), C. R. '92, 27°; g. dist. '88, 412b, '89, 53, '93, 141; Tex. '77, 110b.-plm. '89, 53; syn. '85, 47b, '88, 402c, 412b, '89, 53. torqueola (b Spermophila), misc. '88, 411b. trinitatis, W. I. '97, 362. whiteleyana (b Spermophila), syn. '88, 412b. Sprague, Ulrich Wellington.
Dwarf Thrush in Colorado, '96, 85. spragueii (Anthus), see Anthus. - (Neocorys), see Anthus. Sprigtail, see Dafila acuta. Spring-bird, see Parus bicolor. spurius (Icterus), see Icterus. - (Oriolus), see Icterus. squamata (Callipepla), see C. squamata or castanogastris. - (Claudia), see Claudia. - (Drymophila), see Drymophila. squamatus (Cypselus), see C. squamata. - (Ortyx), see Callipepla. squamosa (Scardafella), see Scardafella. Squatarola, '96, 65, '97, 103, 126. squatarola (a Black-bellied Plover, b Charadrius helvetica, c helvetica, d Charadrius), Alas. '85, 63°; Bahamas, '91, 76d; Cal. '86, 92d; Colo. '86, 285d, '94, 183d; Fla. '81, 18b, '87, 219^d, 274^d, 279^a, '89, 158^d, '92, 212^d; g. dist. '93, 123ª; Helg. '95, 338ª; Hud.

quatarola, '96, 65, '97, 103, 126.
 squatarola (a Black-bellied Plover, b Charadrius helvetica, a helvetica, a Charadrius helvetica, a helvetica, a Charadrius), Alas. '85, 63°; Bahamas, '91, 76°; Cal. '86, 92°; Colo. '86, 285°, '94, 183°, Fla. '81, 18°, '87, 219°, 274°, 279°, '89, 158°, '92, 212°; g. dist. '93, 123°, Helg. '95, 338°; Hud. B. '90, 321°, Ida. '97, 351; Ill. '96, 181°, Ind. '97, 228; Jamaica, '92, 14°, '94, 123°, Ida. '97, 289; Man. '86, 152°, Mass. '92, 143-152°, 300°, 306°, '93, 294°, 370°, '94, 225°, '96, 182°, '97, 213, 228, '98, 88; Miss. 1900, 297°, N. C. '99, 246°, Neb. '85, 32°; N. J. '79, 224°; N. M. '92, 360°, N. S. '85, 41°; N. Y. '82, 256°, '90, 230°, 1900, 178; Pa. '99, 310°, P. E. I. '93, 79°, Que. '82, 238°; S. D. '85, 285°; Siberia, 1900, 309°; Tex. '87, 186, '88, 110°; W. I. '87, 227°, -anat., fd. '92, 143°, 146°, '93, 28°, 293°, mig. '85, 63°, '87, 219°, '92, 143°, 148°, 151°, '93, 247°, '94, 225°, '96, 91°, '97, 213; plm. '86, 413°, '92, 143°, '96, 81°, 110°, '99, 306, 1900, 297° (mlt.), 370° (mlt.), 371°, 374°, 383-385°; song, '92, 143°, 150°; syn. '87, 227°, 273°, 227°, 371°, 371°, 374°, 383-385°; song, '92, 143°, 150°; syn. '87, 227°,

'96, 65°, '97, 126; misc. '92, 300° (corr.), '93, 295d, 296d, '98, 88, 1900, 70ª. squatarola (Charadrius), see Squata-

rola.

- (Squatarola), see Squatarola. --- (Tringa), see Squatarola. squatarolus (Vanellus), see Squatarola. Squaw, Old, see Harelda hyemalis. Squawk, see Nycticorax nævius or Ardea virescens.

Stachyris nigricollis, Borneo, syn. '90. 350.

stagnatilis (Totanus), see Totanus. Stake-driver, see Botaurus lentiginosus. Standard Dictionary.

[Ornithology in] (rev.), '95, 375-377. Standard Natural History.

Vol. iv, Birds (rev.), '86, 473.

stanleyi (Chrysomitris), see Spinus barbatus.

-(Hypacanthus), see Spinus barbatus.

Stannis, J. A.

Rough-winged Swallow in Connecticut, '79, 119.

stapazina (Saxicola), see Saxicola.

Stark, Arthur Cowell. Birds of South Africa, vol. i (rev.),

1900, 189.

Starling, see Sturnus vulgaris.

Red-winged, see Agelaius phœniceus. Starlings, see Sturnidæ.

Starnœnas, '87, 119, '92, 174,

cyanocephala (Blue-headed Quail-Dove), Cuba, '99, 271, 272; Jamaica, '92, 125; W. I. '87, 120.—meas. '87, 120; plm. '87, 120, '91, 190 (alb.), '99, 320; syn. '87, 120.

Status (and diagnoses of species).

Anthony, A. W., '94, 210, '95, 280. Bangs, O., 1900, 126.

Bendire, C. E., '94, 130.

Bishop, L. B., 1900, 113. Brewster, W., '81, 91, 101, 218, '82, 27, '83, 95, 214, '86, 261, 389, '89, 285, **'95**, 157.

Chapman, F. M., '90, 9, '96, 1, '99, 1. Cory, C. B., '91, 37, 41, 348.

Coues, E., '97, 272.

Dutcher, W., '91, 201, '94, 4. Dwight, J., Jr., '87, 232, '90, 138, '91, 290.

Eames, E. H., '89, 305. Elliot, D. G., '77, 97, '88, 288, '90, 161, '92, 218, '93, 51, 184.

Goss, N. S., '84, 163.

Hasbrouck, E. M., '89, 167, '91, 174, 369, '93, 250.

Henshaw, H. W., '78, 3, 11, '79, 134, 155, '81, 214, '84, 254.

Howe, R. H., Jr., 1900, 18.

Jeffries, W. A., '79, 103.

Lawrence, N. T., '80, 154.

Lawrence, G. N., '89, 53.

Mearns, E. A., '92, 252. Nelson, E. W., '84, 165, 1900, 120.

Oberholser, H. C., '96, 314, '97, 186, 390, **'99**, 31, 330.

Palmer, W., '98, 244, 1900, 216.

Rhoads, S. N., '93, 238, '93, 321.

Richmond, C. W., '95, 144.
Richmond, C. W., '95, 144.
Ridgway, R., '80, 138, 157, '84, 161, 239, 252, 253, '85, 165, 167, 169, 359, 363, '88, 460, '94, 145, 193, '95, 319.

Scott, W. E. D., '89, 243.

Sennett, G. B., '89, 161. Stejneger, L., '87, 30, 144, '93, 181. Stone, W., '91, 344, '96, 153. Stearns, Winfred Alden.

Capture of Northern Phalarope (Lobipes hyperboreus) in Massachusetts, '80, 122.

List of birds of Fishkill, New York (rev.), '80, 233.

Colymbus septentrionalis again on the Hudson, '80, 242.

Herodias egretta at Amherst [Mass.], **'83**, 243.

Notes on natural history of Labrador (rev.), '84, 284.

Stearns, W. A., and Coues, Elliott.

New England bird life (rev.), '81, 236-240, '83, 161-164.

Stearns's Bulletin of Massachusetts Natural History, titles (Nos. 776-782), '85, 209.

Steatornis, '81, 37, 74, '86, 449, '96, 63. caripensis. Venez. '97, 366, 371.

Steatornithæ, '81, 37, 75, '93, 67.

Steere, Joseph Beal.

Birds of Ann Arbor, Michigan (rev.), '81, 46.

Distribution of genera and species of non-migratory land birds in the Philippines, '94, 231-240 (map).

steerii (Melanopitta), see Pitta.

- (Pitta), see Pitta.

Steganopodes, '81, 30, 77, 83, '83, 232, '84, 383, '89, 333, '93, 106, '94, 337, '99, 201.

Steganopus, '84, 367, '93, 108, '96, 65, **'9**7, 126.

(a Wilson's tricolor Phalarope, b wilsoni, c Phalaropus), Ariz. '86, 386°; Colo. '85, 18b, '91, 108°; Kan. '83, 187° bis, '87, 8°; Ky. '89, 312°;

Man. '86, 151°; Minn. '80, 18b; Mont. '89, 336°, '95, 213°; N. J. '98, 268; N. Y. '84, 33b, '85, 273b, '86, 436c, '88, 177°; Ore. '79, 197°, '88, 144°; Que. '82, 238b; R. I. '80, 237b, '87, 73; S. D. '85, 286b; Tex. '87, 185c; Wyo. '83, 240a.—hbt. '76, 71a, '77, 38-43b, 75b, '89, 336c, '93, 293c; mig. '94, 110a; nst. '85, 286b, '87, 8c, '88, 144c; plm. 1900, 370° (mlt.) ;syn. '84, 367, '85, 183°, '97, 126.

Stejneger, Leonhard.

Some generic and specific appellations of North American birds (rev.), '82, 178-179.

Description of two new races of Myadestes obscurus (rev.), '83, 170.

Synopsis of the West Indian Myiadestes (rev.), '83, 170.

Outlines of monograph of the Cygninæ (rev.), '83, 231.

Dendrocopos purus, a new species of Woodpecker from Kamtschatka, '84, 35.

Contributions to the history of Commander Is., No. 1, Notes on natural history (rev.), '84, 81.

Changes in ornithological nomenclature—a reply to critics, '84, 114-120.

Notes on the genus Acanthis, '84, 145-156.

Analecta ornithologica, '84, 166-173, 225-236, 358-367, '85, 43-52, 178-188, 337-343.

Remarks on the systematic arrangement of the American Turdidæ (rev.), '84, 181.

A new subspecies of Willow Grouse from Newfoundland, '84, 369.

Use of trinomials in American ornithology (rev.), '84, 381.

Ueber einige Formen der Untergattung Anorthura (rev.), '85, 94.

A brief review of Lagopodes belonging to group Attagen (rev.), '85, 94.

Diagnoses of new species of birds from Kamtchatka and the Commander Is. (rev.), '85, 95.

Die wichtigste ornith. Publicationen aus den Vereinigten Staaten, 1883 bis 1884 (rev.), '85, 95.

Remarks on species of the genus Cepphus (rev.), '85, 294.

Results of ornith. explorations in the Commander Islands and in Kamtschatka (rev.), '85, 319, '86, 126-129.

On the alleged occurrence of the Pacific Eider in Labrador, '85, 386.

see Grieve, S., 'Great Auk' (rev.), '86, 262-265.

see Meves, W., 'die Grosse und Farbe der Augen aller Europaischen Vogel' (rev.), '86, 265.

Notes on some apparently preoccupied ornithological generic names (rev), '86, 269.

see Madarász, J. von, 'Zeitschrift fur Ornithologie' (rev.), '86, 398. see Shufeldt, R. W., 'osteology of Trochilidæ, etc.' (rev.), '86, 404.

The Standard Natural History-Birds (rev.), '86, 473.

Further notes on genus Acanthis, '87, 30-35.

see Pleske, T., 'Saugethiere und Vogel der Kola-Halbinsel' (rev.), '87, 61.

see Brooks, W. E, 'stray ornithological notes' (rev.), '87, 63.
see Brooks, W. E., 'genus Acanthis'

(rev.), '87, 63.

Review of Japanese birds (rev.), '87, 63, 249, 343, '88, 195, '89, 173, '90, 276.

The British Marsh-Tit (rev.), '87, 64. Brachyrhamphus perdix and its allies (rev.), '87, 65.

Supplementary notes on genus Acanthis, '87, 144.

Status of Synthliborhamphus wumizusume (rev.), '87, 155.

Classification of the Macrochires, '87, 170.

Notes on species of Australian genus Pardalotus (rev.), '87, 249.

Turdus alpestris and Turdus torquatus (rev.), '87, 249.

Collection of birds made by Namive ın Liu Kiu Is., Japan, with descr. of new species (rev.), '87, 250.

[Dating of] Proceedings of U. S. National Museum, '87, 270.

see Olphe-Galliard, L., 'faune ornith. de l'Europe occidentale' (rev.), **'87**, 336.

Hawks and Owls-letter (rev.), '87,

Propatagialis cucullaris, '88, 120-123. Systematic name of the Kamtschatkan and Japanese Carrion Crow (rev.), '88, 196.

Further contributions to avifauna of the Liu Kiu Is., Japan (rev.), '88, 196.

Collection of birds made by Namiye,

in the Islands of Idzu, Japan (rev.), '88, 196.

Birds of Kauai I., Hawaiian Archipelago, collected by Knudsen, with descr. of new species (rev.), '88, 196.

Notes on Psittirostra psittacea from Kauai, H. I. (rev.), '88, 197.

Revised cat, of birds of Commander Islands (rev.), '88, 197.

Notes on the northern palæarctic Bullfinches (rev.), '88, 197.

see Palmén, J. A., Bidrag till kannedomen om Sibiriska Ishafskustens fogelfauna, etc.' (rev.), '88, 306-311.

Obituary of Henry James Stovin Pryer, '88, 332.

Obituary of Modest N. Bogdanow, '88, 333-335.

The proper name for genus Melanipitta of Schlegel, '89, 79.

Type-specimen of Euryzona zonoides (rev.), '89, 173.

Notes on European Marsh-tits (rev.), '90, 275.

Notes on the European Crested Titmice (rev.), '90, 275.

Further contributions to the Hawaiian avifauna (rev.), '90, 275.

Third collection of birds made in Kauai, H. I. (rev.), '90, 275.

see Seebohm, H., 'birds of Japanese Empire,' '91, 99-101.

see Wilson, S. B., 'Aves hawaiienses,' **'92**, 63–64.

Obituary of Thomas Wright Blakiston, '92, 75.

Notes on Japanese birds in Science College Museum, Tokyo, Japan (rev.), '92, 176.

Notes on cubital coverts in Birds of Paradise and Bower Birds (rev.), '92, 176.

Supplementary remarks onPitta, '93, 181-184.

Two additions to Japanese avifauna including descr. of a new species (rev.), '93, 346.

Status of Gray Shrike collected in Yezo, Japan (rev.), '93, 346.

Notes on a third instalment of Japanese birds in Science College Museum. Tokyo, Japan (rev.), '94, 170.

Obituary of Pierre L. Jouy, '94, 262. Description of a new species of Guillemot from Kuril Is. '97, 200.

Ross's Gull (Rhodostethia rosea) on Bering I. '98, 183.

Obituary of Anders Johan Malmgren, '98, 214.

Obituary of F. G. H. A. Mosjisovics von Mojsvár, '98, 215.

Birds of the Kurile Islands (rev.), '99, 205.

Stejneger, L., and Lucas, F. A. Contributions to history of Pallas'

Cormorant (rev.), '90, 276.

Stejneger, L., and Ridgway, R.

Descr. of birds from Commander Islands and Petropaulovski (rev.), '84, 82.

stejnegeri (Chrysomitris), see Spinus.

--- (Oidemia), see Oidemia.

— (Spindalıs), see Spindalis.

— (Spinus), see Spinus. Stelgidillas, 1900, 187.

Stelgidopteryx, '93, 111, '95, 373. ruficollis (b Cotyle), Urug., mrg., nst. '83, 90b.

serripennis (a Rough-winged Swallow, b Hirundo, c Cotyle), Ala. '79, 7; Ariz. '82, 146, '88, 31, '90, 48, '94, 218^a; Cal. '86, 183, '89, 223; Colo. '83, 160, '85, 15, 141; Conn. '77, 21, '79, 119*, 1900, 389; C. R. '90, 335, '92, 22; D. C. '88, 23, '92, 307; Fla. '89, 326, '92, 213, '95, 365; Ga. '83, 39, '96, 214; III. '78, 164; Ind. '89, 26; Ky. '89, 315; La. '82, 162, '87, 302a, 304; Mass. '93, 50, '95, 392; Mich. '93, 227; Mo. '79, 143, '90, 81"; Mont. '94, 308; N. C. '86, 111, '93, 243; N. J. '94, 139; N. Y. '78, 46, 130, '79, 175, '81, 126, '89, 199, '93, 369*, '97, 408; O. '80, 233*, '89, 201; Ont. '84, 85*, '87, 248*; Ore. '88, 360; Pa. '76, 9-11b; S. C. Ore. '88, 360; Pa. '76, 9-11°; S. C. '79, 213, '90, 125, '95, 184; S. D. '85, 279; Tenn. '86, 317; Tex. '82, 12, 37, '84, 121°, '92, 340, 1900, 347; Wash. '92, 46?, 356.—hbt. '76, 9°, '77, 74°; nst. '76, 9°, 96, '82, 12, '83, 39, '86, 111, '87, 248°, 302, '88, 23, 360, '90, 81°, '93, 369°, '95, 86, 374 (mlt.) 392, '97, 408, 1900, 389; plm. '82, 146, '91, 387ª; misc. '95, 375ª.

uropygialis, Venez. '97, 364. Stelgidostomus, '98, 226*.

Stellaria, see Eniconetta.

stellaris (Botaurus), see Botaurus. - (Cistothorus), see Cistothorus. stellata (Ceryle), see C. torquata. stelleri (Cyanocitta), see Cyanocitta.

- (Cyanurus), see Cyanocitta stelleri or macrolopha.

--- (Eniconetta), see Eniconetta. - (Lampronetta), see Eniconetta. - (Polysticta), see Eniconetta.

Stellula, '93, 62.

calliope (Calliope Hummingbird, b Trochilus), Aris. '86, 431b; Cal. '87, 88^b, '97, 92; *Ida.* '97, 355; *Mont.* '83, 59, '94, 304; *N. M.* '86, 78, '92, 363b, '93, 314; Ore. '79, 195, '88, 257b; Tex. '91, 115b [not 'Trochilus heloisa']; Wash. '92, 44b.—fd. '93, 314; hbt. '77, 74, '86, 78, '88, 257b; meas., nst., plm., song, '88, 257b; syn. '91, 88, '93, 62.
Stenopsis, '86, 343.

cayennensis. W. I., meas., plm., syn. 386, 343.

Stephanophorus leucocephalus, Urug., hbt., song, '83, 90.

Stephens, Frank.

Vireo vicinior in California, '78, 42. Notes on a few birds observed in New Mexico and Arizona in 1876, **'78**, 92–94.

Nesting of Buteo zonocercus in New Mexico, '79, 189.

A California bird-wave, '83, 188. Collecting in the Colorado Desert-

Leconte's Thrasher, '84, 353-358. Notes of ornithological trip in Arizona and Sonora, '84, 225-231.

New Vireo from California, '90, 159. Notes on birds observed in the Colorado Desert in winter, '90, 296. Notes on Syrnium occidentale, '92, 392.

Notes on Cassin's Auklet, '93, 298-300.

Notes on California Vulture, '95, 81. Vernacular names, '95, 194.

Descriptions of two new subspecies of California birds, '95, 371. stephensi (Vireo), see Vireo.

- (Passerella), see Passerella.

Stephenson, Louise McGowen. [Bird protection in Arkansas], '98, 102-106, '99, 70.

Stercorariidæ (* Jaegers), '93, 106, '96,

160, 1900, 309°.

Stercorariinæ, '77, 23. Stercorarius, '77, 24, '88, 197, '98, 317. longicaudus (a Long-tailed Jaeger, b buffoni, c crepidatus), Alas. '85, 63c, 158; Arctic Am. '78, 86; B. C. 1900, 104; Cal. '95, 379; g. dist. '93, 123; Helg. '95, 341; Ill. '80, 31b; N. E. '84, 237b; Vt. '84, 97b.—hbt. '84, 237b; mig. '84, 237b, '85, 63c; syn. '82, 179, '94, 385, '96, 161a.

parasiticus (a Parasitic Jaeger, or Richardson's Skua), Alas. '85, 63, 158; Arctic Ocean, 1900, 309ª; Cal. '85, 232, '86, 88, '94, 96a; Colo. '79, 114, Fla. '89, 160, '92, 211, 214; g. dist. '93, 123; Greenl. '89, 213; Helg. '95, 341; Hud. B. '90, 320; Mass. '87, 71; N. C. '99, 249; N. E. '84, 237^a; N. F., Grand Banks, '79, 128; N. Y. '89, 125; O. '96, 171; Que. '82, 240; Siberia, '88, 197; Wash. '94, 73; W. I. '92, 289 .- fd. '87, 71, '89, 125, '96, 171; hbt. '84, 237^a, '87, 71, '89, 125, '99, 249; meas. '94, 73; mig. '84, 237^a, '85, 63, '94, 96a; plm. '80, 30 (alb.), '87, 71, '94, 73; syn. '82, 179, '88, 197 (mlt.), '96, 161.

pomarinus (a Pomarine Jaeger, or Skua), Alas. '85, 63, Cal. '95, 96a; g. dist. '93, 123; Helg. '95, 341; Hud. B. '90, 320; Ill. '76, 41, '95, 379; Mass. '83, 244a, '87, 71; N. E. '84, 237*; N. F., Grand Banks, '79, 127, 128; N. J. '79, 227; N. Y. '89, 125; Que. '82, 240.—fd. '87, 71, '89, 125; hbt. '84, 237°, '87, 71, '89, 125; mig. '84, 237°, '85, 63, '94, 96°, 97°; plm. '87, 71; syn. '84, 173.

Stereornithes, '96, 61, 62, 63.

Sterna, '77, 24, 141, '84, 144, '88, 76, **'93**. 99, **'97**, 314.

acuflavida (a Cabot's or Sandwich Tern, b cantiaca), Bahamas, '91, 351; Fla. '87, 274, 278, 279°, 282, '88, 374, '92, 211; Ga. '83, 43; Jamaica, '91, 362, '94, 120; N. E. '79, 14°; Ont. '84, 186°; Tex. '82, 225; W. I. '88, 77, '91, 46.-hbt. '87, 278; mig. '88, 374; nst. '82, 225, '83, 43; plm. '87, 278, '88, 374; syn. '78, 142^b, '84, 385, '88, 77; misc. '88, 376a. aleutica (Aleutian Tern), Alas.

'80, 33; g. dist. '93, 123.—syn. '78, 143.

anæthetus (Bridled Tern), Bahamas, '91, 80, 1900, 284; Europe, '80. 67; Fla. '86, 131; G. Br. '80, 220; Jamaica, '91, 360, '94, 119; S. C. '86, 131; W. I. '80, 107, '87, 96, '88, 77, '91, 48.—hbt. '91, 360; meas. '88, 78, '91, 361; nst. '91, 360, '94, 119; plm. '88, 77; syn. '78, 143, '88, 77, '99, 128.

antillarum (* Least Tern, b superciliosa), Argent. '84, 316b; Bahamas, '91, 80, 351, 352; Cal. '84, 294"; Colo. '94, 183; Colo. River,'77, 96?; Fla.'81, 21b, '87, 138a, 274, 277a, 278a, '88,

375, '90, 306, '92, 211; Ga. '83, 43, Jamaica, '91, 362; Kan. '86, 115; Mass. '95, 34, '97, 386, 402, '99, 259-266; Miss. '82, 94, '90, 410°; Mo. '98, 27; N. E. '79, 15; N. J. '79, 227, '90, 327; N. Y. '99, 284; Ore. '88, 141; S. D. '85, 289; Tex. 1900, 338; Va. '76, 28, '94, 259; W. I. '81, 155, '88, 79, '91, 46, 48.—hbt. '79, 15; mig. '98, 27; nst. '79, 15, '83, 43, '87, 278°, '90, 410°, '95, 34, 44°, '97, 386, 402; plm. '87, 278° (mlt.), '88, 375, '91, 387°; syn. '78, 143, '88, 79; misc. '87, 276, '97, 23.

caspia (a Caspian Tern, b imperator, c tschegrava), Cal. '81, 124; Fla. '80, 64, '92, 211c; Helg. '95, 341c; Mass. '94, 85a, Me. '80, 64; Mrch. '93, 222c; N. E. '79, 14; N. Y. '84, 34, '95, 313c, '99, 190, 193; O. '83, 62; Pa. '89, 198c, Tex. '79, 51b, 1900, 338; Va. '79, 243, '80, 64, 221-223, '81, 63.—hbt. '80, 221; meas. '80, 222, '81, 63; nst. '79, 243, '80, 221; song, '80, 221, '84, 34; syn. '78, 143, '97, 314, '99, 99.

dougalli (a Roseate Tern), Bahamas, '91, 351, 1900, 284; Fla. '88, 375, '92, 211; Helg. '95, 341; Jamaica, '91, 362, '94, 120a; Mass. '93, 336, '95, 34, '96, 47-55, '97, 278-284, '98, 76, 168-172, '99, 259-266; N. E. '79, 15; N. J. '90, 327; N. S. '95, 377, 378; N. Y. '79, 175, '85, 97a, '89, 127; R. I. '97, 204; Va. '76, 28?; W. I. '88, 78, '91, 46, 48.—hbt. '79, 15, '95, 32-48, '96, 47-55; mig. '95, 35; nst. '79, 15, '89, 127, '95, 32-48, '96, 47-55; mig. '95, 32-48, '96, 47-55; mig. '94, 244, 278-284, 383-390, '98, 168-172, '99, 259-266; plm. '88, 375 (mlt.), '95, 44, '96, 52, '97, 148; syn. '78, 142, '88, 78.

elegans (Elegant Tern), Cal. '86, 125; Ore. '91, 366 (fossil), '93, 344? (fossil); W. I. '93, 220.—syn. '78, 142.

forsteri (a Forster's Tern, b havelli), Colo. '83, 198, '85, 18; Fla. '81, 21, '87, 139, 274, 278a, '88, 375, '92, 211; Ky. '89, 311; Man. '86, 147; Mass. '89, 66; Minn. '80, 12, 20, 1900, 281a; N. E. '79, 14; N. J. '79, 227, '90, 327; Ore. '91, 366 (fossil), '93, 344? (fossil); S. D. '85, 289; Tex. '82, 225, 1900, 338; Va. '82, 126.—nst. '82, 126, 225; plm. '87, 274, 278b; syn. '78, 142, '80, 88b;

misc. '77, 75a, '88, 376a, '91, 191. fuliginosa (a Sooty Tern), Bahamas, '91, 80, 352; Conn. '77, 22, '95, 86; Europe, '80, 67, 220; Fla. '94, 120, Mass. '77, 27, 74; Me. '80, 64; N. E. '77, 44, '79, 14: N. H. '79, 195a; N. Y. '77, 75, '79, 175, '84, 59, '86, 433, '95, 70a: Revill. Is. '98, 316; Vt. '85, 210; W. I. '81, 128, 155, '88, 78.—hbt. '91, 361; meas. '86, 434, '91, 361; nst. '79, 23, '91, 361, '92, 289a, '94, 120, '98, 316; plm. '86, 433, '87, 24; syn. '78, 143, '88, 78, '98, 316, '99, 99.

hirundo (a Common or Wilson's Tern, b fluviatilis), Bahamas, '88, 77; Fla. '87, 274, 278, '88, 375, '92, 211; Greenl. '91, 319?, Helg. '95, 341; Ind. '88, 346; Jamaica, '91, 362, '94, 120; Ky. '89, 311; Man. '86, 147; Mass. '92, 304, '93, 334-336, '95, 34, '96, 47–55, '97, 278–284, 383–390, '98, 76, 168–172, '99, 259–266; *Me*. '95, 178; Mich. '93, 222; N. E. '79, 15^b; N. F., Grand Banks, '79, 128, 1900, 71; N. J. '79, 227^b, '90, 327; 1900, 71; N. J. 79, 227, 90, 327; N. S. '87, 14° [not 'Arctic Tern'], 16 [not 'paradisæa,' see '89, 186], '91, 166, '95, 377; N. Y. '84, 177°, '87, 350, '89, 126; Pa. '99, 309; P. E. I. '93, 7; Que. '89, 146; R. I. '97, 203; Va. '76, 28.—hbt. '79, 15b, '89, 126, '93, 7, '95, 34, '96, 51²; mig. '92, 304, '93, 7, '94, 16, '95, 35, '96, 51"; nst. '76, 28, '79, 15°, '89, 126, '93, 7, '95, 32-48, 178, '96, 47-55, '97, 23, 203, 278-284, 383-390, '98, 168-172, '99, 259-266; plm. '87, 274 (mlt.), 278 (mlt.), '88, 375 (mlt.), '95, 34, 44, '96, 52; syn. '78, 142b, '84, 385, '88, 77, '96, 161; misc. '80, 1921, '88, 376°, '92, 191°.

maxima (a Royal Tern, b regia), Bahamas, '91, 80, 295, 296, 351; Cal. '86, 89, '87, 329; Fla. '87, 137, 139a, 274, 278, '88, 374, '90, 306, '92, 211; Ga. '83, 43b; Ill. '95, 379; Jamaica, '91, 362, '94, 120; Mass. '76, 30b; Mich. '93, 222; Morocco, '84, 97b; N. E. '79, 14; N. J. '79, 227; S. C. '94, 85; Tex. '82, 225b, 1900, 338; Va. '76, 28b, '80, 221a; W. I. '81, 155b, '88, 76, '90, 374.—nst. '75, 28b, '80, 221a, '83, 43b, '87, 278; plm. '80, 223a, '90, 306 (mlt.), '92, 191; syn. '78, 142, '84, 385, '88, 76; misc. '88, 376.

minuta (a Little Tern), Helg. '95, 341.-nst. '97, 335a.

paradisæa (a Arctic Tern, b portlandica, e macroura, d pikii), Alas. '80, 33°, '85, 63°, 158, '87, 12; Arctic Am. '78, 86°; B. C. 1900, 104; g. dist. '93, 125; Greenl. '86, 274°, '91, 319; Helg. '95, 341; Hud. B. '90, 320; Man. '97, 281-284; Mass. '76, 30b, '93, 336, '95, 34, '96, 53, '97, 383-390, '98, 76, 168-172, '99, 259-266, Me. '90, 84*, '95, 178; N. E. '79, 15°; Neb. '96, 245?; N. F. 1900, 71; N. S. '87, 16 [= hirundo, see '89, 186], '95, 377; N. Y. '95, 70; Que. '82, 241°; Siberia, 1900, 309°.—hbt. '79, 15°, '95, 34, '96, 51°; mig. '85, 63°; nst. '79, 15°, 23°, '86, 274°, '95, 32–48, 178, '96, 47–55, '97, 205, 278– 284, 383–390, '98, 168–172, '99, 259–266; plm. '95, 44, '96, 53, '97, 148; syn. '76, 31^b, '78, 142^c, '84, 385, '88, 78, '96, 161; misc. '82, 242^d, '83, 48b.

(b cantiaca), sandvicensis '95, 341b.—syn. '78, 142b, '96, 161b; misc. '97, 247b.

trudeaui (Trudeau's Tern), N. Y. '95, 70.—syn. '78, 143.

sterna (Larus), see Sterna hirundo. Sterninæ (* Terns), '78, 140-144, '79, 111a, '86, 272a, '87, 341a, 1900, 53a, 56a, 95a, 199a, 200a.
Sternula, '78, 141.

Stevenson, Henry.

Obituary of, '89, 79. Sthenelus, '83, 231, '84, 235.

Stickney, Jenny H., and Hoffmann, R.

Bird world (rev.), '99, 92. stictipennis (Ceryle), see Ceryle. stictoptera (Ceryle), see Ceryle.

Stictospiza, '91, 92. stictothorax (Eucometis), see Eucome-

Stilt, Black, see Himantopus mexicanus. Black-necked, see Himantopus mexicanus.

Stilts, see Recurvirostridæ. stimpsoni (Turtur), see Turtur.

Stint, Little, see Tringa minuta. Long-toed, see Tringa damacensis. stolida (Sterna), see Anous.

- (Tyrannula), see Mylarchus. stolidus (Anous), see Anous.

- (Kaupornis), see Myiarchus. --- (Megalopterus), see Anous.

---- (Myiarchus), see M. stolidus, dominicensis or sagræ.

— (My10bius), see Myiarchus.

Stone, Clarence Freedom.

Rare occurrences in Yates Co., N. Y. '99, 284.

Stone, Witmer.

A migration of hawks at Germantown, Pa. '87, 161.

Helminthophila leucobronchialis Pennsylvania, '88, 115.

Sylvania mitrata at Germantown, Pa., in November, '88, 116.

Abnormal Scarlet Tanager, '88, 322. Graphic representation of bird migration, '88, 89, 139-144.

Catalogue of Muscicapidæ in Academy of Natural Sciences, Philadelphia (rev.), '89, 330.

On Pratincola salax and allied spe-

cies (rev.), '89, 331. elaware Valley Delaware Ornithological Club, '90, 298, '91, 244.

Bird waves and their graphic representation, '91, 194-198.

Birds collected in Yucatan and southern Mexico (rev.), '91, 303.

Catalogue of Owls in Academy of Natural Sciences of Philadelphia (rev.), '91, 303.

The genus Psilorhinus (rev.), '91,

Revision of species of Molothrus allied to M. bonariensis, '91, 344-347, '92, 202.

Summer birds of Harvey's Lake, Luzerne Co., Pennsylvania (rev.), '92, 176-177.

Winter birds of Cape May, New Jersey, '92, 203.

Birds collected by West Greenland expedition (rev.), '92, 282.

Catalogue of the Crows, Birds of Paradise, and Orioles in Academy of Natural Sciences of Philadelphia (rev.), '92, 282.

Sharp-tailed Finches of New Jersey coast, '93, 85.

Hybrid sparrow (Zonotrichia albicollis + Junco hyemalis), '93, 213 (col. pl.).

Additional specimen of Labrador Duck, '93, 363.

Summer birds of pine barrens of New Jersey, '94, 133-140.

Capture of Ceryle torquata at Laredo, Texas. A species new to the United States, '94, 177.

Summer birds of the Pocono Mts., Pennsylvania, '94, 182.

Revision of genus Anous (rev.), '94, 317.

Review of old world Rallinæ (rev.), '94, 317.

see Abbott, C. C., 'birds about us' (rev.), '95, 67-69.

Birds of eastern Pennsylvania and New Jersey (rev.), '95, 170.

Priority of names Calliste, Aglaia, and Calospica, and their use in ornithology (rev.), '95, 385.

Revision of North American Horned Owls with description of a new subspecies, '96, 153-156.

Some questions of nomenclature, '96. 183-190.

Moulting of birds with special reference to plumages of the smaller land birds of eastern America (rev.), '96, 240-243.

List of birds collected in North Greenland by Peary expeditions (rev.), '96, 243.

Golden Eagles in Virginia, '96, 256. Breeding of Goshawk in Pennsylvania, '97, 317.

Spring molt in Spinus pinus, '97, 320. Breeding of Sitta canadensis in Pennsylvania, '97, 324.

Rare birds in vicinity of Philadelphia, '97, 326.-error, see Fowler, H. W. Genus Sturnella (rev.), '98, 70.

Proper name for Western Horned Owl of North America (rev.), '98, 71.

[Bird protection in Pennsylvania and New Jersey], '98, 92-94.

Wilson's Phalarope (Steganopus tricolor) at Ocean City, N. J. '98, 268.

McKay's Snowflake (Plectrophenax hyperboreus) at Bethel, Alaska, '98,

see Chapman, F. M., 'birds of Jalapa and Las Vigas' (rev.), '98, 279. see Hornaday, W. T., 'destruction

of rare birds and mammals' (rev.), '98, 280.

Antrostomus carolinensis devouring other birds, '98, 330.

Dendroica kirtlandii in Pennsylvania: —a correction, '98, 331.

Report of the A. O. U. committee on protection of North American birds, '99, 55-74, 1900, 51-58.

Octheca frontalis and Cardinalis granadensis, '99, 78.

Proper name for Macgillivray's Warbler, '99, 81.

Some Philadelphia ornithological col-

lections and collectors, 1784-1850, '90, 166-177.

A study of type specimens of birds in Academy of Natural Sciences of Philadelphia, with history of collection (rev.), '99, 290.

Hints to young bird students (rev.), **'99**, 303.

Winter plumages:—illustrated Rose-breasted Grosbeak (Zamelodia ludoviciana), '99, 305-308 (col. pl.).

Collection of birds from vicinity of Bogota, with review of South American species of Spectyto and Troglodytes (rev.), '99, 369.

New species of Coccyzus from St. Andrews (rev.), '99, 369.

Proper function of binomials and trinomials, '99, 374-376.

Breeding of Little Black Rail (Porzana jamaicensis) at Raleigh, North Carolina, 1900, 171.

Breeding of Little Black Rail (Porzana jamaicensis) in New Jersey in 1844 and 1845, 1900, 172.

An interesting bit of manuscript, 1900, 179.

Summer moulting plumage of certain Ducks (rev.), 1900, 183.

New race of Short-eared Owls (rev.), 1900, 184.

Report on birds and mammals obtained by McIlhenny expedition to Pt. Barrow, Alaska (rev.), 1900, 310.

Stonechat, see Pratincola rubicola; references = Saxicola American cenanthe.

stoneyi (Parus), see Parus.

Stoparola thalassinoides, Borneo, syn. '90, 353.

Storks, see Ciconiidæ.

Storm-bird, see Parus bicolor.

Streets, Thomas Hale.

Description of a new Duck from Washington Island, '76, 46.

Contributions to natural history of Hawaiian and Fanning Is. and Lower California (rev.), '78, 80.

strenua (Callipepla), see C. squamata. strenuus (Sylochelidon), see Sterna caspia.

-(Vireo), see Vireo.

strepera (Anas), see Chaulelasmus. streperus (Acrocephalus), see Acrocephalus.

- (Chaulelasmus), see Chaulelasmus. Strepsilas, see Arenaria.

```
striata (Dendroica), see Dendroica.
—— (Drymophila), see Drymophila.
—— (Enicornis), see Enicornis.
- (Melospiza), see Melospiza.
  - (Muscicapa), see Dendroica.
 --- (Sylvia), see Dendroica.
  — (Sylvicola), see Dendroica.
  — (Tanagra), see Tanagra.
striaticeps (Arremonops), see Arremo-
       nops.
    -(Embernagra), see Arremonops.
 —— (Synallaxis), see Synallaxis.
striaticollis (Euscarthmus), see Eus-
       carthmus.
 -- (Phacellodomus), see Phacellodo-
striatigularis (Dendrornis), see Den-
       drornis.
striatipectus (Synallaxis), see Synal-
       laxis.
striatulus (Accipiter), see Accipiter.

    (Astur), see Accipiter.

striatus (Centurus), see Chloronerpes.
-- (Chloronerpes), see Chloronerpes.
   - (Dendrortyx), see D. macrourus.
 — (Picus), see Centurus.
--- (Rallus), see Rallus.
  --- (Rhimamphus), see Dendroica.
--- (Zebrapicus), see Chloronerpes.
stricklandi
            (Cittocincla), see Citto-
       cincla.
 — (Copsychus), see Cittocincla.
--- (Dryobates), see D. arizonæ.
---- (Lophostrix), see Lophostrix.
--- (Loxia), see Loxia.
—— (Picus), see Dryobates arizonæ.
  — (Puffinus), see P. fuliginosus.
stridula (Strix), see Syrnium aluco.
stridulus (Heleodytes), see Heleodytes.
strigata (Otocoris), see O. strigata or
       merrilli.
strigatus (Chondestes), see Chondestes.
Striges (* Owls), '78, 77, 78, '79, 1114, '81, 30, 37, 74, 76, 83, 194*, '83, 48*, 175*, 236*, '87, 277*, 283*, 338*, 341*, '91, 303*, '93, 109*, 199*,
    '95, 176, 318a, '97, 396a, '99, 363a,
    1900, 53<sup>a</sup>, 95<sup>a</sup>, 102<sup>a</sup>, 111<sup>a</sup>.
strigiceps (Brachyspiza), see Brachy-
       spiza.
    · (Zonotrichia), see Brachyspiza.
Strigidæ, '78, 78, '81, 77, '82, 87, 1900,
strigilata (Drymophila), see Drymo-
      phila.
strigilatus (Trogon), see T, viridis.
Striker, Big, see Sterna hirundo.
  Little, see Sterna antillarum.
Stringopidæ, '81, 76.
```

```
Stringops, '82, 88.
 Strix, '77, 64, '78, 78, '86, 463, '93, 99,
    '94, 233, 1900, 65.
       dominicensis, '83, 95*, see glau-
    cops.
      flammea, Helg. '95, 329.—anat. '82,
    87, syn. '78, 78.
       furcata, W. I. '86, 464, 502, '92,
    127, 272, 276, '94, 124.—hbt., nst. '92,
    127; meas., syn. '84, 464; plm. '86,
    464, 1900, 287.
       glaucops (b dominicensis), W. I.
   '83, 95b*, '86, 465.—meas., plm., syn.
    '86, 465.
       guatemalæ, C. R. '92, 327.
      nigrescens, W. I., meas., plm. '86,
   464; syn. '79, 49, '86, 464.
      perlata (b Aluco flammeus), Ar-
   gent., fd., nst. '84, 29b; anat. '82, 87.
      pratincola (a American Barn Owl,
                        e Aluco americanus),
   b americana,
   Aris. '86, 423; Bahamas, '86, 464, '91, 75, 294, 1900, 287; Cal. '86, 93b, '90,
   82a, '96, 117; Canada, '83, 122c;
   Conn. '92, 202, '93, 207; D. C. '88,
   20, '95, 180; Fla. '88, 271, '89, 248,
   '92, 212, 216, '95, 364; Ga. '83, 41°;
   Ill. '95, 395a; Ky. '89, 313; L. Cal.
   '95, 138; Mass. '90, 205; Md. '93,
   372; Me. '77, 28 [error, see '82, 58°];
   '83, 165°?; Mich. '99, 77; Minn.
   '84, 246°; Mo. '85, 210°, '85, 210°;
   N. C. '93, 243; Neb. '85, 284°; N. J.
   '86, 485, '89, 303; N. Y. '78, 132b,
   79, 61<sup>b</sup>, 175<sup>b</sup>, '86, 439, '88, 180, '90, 90, 400, '91, 114, '93, 90, 275, 301, '95, 393, '99, 85, 1900, 70, 177; O. '79, 62<sup>b</sup>, '83, 172<sup>c</sup>, '85, 210<sup>a</sup>, 301<sup>a</sup>,
   '79, 62°, '83, 172°, '85, 210°, 301°, '87, 339°, '95, 191; Ont. 1900, 177; Pa. '97, 374–383, '99, 311; R. I. '89, 184°; S. C. '79, 210°, '85, 192°; S. D. '85, 284°?; Tex. '82, 172°, '87, 189, '92, 234, 1900, 343; Vt. '94, 253; Wash. '92, 43.—fd. '86, 439, '88, 271, '97, 374, '99, 85; hbt. '83, 234°, '86, 93°, '96, 117, '97, 374–383; meas. '83, 234°, '94.
   '97, 374-383; meas. '83, 234°, '94, 253; nst. '82, 172°, '83, 41°, 175°,
   234°, '86, 93°, 439, '88, 20, '92, 216, 288°, '93, 372, '95, 138, 180, '96, 117,
   '97, 374; plm. '97, 374, 378; syn. '78,
   78ª, '86, 464; misc. '85, 101ª, 1900,
   200ª.
Struthio, '81, 8, 83, '93, 99.
      camellus (a Ostrich), misc. '92, 95a,
   101ª.
```

Struthioformes, '88, 191.

(fossil egg).

Struthiolithus chersonensis, '98, 338

Struthiones (a Ostriches), '81, 30, 82, 83, 108, 162, 202a, '82, 47, '86, 270a, '87, 337a.

Sturnella, '84, 68, '86, 222, '88, 413, '98, 70.

alticola, Mex., meas. 1900, 266*. hippocrepis, W. I. '86, 222, '90, 192, '91, 294, '92, 272.—meas., syn. '86, 222; plm. '86, 222, '91, 189 (alb.).

defilippii, Urug., hbt. '83, 136.

hoopesi (Rio Grande Meadow Lark, b mexicana), Ariz. '85, 198b; C. R. '92, 250b; Fla. '88, 273b, '89, 320b, '92, 213b?; g. dist. '99, 113, 342; Tex. '78, 152b, '80, 90b,—meas. '88, 273b, nst. '89, 329b; plm. '88, 273b, '89, 320, '99, 342; syn. '98, 70, '99, 113, 342.

inexpectata (b mexicana), C. R. '90, 334b; Honduras, '89, 172.—syn. '90, 192b.

magna (a Meadowlark, b ludoviciana), Ala. '79, 9; Conn. '95, 302; D. C. '88, 22; Fla. '91, 138?, '95, 365; Ga. '82, 99a, '96, 213; G. Br. '80, 73; g. dist. '93, 133; Ia. '80, 53, '95, 121, 236; Ill. '78, 164; Ind. '89, 24; Kan. '94, 215°; Ky. '89, 314; La. '82, 163, '87, 302°; Man. '86, 453, '93, 50°; Mass. '84, 6^a, '88, 388^a, 389, '89, 44, '98, 76; Mich. '93, 225; Minn. '84, 245°; Miss. '82, 92; Mo. '79, 145°, '95, 219°, 221°, '96, 222, 258; N. B. '82, 176°, '85, 266°; N. C. '86, 106, 179a, 310a, 314, '87, 242; N. J. '79, 82a, '83, 126, '92, 204, '94, 138; N. S. '85, 266a; N. Y. '79, 36, '81, 230, '82, 188, '85, 250, '89, 203, '93, 53a, '95, 188, '85, 250, '89, 203, '93, 53a, '95, 313; O. '95, 242; Ont. '83, 144a, '88, 211, '90, 80; Pa. '89, 142*, '92, 136, '93, 37, 39, 43, 44, '96, 283, 294; P. E. I. '85, 266* ?; S. C. '79, 215, '87, 76*, '92, 30*, 38*, '94, 35*, '99, 198; Tenn. '86, 318, Tex. '82, 166, '87, 290, '92, 237, 1900, 345; Vt. '83, 182, '95, 311a; Wis. '82, 188.—fd. '88, 211, '96, 336a, '97, 421a; hbt. '82, 166; meas. '88, 273; mig. '80, 152a, '87, 342°, '88, 211, '89, 142°, 175°, 203, '92, 30a, 38a, '94, 35a, 103a, '95, 121, 236, 242, '99, 144^a, 198; nst. '90, 84^a; plm. '76, 22 (alb.), '83, 785, 250, '90, 199, '96, 258, 1900, 305a, 403a; syn. '81, 170a, '90, 192; misc. '80, 12a, '87, 188a, '90, 82a, 1900, 110ª.

meridionalis, Venez. '97, 364.

(* Western neglecta Lark), Arız. '87, 22, '90, 49, 257; Cal. '86, 181, 453, '89, 220, '98, 234°, 1900, 305; Colo. '79, 94, '80, 230, '81, 139, '83, 193, '85, 13, 16, 142, '87, 124, '95, 153°; g. dist. '93, 134; Ia. '80, 53; Ida. '98, 14; Ill. '80, 53, '90, 76; L. Cal. '95, 140; Man. '86, 322; Mass. '98, 333?; Mich. '79, 123, '80, 54, '95, 192; Minn. '80, 15, 53; Mo. '96, 258; Mont. '82, 62, '88, 15², '94, 305, '95, 215; Mo. River, '95, 2292; N. M. '92, 364, '98, 309; Ore. '79, 165, '86, 162, 167, '88, 262; S D. '85, 282; Tex. '82, 40, '87, 290, '92, 237, 1900, 345; Wash. '81, 128, '82, 227, '92, 355, '97, 177, 1900, 244; Wis. '95, 302.—anat. '88, 329, 413; fd. '92, 237; nst. '80, 15, 230, '87, 290; song, '80, 230, '81, 145-150, '90, 199ª, '94, 70°, '95, 229°, '96, 29, 258, '98, 56, 1900, 305, 403; syn. '90, 77, 192, '98, 70, 1900, 305.

Sturnia, '94, 233.

Sturnidæ, '81, 31, 35, 1900, 189.

Sturniformes, '91, 90,

Sturnus vulgaris (a Starling), Helg. '95, 324; N. Y. (introduced), '98, 55, '99, 192, 295a; Mass. (introd.). '99, 85.—fd. '97, 9, 13a, '98, 56, '99, 295a; hbt. '83, 236, '98, 55; misc. '96, 252a, '97, 105a, 1900, 397a.

Sturtevant, Edward.
Seaside Sparrow (Ammodramus maritimus) at Middletown, R. I. '97,

322. Carolina Wren breeding in Rhode

Island, '99, 284. Sturtevant, E., and Howe, R. H., Jr.

see Howe and Sturtevant. Stuttering-bird, see Ægialitis wilsonia. stygius (Asio), see Asio.

---- (Nyctalops), see Asio.

— (Otus), see Asio.

subalaris (Amblyornis), see Amblyornis. subarcticus (Bubo), see B. arcticus or pacificus.

—— (Pelidna), see Tringa ferruginea. —— (Tringa), see T. ferruginea.

subarquatus (Ancylochilus), see Tringa ferruginea.

subbuteo (Falco), see Falco.

subcærulea (Ictinia), see I. mississippiensis.

subcæruleus (Psittovius), see Brotogeris jugularis.

subcinerea (Tanagra), see Tanagra. subcristata (Serpophaga), see Serpophaga. (Siptornis), see Synallaxis.

— (Synallaxis), see Synallaxis.

subcristatus (Lophotriccus), see Lophotriccus.

subelegans (Melanerpes), see Centurus terricolor.

subflavescens (Cyclorhis), see Cyclor-

subfurcatus (Cypselus), see Cypselus.
——(Micropus), see Cypselus.

subis (Hirundo), see Progne.

— (Progne), see P. subis or hesperia. Sublegatus glaber, Venez. '97, 365. subleucoptera (Hydrochelidon), see H.

leucoptera. submaculatus (Pipilo), see P. maculatus. submexicanus (Colaptes), see C. mexi-

canoides.

subpagana (Elænia), see Elænia. subrufescens (Momotus), see Momotus. subruficollis (Tringa), see Tryngites.

— (Tryngites), see Tringa.

Subspecies (new), see New Species. subulatus (Todus), see Todus.

subvirgatus (Ammodramus), see A. subvirgatus.

subviridis (Muscicapa), see Empidonax virescens.

Suchetet, André.

Oiseaux hybrides (rev.), '92, 382, '95, 384.

Des hybrides à l'état sauvage (rev.), '97, 424.

Sucker, see Colaptes auratus or luteus. suckleyi (Æsalon), see Falco.

—— (Cerorhina), see Cerorhinca monocerata.

(Chimerina), see Cerorhinca monocerata.

--- (Falco), see Falco.

— (Larus), see L. brachyrhynchus. suecica (Cyanecula), see Cyanecula. Sula, '84, 144, '85, 96, '88, 71, '93, 99, '94, 337, 339.

bassana (a Gannet), Engl. '85, 98a; g. dist. '88, 129-135a, 278a, 282a, '93, 125; Helg. '95, 327; N. Am., W. coast, '77, 96?; N. S. '79, 128; N. Y. '80, 190, '81, 235, '83, 175 [not 'Graculus carbo' see '83, 178]; Que. '82, 240, '84, 380, '89, 146.—anat. '91, 386; nst. '88, 129-135a, '89, 146; plm. '91, 387a.

brewsteri (a Brewster's Booby), L. Cal. '88, 241a, 242a, '89, 67; Revill. Is. '98, 314, 316, 317a,—hbt., plm. '89, 67; meas. '88, 243; nst. '88, 242, '98, 314.

cyanops (a Blue-faced Booby or

Gannet, b dactylatra), Jamaica, '91, 363; Revill. Is. '98, 314, 316, 317; W. I. '81, 155, '88, 71, '89, 31, 32.—anat. '91, 386; meas., syn. '88, 72; nst. '98, 314, 317; plm. '88, 72, '91, 386.

gossi, '88, 241*, see nebouxii. nebouxii (Blue-footed Booby, b gossi), Galap. Is. '90, 273b; L. Cal. '88, 241b*, '89, 67b.—meas., nst. '88, 242b; plm. '89, 67b; syn. '97, 124, 232.

piscator (a Red-footed Booby, or Cory's Gannet, b coryi), Bahamas, '91, 386's; Jamaica, '91, 362; W. I. '87, 181, 181, '88, 72.—anat. '91, 386's; meas., syn. '88, 73; plm. '88, 72, '91, 387".

sula (Booby or Booby Gannet, b fiber, c leucogastra, d fusca), Cal. '77, 96b?; Fla. '90, 307; g. dist. '93, 141; Jamaica, '91, 363; Mass. '79, 191b; N. E. '76, 72b, '77, 14b, 46b, N. Y. '93, 270; W. I. '80, 169b, '81, 155d, '88, 72, '92, 229—anat. '91, 386; meas., plm. '88, 72; syn. '80, 178c, '88, 72.

websteri, Revill. I. '98, 287, 314, 316, 317.—fd. '98, 316, hbt. '98, 314; 317.

sula (Dysporus), see Sula.

— (Pelecanus), see Sula.

— (Sula), see Sula. sulcirostris (Crotophaga), see Crotophaga.

sulfurascens (Sciurus), see Seiurus. Sulidæ (* Gannets), '77, 64*, '93, 78*, 106, '94, 337.

sulphurascens (Henicocichla), see Seiurus noveboracensis.

— (Seiurus), see S. noveboracensis.

— (Tyrannus), see Tyrannus. sulphuratus (Pitangus), see Pitangus. sulphurescens (Rhynchocyclus), se

Rhynchocyclus. sulphureus (Myiozetetes), see Myozetetes.

sulphurifera (Synallaxis), see Siptornis. Sultana, see Ionornis martinica.

sumatrana (Myrtha), see Syrnium myr-

sumatranus (Coracias), see Corydon.

—— (Corvus), see Corvus. sumichrasti (Aphelocoma), see Aphelocoma.

(Arremonops), see Arremonops.
(Catherpes), see Hylorchilus.

—— (Embernagra), see Arremonops. —— (Hylorchilus), see Hylorchilus.

- (Platypsaris), see Platypsaris.

Sundevall, Carl Jacob.

Tentamen [Nicholson's translation, 1889] (rev.), '91, 227.

sundevalli (Certhiola), see C. dominicana?.

Sunny South Oologist (magazine), titles (Nos. 1487-1507), '90, 79.

superba (Menura), see Menura. superbus (Cardinalis), see Cardinalis. superciliaris (Centurus), see Centurus.

--- (Colaptes), see Centurus.

--- (Eumomota), see Eumomota.

—— (Habrura), see H. pectoralis.

—— (Leistes), see Leistes.

— (Leptopogon), see Leptopogon.

-- (Picus), see Centurus.

--- (Rallus), see Porzana flaviventris.

— (Sterna), see S. antillarum.

- (Thryophilus), see Thryophilus.

--- (Vireo), see Vireo.

—— (Zebrapicus), see Centurus. superciliosa (Aimophila), see Aimo-

phila.

(Ceryle), see Ceryle.

- (Cyanocitta), see Aphelocoma californica.

— (Dendroica), see D. dominica.

- (Parra), see Metopidius indicus. superciliosus (Colaptes), see Centurus superciliaris.

- (Myiozetetes), see M. texensis.

--- (Phylloscopus), see Phylloscopus

- (Trochilus), see Glaucis hirsuta.

- (Tyrannus), see Myiozetetes texensis.

Surber, Thaddeus.

Capture of Golden Eagle at Covington, Virginia, '94, 77.

Two species new to list of birds found in West Virginia, '98, 61.

Surf Bird, see Aphriza virgata.

surinam (Hydrochelidon), see H. surinamensis.

surinamensis (Certhia), see Cœreba cærulea.

- (Hydrochelidon), see Hydrochelidon.

— (Pelodes), see Hydrochelidon. — (Sterna), see Hydrochelidon.

Surnia caparoch (a American Hawk Owl, b hudsonia, c funerea, d ulula), Alas. '81, 6a, '84, 79d; Cal. '90, 215d; D. C. '90, 91 [Asio accipitrinus, 10, 10, 10] see '90, 400]; G. Br. '80, 74; g. dist. '93, 126; Hud. B. '90, 322; Man. '86, 155, 329; Mass. '85, 220°, 383, '88, 390; Me. '77, 78°, '85, 96°, '86, 272°; Minn. '84, 246°; Miss. '85, 31°; Mont. '94, 311. N. P. '96, 323°, 37 '94, 301; N. B. '86, 272a; N. E. '85,

108^a; N. H. '86, 272^a, N. Y. '78, 54^b, 232°, '83, 174^b, '93, 275, '95, 181, '99, 195; Ont. '84, 85°; Que. '82, 237°; Vt. '86, 272a; Wis. '91, 107.-mig. '83, 245a, '85, 108a; nst. '91, 107; syn. '80, 67°, 178°, '84, 362°, misc. '83, 5 (fig.), '97, 396° (fig.).

ulula (Hawk Owl, b nisoria), Alas. '78, 38, '80, 91, '84, 79, '88, 410; G. Br. '80, 74; Helg. '95, 330.—mig. '87, 156b; nst. '89, 329; syn. '80, 67, '84,

Surniculus, '94, 234, 235.

susurrans (Dendrocolaptes), see Dendrornis.

- (Dendrornis), see Dendrornis.

Swain, John Merton.

Prairie Horned Larks nesting in Maine, 1900, 387.

Swainson, William.

[Letter to J. J. Audubon], '98, 11-13.

swainsoni (Buteo), see Buteo.

- (Circus), see Circus.

--- (Gampsonyx), see Gampsonyx.

--- (Helinaia), see Helinaia.

--- (Helminthotherus), see Helinaia.

--- (Helmitherus), see Helmaia.

--- (Helonæa), see Helinaia. --- (Hylocichla), see Hylocichla.

--- (Momotus), see Momotus. - (Ornismya), see Sporadinus elegans.

---- (Ptilopus), see Ptilopus.

---- (Sylvia), see Helinaia.

—— (Turdus), see Hylocichla. --- (Vireo), see V. gilvus.

— (Vireosylvia), see Vireo gilvus. Swallow, Alaskan Barn, see Hirundo

[unalaschkensis =] erythrogaster. American Bank, see Clivicola riparia. American Barn, see Hirundo erythrogaster.

Bahaman, see Callichelidon cyaneoviridis.

Bank, see Clivicola riparia.

Barn, see Hirundo erythrogaster.

Cave, see Petrochelidon fulva.

Chimney, see Chætura pelagica. Cliff, see Petrochelidon lunifrons.

Crescent, see Petrochelidon lunifrons.

Cuban Cliff, see Petrochelidon fulva. Eave, see Petrochelidon lunifrons. European, see Hirundo rustica. European Chimney, see Hirundo rus-

Golden, see Tachycineta euchrysea. Great Blue, see Progne dominicensis. Rough-winged, see Stelgidopteryx serripennis.

Sand, see Clivicola riparia.

Saw-winged, see Stelgidopteryx serripennis.

Sea, see Sterna hirundo.

Tree, see Tachycineta bicolor.

Violet-green, see Tachycineta thalassina.

White-bellied, see Tachycineta bicolor.

White-breasted, see Tachycineta bicolor.

Swallow, C. W.

Bird notes from Clatrop Co., Oregon, '91, 396.

Swallows, see Hirundinidæ.

Swamp-angel, see Hylocichla mustelina. Swamp-robin, see Hylocichla ustulata or mustelina.

Swan, American, see Olor columbianus. Common, see Olor columbianus. Trumpeter, see Olor buccinator. Whistling, see Olor columbianus. Whooping, see Olor cygnus.

Swann, H. Kirke.

A concise handbook of British birds (rev.), '96, 328.

Swans, see Cygninæ.

Sweden.

Dalgleish, J. J., '80, 69, 72, 74, 143, 145, 147, 149, 215-216, 221.

Sweeper, Chimney, see Chætura pelagica.

Swift, Black, see Cypseloides borealis. Cayenne, see Panyptila cayennensis. Chimney, see Chætura pelagica.

Cloud, see Cypseloides niger.

European, see Cypselus apus.

Northern Rufous-collared, see Cypselus griseifrons.

Palm, see Cypselus phœnicobius. Pied, see Aeronautes melanoleucus. Vaux's, see Chætura vauxii.

White-collared, see Hemiprocne zon-aris.

White-throated, see Aeronautes melanoleucus.

Swift, Edward.

Capture of Brown-headed Nuthatch near Elmira, N. Y. '88, 432.

Swifts, see Cypseli.

Swinburne, John.

Breeding of Evening Grosbeak (Coccothraustes vespertina) in White Mts. of Arizona, '88, 113.

Occurrence of Chestnut-collared Longspur (Calcarius ornatus) and Maccown's Longspur (Rhyncophanes maccownii) in Apache Co., Arizona, '88, 321.

Nest and eggs of Regulus calendula, '90, 97.

Swiss Cross (magazine), '87, 175. Switching-neck, see Ardea ruficollis. Switzerland.

Dalgleish, J. J. '80, 68, 143, '81, 63. Sycalis, see Sicalis. syguapa (Otus), see Asio stygius. Sylvania, see Wilsonia.

sylvatica (Geotrygon), see G. cristata. sylvestris (Meleagris), see M. fera. Sylvia, '83, 100, '86, 405.

atricapilla, Heig. '95, 332. curruca, Helg. '95, 332. nisoria, Helg. '95, 332. orpheus (a Pettichaps), Helg '95, 332.—hbt. '97, 412a.

cinerea, *Helg.* '95, 332. Sylvicola, see Compsothlypis.

Sylviidæ, '81, 28, 34. Sylviinæ, '83, 100.

sylvioides (Sittasomus), see Sittasomus. Symphemia, '82, 245, '87, 316, '93, 108.

inornata (Western Willet, b semi-palmata), Cal. '84, 393b, '87, 91b; Colo. '83, 198b, '85, 18b; Fla. '88, 185, '89, 158, '92, 212; Ga. '96, 215; g. dist. '87, 145*, '88, 395, '93, 134; Man. '87, 152b; Mont. '94, 302, '95, 213; Ore. '88, 145; S. D. '85, 286b; Tex. 1900, 341.—meas. '87, 146; syn. '88, 423, '97, 103, '99, 230.

semipalmata (a Willet, b Totanus), Bahamas, '91, 76, 297, 351, '92, 48, 1900, 286; Del. '85, 298; Europe, '80, 147b; Fla. '81, 18b, 19b, '87, 137a, 138a, '88, 185a, '89, 158, '91, 133a, 137, '92, 212; France. '77, 107; Ga. '83, 42; g. dist. '93, 133; Ill. '96, 180; Ind. '98, 62; Jamaica, '92, 14; Ky. '89, 312; La. '97, 288; Mass. '96, 88; Minn. '80, 18b; N. C. '80, 134a; N. E. '83, 162a, 163a; N. J. '79, 225b, '90, 328; Sweden, '77, 107; Tex. '82, 222b; Va. '76, 26b; Vt. '92, 149; W. —hbt. '80, 181b, '90, 374, '91, 47, —hbt. '80, 181b, '90, 388, '93, 293, 293, '98, 62; meas. '87, 146, 1900, 286; mig. '80, 134a; nst. '76, 26b, '81, 18b, 19b, '83, 42, '85, 298, '90, 328; plm. '81, 19, '87, 146, 1900, 286, 370 (mlt.), syn. '87, 146, 316, '88, 424, '99, 230b.

Synallaxis albescens, Urug. '83, 207; Venez. '99, 365.—hbt., nst., song, '83, 207.

'81, 18b, 38a, '88, 271, '89, 248, 275,

385

carri, Trinidad, '97, 363. cinnamomea, Braz. '91, 26. coryi, Venez., meas. '88, 458*. fuliginosa, Colom. '88, 459. griseiventris, Braz. '90, 382. guianensis, Braz. '91, 26. hudsoni, Urug., hbt. '83, 209. maluroides, Urug., nst., song, '83, 208. mustelina, Braz. '91, 26. phryganophila, Urug., nst. '83, 207. pudica, Nicar. '95, 20. rutilans, Bras. '91, 26. sordida, Urug., nst. '83, 208. striaticeps, Urug., hbt. '83, 208. striatipectus, Venez. 1900, 185. subcristata (b Siptornis), '97, 365b, 369b.—syn. '97, 369b. sulphurifera, Urug. '83, 208. syndactyla (Bleda), see Bleda. Synonymy and Nomenclature. Allen, J. A., '84, 338, '90, 1, '96, 187, 191, '98, 298, '99, 46, 338. Brewster, W., '97, 80. Cooke, W. W., '84, 242. Coues, E., '77, 29, '78, 140, '80, 95, '84, 49, 140, '84, 320, '97, 39. Elliot, D. G., '98, 294, '99, 38, '99, 226. Gill, T. N., '99, 20. Hoffman, W. J., '85, 7. Ingersoll, E., '83, 72. Merriam, A. C., '84, 36. Miller, G. S., Jr., '97, 427. Oberholser, H. C., '96, 190. Richmond, C. W., '99, 323, 325, 1900, Ridgway, R., '79, 129, '80, 36, 77. Stejneger, L., '84, 114, 145, 166, 225, 358, '85, 43, 178, 377. Stone, W., '96, 183. Synthliboramphus, '80, 127. antiquus (Ancient Murrelet), Alas. '85, 159, '95, 270-278; Cal. '96, 168, '98, 197; g. dist. '93, 125; Wash. '93, 16; Wis. '84, 98-100, '85, 388.-hbt. '95, 270-278; meas. '84, 99, '95, 278; nst, '95, 270, 272, 274; plm. '84, 99, '87, 155; song, '95, 270, 275; syn. '84, 386, '88, 401.

'91, 137, '92, 212, '95, 364; Ga. '96, 212; La. '88, 324, '92, 205; S. C. '91, wumizusume, syn. '87, 155, '88, Synthliborhamphus, see Synthliboram-

240; Tex. '86, 281, '92, 234, '99, 291c, 341c, 1900, 343c,—hbt. '91, 130; meas. '99, 342c; plm. '80, 178b, '99, 291c; song, '81, 38a, '91, 130; syn. '99, 291°, 341°; misc. '89, 275. aluco (b Strix), Helg. '95, 329; syn. 1900, 66^b. caurinum (Northern Spotted Owl), g. dist., syn. '99, 109; Wash., meas. '98, 40*. maingayi, misc. '88, 201. myrtha, Borneo, meas., plm., syn. nebulosum (a Barred Owl, b Strix), Cal. '77, 94 [occidentale?]; Colo. 1900, 298; D. C. '88, 20; Europe, '80, 66^b; g. dist. '93, 133; Ind. '82, 18ª, 21b, '88, 350; Ky. '89, 313; Man. '86, 155, 329; Mass. '85, 100°, 389; Me. '82, 150°; Mich. '93, 224; Minn. '84, 246°; Mo. '79, 146, '96, 222; N. B. '84, 88; N. C. '86, 103, 104; N. J. '79, 85°, '90, 328; Norway, '80, 74; N. Y. '79, 31, '80, 185°, '81, 232°, '90, 231, 1900, 70; Pa. '92, 135, '96, 293; P. E. I. '85, 266°; Que. '82, 237°; R. I. '83, 183; S. C. '79, 216, '85, 189°; S. D. '85, 284b; Sweden, '80, 74; Tex. '82, 172, '87, 189, '89, 237.anat. '82, 87; fd. '80, 185b, '82, 172, '88, 248, '90, 101°, 102°, 1900, 70; hbt. '82, 172, 184°, '88, 248, '90, 101–114°, 286; nst. '80, 114°, '82, 172, '85, 100^a, '90, 231, 1900, 298; plm. '76, 22^b (alb.); syn. '78, 105^b; misc. '91, 108a, '97, 396a (fig.). occidentale (Spotted Owl, b Strix), B. C. 1900, 105 [caurinum?]; Cal. '77, 94 ['nebulosum'], '87, 88, '92, 392, '96, 265, '98, 39; Colo. '86, 284; g. dist. '93, 134; N. M. '86, 79, '98, 308; Wash. '93, 17 [caurinum?].fd., hbt., song, '92, 392; nst. '83, 234b. sartorii, Mex. '95, 357. uralense, anat. '82, 87. virgatum, C. R. '92, 327. Syrrhaptes paradoxus, Helg. '95, 337. —plm. '96, 251. Tachornis, '96, 83. gracilis, anat. '95, 157, '96, 114. Tachycineta (b Iridoprocne), '80, 92b, '86, 57, 446, '87, 172, '93, 111, 131. albilinea, C. R. '95, 87. albiventris, Braz. '90, 266.

Syrigma, '78, 183.

Syphonorhis, see Siphonorhis. Syrichta, see Contopus.

Syrnium alleni (* Florida Barred Owl,

b Strix, chelveolum), Fla. '80, 178b,

401.

bicolor (" Tree or White-bellied or White-breasted Swallow, b Hirundo, c Iridoprocne), Alas. '81, 5a, '87, 13, '98, 129; Arız. '82, 146, '88, 31; Cal. '86, 183, '89, 222; Colo. '79, 93, '81, 88°, 115°, '83, 160, '85, 15; Conn. '95, 83; D. C. '88, 19; Engl. '77, 107b; Fla. '88, 275, '89, 325, '90, 312, '91, 138, '92, 213, '95, 183, 187, 365; g. dist. '93, 126; G. Br. '80, 70b; Hud. B. '90, 322; Ia. '95, 122, 235; Ida. '98, 17; Ill. '88, 433a, 434; Ind. '89, 26, Ky. '89, 315; La. '87, 304, '92, 206, 1900, 393; Man. '86, 325; Mass. '84, 6^a, '88, 389, '89, 40, 102, '93, 370; Me. '82, 110, 1900, 208^a; Mich. '93, 226; Miss. '82, 91; Mo. '79, 142; Mont. '88, 16°, '94, 306, '95, 217; N. B. '82, 110, '89, 118; N. C. '94, 33*; N. H. '88, 150, 152, '98, 194; N. J. 79, 223, '81, 115, '89, 199, 303, '94, 139, 1900, 67; N. S. '85, 94a, '87, 15a, 16; N. Y. '81, 229, '83, 177a, '84, 325b, '89, 130, 201; Ore. '79, 164. '86, 170, '88, 360; Pa. '92, 138; P. E. I. '93, 6a, 12, Que. '82, 235c; S. C. '79, 213, '85, 189°, '94, 33°, '95, 184; S. D. '85, 278; Tenn. '86, 317; Tex. '82, 11, '92, 340, 1900, 347; Va. '97, 408; Wash. '92, 46, '97, 179, 1900, 356; W. I. '86, 57; Wis. '82, 187. anat. '87, 171, '96, 114 (fig.); fd. '89, 199, '95, 184; hbt. '92, 286, '98, 194^a, 271, '99, 287^a; mig. '85, 98^a, '88, 433^a, 434, '89, 130, 201, '91, 387, '394, 33a, '95, 83, 122, 184, 235, '99, 275, 1900, 67; nst. '81, 115c, '84, 185a, '85, 94a, '86, 170, '93, 12, '94, 135a, 332a, '97, 408, '98, 17, 20a, 129; plm. '76, 21 (alb.), '78, 63, '79, 46, '82, 146, '95, 283a, 374 (mlt.); song, '82, 146, '95, 283a, 374 (mlt.); song, '81, 146, '95, 283a, '95, 146, '95, 285a, 186, '95, 285a, 186, '95, 285a, 186, '95, 285a, 386, '87, 186, '95, 285a, 386, '95, 285a, '95, 285a, 386, '95, 285a, '9 '81, 115°, '84, 325°; syn. '86, 57; misc. '95, 183, 187, 375°.

euchrysea, Jamaica, '86, 58, '93, 181.—meas., plm., syn. '86, 58. thalassina (a Violet-green Swal-

low), Arız. '82, 146, '85, 354, '88, 31, '90, 49, 260; Cal. '80, 55a, '86, 183, '89, 222; Colo. '79, 93, '80, 228, '81, 88, '83, 160, '85, 15, 141, '94, 269; C. R. '95, 87; g. dist. '93, 126; L. Cal. '95, 142; Mex. '99, 358; Mont. '88, 16a, '94, 301; N. M. '85, 333, '92, 367, '98, 310; Ore. '86, 170, '88, 360; S. D. '85, 279; Tex. '87, 294; Wash. '92, 46, 356, '97, 179.—anat. '87, 171, 265, '90, 279; hbt. '81, 88, '86, 492, '87, 170; nst. '81, 88, '85, 333, '86, 170, '90, 260, '98, 310; plm. '80, 228, '82, 146, '95, 374 (mlt.); song, '80, 228.

leucorrhoa (b Hirundo), hbt., mig., nst., song, '83, 89b.

Tachypetes, '84, 58.

Tachyphonus cristatus, Braz. '90, 267. luctuosus, Bras. '90, 267, '97, 364. rubrifrons, syn. '94, 169.

rufus (b melaleucus), Braz. 267b; Venez. '97, 364, W. I. '93, 220b.

Taczanowski, Ladislas.

Obituary of, '90, 218.

taczanowskii (Columba), see Columba.

— (Sicalis), see Sicalis.

Tadorna damiatica (b cornuta), Helg. '95, 326b.—nst. '97, 247b; syn. '82, 179, '96, 164b.

tadorna (Tadorna), see T. damiatica. Tænioptera coronata, Urug., hbt. '83, 138.

dominicana, Urug., hbt., mig. '83, 139.

irupuro, Urug., nst., plm. '83, 139. nengeta (b Tyrannus cinereus), Braz. '90, 269; Urug., fd., hbt., mig. '83, 137; syn. '93, 186b.

tænioptera (Thryophilus), see Thryophilus.

tahitiensis (Numenius), see Numenius. Talbot, Daniel H.

Swallow-tailed Kite in Dakota, '82.

Gray-crowned Finch in confinement, '83, 240-242.

Night Herons and Rails in Dakota, '84, 96.

Harlan's Hawk, '90, 285. [Bird collection of], '91, 124.

Talegalla, '96, 173.

Tallow-head, see Perisoreus capitalis. talpacoti (Columbigallina), see Columbigallina.

tamatia (Bucco), see Bucco.

Tamaulipas, Mexico. Nelson, E. W., '97, 75, '99, 26, 30, 31. tamaulipensis (Merula), see Merula.

Tanager, Cooper's, see Piranga cooperi. Crimson-headed, see Piranga ludoviciana.

Gray's, see Piranga rubriceps. Hepatic, see Piranga hepatica. Liver-colored, see Piranga hepatica.

Louisiana, see Piranga ludoviciana. Oaxaca, see Phœnicothraupis affinis. Scarlet, see Piranga erythromelas. Summer, see Piranga rubra.

Western, see Piranga ludoviciana.

Tanagers, see Tanagridæ.

Tanagra striata, Urug., fd., hbt. '83, 91. cana, C. R., fd., hbt., plm. '92, 25. cyanoptera, Urug., nst. '83, 91. episcopus, Braz. '90, 132, 267. melanoptera, Bras., plm. '90, 267; syn. '94, 171.

palmarum, Bras. '90, 132, syn. '94. 171.

sclateri, Venez. '97, 364, W. I. '93, 220.

subcinerea, Venez. '97, 364.

Tanagridæ (*Tanagers), '81, 28, 34, 156*, '87, 149, 150, '88, 411, '93, 111, '94, 142*, '96, 334, '97, 341, '98, 223.

tanagrinus (Lampropsar), see Molothrus atronitens.

Tangeux, see Plautus impennis.

tanneri (Geothlypis), see Geothlypis. - (Troglodytes), see Troglodytes.

Tantalus, '81, 78, 79, 156, '84, 83, '87, 320, '93, 107.

loculator (a Wood Ibis), Argent. '84, 272, Ariz. '83, 36, '86, 385; Cal. '87, 90; Colo. '79, 114, '85, 18; Fla. '89, 16, '92, 211, '93, 337, '95, 364; Ill. '76, 43, '81, 124; Ind. '89, 186; Jamaica, '92, 9; Kan. '85, 311, Ky. '89, 312; Mass. '83, 185 [by error '187'], '96, 341; Md. '93, 91, '97, 208; Mo. '80, 191; N. C. '93, 243; Neb. '96, 254; N. Y. '76, 96, '85, 221, '93, 266; Pa. '76, 96; Tex. '82, 222; Urug. '84, 272; Va. '97, 208; W. I. '87, 320; W. Va. '85, 213*.—fd. '89, 186; hbt. '80, 181a, 191, '81, 124, '84, 272, '87, 90, '89, 186, nst. '89, 16; plm. '96, 341; syn. '87, 320.

Tanygnathus, '94, 238. everettii, P. I. '94, 238. luconensis, P. I. '94, 238.

tao (Tinamus), see Tinamus. tapera (Progne), see Progne.

tarda (Otis), see Otis. Tatler, Bartramian, see Bartramia longi-

cauda. Semipalmated, see Symphemia semi-

palmata. Solitary, see Helodromas solitarius. Wandering, see Heteractitis incanus. Wood, see Helodromas solitarius.

Taxonomy, or Classification.

Sclater, P. L., '81, 28-37, 73-84. Shufeldt, R. W., '93, 158, '94, 337.

Taylor, Alexander O'Driscoll.

Occurrence of Black Gyrfalcon in Rhode Island, '92, 300.

Taylor, H. H.

Baird's Sandpiper on Long Island Sound, N. Y. '95, 179.

Carolina Wren in Connecticut, '96, 84.

Taylor, W. Edgar.

Catalogue of Nebraska birds (rev.), '89. 332.

taylorı (Pıtangus), see Pıtangus.

--- (Tyrannus), see Pitangus. Teal, Blue-winged, see Querquedula dis-

Cinnamon, see Querquedula cyanop-

English, see Nettion crecca.

European, see Nettion crecca.

Green-winged, see Nettion carolinen-

Red-breasted, see Querquedula cyanoptera. tecellata (Troglodytes), see Troglo-

dytes.

tectus (Bucco), see Bucco.

Tegetmeier, William Bernhard.

Pheasants,-their natural history and practical management (rev.), '97, 246.

tegimæ (Pericrocotus), see Pericrocotus.

telephonus (Cuculus), see Cuculus. Tell-bill-willy, see Symphemia semipal-

Telltale, Greater, see Totanus melanoleucus.

Lesser, see Totanus flavipes. temmincki (Tringa), see T. temmincki or minutilla.

Temnotrogon, '86, 360.

roseigaster (brhodogaster), W. I. '81, 185^b, '86, 360, '95, 279.—meas., plm., syn. '86, 361.

temnurus (Prionteles), see Priotelus.

--- (Priotelus), see Priotelus.

- (Trogon), see Priotelus.

tenebrosa (Chelidoptera), see Chelidoptera.

tenellus (Trogon), see Trogon. tengmalmi (Nyctala), see Nyctala.

- (Nyctale), see Nyctala richardsoni. Tennessee.

Fox. W. H., '82, 191-192, '86, 315-320, **'8**7, 164.

Hay, O. P., '82, 89-94.

Langdon, F. W., '87, 125-133.

Pindar, L. O., '86, 481, '89, 311, 314. Ragsdale, G. H., '79, 238-239.

Rhoads, S. N., '96, 181, 244. Smith, G. S., '81, 48, 56-57, '85, 96. Tenuirostres, '81, 35.

terricolor (Centurus), see Centurus.

tenuirostris (Acanthorhynchus), see Acanthorhynchus. - (Ægialeus), see Ægialitis nivosa. —— (Ægialitis), see Æ. nivosa. - (Dendrocolaptes), see Dendrornis spixi. - (Mitrephanes), see Mitrephanes. — (Numenius), see Numenius. --- (Picoides), see P. arcticus. —— (Priocella), see P. glacialoides. —— (Puffinus), see Puffinus. – (Rallus), see Rallus. —— (Seiurus), see S. noveboracensis. tephrocotis (Leucosticte), see Leucosticte. Tepic, Mexico. Nelson, E. W., 1900, 262, 269. Teretistris, '86, 45, 1900, 217. fernandinæ (b Geothlypis), Cuba, 1900, 217^b; W. I. '86, 45, '92, 273.— meas. '86, 45; plm. '86, 45, 1900, 217^b; syn. '86, 45. fornsi (b Geothlypis), Cuba, 1900, 217b; W. I. '86, 45.—meas. '86, 45; plm. '86, 45, 1900, 217b; syn. '86, 45. Teretristis, see Teretistris. Tern, Aleutian, see Sterna aleutica. Arctic, see Sterna paradisæa. Black, see Hydrochelidon surinamen-SIS. Bridled, see Sterna anæthetus. Cabot's, see Sterna acuflavida. Caspian, see Sterna caspia. Common, see Sterna hirundo. Elegant, see Sterna elegans. Forster's, see Sterna forsteri. Gull-billed, see Gelochelidon nilotica. Least, see Sterna antillarum. Little, see Sterna minuta. Marsh, see Gelochelidon nilotica. Noddy, see Anous stolidus. Roseate, see Sterna dougalli. Royal, see Sterna maxima. Sandwich, see Sterna acuflavida. Short-tailed, see Hydrochelidon surinamensis. Smaller Sooty, see Sterna anæthetus. Sooty, see Sterna fuliginosa. Trudeau's, see Sterna trudeaui. White-winged Black, see Hydrochelidon leucoptera. Wilson's, see Sterna hirundo. Terns, see Sterninæ. Terpsiphone affinis, Borneo, hbt., syn. '90, 353, 354. terrestris (Columbigallina), see Columbigallina. - (Phyllostrephus), see Phyllostre-

phus.

— (Melanerpes), see Centurus. tersa (Procnias), see Procnias. tetracula (Phaleris), see Simorhynchus cristatellus. tetraculus (Simorhynchus), see S. cristatellus. Tetragonops, see Semnornis. Tetrao urogallus (a Capercaillie), Scotland, '80, 110, '81, 46a.-misc. '94, 70a, 71a, 1900, 110a. Tetraonidæ (* Grouse), '78, 16, 17, '79, 111*, '81, 80, '82, 44, 115*, '83, 56, '94, 167, '99, 181*, 205*, 1900, 34, 36. Tetraoninæ, '93, 109. tetrax (Otis), see Otis. tetrix (Lyrurus), see Lyrurus. texana (Pyrrhuloxia), see Pyrrhuloxia. texanus (Ortyx), see Colinus. — (Colinus), see Colinus. Texas. Allen, J. A., '77, 76-77, 109-110, '78, 188-189, '80, 89, 90, 91, 111, '81, 109, 187, '88, 286-287, '91, 316, '99, 341-342, 344. Attwater, H. P., '92, 229-238, 303, 337-345. Beckham, C. W., '88, 112. Brewer, T. M., '78, 152, '79, 123. Brewster, W., '79, 75-80, '86, 139, '87, 147-148. Brown, N. C., '82, 26, 33-42, 127, '84, 120-124. Buckley, S. B., '81, 49, 112. Carroll, J. J., 1900, 337-348. Chadbourne, A. P., '86, 248-249. Chapman, F. M., '94, 252. Coale, H. K., '94, 222. Coues, E., '77, 26, 82, '88, 37. Deane, R., '79, 58-59. Fisher, A. K., '94, 327, '95, 297. Frazar, M. A., '81, 250-252. Hallock, C., '85, 213. Hancock, J. L., '87, 251. Hasbrouck, E. M., '89, 236-241, '92, 286. Henshaw, H. W., '84, 266. Kumlien, L., '77, 75. Lloyd, W., '87, 181-193, 289-299. McCauley, C. A. H., '77, 76-77. Merriam, C. H., '88, 119. Merrill, J. C., '76, 88-89, '77, 26, 87, '78, 99, '79, 50-52. Nehrling, H., '81, 109, '82, 6-13, 117, 117, 166-175, 222-225, '83, 171. Oberholser, H. C., '98, 32-36. Purdie, H. A., '79, 60. Ragsdale, G. H., '78, 92, '79, 116, '80,

239, '81, 61–62, 114, 187, '82, 122, '85, 299, '86, 281, '87, 259-260, '90, 401-402, '91, 312-313, '92, 73. Ridgway, R., '79, 218-222, '81, 54-55, '87, 347, '91, 115, 1900, 28. Sennett, G. B., '78, 144, '80, 45, 111, '84, 93, '86, 135, '87, 24-28, 28-30, '88, 40-42, 43-46, 110, 319, '89, 263-265, 276, '90, 57-60, '92, 167-Singley, J. A., '90, 80, 80, 82, 83, '91, 108. Small, E. A., '83, 235. Stone, W., '94, 177. Wells, C. S., '92, 287. texensis (Chordeiles), see Chordeiles. --- (Myiozetetes), see Myiozetetes. ---- (Parus), see Parus. --- (Tyrannula), see Myiozetetes. Text-figures, see Plates. Thalassaëtus pelagicus (b Haliaëtus), Alas. '77, 94?b.-misc. '80, 88b, '84, Thalassidroma lineata, syn. '86, 334. melanogaster, syn. '99, 102. thalassina (Ibis), see Plegadis guara-- (Petasophora), see Petasophora. --- (Tachycineta), see Tachycineta. thalassinoides (Stoparola), see Stoparola. thalassinus (Falcinellus), see Plegadis guarauna. - (Lampornis), see prevosti. Thalassogeron chlororhyncha (b Diomedea), Ore. '77, 96b?.-misc. '80, 88b. culminatus (Yellow-nosed Albatross), Cape Horn, '87, 3; N. Am., W. coast, '77, 97 ?b; Que. '88, 107, 318.—syn. '84, 385. eximius, Gough I. '95, 288. layardi, syn. '96, 161. Thalassoica antarctica, Cape Horn, hbt. '87, 4. thalassoides (Glaucomyias), see Stopa-Thalassornis insularis, Madagascar, **'**97, 417. Thalurania, '86, 352. bicolor, W. I. '86, 353, '87, 96.meas., plm., syn. '86, 353. furcatoides, Braz. '91, 30. glaucopsis, Braz. '91, 30. refulgens, Venez. '97, 366. ridgwayi, Mex., meas. 1900, 262*. townsendi, Honduras, '89, 171. Thamnobiæ, '84, 278. Thamnocharis, '90, 380.

Thamnophilus, '76, 51. albicrissus, Venez. '97, 365, 370; W. I. '92, 175. bridgesi, C. R., hbt., nst., plm., song, syn. '93, 279. cærulescens, Argent., Urug., hbt., nst. '84, 21. cirrhatus (b Lanius atricapillus, e trinitatis), Trinidad, '92, 175°; Venez. '97, 365, 370.-syn. '97, 370; misc. '96, 266b. (b intermedius, doliatus cana), Braz. '90, 384°; C. R. '92, 250, Honduras, '89, 172b; Venez. '97, 365; W. I. '93, 220.—syn. '90, 384c. inornatus, Braz. '91, 28. luctuosus, Braz. '91, 28. melanurus, Braz. '91, 28. murinus, British Guiana, '91, 28. nævius, Braz. '91, 28. nigricristatus, Braz. '91, 28. nigrocinereus, Braz. '91, 28. punctatus, C. R., syn. '93, 279. puncticeps, syn. '90, 380. ruficapillus (b argentinus), gent., Urug., hbt., nst. '84, 21b. tharus (Polyborus), see P. tharus or cheriway. Thayer, Abbott Handerson. The law which underlies protective coloration, '96, 124-129 (fig., 9 photos). Further remarks on law which underlies protective coloration, '96, 318-320 (fig.). [Exhibition illustrating protective coloration], '98, 46-47. A protest [against egg collecting], '99, 210. Arguments against the banner mark theory, 1900, 108-113. Thayer, Gerald Handerson. Chuck-will's-widow on shipboard, '99, 273-276. European Linnet in Westchester Co., N. Y. 1900, 388. Theristicus melanopis, Argent., Urug., hbt. '84, 272. thilius (Agelaius), see Agelaius. Thinocoridæ, '81, 81. Thinocorus, '97, 417. Thinocorythidæ, '97, 102. Thistle-bird, see Astragalinus tristis. thomensis (Phæospiza), see Phæospiza. Thompson, D'Arcy Wentworth. Systematic position of Hesperornis (rev.), '91, 304. Characteristic points in cranial osteology of Parrots (rev.), 1900, 84. Thompson, Ernest Seton.

Nest and habits of Connecticut Warbler (Oporornis agilis), '84, 192.

Manitoban notes, '85, 21-24.

Swallow-tailed Flycatcher in Manitoba and at York Factory, '85, 218. Notes on Manitoban birds, '85, 267-271.

Nest and eggs of Philadelphia Vireo, **'85**, 305.

Western Grebe in Manitoba, '85, 314. Popular names of birds, '85, 316.

Interesting records from Toronto, Canada, '85, 334-337.

Birds of western Manitoba, '86, 145-156, 320-329, 453.

Evening Grosbeak at Toronto, Can-

ada, '87, 256. see Downs, A., 'birds of Nova Sco-

tia' (rev.), '89, 64. Evening and Pine Grosbeaks in Ontario, '90, 211.

Birds of Manitoba (rev.), '91, 301. Additions to list of Manitoban birds, **'93**, 49.

Hybrid Pinicola enucleator + Carpodacus purpureus, '94, 1-3 (col. pl.).

Studies in art anatomy of animals (rev.), '97, 106.

Directive coloration of birds, '97, 395-396 (photo). Wild animals I have known (rev.),

'99, 289 Thompson, Frank J.

Breeding of Wild Pigeon in Confine-

ment, '81, 122. Water Thrush in confinement, '83, 57.

Black Vulture in Ohio, '85, 109.

Œdicnemus dominicensis in confinement, '85, 110.

thoracica (Ægialitis), see Ægialitis. thoracicus (Dactylortyx), see Dactylortyx.

Thorndike, A.

Note on Mareca americana, '82, 185. Thorne, Platte Marvin.

Eastern Bluebird at Fort Lyon, Colorado, '86, 489.

Addition to Drew's list of birds of Colorado, '87, 264.

Olivaceous Flycatcher and Phœbe in Colorado, '89, 276.

Phalaropus lobatus and Phalaropus tricolor, '89, 336.

Abnormal plumage of Xanthocephalus xanthocephalus, '88, 112. List of birds observed in vicinity of

Fort Keogh, Montana, '95, 211-219.

Obituary of, '97, 254.

Thrasaëtus, '84, 41.

harpyia (* Harpy Eagle), N. Am. '81, 171; C. R. '92, 328.—anat. '86, 134ª.

Thrasher, Bendire's, see Harporhynchus bendirei.

Brown, see Harporhynchus rufus. Californian, see Harporhynchus redi-

Crissal, see Harporhynchus crissalis. Curve-billed, see Harporhynchus curvirostris.

Desert, see Harporhynchus arenicola. Eastern, see Harporhynchus rufus.

Leconte's, see Harporhynchus lecontei.

Mearns's, see Harporhynchus mearnsi. Palmer's, see Harporhynchus palmeri. Pasadena, see Harporhynchus pasadenensis.

Red-vented, see Harporhynchus cris-

Sage, see Oroscoptes montanus Saint Lucas, see Harporhynchus cine-

Sonora, see Harporhynchus macula-

Texas, see Harporhynchus sennetti. Yuma, see Harporhynchus lecontei. Thriponax, '94, 234.

javensis, Borneo, syn. '91, 7.

Thrush, '83, 72.

Alice's, see Hylocichla aliciæ.

Alma's, see Hylocichla [almæ ==] swainsoni.

Audubon's Hermit, see Hylocichla auduboni.

Bicknell's, see Hylocichla bicknelli. Bicknell's Gray-cheeked, see Hylocichla bicknelli.

Brown, see Harporhynchus rufus. Dwarf, see Hylocichla aonalaschkæ. Dwarf Hermit, see Hylocichla aona-

laschkæ.

European Song, see Turdus musicus. Ferrugineus, see Harporhynchus ru-

Fox-colored, see Harporhynchus rufus.

Golden-crowned, see Seiurus aurocapillus.

Gray-cheeked, see Hylocichla aliciæ. Henry's, see Harporhynchus crissalis. Hermit, see Hylocichla pallasii.

Little, see Hylocichla fuscescens or swainsonii.

Migratory, see Merula migratoria.
Mimic, see Mimus polyglottos.
Missel, see Turdus viscivorus.
Olive-backed, see Hylocichla swainsom.

Orange-crowned, see Seiurus auro-

capillus.
Oregon, see Hylocichla ustulata.
Plumbeus, see Mimocichla plumbea.
Red, see Harporhynchus rufus.
Red-bellied, see Merula rufiventris.
Red-breasted, see Merula migratoria.
Red-legged, see Mimocichla rubripes.
Red-winged, see Turdus iliacus.

Robin, see Merula migratoria. Rocky Mountain Hermit, see Hylocichla auduboni.

Rufous-tailed, see Harporhynchus rufus, or Hylocichla pallasii.
Russet-backed, see Hylocichla ustu

Russet-backed, see Hylocichla ustulata.

Solitary, see Hylocichla pallasii. Song, see Hylocichla mustelina. Swainson's, see Hylocichla swainsoni. Table-land, see Catharus fulvescens. Tawny, see Hylocichla fuscescens or mustelina.

Varied, see Hesperocichla nævia. Water, see Water-Thrush. Willow, see Hylocichla salicicola. Wilson's, see Hylocichla fuscescens. Wood, see Hylocichla mustelina.

Thrushes, see Turdidæ.

Thryomanes, '99, 90, 124.

bewickii (a Bewick's Wren, b Thryothorus), Ala. '78, 171b; Colo. '87, 265b [leucogaster?]; D. C. '90, 291b, '92, 307b; Fla. '95, 365b, 367b; g. dist. '77, 73a, '93, 133b, 135b, '99, 89, 90; Ill. '78, 163; Ind. '82, 19; Ky. '89, 316b; N. C. '86, 99a, 176b, 310a, 314b, '89, 121b, '93, 244b; N. J. '77, 74a; O. '85, 99a; Pa. '92, 385b, '99, 313; S. C. '79, 211b, '88, 324b, '90, 313b, '91, 172b, 333b, '92, 29a, 30a, 36a, '94, 34a; Tenn. '86, 316b; Tex. '82, 8b; Va. '82, 253, '86, 158b.—hbt. '86, 158b, 176b; meas. '77, 61; mig. '92, 29a, 30a, 36a, '94, 34a, 36a; nst. '82, 8b, '85, 99a; plm. '87, 350b; song, '86, 176b, '95, 367b; syn. '77, 60, 62, '87, 349b, '99, 90, 124.

brevicaudus (Guadalupe Wren), g. dist. '99, 90.—hbt. '77, 64; meas. '77, 61; syn. '77, 60, 62, 66, '99, 90, 125. cerroensis (b Thryothorus), L. Cal. '97, 166b*, '99, 90.—meas. '97, 167b; syn. '99, 90, 132b.

insularis (b Troglodytes), Socorro

I. '98, 317b, '99, 90.-hbt. '92, 288b. leucogaster (a Baird's or Western Bewick's Wren, b Thryothorus bairdi, c Thryothorus, d Thryothorus murinus, e cryptus, f eremophilus), Aris. '82, 52, 53°, 82, '88, 163^d, '90, 48^b, '94, 220^a; *Colo.* '85, 140, '87, 265^b ['bewick1']; g. dist. '99, 90, 90°, 90°, 344e, 345f; Kan. '86, 115b; N. M. '92, 368b, '98, 310; Tex. '82, 35, '87, 297b, '89, 240b, '92, 343b, 1900, 348b. -hbt. '82, 82; meas. '86, 115b, '87, 350^a, '97, 409°, '99, 344°, 345[‡]; nst. '82, 52°, '86, 115°, '87, 297°, '88, 163°d, '92, 343°; plm. '77, 63, '87, 350°d, '88, 163^d, '99, 344^e, 345^t; song, '89, 240b; syn. '81, 175b, '87, 349a, '88, 402b, '96, 345c, '97, 131b, 409c, '98, 60 ['Hemiura'], '99, 90, 124, 132°, 132f, 344e, 345f.

leucophrys (San Clemente Wren, b Thryothorus, c nesophilus), Cal. '95, 52b*, 166b; g. dist. '99, 90, 350c.—meas. '95, 52b, '97, 167b, '99, 350c; plm. '99, 350c; syn. '95, 166b, '99, 125, 132c, 350c.

murinus, Mex. '99, 90. percnus, Mex. '99, 90.

spilurus (a Vigor's Wren, b Thryothorus, charienturus, d drymœcus, calophonus, r nesophilus), Cal. '78, 65, '86, 162b, 185b, '87, 330b?, '96, 121b, '98, 234b, 236b; g. dist. '99, 90, 90b, 90c, 90d, 90c, 346c, 347d, 348c; L. Cal. '95, 143b, '97, 167b; Ore. '86, 171b; Wash. '92, 357b, 1900, 357.—meas. '97, 167b, '99, 347c, 348d, 348c, 350f; nst. '92, 288d, '96, 121b; plm. '77, 63, '87, 330, 350b, '99, 346c, 347d, 348c, 350f; song, '92, 357b; syn. '99, 90, 124, 132c, 132d, 132c, 346c, 347d, 348c, 350f; misc. '78, 193d.

Thryophilus, '83, 104.

cinereus, Mex., meas. '89, 96*. cumanensis, Venez. '97, 363, 367. —plm., syn. '97, 367.

leucopogon, Ecuador, 1900, 81. leucotis, syn. '90, 265.

modestus, C. R., plm., song, '91, 275.

rufalbus (b Thryothorus), syn. '89, 172b.

sinaloa, Mex., plm., nst. '88, 97. superciliaris, Puna I. '90, 265. tænioptera, Bras. '89, 172, '90, 266.—syn. '90, 266.

zeledoni, C. R. '80, 42.

Thryothorus, '83, 81, 104, '84, 48, '86, 23, '89, 172, '93, 112, '96, 244. albinucha, syn. '87, 350. berlandieri, meas. '90, 59; syn. '81, 175. cerroensis, '97, 66*, see Thryomanes. coraya (b oyapocensis, c Formicivora griseigula), Guiana, '84, 387°, '89, 172b.—syn. '90, 385c. felix, Mex., meas., plm. '78, 11. genibarbis, syn. '90, 384. grandis, Mex., meas. 1900, 269*. guadeloupensis, '86, 381*, Troglodytes. herberti, Braz. '87, 172, '90, 266. lætus, Colombia, '98, 339. lawrencii, Mex., meas. '78, 10*. leucophrys, '86, 381*, see Thryolomitensis (Lomita Wren, ber-

> -syn. '90, 64. longipes, Ecuador, '90, 384. macrurus, Colom. '90, 384. magdalenæ, Mex. '98, 340. mystacalis, syn. '90, 384.

landieri), Tex. '77, 109b, '90, 58*, 64.

ludovicianus (a Carolina Wren), Ala. '78, 171; Ark. '82, 90; Colo. '87, 265; Conn. '79, 61, '83, 120, '84, 286°, '86, 442, 489, '93, 89a, '96, 84, '98, 192, 274; D. C. '88, 24, '90, 291; Fla. '81, 40°?, '88, 277, '91, 127°, 138, '95, 365; Ga. '83, 38, '96, 214; g. dist. '93, 133, 135; Ind. '85, 98, '89, 29; Ky. '89, 316; La. '82, 161, '87, 301a; Mass. '76, 76, '78, 193, '84, 91, '92, 73; Miss. '82, 90; Mo. '79, 141, '96, 219; Mont. '95, 218; N. C. '86, 176, 309 781, 789, 120; N. E. '86, 400, N. H.

781, 54; N. J. '82, 116°, '85, 86°, '88,

421, '89, 305, '92, 204, '93, 87°, '94,

140; N. Y. '78, 129, '79, 183, '84, 137, '86, 442, '88, 183, '93, 87ª, '95, 314, '97, 97, 224; Pa. '94, 330; R. I. '80, 237, '99, 83, 284; S. C. '79, 211, '85, 72ª, '90, 130, '91, 333, '99, 198ª; Tenn. '86, 316, '87, 133; Tex. '82, 8, 35, '87, 297, '89, 240, '92, 343; W. Va. '98, 60.—hbt. '86, 309, 442; meas. '79, 211, '90, 59, 117; mig. '99, 198^a; nst. '77, 50, '79, 183, '82, 8, 161, '83, 38, '88, 24, '90, 130, '91, 106a, '97, 97, '98, 60; plm. '78, 21, '88, 277; song, '79, 211, '84, 137, '86, 442, '87, 301², '97, 97; syn. '83, 81; misc. '85, 210².

miamensis (Florida Wren), Fla. '80, 89, '88, 187, '90, 115, '92, 214.—

meas. '90, 59, 116; plm. '90, 115; syn. '80, 89, '83, 81. pallidus, Mex. '99, 296. rutilus, Venez. '97, 363; W. I. '93, 220.

Thunder-pumper, see Botaurus lentiginosus.

Thurber, Eugene Carleton.

Helminthophila leucobronchialis in New Jersey, '86, 411, '87, 349.

List of birds of Morris Co., New Jersey (rev.), '88, 421.

Callipepla squamata in northeastern New Mexico, '90, 89.

Southern California bird notes, '96.

Obituary of, '96, 349. thurberi (Junco), see Junco. thyroideus (Sphyrapicus), see Sphyrapicus.

Tich-droma muraria, misc. '88, 423. Tick-bird, see Crotophaga ani. Tiga, '94, 233, 234.

(Perissoglossa), see Dendroica.
 (Sylvia), see Seiurus noveboracensis.

Tigrisoma, '83, 172. brasiliense, Braz. '91, 161. excellens, Honduras, '89, 172.

Timaliæ, '84, 279.
Timaliidæ, '81, 34, '83, 104, '84, 278.
timidus (Empidonax), see Empidonax.
Tinamidæ, '81, 82.
Tinamou, Brown-backed, see Crypturus

inornatus. **Tinamus, '86**, 449.

265.

guttatus, Bras., plm. '91, 163. tao, Bras. '91, 163. Tinnunculus, see Falco. tinnunculus (Falco), see Falco. tirica (Brotogeris), see Brotogeris. tiriri (Tyrannus,) see T. dominicensis. Tit, see also Titmouse.

Banded, see Chamæa fasciata.
Blue, see Parus cæruleus.
British Marsh, see Parus dresseri.
Chestnut-backed, see Parus neglectus.
Coal, see Parus ater.
Long-tailed, see Acredula caudata.
Wren, see Wren-Tit.

Wien, see Wren-11t.
Titlark, see Anthus pensilvanicus.
Meadow, see Anthus pratensis.
Missouri, see Anthus spragueii.
Prairie, see Anthus pensilvanicus.
Titmice (or Tits), see Paridæ.
Titmouse, '83, 76.

Breeding of Dendroica maculosa in

Breeding of Totanus solitarius and

western Pennsylvania, '91, 116.

Otocoris alpestris praticola

Ashy, see Parus cineraceus. Black-capped, see Parus atricapillus, occidentalis or atricristatus Black-crested, see Parus atricristatus. Bridled, see Parus wollweberi. Carolina, see Parus carolinensis. Chestnut-crowned, see Psaltriparus minimus. Chestnut-fronted, see Parus [castaneifrons =] atrıcristatus. Crested, see Parus bicolor. Gray, see Parus griseus or inornatus. Great, see Parus major. Hudson's Bay, see Parus hudsoni-Hudsonian, see Parus hudsonicus. Lead-colored, see Psaltriparus plum-Least, see Psaltriparus minimus or californicus. Mountain, see Parus gambeli. Pallid Ground, see Chamæa henshawi. Plain, see Parus mornatus. Swamp, see Parus palustris. Texan Tufted, see Parus texensis. Tufted, see Parus bicolor. Wollweber's, see Parus wollweberi. Yellow-headed, see Auriparus flaviceps. Tits, see Paridæ. Tityra, '90, 381. albitorques, Braz. '91, 25, Ecuador, '88, 287. cayana, Braz. '91, 25; Venez. '97, 365.-plm. '88, 288. griseiceps, Mex. '88, 263*. inquisitrix, plm. '88, 287. nigriceps, Ecuador, '88, 287*.syn. '90, 381. personata, C. R. '92, 322; Ecuador, '88, 287, 288.—fd., meas., nst. '92, 322; plm. '88, 288; syn. '90, 381. semifasciata, Braz. '91, 25. titys (Ruticilla), see Ruticilla. tixicrus (Coturniculus), see Ammodramus savannarum. tobaci (Agyrtria), see Agyrtria. tobagensis (Troglodytes), see Troglodytes. Tobago Island, West Indies. Cory, C. B., '93, 220. Lawrence, G. N., '88, 404. Toccus, '81, 31. Todd, Louis Moore. Song Sparrow wintering in eastern Maine, '87, 260. Westerly trend of certain fall migrants in eastern Maine, '87, 351. Todd, Walter Edmond Clyde.

western Pennsylvania, '91, 236. Nesting of Cerulean Warbler (Dendroica carulea) in Beaver Co., Pennsylvania, '91, 238. Notes on the occurrence of uncommon species at Beaver, Pa. '91, 240. Further note on Otocoris alpestris praticola, '91, 395. Notes on Mniotiltidæ of western Pennsylvania, '91, 397-399. Summer birds of Indiana and Clearfield counties, Pennsylvania, '93, 35-46, 305. Wintering of Regulus calendula at Washington, D. C. '93, 206. Occurrence in summer of certain Warblers at Beaver, Pennsylvania, '93, 209. Todidæ, '81, 29, 74, 75, '93, 68. Todirostrum, '81, 31. cinereum, Braz. '90, 269; C. R. '90, 233, '92, 250; Nicar. '95, 20; Venez. '97, 365.-meas. '90, 234; nst. '90, 233; song, '95, 20. maculatum, Bras. '90, 269. Todus, '81, 31, '86, 369. angustirostris, W. I., meas., plm., syn. **'86**, 369. hypochondriacus, W. I., meas., plm, syn. 36, 371. multicolor, W. I. '86, 372, '92, 272. -meas., plm., syn. '86, 372.
pulcherrimus, W. I. '86, 371, '92, 275.—meas., plm., syn. '86, 371. subulatus (b dominicensis), W. I. '81, 154b, '86, 370.—hbt. '81, 154b; meas., plm., syn. '86, 370, '81, 154b. viridis, W. I. '86, 369, '92, 274, 373, '94, 124.—fd. '92, 274, 374; hbt. '92, 274, 373; meas. '86, 369, '92, 374; nst. '92, 275, 373, '94, 124; plin. '86, 369, '92, 275; syn. '86, 369. Tody, Green, see Todus viridis. Sharpe's, see Todus pulcherrimus. togata (Bonasa), see Bonasa. tolimæ (Speotyto), see Speotyto. tolmiei (Geothlypis), see Geothlypis. — (Sylvia), see Geothlypis. Tom-fool, see Myiarchus validus. Little, see Myiarchus stolidus. Tomtit, see Cistothorus palustris or Parus carolinensis. topiltzin (Trochilus), see Cœligena clemenciæ.

Toppan, George Lunt. Myadestes townsendii in Nebraska, **'90**, 408. torda (Alca), see Alca. - (Utamania), see Alca. torquata (Alcedo), see Ceryle. - (Ceryle), see C. torquata stictipennis. — (Chamæospiza), see Chamæospiza. —— (Hemiprocne), see H. zonaris. - (Merula), see Turdus. --- (Poospiza), see Poospiza. --- (Procellaria), see Æstrelata brevi---- (Pulsatrix), see Pulsatrix. --- (Rhopoterpe), see Rhopoterpe. - (Sylvia), see Compsothlypis usneæ. torquatus (Asyndesmus), see Melanerpes. - (Colymbus), see Gavia imber. - (Histrionicus), see H. histrioni---- (Lybius), see Lybius. - (Melanerpes), see Melanerpes. --- (Phasianus), see Phasianus. --- (Picus), see Melanerpes. --- (Pteroglossus), see Pteroglossus. —— (Turdus), see Turdus. —— (Turtur), see Turtur. —— (Urinator), see Gavia imber. torqueola (Spermophila), see Sporophila. - (Sporophila), see Sporophila. torquilla (Yunx), see Iynx. - (Iynx), see Iynx. Torrey, Bradford. Birds in the bush (rev.), '86, 129. in autumn, '86, 141. Second instance of breeding of

Revival of sexual passion in birds

White-throated Sparrow in eastern Massachusetts, '88, 426.

The 'booming' of the Bittern, '89, 1-8.

Bicknell's Thrush breeding in Vermont, '89, 194.

Killdeer Plover (Ægialıtis vocifera) wintering on New England coast, **'89**, 274**.**

Bluebird wintering near Boston, '91, 239.

Foot path way (rev.), '93, 74. Field Sparrow wintering in Massachusetts, '93, 205.

Virginia notes, '96, 179.

A world of green hills (rev.), '99, 86. torridus (Selasphorus), see Selasphorus. Tortola Island, West Indies.

Cory, C. B., '90, 374-375.

Tortoise-shell Bird, see Ardetta exilis. Totanus, '82, 245, '87, 317, '88, 330, 331, '93, 99, '96, 66, '97, 211.

ater (a Spotted Redshank, b fuscus), Helg. '95, 338b.-mlt. '96, 151a. cinnamomeus, '90, 377*, see Helodromas.

eurhinus, Asia, 1900, 304.

flavipes (a Yellow-legs, Lesser Telltale or Summer Yellow-legs, b Gambetta), Alas. '87, 12; Argent. '84, 315; Bahamas, '91, 337, 338, 350, '92. 48, 49; B. C. '93, 291, 384; Cal. '77, 95b?; Colo. '85, 18, 143; Colom. 1900, 364; Conn. '92, 284; g. dist. '93, 125; Engl. '77, 107b; Fla. '88, 270, '89, 158, '92, 212, '93, 337; Ga. '96, 215; G. Br. '80, 147; Hud. B. '90, 321; Ill. '77, 68; Ind. '88, 349; Jamaica, '92, 13, '94, 123; La. '97, 288; Man. '86, 152; Mass. '81, 127, '91, 119, '97, 213; Mo. '95, 9; Mont. '94, 301, '95, 213; N. C. '92, 389, '99, 246a; N. F. 1900, 71; N. J. '79, 225; N. S. '87, 16; N. Y. '79, 33, '80, 157, '81, 234, '91, 394, '95, 313; O. '89, 328; Ore. '77, 95b; Pa. '96, 291a, '99, 310; Que. '82, 239; S. C. '79, 217, '85, 189; S. D. '85, 286; Tex. '92, 232, 1900, 340; Va. '94, 325; Wash. '93, 17, 291, 384; W. I. '80, 169, '86, 502, '87, 317, '90, 374, '91, 47, 48; Wis. '88, 327?.—anat. '88, 330, 331; hbt. '93, 293, 293, mig. '88, 327, '91, 119, '93, 248, '97, 213; nst. '89, 328, '91. 394; plm. '81, 162, 1900, 370 (mlt.); syn. '87, 317; misc. '93, 294. glareola (a Wood Sandpiper), Helg. '95, 339.—mlt. '96, 151a.

melanoleucus (a Greater Yellowlegs or Telltale, b Gambetta), Argent. '84, 315; Ariz. '86, 386; Cal. '86, 92, '89, 223; Colo. '85, 18; Fla. '89, 157, '91, 133a, 137, '92, 212; Ga. '82, 101a, '96, 215; g. dist. '93, 125; Hud. B. '90, 321; Ida. '97, 351; Ill. '77, 68; Ind. '88, 349; Jamaica, '92, 13, '94, 122; La. '97, 288; Man. '86, 152; Mass. '81, 127, '89, 258, '91, 119, '93, 294, '97, 213; Mont. '94, 302, '95, 213; N. C. '93, 243, '99, 246a; N. F., Grand Banks, '79, 128; N. J. '79, 225; N. S. '95, 90; N. Y. '79, 33, '81, 42, '87, 186, '88, 110, '92, 232, 1900, 340; Vt. '92, 149; Wash. '92, 354,

'97, 181; W. I. '80, 169, '87, 317, '91, 47; Wis. '88, 327?.—anat. '88, 330, 331; fd. '98, 51, hbt. '93, 293, 293, '98, 51; mig '84, 177°, 178, '88, 327, '89, 200, '91, 119, '93, 248, '97, 213; nst. '77, 69, '85, 99; plm. '81, 162, '94, 302, 1900, 370, 371, 372 (mlt.); syn. '87, 317.

nebularius (a Green-shank, b canescens), Helg. '95, 338b.—syn. '82, 179, '84, 384, '95, 168, '99, 130.—misc. '97, 335ª.

stagnatilis (* Marsh Sandpiper), Helg. '95, 338.—mlt. '96, 151a. totanus (b calidris), g. dist. '97, 212, '99, 128; Helg. '95, 338b .- syn. '99, 128.

totanus (Totanus), see Totanus. Toucan, '97, 237. Touraco, '97, 237, 1900, 167. Touyou, 1900, 167.

tovi (Psittovius), see Brotogeris jugu-

Towhee, see Pipilo erythrophthalmus. Abert's, see Pipilo aberti. Anthony's, see Pipilo senicula. Arctic, see Pipilo arcticus. Barranca, see Pipilo potosini. Brown, see Pipilo fuscus. Californian, see Pipilo crissalis. California Brown, see Pipilo crissalis. Cañon, see Pipilo mesoleucus. Carman's, see Pipilo carmani. Chestnut-crowned, see Oreospiza chlorura. Green, see Oreospiza chlorura.

Green-tailed, see Oreospiza chlorura. Guadalupe, see Pipilo consobrinus. Long-clawed, see Pipilo megalonyx. Lower Californian, see Pipilo senicula.

Northern, see Pipilo arcticus. Northern Brown, see Pipilo [carolæ =] crissalis.

Oregon, see Pipilo oregonus. Red-eyed, see Pipilo erythrophthalmus.

Saint Lucas, see Pipilo albigula. San Clemente, see Pipilo clementæ. San Diego, see Pipilo [atratus =] megalonyx.

Socorro, see Pipilo carmani. Spurred, see Pipilo megalonyx. White-eyed, see Pipilo alleni.

Towhee-Bunting, see Pipilo erythrophthalmus.

Townsend, Charles Haskins. Remarkable plumage of Orchard Oriole, '82, 181.

Note on Long-tailed Duck, '82, 251. Description of a hybrid Sparrow Zonotrichia albicollis + Junco hiemalis), '83, 78-80.

Some albinos in museum of Philadelphia Academy, '83, 126.

Birds of Westmoreland Co., Pennsyl-

vania (rev.), '84, 184.
Occurrence of Catbird (Mimus carolinensis) on Farallone Islands. '85.

Four rare birds in northern California, '86, 490.

List of midsummer birds of Kowak River, Alaska, '87, 11-13.

Field-notes on mammals, birds and reptiles of northern California (rev.), '88, 104.

Birds from coasts of western North adjacent islands America and (rev.), '91, 305.

Birds from Cocos and Malpelo Is. (rev.), '96, 75.

Townsend, Charles Wendell.

Chondestes grammica and philadelphicus in Massachusetts, '80, 53.

Evidence of former existence of Wild Turkey at Mount Desert Maine, '81, 60.

Breeding of Mockingbird near Boston, Massachusetts, '84, 192.

Black-throated Bunting in Maine, '85, 106.

townsendi (Camarhynchus), see Camarhynchus.

— (Dendroica), see Dendroica. --- (Emberiza), see Spiza.

—— (Euspiza), see Spiza.

--- (Hæmatopus), see H. ater.

--- (Junco), see Junco.

--- (Lagopus), see Lagopus. --- (Myadestes), see Myadestes.

—— (Oceanodroma), see O. melania.

--- (Passerella), see P. unalaschcensis.

--- (Passerina), see Passerina.

--- (Phalacrocorax), see P. mexica-

--- (Plectrophenax), see Passerina.

--- (Spindalis), see Spindalis.

---- (Spiza), see Spiza. — (Thalurania), see Thalurania.

tracheolopyrrhus (Ceophlœus), see Ceophlœus.

Tracheophonæ, '81, 29, 32, 33, 34, 36, '90. 379.

trachyrhynchus (Pelecanus), see P. erythrorhynchos.

traillii (Empidonax), see E. traillii or alnorum. - (Muscicapa), see Empidonax. Treat, Willard Ellery. Capture of three rare birds at Hartford, Conn. '87, 78. Xanthocephalus xanthocephalus in Connecticut, '87, 256. Spizella pusilla wintering near Hartford, Conn. '87, 259. Helminthophila celata in Connecticut, **'88**, 323. A fishing Screech Owl, '89, 189. Mortality among Bank Swallows, '90, 96. Anas crecca in Connecticut, '91, 112. Ereunetes occidentalis in Connecticut, '92, 389. Unusual habits of Lincoln's Sparrow, '93, 206. Phalaropus lobatus—a correction, '94, Brünnich's Murre (Uria lomvia) in Connecticut, '95, 177. Tree-duck, Black-bellied, see Dendrocygna autumnalis. Fulvous, see Dendrocygna fulva. Tree-pecker, see Colaptes auratus or luteus. tremulus (Formicarius), see Cinclocerthia ruficauda. - (Ramphocinclus), see Cinclocerthia ruficauda. Trenton Natural History Society, Journal, titles (Nos. 2307-2308), '92, 195. Treron, '94, 233. nasica, Borneo, syn. '91, 13, permagna, Japan, '87, 250. Treronidæ, '94, 61, '99, 319. tresmariæ (Amazona), see Amazona. Tres Marias Islands, Mexico. Nelson, E. W., '99, 296, 1900, 256. Ridgway, R., '79, 10-11. triangularis (Dendrornis), see Dendrornis. trichas (Geothlypis), see G. trichas, ignota or occidentalis. -(Sylvia), see Geothlypis. - (Turdus), see Geothlypis. Trichoglossus, '96, 111. trichopsis (Megascops), see M. trichopsis, cineracea or mccallii. - (Scops), see Megascops. tricolor (Agelaius), see Agelaius. ---- (Ara), see Ara. --- (Aracanga), see Ara.

— (Arara), see Ara.

--- (Ardea), see A. ruficollis.

— (Centurus), see C. wagleri. --- (Certhiola), see Cœreba. --- (Cœreba), see Cœreba. --- (Hydranassa), see Ardea ruficollis. - (Lobipes), see Steganopus. —— (Macrocercus), see Ara. —— (Phalaropus), see Steganopus. —— (Primolinus), see Ara. —— (Psittacus), see Ara. —— (Sittace), see Ara. - (Steganopus), see Steganopus. ___ (Zanthopygia), see Zanthopygia. tridactyla (Loxia), see Lybius. - (Rissa), see Rissa. Tridactylus, 1900, 167. tridactylus (Larus), see Rissa. —— (Lybius), see Lybius. - (Picoides), see Picoides. trigonostigma (Certhia), see Dicæum. – (Dicæum), see Dicæum. trigrina (Dendroica), see D. tigrina. Tringa (b Ancylochilus, c Arquatella, d Pelidna, c Heteropygia, f Limonites, ⁸ Actodromas), '82, 245, '82, 245⁸, '84, 142°, '87, 313, '88, 331, '93, 99, '96, 65, 66, '97, 103b, 103c, 103d, 103c, 103f. acuminata (Sharp-tailed Sandpiper, b Actodromas), Alas. '83, 231b, ⁸4, 78^b, 219^a; g. dist. '93, 123; N. Am. '81, 171^b; Siberia, '84, 219^a. alpina (a Dunlin, b Pelidna), g. dist. '88, 307; Helg. '95, 339; N. Y. '93, 78, '95, 70.—meas., syn. '88, 307; plm. '88, 307, '90, 321, '96, 69a, 164 (mlt.), 1900, 370, 381-383 (mlt.); misc. '80, 162b. bairdii (* Baird's Sandpiper, b Actodromas), Alas. '85, 63b, '98, 126 [= Actitis macularia]; B. C. 1900, 104; Cal. '98, 51; Canada, '82, 113; Colo. '85, 18b; Conn. '89, 189, '90,

mssc. '80, 162".

bairdii (a Baird's Sandpiper, b Actodromas), Alas. '85, 63b, '98, 126

[== Actitis macularia]; B. C. 1900, 104; Cal. '98, 51; Canada, '82, 113; Colo. '85, 18b; Conn. '89, 189, '90, 89; C. R. '95, 87; g. dist. '93, 123; Ill. '96, 180; Ind. '97, 199, 227; Man. '86, 151; Mass. '78, 140, '83, 233a; Me. '76, 19, '77, 28, '81, 60, '83, 113b, 243b, '96, 80; Mich. '96, 174, 255, 1900, 390; Mo. '98, 27; Mont. '94, 301, '95, 213; N. H. '81, 61; N. Y. '82, 60, 123a, '85, 273, 384b, '89, 68, '90, 230, '95, 179, '96, 80, '99, 191, 194, 1900, 178; O. '92, 397; Pa. '91, 240; Tex. '82, 42b, '87, 186, '92, 345; Va. '94, 325,—hbt. '81, 60, '93, 293; mig. '85, 63b; plm. '81, 60; misc. '82, 113 (corr.).

Canutus (a Knot) Alas. '85, 63.

canutus (a Knot), Alas. '85, 63; Arctic Am. '78, 86, '85, 312; Argentina, '99, 292; Cal. '87, 88?; Fla. '81, 19, '87, 219, 276, 279a, '89, 156, 196, '92, 212, g. dist. '93, 123; Gozo I. '77, 70; Helg. '95, 339; Ill. '77, 68; Ind. '97, 199, 227, '98, 62; Jamaica, '87, 315, '92, 13; La. '97, 288; Malta, '77, 70; Man. '86, 151, 329; Mass. '90, 294, '92, 147, 306, '93, 25-35; Mich. 1900, 391; N. J. '79, 225; N. Y. '82, 256, '94, 163, '99, 194; O. '92, 397; Ont. '97, 411; Que. '84, 295, '92, 148; Tex. '88, 110; Va. '94, 259; Wash. '93, 17; W. I. '92, 290, 259; Wash. '93, 17; W. I. '92, 290, 259; Wash. '85, 313; mig. '85, 63, '87, 219, 276, 279a, '93, 25, 247, '96, 91, '99, 292; nst. '85, 312, 375, '92, 289a, '93, 25; plm. '80, 29 (alb.), '93, 25, 31, '96, 86, 165a (mlt.), 1900, 370, 371, 372 (mlt.); song, '93, 25, 27; sym. '87, 315, '96, 65; misc. '82, 113 (corr.), '87, 276a.

couesi (Aleutian Sandpiper, bArquatella), Alas. '80, 160b, 163b, '84, 77b; g. dist. '93, 123; Siberia, '88, 197.—meas., plm. '80, 163b; syn. '80, 160b, '97, 103, 133, '99, 130.

crassirostris, misc. '93, 25.

damacensis (Long-toed Stint), Alas. '86, 275, '88, 394.

ferruginea (a Curlew Sandpiper, b subarquata, c Pelidna subarquata), Alas. 385, 63°; Gozo I. '77, 70b; Greenl. '79, 190b, '80, 109b; Helg. '95, 339b; Malta, '77, 70b; Mass. '76, 51b; Me. '82, 124°, '83, 177a'; N. E. '79, 124a'; N. Y. '84, 32°; W. I. '87, 315.—hbt. '93, 293; meas. '79, 190b; mig. '85, 63°; nst. '79, 190b, '80, 109b; syn. '87, 315; misc. '93, 296.

fuscicollis (a White-rumped or Bonaparte's Sandpiper, b Actodromus bonapartei, c bonapartei, d Actodromas), Alas. '85, 63d; Argent. '84, 314; Cal. '87, 79; Engl. '77, 107c; Fla. '81, 19c, '89, 157, '92, 212; France, '77. 107c; G. Br. '80, 147c; g. dist. '93, 123; Jamaica, '92, 13; Man. '86, 151; Mass. '81, 127; Me. '82, 191d; Minn. '89, 340, '93, 290; N. Am., W. coast, '77, 95?b; N. C. '99, 246a; N. J. '79, 225c; N. Y. '94, 163, '99, 194, 285; Que. '82, 239b; S. D. '85, 286b; Tex. 1900, 340; Va. '94, 259, 1900, 172; W. I. '80, 169, '81, 128, '87, 314.—hbt. '93, 293; mig. '85, 63d; plm. '87, 79, 1900, 370, 371, 374 (mlt.); syn. '87, 314. maculata (a Pectoral Sandpiper, Actodromas), Alas. '84, 218b, '85,

63b, 157, '86, 123; Argent. '84, 314; Bahamas, '92, 48; Colo. '85, 18b; Colom. 1900, 364; Conn. '89, 189; C. R. '90, 332, '92, 329; Engl. '77, 107, '85, 374; Europe, '80, 146; Fla. '89, 157, '92, 212; g. dist. '93, 123; Goso I. '77, 70; Ia. '95, 235; Ida. '97, 351; Ill. '95, 393°, 394°; Ind. '88, 349; Jamaica, '92, 13; Ky. '89, 312; La. '97, 288; Malta, '77, 70; Man. '86, 151; Minn. '80, 18; Mo. '95, 3a, 9, 10a, '98, 27; N. C. '93, 243; N. J. '79, 225; N. M. '92, 360; N. Y. '89, 136°; Que. '82, 239°; R. I. '87, 73; S. C. '79, 217, '94, 32°; S. D. '85, 286b; Tex. '82, 42b, 222, '87, 186, '92, 232; Va. '94, 325; W. I. '86, 502, '87, 96, 314, '91, 48.—anat. '84, 218b; hbt. '84, 218-221, '93, 293, 293, '96, 90; meas. '99, 179; mig. '84, 218b, '85, 63^b, '94, 32^a, '95, 235, '96, 90; nst. '84, 218^b, '86, 123; plm. 1900, 370, 371 (mlt.); song, '84, 218b; syn. '87, 314; misc. '93, 294.

maritima (a Purple Sandpiper, b Arquatella), Fla. '88, 184, '89, 156, '92, 212; g. dist. '80, 162b, '93, 123; Gozo I. '77, 70; Greenl. '89, 217; Helg. '95, 326; Ill. '77, 68, '96, 180; Malta, '77, 70; N. B. '93, 26; N. Y. '81, 126, '87, 341, '88, 178; Siberia, 1900, 309a.—hbt. '88, 178, '93, 293; meas., plm. '80, 162b; syn. '80, 162b, '97, 103.

minuta, Helg. '95, 339.—nst. 1900, 307.

minutilla (* Least Sandpiper, b Actodromas), Alas. '79, 53*, '87, 12, '98, 126; Arīz. '86, 386; Bahamas, '91, 351, '92, 48, 49, 1900, 286; B. C. 1900, 104; Cal. '86, 91, '89, 223, '98, 51; Colo. '85, 18b; Colom. 1900, 364; Fla. '87, 219, '89, 157, '90, 308, '92, 212; Ga. '96, 215; g. dist. '93, 125; Ia. '95, 124; Ida. '97, 351; Ill. '77, 68, '95, 394; Ind. '88, 349; Jamaica, '92, 13, '94, 122; La. '97, 288; Man. '86, 151; Mass. '81, 127, Mich. '85, 376, '93, 223; Mo. '98, 27; Mont. '94, 301, '95, 213; N. B. '83, 9b; N. C. '99, 246*; N. J. '79, 225; N. M. '92, 360; N. S. '87, 16, '95, 377, 378; N. Y. '79, 32, '82, 256b, '90, 230; Ore. '88, 366; Pa. '99, 310; Que. '82, 239b, '89, 146; S. C. '85, 192b; S. D. '85, 286b; Siberia, '88, 308 [= ruficollis]; Tex. '82, 222, '87, 186, '92, 232; W. I. '80, 169, '86, 502, '87, 313, '91, W. I. '80, 169, '86, 502, '87, 313, '91,

48.-hbt. '93, 293; mig. '83, 9b, '86, 132, '87, 219, '94, 98a, 122, '95, 124; plm, '91, 190 (alb.), 1900, 370, 375 (mlt.); syn. 87, 313.

pacifica (* Red-backed Sandpiper or American Dunlin, bamericana, e Pelidna americana, dalpina), Alas. '79, 53^a, '85, 63^c; Arız. '86, 386; Colo. '85, 18^c; D. C. '86, 140^d; Fla. '81, 19^b, '87, 219^d, 276, 279^a, '89, 157, '92, 212; g. dist. '88, 307, '93, 123; Hud. B. '90, 321; La. '97, 288, Man. '86, 151; Mass. '92, 147; Minn. '93, 290; N. C. '99, 246"; N. J. '79, 225"; N. Y. '82, 256°, '93, 78; Que. '83, 245°; Tex. '87, 186°, 1900, 340; Wash. '92, 43, 354.—hbt. '93, 293; meas. '88, 307, 308, '90, 321; mig. '85, 63°, '87, 219⁴, 276, 279^a, '89, 157, '92, 149; plm. '88, 307, '90, 321, '96, 164 (mlt.), 1900, 370, 374, 381-383 (mlt.); syn. '88, 307, '97, 103, 133.

ptilocnemis (Prybilof Sandpiper, b Arquatella), Alas. '80, 160b, 163b; g. dist. '93, 123.—meas., plm. '80, 163b; syn. '80, 162b, '97, 103, '99, 130.

ruficollis, Siberia, plm. '88, 308 [not 'minutilla'].

temmincki, Helg. '95, 339; Japan, '93, 346.—plm. '88, 308.

Tringoides, see Actitis.

Trinidad Island, West Indies.
Brewster, W., '95, 201-211.
Chapman, F. M., '93, 342-343, '94, 173, 95, 201-211.

Ridgway, R., '94, 67.

trinitatis (Cyclorhis), see Cyclorhis.

- (Euphonia), see Euphonia.

- (Formicarius), see Formicarius. --- (Ramphocænus), see Ramphocæ-

- (Sporophila), see Sporophila.

— (Thamnophilus), see T. cirrhatus. tristis (Astragalinus), see Astragalinus. - (Blacicus), see Myiarchus barbirostris.

 (Chrysomitris), see Astragalinus tristis or salicamans.

— (Fringilla), see Astragalinus.

– (Merula), see Merula.

- (Myiobius), see Myiarchus barbirostris.

- (Phylloscopus), ree Phylloscopus. - (Spinus), see Astragalinus tristis, salicamans or pallidus.

tristrami (Amydrus), see Amydrus.

--- (Oceanodroma), see Oceanodroma.

trivialis (Anthus), see Anthus. trochila (Chamæpelia), see Columbigallina passerina.

Trochili (a Hummingbirds), '81, 163, '83, 188a; '86, 414, 473a, 492, '87, 80, 170^a, 171^a, 255^a, 265^a, 270^a, 339^a, '90, 279, '92, 172^a, 376^a, '93, 66, 110^a, 132°, 311°, 345°, 376°, '94, 143°, '97, 105a, 338a.

Trochilidæ, '79, 230-232, '81, 29, 36, 37, 75, '85, 212, '86, 404, 414, '89, 334, '95, 156.

Trochilus, '86, 353, 404, 444-451, '93, 62, '98, 318, '99, 297.

(Black-chinned alexandri mingbird), Ariz. '82, 210, '86, 430, '90, 255; Cal. '85, 310, '86, 180, '87, 86, '96, 118, Colo. '85, 17; g. dist. '93, 134; Ida. '97, 355, 1900, 244; N. M. '92, 363, '93, 314, '98, 308; Ore. '79, 195?; Tex. '79, 60, '84, 123, '87, 183, 192, '92, 235, 1900, 344; Wash. '97, 175.—anat. '86, 404, 446; fd. '93, 314; hbt. '96, 118; nst. '82, 210, '85, 310, '86, 430, '87, 192, '96, 118; plm. '88, 169.

colubris (* Ruby-throated Hummingbird), Alas. '79, 11; C. R. '90, 163, '87, 303a, '92, 205; Man. '86, 320; Mass. '89, 44, 99, '90, 206ª; Me. '82, 150; Mex. '93, 314; Mich. '93, 224, '95, 191; Minn. '84, 245; Miss. '82, 92; Mo. '79, 146; N. B. '82, 150; N. C. '86, 105, '87, 242, '89, 121; N. H. '88, 151, 154, '89, 77; N. J. '94, 137; N. S. '95, 89; N. Y. '79, 31, '81, 231, '82, 188, '85, 256; O. '82, 46, '95, 241; Ont. '93, 314; Pa. '92, 136, '93, 39, 44, 314, '96, 282, 293; P. E. I. '93, 9; S. C. '79, 215, '90, 38, '91, 328; S. D. '85, 283; Tenn. '86, 319, '87, 130; Tex. '82, 169, '87, 191, '92, 235, 1900, 344; Va. '89, 531; W. I. '86, 353; Wis. '82, 188, '85, 218.—anat. '86, 445, '88, 329, '89, 1772; fd. '85, 218, '93, 312, 314, '94, 253, '95, 191; hbt. '83, 175, '84, 189a, '85, 218, '90, 206a, 286a, 391, 393, '91, 109a, 262a, 270a, 389a, '94, 253; mig. '94, 253, '95, 124, 235, 241; nst. '83, 40, '85, 299, '87, 191, '88, 21, '90, 85, 206*, 286*, '92, 195, '93, 74, '94, 253, '96, 282; plm. '80, 28 (alb.), 399

'81, 160; song, '85, 256; syn. '86, 353; misc. '81, 188, '89, 180a, '90, 84a, '92, 191, 386, 386, '97, 333a.

violajugulum (Violet-throated Hummingbird), Cal. '88, 168*, 396, '89, 223.—plm. '92, 377.

trochilus (Phylloscopus), see Phylloscopus.

Troglodytes, '84, 48, 400, '89, 172, '99, 369.

aëdon (a House Wren, b domesticus), Aris. '82, 82 [aztecus?]; Colo. '83, 155 [aztecus], D. C. '88, 24, '92, 307; Fla. '88, 277, '90, 117, '92, 214, '95, 365; Ga. '96, 214; g. dist. '88, 164, '93, 133, 135; Ia. '95, 122, 235; Ill. '88, 434; Ind. '82, 19, '89, 29; Ky. '89, 316; La. '87, 306; Mass. '84, 6a, '89, 42°, 46, 105; Md. '81, 115; Mich. '93, 229; Minn. '84, 244; Mo. '79, 141^b, N. B. '82, 109; N. H. '88, 155; N. J. '94, 140; N. Y. '79, 32, '81, 227, '82, 187, '84, 137, '90, 232, '94, 164; O. '95, 242; Pa. '89, 76, 339, '92, 140, '93, 46, '96, 280a, 285, 296; S. C. '91, 173; S. D. '85, 278; Tex. '82, 8, '92, 343; Va. '88, 24; Wis. '88, 326; W. Va. '98, 137.—fd. '97, 421a; hbt. '84, 85a; meas. '82, 82; mig. '85, 98a, '88, 326, 434, '95, 122, 235; nst. '77, 78, '81, 115, '82, 180a, '88, 24, '89, 76, 339, '90, 83a, 84a, 84a, '92, 319*, '98, 137; plm. '78, 21, '81, 160, '82, 82, '83, 155, '84, 137, '88, 164; song, '84, 137; syn. '82, 82, '83, 155, '88, 164; misc. '94, 69.

aztecus (a Western House Wren, b parkmanii, c aëdon, d marianæ), Ariz. '85, 351 d*, '88, 163d, '90, 49, 262, '94, 219; Cal. '90, 297 ['parkmanii?']; Colo. '85, 15b, 140c, '94, 269; g. dist. '88, 164, 400; Ida. '98, 19b; Ill. '83, 179b; Kan. '83, 120b, '86, 115b; Man. '86, 327b, '87, 353a; Minn. '80, 13b; Mont. '88, 16a, '94, 307, '95, 218; N. M. '92, 368, '98, 310; S. D. '85, 278b; Tex. '87, 298b, '92, 343, 343b.—hbt., meas. '85, 351d; rst. '80, 13b, '94, 307; plm. '88, 163*, 164, 164b; syn. '82, 82b, '83, 155b, '85, 351d, '88, 163b, 163d, 164, 164d.

beani, Yucatan, '85, 294. borealis, syn. '85, 94.

brunneicollis, Mex. '95, 358.—syn. '89, 172. cahooni, Mex., meas. '88, 94*.

cahooni, Mex., meas. '88, 94*. fumigatus, Japan, '90, 276.—syn. '85, 94.

furvus, Bras. 1900, 299.

grenadensis (b Thryothorus), W. I. 79, 49b, 239b, 786, 25b.—meas., plm., syn. 786, 25b.

guadeloupensis (b Thryothorus), W. I. '86, 381b*, '88, 157b, '91, 49b. intermedius, C. R., meas., nst., plm. '91, 275-277.

kurilensis, Japan, '90, 276. marianæ, '85, 35*, see aztecus. martinicensis (b Thryothorus), W.

I. '79, 229b, '86, 23b, '87, 95b.—meas., plm., syn. '86, 23b.

mesoleucus (b Thryothorus), W. I. '80, 164b, 166b, '86, 25b.—meas., plm., syn. '86, 25b.

monticola, Colom. 1900, 82.

musicus (b Thryothorus), W. I. '79, 49b, '86, 24b.—meas., plm., syn. '86, 24b.

ochraceus, C. R. '83, 168. pallescens, syn. '85, 94.

parkmanii (a Parkman's Wren, b aztecus, c americana), Ariz. '88, 163; Cal. '86, 185, '89, 221, '96, 122b; g. dist. '88, 164; Ore. '79, 163, '86, 171, '88, 362; Tex. '92, 343 [aztecus?]; Wash. '97, 180b.—nst. '76, 79, '86, 185, '96, 122b; plm. '88, 164, 362; syn. '88, 163, 164, 362; misc. '80, 87°, '97, 107a.

platensis, Urug., hbt., nst., song. '83, 86.

rufescens (b Thryothorus), W. I. '79, 48b, '86, 24b.—meas., plm., syn. '86, 24b.

rufulus, Venez. '97, 363. tanneri, Clarion I. '91, 305, '98, 318.—nst. '98, 318.

tecellata, syn. '89, 172. tobagensis, W. I. '88, 404*, '93, 220.

troglodytes (Anorthura), see Anorthura. Troglodytidæ (* Wrens), '76, 50, '81, 28, 34, '90, 276*, 277*, '92, 187, '93, 112.

Troglodytinæ, '82, 216, '83, 104. Trogon, '81, 75, '86, 448, '93, 99.

ambiguus (Coppery-tailed Trogon), Aris. '86, 425, '87, 161, '88, 195.—misc. '93, 141.

atricollis, syn. '93, 69. caligatus, syn. '93, 69.

chrysomelas, Nicar. '94, 171. collaris (b curucui), Boliv. '90, 382;

W. I. '93, 220.—misc. '96, 266b. ferrugineus, misc. '96, 266.

flammeus, misc. '96, 266. goldmani, Mex. '98, 340.

hæmorrhoidalis, misc. '96, 266.

melanurus, Braz. '91, 158. meridionalis, Braz. '91, 158. mexicanus, misc. '80, 88. tenellus, syn. '93, 69. viridis, Braz. '91, 158.—misc. '96,

viridis, Braz. '91, 158.—misc. '96, 266.

Trogon, Coppery-tailed, see Trogon ambiguus.

Resplendent, see Pharomachrus mocinno.

Trogones, '93, 68.

Trogonidæ (* Trogons), '81, 29, 75, 188, '90, 279*, '96, 112*, 266, '97, 105*.

Trombley, Jerome.

Swallow-tailed Kite (Elanoides forficatus) taken in southern Michigan, '82, 250.

Tropic Bird, Red-billed, see Phaëthon æthereus.

Red-tailed, see Phaëthon rubricaudus. Yellow-billed, see Phaëthon americanus.

tropica (Thalassidroma), see T. melanogaster.

Trotter, Spencer.

Capture of a second specimen of Helminthophaga leucobronchialis, '77, 79.

A third specimen of Helminthophaga leucobronchialis, '78, 44. Description of a hybrid (Hurundo

horreori-lunifrons) between two North American Swallows, '78, 135. Some light on history of a rare bird (Helminthophaga leucobronchialis), '79, 59.

Notes on occurrence of certain rare or uncommon birds at Philadelphia, '79, 235.

Capture of Prothonotary Warbler (Protonotaria citrea) near Philadelphia, '80, 115.

Breeding of Snowbird (Junco hyemalis) in mountains of Pennsylvania, '80, 121.

Significance of certain phases in genus *Helminthophila*, '87, 307-310. Troupial, see Icterus icterus.

Yellow-headed, see Xanthocephalus xanthocephalus.

Trowbridge, Charles Christopher. Hawk flights in Connecticut, '95, 259-270 (2 maps). Occurrence of Tryngites subruficollis in New England states, '97, 209.

Trowbridge, W. P.

Discovery by C. C. Trowbridge regarding purpose of emargination in wing-feathers (rev.), '88, 418.

Trowbridge, W. P., and others.

Mechanism of flight in soaring birds (rev.), '88, 418.

Trumbull, Gurdon.

Names and portraits of birds which interest gunners (rev.), '88, 414-418.

Our Scoters, '92, 153-160, '93, 165-176 (pl.).

trudeaui (Phætusa), see Sterna.
—— (Sterna), see S. trudeaui.

Trupialis militaris, Cal. '77, 92?. misc. '80, 88.

Tryngites, '87, 319, '93, 108.

subruficollis (* Buff-breasted Sandpiper, brufescens), Alas. '85, 63b; Colom. 1900, 364; Conn. '97, 210; C. R. '90, 332, '92, 329; Cuba, '87, 319; Engl. '77, 107b; France, '77, 107b, '80, 150b; G. Br. '80, 149b; g. dist. '93, 125; Gozo I. '77, 70b; Helg. '77, 107b, '80, 150b, '91, 300, '95, 339; Ill. '96, 180, '99, 276; La. '97, 288; Malta, '77, 70b; Man. '86, 152; Mass. '92, 389, '97, 210; Neb. '81, 62b; N. Y. '81, 126b, '89, 136, '97, 210, '99, 194; Que. '83, 245b, '97, 210; S. D. '85, 286, '86, 270a; Tex. '81, 61b, '87, 186.—hbt. '80, 181b, '81, 61b, '92, 390, '93, 293; mig. '85, 63b; plm. 1900, 370 (mlt.); syn. '87, 319; misc. '93, 296.

tschegrava (Sterna), see S. caspia. tuberculifer (Myiarchus), see Myiarchus.

Tubinares, '81, 82, 83, 163, '84, 383, '89, 333, '93, 106, '96, 160, 161.

Tuelon, James A.

List of birds observed near Bradford, Pa. (rev.), '83, 171.

Tufts, Harold Z.

Wilson's Snipe in Nova Scotia in winter, '96, 341.

tui (Brotogeris), see Brotogeris. tuipara (Brotogeris), Brotogeris. tukki (Meiglyptes), see Meiglyptes.

—— (Picus), see Meiglyptes. tumulus (Megapodius), see M. duper-

turati (Picus), see Dryobates gairdneri. turcosa (Irena), see I. crinigera. Turdampelis, '84, 182. Turdidæ (* Thrushes), '81, 24, 28, 34, 53°, 156°, '82, 216°, '83, 99, 117°,

Turnix, see Colinus.

```
237a, '84, 181, 298, '89, 277a, '93,
                                                 Turnstone, see Arenaria interpres.
     113, '96, 96.
                                                    Black, see Arenaria melanocephala.
Turdinæ, '83, 100, '84, 181.
                                                    Black-breasted, see Arenaria melano-
Turdinulus granti, Siam, 1900, 305.
                                                      cephala.
Turdinus atrigularis, Borneo, syn, '90,
                                                    Black-headed, see Arenaria melano-
  350.
                                                      cephala.
turdoides (Acrocephalus), see Acro-
                                                 Turtur, '94, 236.
       cephalus.
                                                      abbotti, Seychelles I. '96, 332.
Turdus, '80, 172, 188, '82, 245, '83, 100, 101, '86, 1, '88, 195, '90, 194, '93, 113, '98, 304.
                                                       risorius, Helg. '95, 337; Jamaica,
                                                    '92, 125 (cage); W. I. '87, 120
                                                    (cage).—syn. '91, 101.
     alpestris, syn. '87, 60, 157, 249. atrigularis, Helg. '95, 331.
                                                      humilis, syn. '91, 101.
                                                      picturatus, syn. 96, 332.
     dauma, Helg. '95, 331.
                                                      stimpsoni, Japan, '88, 196.
     fuscatus, Helg. '95, 331.
                                                      torquatus, syn. '91, 99.
turtur (a Turtle Dove), Germany,
     iliacus, Engl. '87, 163; Helg. '95,
                                                    '96, 310°; Helg. '95, 337.—syn. '94,
     jouyi, Japan, '88, 195.
                                                    61.
     musicus (a European Song Thrush).
                                                 turtur (Columba), see Turtur.
  Helg. '95, 331.—hbt. '86, 400°; syn.
                                                      – (Prion), see Prion.
  '96, 327.
                                                      - (Turtur), see Turtur.
     pilaris, Helg. '95, 331.
                                                 Tuttle, Carl.
     propinquus, '77, 9*, see Merula.
                                                    Some uncommon and rare birds of
     ruficollis, Helg. '95, 331.
                                                       Erie Co., Ohio, '95, 190.
  torquatus (b Merula), Helg. '95, 331b.—syn. '87, 60, 157, 249; misc.
                                                 Two-penny-chick, see Merula aurantia.
                                                 Tylas, '94, 58.
Tyler, Martha G.
  '85, 129b.
     varius, Helg. '95, 331.
                                                    Barn Owl (Strix pratincola) in north-
     viscivorus, Engl. '87, 163; Helg.
                                                      ern Vermont, '94, 253,
                                                 Tympanuchus (b Cupidonia), '83, 167b,
  '95, 331.—syn. '96, 327.
Turkestan.
                                                    '85, 372, '93, 109, 130.
  Allen, J. A., '90, 77-78.
                                                      americanus (a Prairie Hen, Prairie
                                                    Chicken or Pinnated Grouse, b Cupi-
Turkey, Florida, see Meleagris osceola.
                                                    donia cupido, ° Cupidonia pinnata), Colo. '85, 17°; D. C. '86, 139°; g. dist. '85, 82°*, '93, 133; Ia. '95, 133*,
  Merriam's, see Meleagris [merriami
     =] gallopavo.
  Mexican, see Meleagris gallopavo.
                                                    236; Ind. '88, 349; Man. '86, 153, 329, '93, 50a; Mass. '94, 69a; Minn. '80, 18b, '84, 247b; Mo. '79, 147b;
  Ocellated, see Agriocharis ocellata.
  R10 Grande, see Meleagris intermedia.
  Water, see Anhinga anhinga or Cin-
                                                    Neb. '83, 236°; N. Y. '95, 69; Ohio,
     clus mexicanus.
                                                    '79, 62b; S. D. '85, 285b; Tex. '82, 175b; Va. '87, 67b.—anat. '93, 281;
  Wild, see Meleagris fera.
Turner, Lucien McShan.
                                                   Lagopus mutus and its allies (rev.),
     '83, 232.
  Birds of the Nearer Is., Alaska, '85,
     154-159.
  List of birds of Labrador (rev.), '85,
                                                    281, '95, 99 (col. pl.), 1900, 163
     368.
                                                    (mlt.); syn. '86, 132; mis. '79, 111a, '82, 115a, '83, 172b, '87, 340a, '91,
  Familiar Chipping Sparrows, '85, 380.
  Turner's list of birds of Labrador
                                                    390°, '94, 68, 68°, 69, 1900, 110°.
     [letter], '86, 140.
  Contributions to natural history of
                                                      attwateri (* Attwater's
                                                                                     Prairie
                                                    Hen or Prairie Chicken), Tex. '92,
     Alaska (rev.), '88, 409.
                                                    231*, 1900, 341; g. dist. '94, 46, 130, 132.—fd., meas. '94, 131; plm. '94, 130, 132, 1900, 163 (mlt.); syn. '94, 46, '99, 130; misc. '94, 70.
Turner, Melvin Hart.
  Vireo philadelphicus in Adirondack
     region, '84, 291.
turneri (Parus), see P. septentrionalis.
Turnicidæ, '81, 80.
                                                      cupido (a Heath Hen, b Cupidonia
```

cupido), g. dist. '93, 133; Mass. '76, 53b, 56b, '83, 119b, '85, 80-84a, 82*, '92, 67, 67, 203, 1900, 197a; N. E. '76, 73b; N. J. '95, 171; N. Y. '93, 272-274; Pa. '95, 171.—fd. '92, 203; meas. '85, 82b, 83b, '92, 203; plm. '85, 82b, 1900, 163 (mlt.); syn. '86, 132, '88, 402; misc. '94, 69a.

pallidicinctus (Lesser Prairie Hen), g. dist. '93, 134; Mo. '77, 52; Tex. '87, 187; Ore. '91, 367 (fossil), '93, 344 (fossil).—mlt. 1900, 163.

typica (Chrysopoga), see Buarremon gutturalis.

Tyrannidæ (* Flycatchers), '76, 62, '81, 29, 31, 36, 163, '89, 267, '93, 110, '96, 85*, 159, '97, 105*.

Tyranniscus parvus, C. R. '92, 250. Tyrannulus reguloides, Braz. '89, 172, '90, 270.—sym. '90, 270.

Tyrannulus (Myiarchus), see Myiarchus.
 Tyrannus, '80, 41, '86, 242, 1900, 167.
 albogularis, Braz., plm., syn. '91, 271; misc. '80, 42.

apolites, misc. '80, 42.

aurantio-atro-cristatus, Urug., hbt., nst. '83, 202; msc. '80, 42. couchii (Couch's Kingbird), Tex.,

meas., nst. '84, 93; syn. '80, 40. crassirostris, misc. '80, 42.

cubensis, '98, 330*, see magniros-tris.

dominicensis (Gray Kingbird), Bahamas, '91, 72, 296, 339, 350, 350, 351, 351, 352, '92, 48, 1900, 288; Fla. '87, 141, 277a, '89, 318, '90, 311 '92, 213; Ga. '83, 39; g. dist. '93, 133; Jamaica, '93, 177, '94, 126; S. C. '94, 178; W. I. '81, 153, '86, 244, 502, '87, 7, '89, 31, 32, '90, 373, 375, '91, 46, 47, 47, 48, 49.—meas. '83, 39, '86, 245, '91, 72; mig. '94, 14; nst. '83, 39, '89, 318, '91, 72, '94, 126, 178; plm., syn. '86, 244; misc. '80, 42, '87, 277a.

magnirostris, W. I. '86, 243, '91, 297, '92, 272.—meas., plm. '86, 243; syn. '86, 243, '98, 330; musc. '80, 42. melancholicus, Braz. '90, 270; Urug. '83, 202; W. I. '86, 243, '93, 202.—nst. '83, 202; meas., plm., syn. '86, 243; misc. '80, 42, 88.

niveigularis, misc. '80, 42.

rostratus, W. I. 167, '86, 242, meas., plm., syn. '86, 242; misc. '80, 42.

satrapa, C. R. '92, 251; Venes. '97, 365.—plm. '92, 251; misc. '80, 42. sulphurascens, W. I. '86, 245?

tyrannus (a Kingbird or Bee Martin, bcarolinensis, c vexator), Ala. '79, 10b; Ark. '82, 92b; Colo. '83, 195b, '85, 17b, 142b; Colom. 1900, 364; D. C. '88, 21, '92, 308; Fla. '88, 272, '89, 318, '90, 311, 340, '91, 138, ⁹92, 213, ⁹95, 365, ⁹98, 178°*; *Ga.* ⁸83, 40°; *g. dist.* ⁹93, 133; *Ia.* ⁹95, 123, 235; *Ida.* ⁹97, 355; *Ill.* ⁸88, 433; *Ind.* ⁸2, 17°, ⁸89, 23; *Ky.* ⁸89, 314; *La.* '82, 163b, '87, 303a, '92, 205; Labrador, '85, 369; Man. '86, 320; Mass. '84, 6a, '88, 389, '89, 44, 100, '90, 368^a, '98, 268; Me. '82, 149^b; Mich. '81, 196^a, '93, 225; Minn. '80, 15^b, '84, 245^b; Miss. '82, 92^b; Mon. '79, 145^b; Mont. '94, 304, '95, 215; N. B. '82, 149^b, '85, 108^a, '89, 117; N. C. '86, 105, '89, 120; N. H. '88, 149, 151, 154, '89, 77, 78; N. J. '90, 328, '94, 137; N. S. '87, 15a, 16; N. Y. '79, 31^h, '81, 231^h, '82, 188^h, '85, 253^h, '89, 202; O. '95, 241; Pa. '92, 136, '93, 39, 44, '96, 282, 291^h, 293; P. E. I. '93, 9; Que. '82, 236^h, '89, 147; S. C. '79, 215b, '90, 38; S. D. '85, 283b; Tenn. '86, 319, '87, 130; Tex. '82, 168b, '84, 122b, '87, 192, '92, 236, 1900, 345; Va. '76, 25b, '86, 161a, '89, 53°; Wash. '97, 176; W. I. '86, 245, '87, 180; Wis. '82, 188b.—anat. '81, 7b, '87, 354, 356 (fig.), '88, 121; fd. '84, 87°, '96, 86,'99, 362°; hbt. '83, 176°, '85, 108a, '90, 340, 368a, '98, 268; meas. '98, 178°; mig. '88, 433, '91, 785, 795, 123, 128^a, 235, 241, '98, 174^a, 268; nst. '79, 24^b, '80, 15^b, 40^b, '82, 168^b, '83, 40^b, '98, 268; plm. '76, 22^b (alb.), '78, 176^b, '81, 160^b, '83, 40^b, '98, 268; plm. '76, 22^b, (alb.), '78, 176^b, '81, 160^b, '83, 40^b, '81, 160^b, '81, 160^b, '83, 40^b, '81, 160^b, '81, 160^b, '83, 40^b, '81, 160^b, '81, 160^b 22^b (alb.), '78, 176^b, '81, 160^b, '83, 126^b (alb.), '87, 69^a (4 items); song, '85, 253b; syn. '86, 245, '98, 178c, 179^a, '99, 131^c; misc. '80, 42^b, '81, 196^a, '87, 69^a, '88, 200^b, '91, 109, '92, 684.

verticalis (* Arkansas Kingbird or Flycatcher), Ariz. '82, 202, '85, 356, '87, 16; Cal. '86, 180, '89, 223, '96, 85; Canada, '82, 113; Colo. '83, 195, '85, 17, 143, '87, 122; g. dist. '93, 134; Ida. '97, 355; Man. '93, 49; Me. '76, 73; Minn. '80, 12, 15, '93, 290; Mont. '95, 215; Mo. River, '95, 229*; N. M. '92, 363, '98, 309; N. Y. '79, 60; Ore. '79, 195, '88, 257; S. D. '85, 283; Tex. '87, 192, '92, 236; Wash. '97, 176.—anat. '90, 279; fd. '96, 86; hbt. '78, 83; nst. '80, 15, '86, 180, '87, 16, '95, 215, '97, 176; plm. '79, 42; misc. '78, 193, '80, 42.

vexator, '98, 178*, see tyrannus. vociferans (Cassin's Kingbird), Arız. '82, 202, '85, 356, '87, 17, '90, 255; Cal. '82, 203, '86, 180, '89, 223, '94, 219, '96, 85, 119; Colo. '83, 195, '85, 17, '87, 122; g. dist '93, 134; N. M. '92, 363, '99, 189; Ore. '86, 166. fd. '96, 85; hbt. '96, 119, '99, 189; nst. '86, 180, '87, 17, '96, 119; plm. '82, 202 (mlt.); misc. '80, 42. tyrannus (Lanius), see Tyrannus.

--- (Milvulus), see Milvulus.

-- (Muscivora), see Muscivora.

- (Tyrannus), see Tyrannus.

tyrianthina (Metallura), see Metallura. tzacatl (Amazilia), see A. fuscicaudata. - (Amizilis), see Amizilia fuscicau-

- (Trochilus), see Amazilia fuscicaudata.

U

ultramarina (Aphelocoma), see Aphelocoma.

- (Cyanocitta), see Aphelocoma. Ulula, see Scotiaptex. ulula (Surnia), see S. ulula or caparoch. umbelloides (Bonasa), see Bonasa. umbellus (Bonasa), see B. umbellus or togata.

unalascæ (Hylocichla), see H. aonalaschkæ.

- (Turdus), see Hylocichla aonalaschkæ.

unalaschcensis (Emberiza), see Melospiza cinerea.

- (Passerella), see Passerella. unalaschkensis (Collocalia), see Hirundo erythrogaster.

- (Hirundo), see H. erythrogaster. unalashkæ (Hylocichla), see H. aonalaschkæ.

uncinatus (Cymindis), see Regerhinus uncinatus or wilsoni.

— (Falco), see Regerhinus.

—— (Leptodon), see Regerhinus. — (Regerhinus), see Regerhinus.

--- (Rostrhamus), see Regerhinus.

undatus (Lybius), see Lybius. — (Melizophilus), see Melizophilus.

- (Picus), see Picus.

undosa (Tridactyla), see Picoides americanus.

undosus (Picus), see Picoides americanus.

ungava (Parus), see P. hudsonicus. unicolor (Myadestes), see Myadestes. - (Sterna), see Anous stolidus. United Ornithologists of Maine, '97, 257, '98, 216.

United States, Dept. Agriculture.

Div. Economic Ornith. and Mammalogy, '86, 416, 496, '87, 174, 340, '88, 447, '89, 284, '90, 414, '91, 122, '95, 98.

United States, Fish Commission, Bulletin, titles (No. 814), '85, 212, (No. 977) '85, 373.

United States, National Museum, '84, 403, '86, 416.

Upucerthia dumetoria, Patagonia, '90, 274; Urug., hbt. '83, 205.

Upupa, '81, 30, 31. epops, Helg. '95, 337. Upupudæ (* Hoopoes), '81, 31, 32*, 74,

75, '93, 66. Upupoideæ, '86, 406.

uralense (Syrnium), see Syrnium.

Uranomitra ellioti, Patagonia, '90, 274. urbica (Chelidon), see Hirundo.

— (Hirundo), see Hirundo. Uria, '80, 127, '81, 156, '89, 333, '92, 173, '93, 99, '99, 202.

arra (Pallas's or Pacific Murre, b Lomvia), Alas. '85, 63b, 159; Cal. '86, 126 [californica?].—mig. '85, 63b; nst. 1900, 76a; syn. '84, 385.

californica (a California Murre), Alas. '98, 125; B. C. '93, 17; Cal. '86, 88, 126 ['arra'], '87, 86, '94, 95a; Wash. '93, 17.—mig. '94, 95a, 96a, 97a; nst. '98, 125; syn. '84, 385; mig. '96, 329°.

lomvia (a Brunnich's Murre or Guillemot, b Alca bruennichi, c Lomvia brünnichi), Arctic Am. '78, 86b; Arctic Ocean, 1900, 307a, 308a; Conn. '91, 307, '95, 177, 310; D. C. '97, 312; Greenl. '89, 213, 1900, 185°; Helg. '95, 341; Ind. '97, 197-199, 228; Mass. '82, 251°, '97, 100; Me. '82, 191°, 251°, '87, 158; Mich. '95, 387; N. C. '97, 202; N. H. '82, 251°, 1900, 176; N. J. '92, 68, '97, 202"; N. Y. '85, 38°, '95, 177, 290, 312, '97, 202, 226, '99, 193; Ont. '97, 410, '98, 183; Que. '89, 145, '94, 175; R. I. '86, 270°; S. C. '97, 203; Va. '96, 171, '97, 202; Vt. '95, 311.—anat. '88, 331; hbt. '85, 38°, '89, 213; mig. '89, 213; syn. '84, 385; misc. '98, 214.

snowi, syn. 1900, 80. troile (a Murre, b Lomvia, c ringvia), Helg. '95, 325; Me. '82, 191b' '87, 158; N. B. '83, 9b; Que. '82, 241b, '88, 128b, '88, 129-135a, 281b, 382', '89, 145.—hbt. '82, 241b, '88, 129-135a, 281a; nst. '83, 238b, '88,

131^a, 135^a, 281^a, '89, 145; plm. '76, 23^b (alb.), '83, 238^c, '89, 145^c; syn. '84, 385, '80, 88°. urichi (Mecocerculus), see Mecocerculus. urile (Phalacrocorax), see Phalacrocorax. Urinator, see Gavia. Urinatores, '83, 232. Urinatoridæ, '93, 105, '97, 312, '99, 97. Urococcyx, '92, 184. urogallus (Tetrao), see Tetrao. urophasianus (Anas), see Pæcilonitta bahamensis. - (Centrocercus), see Centrocercus. - (Dafila), see Pæcilonitta bahamen-Uropsila, see Hemiura. uropygialis (Centurus), see Melanerpes. —— (Cœreba), see Cœreba. —— (Limosa), see L. baueri. ---- (Mecocerculus), see Mecocerculus. — (Melanerpes), see Melanerpes. — (Pachyramphus), see Pachyramphus. - (Stelgidopteryx), see Stelgidopteryx. Urubitinga, '84, 140, '87, 42, '93, 132. anthracina (Mexican Black Hawk), Ariz. '80, 91, '86, 60-63, 69-73, '90, 48; C. R. '91, 272, '92, 328; Jamaica, '92, 127; W. I. '87, 42.-fd., hbt., meas., nst., plm., song, '86, 69-73; syn. '86, 69, '87, 42. ridgwayi, C. R. '92, 328. urubitinga, Bras. '91, 161. urubitinga (Cathartes), see Cathartes. -(Morphnus), see Urubitinga anthracina. - (Urubitinga), see Urubitinga. urubu (Catharista), see Catharista. - (Vultur), see Catharista. Uruguay. Barrows, W. B., '83, 82-94, 129-143. 198-212, **'84**, 20-30, 109-113, 270-278, 313-319.

v vagans (Porzana), see Porzana. validus (Megapicus), see Xylolepes. (Myiarchus), see Myiarchus. - (Myionax), see Myıarchus. —— (Picus), see Xylolepes. (Xylolepes), see Xylolepes. vallicola (Callipepla), see Lophortyx. vallicolus (Lophortyx), see Lophortyx. vallisneria (Æthyia), see Aythya. ---- (Anas), see Aythya. —— (Aythya), see Aythya. ---- (Aythyia), see Aythya. ---- (Fuligula), see Aythya. — (Nyroca), see Aythya. Van Denburg, John. Notes on some birds of Santa Clara Co., California (rev.), 1900, 305. Vanello-chetusia, '85, 339. Vanellus, '84, 141, '85, 338, '88, 290. cayennensis, Argent., Urug., hbt., nst. '84, 278; Braz. '91, 163. chilensis, syn. '88, 290. vanellus (a Lapwing, b cristatus). Barbadoes, '92, 289; Helg. '95, 338; N. Y. '86, 438; N. S. '98, 195.—nst. '83, 236b; plm. '81, 162b; syn. '82, 179b, '84, 384b; misc. '97, 335a. vanellus (Vanellus), see Vanellus. Van Fleet, Walter. Swallow (Hirundo Rough-winged serripennis) in Pennsylvania, '76, 9-11. varia (Mniotilta), see Mniotilta. — (Motacilla), see Mniotilta. -(Sylvicola), see Mniotilta. variabilis (Asarcia), see Jacana spinosa. - (Parra), see Jacana spinosa. variegata (Ortygodes), see Ortygodes. variegatus (Chasmorhynchus), see Chasmorhynchus. — (Limnopardalus), see L. macula-- (Pardirallus), see Limnopardalus maculatus. - (Rallus), see Limnopardalus macu-Varieties (new), see New Species. varius (Empidonomus), see Empidono- (Picus), see Sphyrapicus. —— (Sphyrapicus), see Sphyrapicus.

lata or œdica.
ustus (Megascops), see Megascops.
—— (Scops), see Megascops.
Utah.

usneæ (Compsothlypis), see Compsoth-

ustulata (Hylocichla), see Hylocichla.

ustulatus (Turdus), see Hylocichla ustu-

Henshaw, H. W., '84, 224. Merriam, C. H., '95, 54-60.

Dalgleish, J. J., '84, 289.

lypis.

Vassar Brothers Institute, Transactions, titles (No. 813), '85, 212, (No. 2310) '92, 195. Vaughan, Clifford Wheaton.

— (Turdus), see Turdus.

Baird's Sandpiper at East Hampton, Long Island, N. Y. '96, 80.

(Helmitheros), see Helmitherus.

vauxii (Chætura), see Chætura. Veery, see Hylocichla fuscescens. vegæ (Larus), see Larus. velata (Geothlypis), see G. cucullatus. velatus (Hyphantornis), see Hyphantornis. veliei (Contopus), see C. richardsoni. velox (Accipiter), see Accipiter. --- (Falco), see Accipiter. velvetina (Melanetta), see Oidemia deglandi. -(Œdemia), see Oidemia deglandi. Venezuela. Allen, J. A., '94, 66, '99, 369-370, 1900, 184–185. Berlepsch, H. von, '88, 457-460. Phelps, W. H., '97, 357-371. Richmond, C. W., '95, 367-371. Ridgway, R., '85, 291, '86, 333, '94, 66, **'98**, 228. Stone, W., '91, 347. venezuelensis (Arremonops), see Arremonops. – (Molothrus), see Molothrus. (Xiphorhynchus), see Xiphorhynchus. Vennor, Henry George. Our birds of prey, or the Eagles, Hawks, and Owls of Canada (rev.), 77, 24. Obituary of, '84, 306. ventralis (Amazona), see Amazona ventralis or sallæi. - (Phylloscartes), see Phylloscartes. venusta (Pitta), see Pitta. venustissimus (Trochilus), see Eulampis jugularis. venustus (Brachyurus), see Pitta. Vera Cruz, Mexico. Chapman, F. M., '97, 311, '98, 279. Clark, J. H., 1900, 294. Nelson, E. W., '94, 39-40, '97, 45-46, 48, 49, 52, 58, 61, 64, 73, 1900, 256, 259, 267. Palmer, T. S., '94, 39-40. Ridgway, R., '98, 227, '99, 256. veræcrucis (Centurus), see Centurus. - (Melanerpes), see Centurus. Verdin, see Auriparus flaviceps. veredus (Charadrius), see Eudromias. - (Eudromias), see Eudromias. Verein zum Schutze der Vogelwelt, Monatsberichte, titles (Nos. 238-240), '83, 171. vermiculatus (Megascops), see M. guatemalæ. vermivora (Motacilla), see therus. vermivorus (Helinaia), see Helmitherus.

- (Helmitherus), see Helmitherus. — (Helminthotherus), Helmisee therus. Vermont. Allen, F. H., '96, 345. Allen, J. A., '89, 274. Batchelder, C. F., '82, 113-114, '84, 97-98. Brewer, T. M., '78, 195, '79, 237. Brewster, W., '84, 7. Clark, H. L., '87, 256. Cooke, W. W., '90, 210. Deane, R., '79, 121. Faxon, W., '90, 407-408. Gould, A. C., '93, 296. Graham, C. W., '86, 271. Herrick, F. H., '85, 210, 211. Hitchcock, F. H., '89, 193, '90, 403. Hintercock, F. 11., 39, 193, 90, 403. Jencks, F. T., '86, 271, 272, 272. Knowlton, F. H., '80, 57, '82, 63-64, 113-114, '83, 120, 182, '84, 390. Richardson, J., '89, 273-274. Titcomb, J. W., '94, 68. Torrey, B., '89, 194. Tracy, C. O., '83, 237, 237, '85, 99, 100. Tyler, M. G., '94, 253. Witherby, W. C., '94, 68. Woodworth, N. H., '95, 311-312. vernans (Osmotreron), see Osmotreron. verreauxi (Homoptila), see Leptotila. -(Engyptila), see Leptotila. - (Leptotila), see Leptotila. Verrill, Addison Emory. Golden Eagle (Aquila chrysaëtos) taken near New Haven, Conn. '97, Verrill, Alpheus Hyatt. Winter birds in Connecticut, '93, 207. Connecticut notes, '93, 305, 371. Verrill, George Elliot. Carduelis elegans in Connecticut, '92, Notes on fauna of island of Dominica (rev.), '94, 246. Notes on birds and eggs from the

islands of Gough, Kerguelen, and

South Georgia (rev.), '95, 288.

verrillorum (Mimocichla), see Mimo-

versicolor (Amazona), see Amazona.

— (Cyanospiza), see Cyanospiza.

(Calliste), see Calliste.

— (Chrysotis), see Amazona.

--- (Ergaticus), see Ergaticus.

— (Œnochrus), see Amazona.

— (Passerina), see Cyanospiza.

cichla. Verrulia, '97, 215.

```
---- (Psittacus), see Amazona.
 --- (Querquedula), see Querquedula.
---- (Quiscalus), see Q. quiscula.
--- (Spiza), see Cyanospiza.
verticalis (Arremonops), see Arremo-
      nops.
  — (Embernagra), see Arremonops.
    - (Tyrannus), see Tyrannus.
--- (Vireolanius), see Vireolanius.
vespertina (Coccothraustes), see C. ves-
       pertinus or montanus.
    - (Hesperophona), see Coccothraus-
       tes vespertinus or montanus.
    ~ (Falco), see Falco.
vetula (Coccygus), see Saurothera.
   - (Cuculus), see Saurothera.
    - (Harporhynchus), see H. curviros-
       tris.
    - (Ortalida), see Ortalis maccalli.
    - (Saurothera), see S. vetula or ba-
       hamensis.
vexator (Tyrannus), see T. tyrannus.
vicinior (Vireo), see Vireo.
vicinus (Contopus), see Contopus.
    - (Horizopus), see Contopus.
viduata (Anas), see Dendrocygna.
    - (Dendrocygna), see Dendrocygna.
vieilloti (Dendroica), see D. vieilloti or
       rufigula.
  --- (Lybius), see Lybius.
   - (Saurothera), see Saurothera.
  — (Trochilus), see Mellisuga minima.
vigilantis (Limnopardalus), see Limno-
    pardalus.
vigorsii (Dendroica), see Dendroica.
    - (Phasianurus), see Pæcilonitta ba-
       hamensis.
    - (Sylvia), see Dendroica.
vigua (Phalacrocorax), see Phalacro-
       corax.
villosus (Dryobates), see D. villosus or
       audubonii.

    (Picus), see Dryobates villosus, au-

       duboni or insularis.
vinaceicollis (Chrysotis), see Amazona
       collaria.
--- (Pionus), see Amazona collaria.
---- (Psittacus), see Amazona collaria.
vinaceifulva (Engyptila), see Leptotila.
 --- (Leptotila), see Leptotila.
vinaceigularis (Prionops), see Prionops.
vinaceiventris (Engyptila), see Lepto-
       tila.
  --- (Leptotila), see Leptotila.
vinaceo-rufa (Zenaidura), see Zenai-
       dura.
vinaceus (Megascops), see Megascops.
```

violacea (Ardea), see Nycticorax.

--- (Euphonia), see Euphonia.

```
    (Jacana), see J. spinosa.

--- (Loxia), see Pyrrhulagra.
____ (Loxigilla), see Pyrrhulagra.
- (Nyctiardea), see Nycticorax.
—— (Parra), see Jacana spinosa.
 — (Pyrrhula), see Pyrrhulagra.
—— (Pyrrhulagra), see Pyrrhulagra.
--- (Spermophila), see Pyrrhulagra.
- (Topaza), see Eulampis jugularis.
violaceus (Graculus), see Phalacroco-
       rax robustus.
   - (Icterus), see Molothrus bonari-
—— (Nyctherodius), see Nycticorax.
--- (Nycticorax), see Nycticorax.
—— (Phalacrocorax), see P. pelagicus.
--- (Pionus), see Pionus.
 - (Trochilus), see Eulampis jugu-
       laris.
violajugulum (Trochilus), see Trochi-
violicauda (Lampornis), see L. nigri-
       collis.
vioscæ (Columba), see Columba.
virens (Contopus), see Contopus.
—— (Dendroica), see Dendroica.
—— (Horizopus), see Contopus.
--- (Icteria), see Icteria.
—— (Motacilla), see Dendroica.
--- (Muscicapa), see Contopus.
—— (Myiarchus), see Contopus.
(Sylvicola), see Dendroica.
(Rhimamphus), see Dendroica.
Vireo, '81, 34, '82, 245, '84, 280, '85, 116, '86, 187, 448.
     agilis, Braz. '90, 266; Columbia
  River, '77, 91?; Venez. '97, 364.-
  syn. '77, 91.
     alleni, W. I. '86, 500*, 501, '88,
  157, '89, 31.
     alticola (Mountain Solitary Vireo),
  Fla. '88, 275, '92, 213, '92, 338; N. C. '86, 111*, '88, 399, '89, 122; S. C.
  '86, 410, '88, 324, '89, 197, '90, 126, '91, 329-331; Tenn. '86, 317 [not 'solitarius,' see '87, 164], '87, 128, 131, 164; Va. '89, 52.—hbt. '86, 111,
  '91, 329; meas. '86, 112, '90, 127, '91,
  330; plm. '87, 131, '90, 126, '91, 169;
  song, '86, 111, '91, 169, 329.
     approximans, W. I. '85, 291, '87,
```

approximans, W. 1. '85, 291, '87, 180.

atricapillus (a Black capped Vireo), Cal. '90, 215?; g. dist. '93, 135; Kan. '85, 274, '86, 114, 115; Tex. '79, 58, 99, '80, 239, '82, 37, '84, 121?, '87, 295, '92, 340, 341a.—hbt. '79, 58, 99—103, '85, 274; meas. '79, 103, '85, 275; nst. '79, 99—103, 193 (col. pl.),

'85, 274, '87, 295; plm. '80, 239, '85, 274, 276; song, '79, 58, '85, 274, '87, 295; misc. '79, 193.

bairdi, Yucatan, '85, 295.

barbadensis (b Vireosylvia dominicana), W. I. '80, 166b.

(a Black-whiskered barbatulus Vireo), Bahamas, '91, 70, 335, 351, 1900, 288; Fla. '87, 133, 216, 2192, '88, 186, '90, 14, 312, '91, 90, '92, 213; g. dist. '93, 141, W. I. '81, 152, '86, 190, '87, 7.—mig. '91, 69; nst. '88, 186; plm. 1900, 288; song, '90, 14, '91, 70; syn. '86, 190, '91, 90, 1900, 288.

bellii (a Bell's Vireo), Cal. '87, 93, '90, 215 [pusillus?]; Colo. '87, 264; g. dist. '93, 135; Ia. '95, 124, 235; Ill. '76, 42; Ky. '89, 315; Mo. '79, 143; Tex. '82, 11, '87, 190, 295, '89, 240, '92, 340, 1900, 347.—mig. '92, 236a, '95, 124, 129a, 235; nst. '82, 11, '87, 93, 295, '91, 107a, '92, 237a; misc. '85, 101, '87, 295, '90, 80°, 85°. calidris, W. I. '86, 189, '87, 95, '91, 47, 47, 48, 49, '93, 70, '94, 127, 246.nst. '94, 127; meas., plm., syn. '86, 189; misc. '94, 14.

californicus, '90, 159*, see vicinior. canescens (b Vireosylvia), W. I. '87, 178b*, 181b.

carmioli, C. R. '85, 291.

cassinii (a Cassin's Vireo, b Lanivireo), Ariz. '82, 142, '88, 32, '94, 220; Cal. '78, 66b, '87, 88, '89, 223, '99, 159a; Ida. '98, 18; N. M. '85, 332, '92, 367; Ore. '79, 164, '86, 170, '88, 258", 360; Wash. '93, 17, '97, 179. -meas., plm. '82, 142; mig. '85, 332; nst. '86, 170, '88, 360, '98, 139; song, '86, 170; syn. '80, 105^a.

caymanensis, W. I. '87, 7*, '88, 157, '89, 31.

chivi, W. I. '93, 220.

cinereus (b Vireosylvia), Yucatan, '85, 295°.

crassirostris, Bahamas, '86, 188, **'91**, 70, 294, 295, 296, 297, 297, 298, 334, 335, 336, 336, 338, 350, 350, 351, 351, 351, '92, 48, 49, '93, 70, 1900, 289.-meas., syn. '86, 188; plm. '86, 188, '87, 148, 1900, 289. flavescens, W. I. '88, 157, '91, 336,

338, 339, 339.

flavifrons (a Yellow-throated Vireo, ^b Lanivireo), Colom. 1900, 366; C. R. '90, 335, '92, 23; Cuba, '86, 189; D. C. '88, 23; Fla. '88, 275, '90, 15, 312, '91, 127*, 138, '92, 213, '93, 338,

'95, 365, Ga, '83, 38b; g. dist. '93, 133, Ia '95, 124 ['flaviventris' is a misprint], 235; Ind. '82, 16b, '89, 26; Kan. '84, 124-126b; Ky. '89, 315; La. '80, 136^a, '87, 304; Man. '86, 325; Mass. '84, 6^a, '90, 217, '95, 89; Mich. '93, 227; Mo. '79, 143, '95, 350°; N. C. '86, 99^a, 173; N. E. '76, 73; N. H. '89, 77; N. Y. '81, 228^b, '84, 176^b, 322; O. '86, 400b, '95, 241; S. C. '79, 213, '90, 126, '91, 329, '92, 31*, 35*; Tenn. '86, 317, '87, 131; Tex. '82, 11b, 37b, '92, 340, 1900, 347; Vt. '79, 237; Wis. '82, 188.—fd. '99, 362a; hbt., meas. '84, 125b; mig. '80, 136a. '84, 176^b, '91, 135, '92, 31^a, 35^a, 192, '95, 129^a, 235, 241; nst. '82, 11^b, '83, 38b, '84, 124b, '86, 400b, '88, 23, '92, 340, '93, 338; plm. '76, 62, '78, 115; song, '84, 322, '86, 173; syn. '86, 189.

flavoviridis (Yellow-green Vireo), Cal. '88, 210; C. R. '90, 329, 335, '92, 22; g. dist. '93, 141; Neb. '96, 263 [=olivaceus, see '97, 323]; Que. '83, 213, 244; Tex. '78, 152, '80, 89.—hbt. '90, 329, '92, 288; meas. '83, 213, '90, 330; nst. '90, 329; plm. '83, 213; misc. '80, 88.

gilvus (a Warbling Vireo, b Vireo-sylvia swainsoni, c swainsoni, d Vireosylvia), Ariz. '82, 142, '85, 354°, '88, 32°, '90, 49°, 260°; B. C. '93, 21-23°; 32°, '90, 49°, 260°; B. C. '93, 21-23°; Cal. '78, 66°, '86, 184, '89, 223; Colo. '79, 93°, '80, 229°, '81, 89°, '83, 160, '85, 15°, 141°; D. C. '88, 23, '92, 307; Fla. '90, 15, '92, 213; g. dist. '88, 399°; Ia. '95, 124, 235; Ida. '98, 18; Ind. '82, 17°, '89, 26; Ky. '89, 315; La. '82, 162°, '87, 302; L. Cal. '95, 142, 162°, '87, 325; Max. '24. '95, 142; Man. '86, 325; Mass. '84, 64, '88, 389, '89, 45, 102, '90, 217; 6", '88, 389, '89, 45, 102, '90, 217; Mich. '93, 227; Minn. '80, 14; Mo. '79, 143, '95, 357"; Mont. '82, 62°, '94, 307, '95, 218; N. C. '86, 173; N. E. '76, 73, 92, '77, 15; Neb. '85, 279; N. H. '88, 150, 152, '89, 79; N. M. '85, 332°; N. Y. '81, 2284, '84, 218, '96, 87; O. '82, 46, '95, 241; Ore. '88, 170, '88, 252°, 360°; Pa, '93, 241; Ore. '86, 170, '88, 258°, 360°; Pa. '93, 40, '96, 284; S. D. '85, 279; Tex. '82, '92, 46, '93, 21-23°, '97, 179; Wash.'92, 46, '93, 21-23°, '97, 179; Wiss.'82, 187, '88, 327.—fd. '99, 362°; hbt. '86, 170; meas. '93, 22, 22°; mig. '88, 327, '95, 124, 129², 235, 241; nsi, '80, 14, 229², '88, 32°, '98, 139; plm. '76, 61, '78, 115, '82, 142, '88, 32°, '97, 259 (col. pl.); song, '80,

229^b, '84, 218, '96, 87; syn. '82, 142, '87, 336°, '88, 32°, '93, 21°, '94, 50°; misc. '89, 24ª.

grandior (b Vireosylvia), W. I. '85, 291^b, '87, 180^b.—plm. '87, 178^b. gundlachi, W. I. '86, 188, '92, 273.

meas., plm., syn. '86, 188. huttoni (Hutton's Vireo). Cal. '78, 68, '82, 144, '86, 184, '87, 93, '89,

221, '93, 238; g. dist. '93, 135, 241. meas. '78, 68, '82, 143, 144, '93, 240; nst. '78, 68; syn. '82, 143, '93, 238.

insularis, '93, 239*, see obscurus. latimeri, W. I., meas., plm., syn. '86, 187.

lucasanus (Saint Lucas Solitary Vireo), L. Cal. '91, 147*, '92, 106. meas. '91, 148; syn. '92, 106.

maynardi (Key West Vireo), Fla. '87, 148*, '88, 187, 399, '90, 15, '92, 213.—meas. '87, 148; nst. '88, 187; syn. '90, 312.

micrus, Mex., meas. '99, 30*. modestus, W. I. '86, 187, '93, 339, '94, 127.—nst. '94, 127; meas., plm. syn. '86, 187.

nanus, Mex. '98, 340.

133; Ind. '82, 17; Ky. '89, 315; La. '82, 162, '87, 302°; Mass. '84, 6°, '89, 40°, 45, '90, 217; Me. '83, 165°?; Minn. '93, 289; Miss. '82, 91; Mo. '79, 143, '95, 117"; N. B. '82, 104; N. C. '86, 173, '89, 120; N. E. '76, 73, '77, 15, 47; N. F. 1900, 72; N. J. '94, 139; N. Y. '79, 175, '84, 176, 179, 323; S. C. '79, 214, '85, 72ª, '90, 127, '92, 31ª; Tenn. '86, 317, '87, 132; Tex. '82, 11, 37, '87, 295, '92, 340, 1900, 347; W. I. '87, 181.—fd. '99, 362°; mig. '84, 176, 179, '92, 31°; nst. '83, 38; plm. '78, 116, '87, 295; song, '84, 323; syn. '86, 188. b insu-

obscurus (Dusky Vireo, laris), B. C. '93, 16, 23, 239b; g. dist. '95, 165; Ore. '93, 239, 239b*; Wash. '93, 16, 23, '98, 138.—hbt., meas., nst. '98, 139; syn. '92, 288, '94, 51, 51b, '95, 165.

olivaceus (a Red-eyed Vireo. b Vireosylvia), Ala. '79, 7; Ark. '82, 91^b; Bahamas, '92, 48, 49; B. C. '92, 395, 1900, 107; Colo. '87, 264; Colom. 1900, 366; C. R. '90, 329,

335, '92, 22; D. C. '88, 23, '92, 308; Fla. '81, 39, '88, 275, '90, 15, 312, '91, 127^a, 138, '92, 213, '95, 365; Ga. '83, 38^b, '96, 214; G. Br. '80, 71^b; Ia. '95, 123, 235; Ida. '98, 18; Ill. '88, 434; Ind. '82, 17b, 18b, '89, 26; Ky. '89, 315, La. '87, 302°; Man. '86, 325; Mass. '84, 6^a, '88, 389, '89, 45, 102, '90, 217; Me. '82, 111; Mich. '85, 65, '93, 227; Minn. '80, 14; Miss. '82, 91b; Mo. '79, 143, '95, 350a; Mont. '95, 218; N. B. '82, 111, '83, 11^a, '89, 118; N. C. '86, 173, '89, 120; Neb. '96, 263 [not 'flavoviridis, see '97, 323]; N. H. '87, 102a, 105, '88, 150, 152, 154, '89, 77, 78, '94, 335; N. J. '94, 139; N. S. '87, 16, '91, 165, '94, 334; N. Y. '79, 32, '81, 228b, '84, '90, 125, '91, 329, '92, 36a, 37a; S. D. '85, 279; Tenn. '86, 317, '87, 131; Tex. '82, 11b, '87, 295, '92, 340, 1900, 347; Va. '89, 74"; Wash. '92, 395; W. I. 86, 190; Wis. 82, 187, '88, 327.—fd. '97, 412a, '99, 362a; hbt. '90, 107a, '93, 12, '97, 412a, 1900, 100a, 102a; mig. '84, 176b, 177b, 178b, 176b, 176 179^b, '85, 65, 98^a, '88, 327, 434, '91, 135, '92, 36^a, 37^a, '95, 123, 128^a, 235, 241; nst. '78, 95, '82, 18, '82, 38, '87, 247a, 295, '98, 18; plm. '78, 97, 115, '86, 173, '87, 131; song, '84, 65a, 217, '92, 283; syn. '86, 190; misc. '89, 24ª.

perquisitor, Mex., meas. 1900, 267*.

philadelphicus (* Philadelphia Vireo), Conn. '94, 181, '95, 311; C. R. '90, 335, '92, 23; g. dist. '80, 1-7, 793, 127, '97, 259-272 (col. pl.); Ind. '89, 26; Ky. '88, 115, '89, 315; Man. '85, 305, '86, 325; Mass. '76, 19, '80, 53, '81, 56, '95, 84; Mich. '85, 65, '93, 227; Mo. '95, 116a; N. B. '82, 111; N. E. '76, 74; Neb. '85, 279; N. H. '77, 78, '88, 152, '89, 42; N. J. '81, 56; N. Y. '78, 46, '80, 239, '84, 291, '85, 272, '98, 333; Ont. '98, 191; Pa. '79, 235, '92, 138; S. D. '85, 279?; Va. '89, 74; Vt. '90, 403; W. Va. '99, 359.-fd. '93, 227; hbt. '80, 1-7, '97, 259-272, '98, 191; mig. '85, 65; nst. '85, 305, '86, 325, '97, 259, 269 (mlt.), '98, 191; plm. '76, 61, '97, 269; song, '80, 1, 3, '97, 266; misc. '88, 115.

(a Plumbeous plumbeus Vireo, b Lanivireo), Ariz. '88, 32, '90, 49, 260; Cal. '87, 88 [cassini?]; Colo. '80, 229, '81, 89, '83, 160, '85, 15b, 141b, '94, 269; N. M. '85, 332, '92, 367, '98, 310; N. Y. '94, 79.-meas. '94, 79; plm. '88, 32; song, '80, 229; svn. '80, 105.

pusillus (Least Vireo), Ariz. '78, 93, '82, 144, '85, 321, '88, 33; Cal. '86, 184, '90, 215 ['belli']; L. Cal. '95, 142; Mex. '85, 197; N. M. '78, 93; Ont. '83, 55 [belli?] .- meas. '82, 145; nst. '82, 144, '88, 33; plm. '82, 144, '85, 197; syn. '82, 143.

solitarius (" Blue-headed or Solitary Vireo, b Lanivireo), Ala. '79, 7; Cal. '78, 65b [cassini?]; Conn. '93, 371, '96, 343; Cuba, '86, 190; Fla. '86, 410, '88, 275, '90, 15, '91, 127*, 138, '92, 213, '95, 365; g. dist. '93, 133, 135; Ga. '86, 410, '96, 214; Ind. '82, 20b, '89, 26; Man. '86, 325; Mass. '87, 251, '88, 389, '89, 40a, 45, 102; Me. '82, 111; Mich. '85, 65, '93, 227; Minn. '97, 223; Mo. '79, 143; N. B. '89, 118; N. C. '86, 98 [alticola?]; N. H. '88, 152, '89, 77, 78; N. S. '91, 165; N. Y. '81, 228', '84, 176', 323, '90, 231; O. '87, 132; Pa. '92, 133", 138, '96, 291", 292, 295, '99, 312; P. E. I. '93, 13; S. C. '79, 213, '86, 410, '91, 169, '92, 37^a, 39^a, '99, 198; S. D. '85, 279; Tenn. '86, 317 [= alticola, see '87, 164]; Tex. '82, 11b, '84, 122b, '92, '340; W. Va. '98, 136.—hbt. '90, 110a, 200; meas. '86, 112; mig. '84, 176b, '85, 65, '92, 37a, 392, '99, 198; nst. '96, 343; plm. '78, 116, '86, 111, '91, 169, '92, 138; song, '84, 323; syn. '80, 105, '86, 190. sordidus, Mex. '98, 340.

stephensi (Stephen's Vireo), Ariz. '82, 142, 258, '85, 197, 354, '88, 32, '89, 173; g. dist. '93, 239, 241; N. M. '82, 142*, 258, '98, 310.—meas. '82, 143, 144, '93, 240; nst. '89, 173; plm. '85, 197; syn. '82, 143, '93, 239. strenuus, Mex., meas. 1900, 268*.

superciliaris, C. R. '92, 173. vicinior (Gray Vireo, b californicus), Aris. '82, 145, '85, 321, '88, 33; Cal. '78, 42, '90, 159°, 215; g. dist. '93, 135; N. M. '78, 93, '92, 367. hbt. '78, 42, '85, 321; meas. '82, 145, '85, 324a; nst. '85, 321-326, '86, 83, '90, 159°; plm. '82, 145; song, '78, 42, 93, '85, 321; syn. '91, 89°, '92, 108b, '93, 62b.

VIRGINIA. Vireo, Anthony's, see Vireo obscurus. Arizona, see Vireo vicinior. Bell's, see Vireo bellii. Black-capped, see Vireo atricapillus. Black-whiskered, see Vireo barbatulus. Blue-headed, see Vireo solitarius. Cassin's, see Vireo cassinii. Chiapas, see Vireo strenuus. Dusky, see Vireo obscurus. Gray, see Vireo vicinior. Hutton's, see Vireo huttoni. Key West, see Vireo maynardi. Large-billed, see Vireo crassirostris. Least, see Vireo pusillus. Mountain Solitary, see Vireo alticola. Philadelphia, see Vireo philadelphicus. Plumbeous, see Vireo plumbeus. Red-eyed, see Vireo olivaceus. Saint Lucas Solitary, see Vireo lucasanus. Solitary, see Vireo solitarius. Small White-eyed, see Vireo micrus. Stephens's, see Vireo stephensi. Vera Cruz, see Vireo perquisitor. Warbling, see Vireo gilvus. White-eyed, see Vireo noveboracensis. Yellow-green, see Vireo flavoviridis. Yellow-throated, see Vireo flavifrons. Vireolanius pulchellus, plm. '89, 48. verticalis, C. R. '85, 293.

Vireonidæ (* Vireos), '76, 61, '81, 28, 34, 156ª, '93, 111ª, 1900, 101ª. Vireos, see Vireonidæ.

Vireosylvia, see Vireo.

canescens, '87, 178*, see Vireo. virescens (Ardea), see Ardea.

--- (Brotogeris), see Brotogeris.

---- (Butorides), see Ardea. --- (Empidonax), see Empidonax.

---- (Herodias), see Ardea.

--- (Icterus), see I. hypomelas. - (Myiozetetes), see Myiozetetes.

--- (Ocniscus), see Ardea.

--- (Platyrhynchos), see Empidonax.

—— (Pseudoleistes), see Pseudoleistes. —— (Psittacus), see Amazona agilis.

—— (Sublegatus), see Myiozetetes. —— (Vireo), see V. agilis.

virgata (Aphriza), see Aphriza. - (Drymophila), see Drymophila. virgatum (Syrnium), see Syrnium. Virgin Gorda Island, West Indies.

Cory, C. B., '90, 375. virginalis (Lampornis), see L. virginalis

or dominicus. Virginia.

Allen, W. T., '83, 174.

Bailey, H. B., '76, 24-28. Baily, W. L., 1900, 293. Batchelder, C. F., '91, 105-106. Beckham, C. W., '85, 110. Braislin, W. C., 1900, 172. Brewster, W., '80, 57-58, '82, 48, 126. Brown, E. J., '93, 204, '94, 259. Coues, E., '77, 74. Coues, E. B., '88, 405-408. Daniel, J. W., Jr., 1900, 296-297. Deane, R., '80, 125. De Haven, I. N., '96, 171. Fisher, A. K., '90, 96, '95, 307. Freke, P. E., '82, 48. Henshaw, H. W., '79, 243-244. Jouy, P. L., '81, 57-58. Lawrence, N. T., '78, 98. Mearns, E. A., '90, 88. Miller, P., '84, 186. Norris, J., '88, 316. Palmer, W., '85, 304, '89, 71, 74, '94, 325, 333–334, '96, 83, 84, '97, 208– 209, 322, 408. Pearsall, R. F., '81, 63. Richmond, C. W., '88, 18-24, '89, 339. Ridgway, R., '80, 53, 221, 223, '81, 118, '82, 250, '83, 59, '87, 67. Rives, W. C., '85, 103-104, '86, 156-161, '89, 50-53, '92, 193, '97, 88. Robinson, W., '89, 194-195. Sennett, G. B., '87, 67. Shoemaker, G., '81, 113-114. Smith, H. M., '86, 278, '87, 346. Smyth, E. A., Jr., '93, 361-362. Strother, W. A., '88, 314. Surber, T., '94, 77.
Torrey, B., '96, 179.
Trotter, S., '82, 115.
Webster, F. S., '87, 158. Whittaker, W. L., '97, 202. Wise, J. S., '88, 312. virginiacus (Charadrius), see C. dominivirginiæ (Helminthophila), see Helminthophila. virginiana (Ortyx), see Colinus virginianus or cubanensis. virginianus (Bubo), see B. virginianus or arcticus. (Caprimulgus), see Chordeiles. - (Cardinalis), see C. cardinalis, canicaudus or floridanus. - (Charadrius), see C. dominicus. — (Chordeiles), see Chordeiles. --- (Chordiles), see Chordeiles. --- (Colinus), see Colinus. ---- (Rallus), see Rallus. --- (Tetrao), see Colinus.

virgo (Anthropoides), see Anthropoides. viridanus (Phylloscopus), see Phylloscopus. viridescens (Attila), see Attila. — (Empidonax), see Empidonax. viridis (Agyrtria), see Lampornis. - (Chalybura), see Lampornis. —— (Cyclorhis), see C. viridis or ochrocephala. --- (Galbula), see Galbula. --- (Gecinus), see Gecinus. - (Icteria), see I. virens. - (Lampornis), see Lampornis. --- (Phyllornis), see Chloropsis zoster---- (Parra), see Jacana nigra. ---- (Picus), see Gecinus. —— (Procnias), see P. tersa. --- (Todus), see T. viridis, hypochondriacus or subulatus. — (Trochilus), see Lampornis. - (Trogon), see Trogon. viscivorus (Turdus), see Turdus. vitellina (Dendroica), see Dendroica. vittata (Amazona), see Amazona. – (Chrysotis), see Amazona. vittatum (Hapaloderma), see Hapaloderma. vittatus (Psittacus), see Amazona. vitticaudus (Cymindis), see Regerhinus uncinatus. - (Falco), see Regerhinus uncinatus. vivida (Psittacula), see Psittacula. - (Xanthoura), see Xanthoura. v-nigra (Somateria), see Somateria. vocifera (Ægialitis), see Ægialitis. vociferans (Tyrannus), see Tyrannus. vcciferus (Antrostomus), see A. vociferus or cubanensis. - (Caprimulgus), see Antrostomus, vociferus or cubanensis. - (Charadrius), see Ægialitis. — (Oxychecus), see Ægialitis. —— (Oxyechus), see Ægialitis. —— (Psilorhinus), see Psilorhinus. —— (Totanus), see T. melanoleucus. Vogt, M. C. The second fossil Archæopteryx (rev.), '81, 107-109. Volatinia jacarina, W. I. '88, 158 [= splendens, see '89, 218]. splendens, C. R. '92, 27; Venez. '97, 364; W. I. '89, 218, '93, 220. plm. '89, 219; syn. '89, 218. Volucres, '81, 30. Voorhees, Clark Greenwood.

Third specimen of Lawrence's Warbler, '88, 427.

Occurrence and breeding of Kentucky Warbler in Connecticut, '93, 86. Connecticut notes, '94, 259.

vulcani (Junco), see Junco.

—— (Zonotrichia), see Junco.

vulgaris (Buteo), see B. buteo.

(Coccothraustes), see C. coccothraustes.

— (Francolinus), see Francolinus.

—— (Icterus), see I. icterus.

—— (Lagopus), see L. mutus.

—— (Nycticorax), see N. nævius.

--- (Polyborus), see P. cheriway.

(Sturnus), see Sturnus.

Vultur '80, 79, 80.

percnopterus, anat. '82, 47.

Vulture, Black, see Catharista urubu. California, see Pseudogryphus californianus.

King, see Gyparchus papa. Turkey, see Cathartes aura. Vultures, see Sarcorhamphidæ. Vulturidæ, '77, 70, '78, 77.

w

Waders, see Limicolæ.

wagleri (Centurus), see Centurus.

(Eucorystes), see Eucorystes.(Hylocharis), see Thalurania bicolor.

—— (Icterus), see Icterus.

--- (Ornismya), see Thalurania bicolor.

— (Thalurania), see T. bicolor.

Wagner Free Institute of Science, Transactions, title (Nos. 2311), '92, 195.

Wagtail, see Anthus pensilvanicus. Pied, see Motacilla lugubris.

Siberian Yellow, see Budytes leucostriatus.

Swinhoe's, see Motacilla ocularis.

White, see Motacilla alba. Wahquoits, see Tringa canutus.

Wake-up, see Colaptes luteus.

Wales.

Seebohm, H., '85, 373.

Walford, W. L.

Albinism in Bohemian Waxwing, '80, 183.

Walker, Mary L.

Quadrate bone in birds (rev.), '90, 198.

Wall, Edward.

Gambel's Partridge at San Bernardino, California, '93, 204.

Wallace, Alfred Russel.

Palæarctic and nearctic regions compared as regards mammalia and birds (rev.), '94, 318.

wallacei (Dendrochelidon), see Dendrochelidon.

Walloon, see Gavia imber.

Wamp, see Somateria dresseri.

Warbler, Alaskan Yellow, see Dendroica rubiginosa.

Antillean Yellow, see Dendroica petechia.

Arrow-headed, see Dendroica pharetra.

Audubon's, see Dendroica auduboni. Aurora, see Dendroica eoa.

Bachman's, see Helminthophila bachmanii.

Bahama Pine, see Dendroica achrustera.

Bay-breasted, see Dendroica castanea. Bell's, see Basileuterus belli.

Black-and-white, see Mniotilta varia. Black-and-yellow, see Dendroica maculosa.

Blackburnian, see Dendroica blackburniæ.

Black-capped, see Dendroica striata. Black-capped Flycatching, see Wilsonia pusilla.

Black-capped Yellow, see Wilsonia pusilla.

Black-fronted, see Dendroica nigrifrons.

Black-poll, see Dendroica striata.

Black-throated Blue, see Dendroica cærulescens.

Black-throated Gray, see Dendroica nigrescens.

Black-throated Green, see Dendroica virens.

Blue, see Dendroica rara.

Blue Golden-winged, see Helminthophila chrysoptera.

Blue Mountain, see Dendroica montana.

Blue-throated, see Cyanecula suecica. Blue-winged, see Helminthophila pinus.

Blue-winged Yellow, see Helminthophila pinus.

Blue Yellow-backed, see Compsothlypis americana or usneæ.

Brasher's, see Basileuterus culicivorus.

Brewster's, see Helminthophila leucobronchialis.

Cærulean, see Dendroica rara. Cairn's, see Dendroica cairnsí. 412

Calaveras, see Helminthophila gutturalis.

Canada, see Wilsonia canadensis. Canada Flycatching, see Wilsonia canadensis.

Canadian, see Wilsonia canadensis. Cape May, see Dendroica tigrina.

Carbonated, see Dendroica carbonata. Cerulean, see Dendroica rara.

Chapman's, see Dendroica flavivertex. Chestnut-headed, see Dendroica cas-

taneiceps. Chestnut-headed Yellow, see Dendro-

ica castaneiceps. Chestnut-sided, see Dendroica pensyl-

Cincinnati, see Helminthophila cincinnatiensis.

Connecticut, see Geothlypis agilis.

Dusky, see Helminthophila sordida.

Golden, see Protonotaria citrea. Golden-cheeked, see Dendroica chrysoparia.

Golden Swamp, see Protonotaria citrea.

Golden-winged, see Helminthophila chrysoptera.

Goldman's, see Dendroica goldmani. Grace's, see Dendroica graciæ.

Grayson's, see Compsothlypis graysoni.

Green Black-capped Flycatching, see Wilsonia pusilla.

Guatemalan, see Basileuterus scitulus. Hermit, see Dendroica occidentalis. Hooded, see Wilsonia mitrata.

Hooded Flycatching, see Wilsonia mitrata.

Hoover's, see Dendroica [hooveri =] coronata.

Kennicott's Willow, see Phyllopseustes borealis.

Kentucky, see Geothlypis formosa. Kirtland's, see Dendroica kirtlandi. Lawrence's, see Helminthophila lawrencei.

Lucy's, see Helminthophila luciæ. Lutescent, see Helminthophila lutes-

Macgillivray's, see Geothlypis tolmiei. Magnolia, see Dendroica maculosa. Mangrove, see Dendroica castanei-

ceps. Mourning, see Geothlypis philadelphia.

Myrtle, see Dendroica coronata. Nashville, see Helminthophila rubricapilla.

Northern Parula, see Compsothlypis usneæ.

Olive, see Dendroica olivacea.

Olive-headed, see Dendroica olivacea. Orange-crowned, see Helminthophila celata.

Palm, see Dendroica palmarum.

Parula, see Compsothlypis americana. Pileolated, see Wilsonia pileolata.

Pine, see Dendroica vigorsii.

Pine-creeping, see Dendroica vigorsii. Prairie, see Dendroica discolor.

Prothonotary, see Protonotaria citrea.

Red, see Ergaticus ruber.

Red-faced, see Cardellina rubrifrons. Red-fronted, see Cardellina rubrifrons.

Red-poll, see Dendroica palmarum.

Reed, see Cistothorus palustris. Sennett's, see Compsothlypis nigri-

Small-headed, see Wilsonia microcephala.

Sonora Yellow, see Dendroica sonorana.

Summer, see Dendroica æstiva.

Swainson's, see Helinaia swainsonii. Sycamore, see Dendroica albilora.

Tennessee, see Helminthophila pere-

Townsend's, see Dendroica townsendi. Virginia's, see Helminthophila virginiæ.

Western Green Black-capped Flycatching, see Wilsonia pileolata.

Western Mourning, see Geothlypis tolmiei. Western Orange-crowned, see Hel-

minthophila lutescens. Western see Dendroica

Yellow, sonorana.

White-browed Warbler, see Dendroica albilora.

White-browed Yellow-throated, see Dendroica albilora.

White-cheeked, see Helminthophila leucobronchialis.

White-throated, see Helminthophila leucobronchialis.

Wilson's, see Wilsonia pusilla.

Wilson's Black-capped Flycatching, see Wilsonia pusilla.

Worm-eating, see Helmitherus vermivorus.

Yellow, see Dendroica æstiva or rubiginosa.

Yellow-bellied Red-poll, see Dendroica hypochrysea.

Yellow-headed, see Geothlypis flaviceps.

Yellom Palm, see Dendroica hypochrysea.

Yellow Red-poll, see Dendroica hypochrysea.

Yellow-rumped, see Dendroica coro-

Yellow-throated, see Dendroica dominica.

Warblers, see Mniotiltidæ.

Ward, Charles Willis.

Notes on Ardea wards, '84, 161-163. wardi (Ardea), see Ardea.

Ward's Natural Science Bulletin, titles (Nos. 259-266), '83, 172.

War-loon, see Gavia imber.

Warren, Benjamin Harry.

Report on birds of Pennsylvania (rev.), '89, 170, 284, '91, 101-103. How to collect, skin, preserve and mount birds, etc., 2d ed. (rev.), '96, 334.

Warren, Jesse.

Nesting of Golden-winged Warbler (Helminthophaga chrysoptera) in Massachusetts, '76, 6-8.

Warren, Oscar Bird.

Some corrections, '98, 193.

A chapter in the life of the Canada Jay, '99, 13-19 (4 figs.).

Calcarius lapponicus in winter at Palmer, Marquette Co., Mich. '94, 180. Notes from upper peninsula of Michigan, '95, 191.

Warrior, Black, see Buteo harlani,

Washburn, Frederick Leonard.

Recent capture of Kirtland's Warbler in Michigan, and other notes, '89, 279.

Washington.

Allen, J. A., '81, 128, '99, 349. Anthony, A. W., '93, 87. Batchelder, C. F., '92, 395-396, '93, 290-292.

Bendire, C. E., '81, 185, '82, 58, '83, 236.

Bowles, C. W., '98, 138-140.

Bowles, J. H., '98, 138-140.

Brewer, T. M., '80, 50. Brewster, W., '82, 225-233, '91, 140. Coues, E., '95, 178, 179. Dawson, W. L., '97, 87, 92, 93, 95-

96, 168-182.

Edson, J. M., '94, 73.

Gormley, M. H., '88, 424-425. Goss, N. S., '84, 163-165, '85, 222. Kobbé, W. H., 1900, 8-15, 349-358.

Lawrence, R. H., '92, 39-47, 301, 352-357, 385, 393-394. Lum, S. K., '81, 52, 52.

Merriam, C. H., '98, 39-40.

Oberholser, H. C., '99, 257.

Palmer, T. S., '92, 308-310.

Rhoads, S. N., '91, 310-312, '93, 16-

Ridgway, R., '99, 36, 255.

Snyder, J. O., 1900, 242-245.

Washington Biological Society, Proceedings, titles (Nos. 2312-2317), '92, 195.

washingtoni (Haliætus), see H. leucocephalus.

Waterhen, see Gallinula chloropus.

Least, see Porzana jamaicensis. Waterhouse, Frederick Hershel.

Index generum avium (rev.), '90, 71-73.

Water-Thrush, see Seiurus noveboracensis.

Grinnell's, see Seiurus notabilis. Large-billed, see Seiurus motacilla. Long-billed, see Seiurus motacilla. Louisiana, see Seiurus motacilla. Northern, see Seiurus noveboracen-

Small-billed, see Seiurus noveboracensis.

Watling Island, West Indies. Brewster, W., '88, 83-84.

Cory, C. B., '92, 48-49.

Nye, W., Jr., '99, 273. Ridgway, R., '86, 336, '91, 337.

Watkins, L. Whitney

Cory's Least Bittern in Michigan, '95,

[Bird protection in Michigan], '98, 94.

Watson, Amelia Montague.

Taming a Chipping Sparrow (Spizella socialis), '94, 256.

Wavy, see Chen rossii.

Horned, see Chen rossii.

Waxwing, see Ampelis cedrorum. Bohemian, see Ampelis garrulus.

Cedar, see Ampelis cedrorum. Northern, see Ampelis garrulus.

Waxwings, see Ampelidæ.

Wayne, Arthur Trezevant.

Helminthophila celata in South Carolina, '86, 138.

Phænicopterus ruber in South Carolina, '87, 72.

American Crossbill (Loxia curvirostris minor) in large numbers in South Carolina, '87, 287-289.

414

Habits of Purple Gallinule (Ionornis martinica), '88, 109.

Loxia curvirostris minor again at Yemassee, S. C. '88, 115, 208.

Ammodramus leconteii at Yemassee, S. C. '88, 210.

Ammodramus henslowii wintering in large numbers at Yemassee, S. C. '88, 210.

Early date of rare bird in North Carolina, '90, 88.

Curious specimen of Yellow-throated Warbler (Dendroica dominica), '90,

Spotted eggs of Swainson's Warbler, '90, 403.

Green Heron (Ardea virescens) wintering in South Carolina, '91, 232.

Marian's Marsh Wren (Cistothorus marianæ), on coast of South Carolına, **'91**, 239.

Sandhill Crane (Grus mexicana) in South Carolina, '91, 308.

Abnormal specimen of Nonpareil (Passerina ciris), '91, 395.

Late breeding of Columbigallina passerina, '92, 72.

A belated migrant, '92, 72.

Whippoorwill wintering near Charleston, South Carolina, '92, 201.

American Woodcock (Philohela minor) in great numbers at Mount Pleasant, South Carolina, '93, 204.

Antrostomus vociferus in South Caro-

lina in winter, '93, 205. Horned Lark (Otocoris alpestris) near Charleston, South Carolina, '93, 205.

Additional notes on birds of the Suwanee River, '93, 336-338.

Sprague's Pipit (Anthus spragueii) on coast of South Carolina, '94, 80. Effect of great cyclone of August 26,

upon certain species of birds, '94, 85.

Notes on capture of Gray Kingbird (Tyrannus dominicensis) Charleston, South Carolina, '94,

Notes on distribution of Bobolink in South Carolina, '94, 179.

Leconte's Sparrow (Ammodramus leconteii) in large numbers near Charleston, South Carolina, '94,

Sandhill Crane (Grus mexicana).—a correction, '94, 324.

Rough-winged Swallow (Stelgidopteryx serripennis) and Tree Swallow (Tachycineta bicolor) wintering in South Carolina, '95, 184.

Old Squaw (Clangula hyemalis) on coast of South Carolina, '95, 293.

Lark Bunting in South Carolina, '95, 305.

Notes on birds of the Wacissa and Aucilla River regions of Florida, '95, 362-367.

Cape May Warbler (Dendroica tigrina) in maritime portions of South Carolina, '96, 84.

Red-breasted Nuthatch (Sitta canadensis) on Long Island, South Carolina, '96, 84.

Remarkable nest of Tufted Titmouse (Parus bicolor), '97, 98.

Destruction of birds by great cold wave of February 13 and 14, 1899, '99, 197**.**

Notes on Marian's Marsh Wren, Cistothorus marianæ and Worthington's Marsh Wren, Cistothorus palustris griseus, '99, 361.

wavnei (Rallus), see R. crepitans.

Weaver-bird, Masked, see Hyphantornis velatus.

Social, see Philetairus socius. Weaver-birds, see Ploceidæ.

Webber, Herbert John.

Studies on dissemination and leaf reflexions of Yucca aloifolia and other species (rev.), '96, 167.

Webster, Ellen E.

Ring-billed Gull in New Hampshire, 1900, 169.

White-winged Crossbills and Brunnich's Murres in central New Hampshire, 1900, 175.

Webster, Frederic Smith.

A fern-eating Woodcock, '87, 73.

Capture of Razor-billed Auk in Virginia, '87, 158.

Saw-whet Owl in District of Columbia, '87, 161. websteri (Sula), see Sula.

weddelli (Dendrornis), see Dendrornis.

Weed, Clarence Moores. Winter-food of Chickadee (rev.), '99,

206. Feeding habits of Chipping Sparrow

(rev.), '99, 206.

welchi (Lagopus), see Lagopus.

Wells, John Grant, and Lawrence, G. N. Catalogue of birds of Grenada (rev.), '87, 250.

wellsi (Certhiola), see Cœreba.

- (Cœreba), see Cœreba.

- (Engyptila), see Leptotila.

-- (Leptotila), see Leptotila. Welsh, Frank R.

Odd nesting-site of a Great-crested Flycatcher, '84, 391.

West Chester [Pa.] Local News, title (No. 978), '85, 373.

Western Ornithologist, '85, 320.

Western Pennsylvania Ornithological Association, '92, 207, '94, 191.

West Indies (see also separate islands). Cory, C. B., '86, 1-59, 187-245, 337-381, 454-472, '87, 37-51, 66, 108-120, 223-232, 311-328, '88, 48-82, 155-159, '91, 37-49, '93, 69-70. Coues, E., '80, 179.

Fielden, H. W., '92, 289 (4 items), 290.

Lawrence, G. N., '79, 228-230.

Marsden, H. W., '92, 289. Ober, F. A., '80, 178.

Ridgway, R., '85, 291.

West Virginia.

Batchelder, C. F., '90, 197. Brewster, W., '76, 31, 72. Jacobs, J. W., '98, 60.

McLain, R. B., '99, 359. Rives, W. C., '97, 88, '98, 13. Scott, W. [E.] D., '76, 31.

Surber, T., '91, 106, '98, 61.

Wall, A., '85, 213. Whale-bird, see Crymophilus fulicarius or Prion turtur.

Wharton, Henry T. Obituary of, '96, 97.

Wheatear, see Saxicola œnanthe.

Wheaton, John Maynard.

Ruff and Purple Gallinule in Ohio, **'77**, 83.

Kirtland's Warbler again in Ohio, '79,

Occurrence of birds rare to Columbus, Ohio, '79, 62.

Report on birds of Ohio (rev.), '83, 110-112.

Obituary of, '87, 174. [Collection of], '87, 272.

Whimbrel, see Numenius phæopus.

Whip-poor-will, see Antrostomus vociferus.

Dutch, see Antrostomus carolinensis. Eared, see Otophanes mcleodii.

Oaxaca, see Antrostomus oaxacæ. Ridgway's, see Antrostomus ridg-

wavi. Stephens', see Antrostomus macro-

mystax.

Whip-tail, see Stercorarius parasiticus or longicauda.

Whiskey-Jack, see Perisoreus canaden-

Rocky Mountain, see Perisoreus capitalis.

Whistler, see Clangula americana.

White, Francis Beach.

[Letter concerning memorial Frank Bolles], '94, 184.

Turkey Vulture in eastern Massachusetts, '94, 250.

White, George Rivers

Capture of specimen of Somateria dresseri in vicinity of Ottawa, Canada, '90, 204.

Dowitcher at Ottawa, '90, 400.

Coccyzus americanus breeding at Ottawa, **'91**, 114.

Porzana noveboracensis near Ottawa, Canada, '96, 173.

Brunnich's Murre, Uria lomvia, at Ottawa, Canada, '98, 183.

White, G. R., and Scott, W. L.

Birds of Ottawa (rev.), '83, 55, 115. White, Harry Gordon.

Migration of Red Phalarope (Crymophilus fulicarius), '91, 233-235.

White, Stewart Edward.

Birds observed on Mackinac I., Michigan, '93, 221-230.

White-belly, see Engyptila jamaicensis. White-head, see Perisoreus canadensis. whiteheadi (Sitta), see Sitta.

whiteleyana (Spermophila), see Sporophila.

·(Sporophila), see Sporophila. Whitfield, Robert Parr.

Former abundance of Wild Pigeon in central and eastern New York, '90,

Food of wild Ducks, '94, 323.

whitii (Zonotrichia), see Zonotrichia. Whiting, see Tringa canutus.

Whitlock, F. B.

Migration of birds (rev.), '97, 422-

Whitman, Charles Huntington. Birds of Old English literature (rev.), '99, 207.

Whitman, Charles Otis.

Animal behavior (rev.), 1900, 87.

whitneyi (Micrathene), see Micropallas. (Micropallas), see Micropallas.

Whittaker, William Lincoln.

Brünnich's Murre and King Eider at Cape Charles, Virginia, '97, 202.

Whyte, James.

Object of Shrike in impaling prey, '87, 77.

Wicks, Morie Langley, Jr.

Nesting of Short-eared Owl in southern California, '97, 404.

Partnership nesting of Valley Partridge and Long-tailed Chat. '97,

Widgeon, see Mareca penelope or americana.

European, see Mareca penelope.

Widmann, Otto.

Notes on birds of St. Louis, Mo. '80, 191.

Cuckoos laying in nests of other birds, '82, 56.

Coturniculus lecontei and Dendræca kirtlandı at St. Louis, Missouri, '85,

A winter Robin roost in Missouri, and other ornithological notes, '95,

Swainson's Warbler an inhabitant of the swampy woods of southeastern Missouri, '95, 112-117.

An hour with Baird's and Leconte's Sparrows near St. Louis, Missouri, **'95**, 219-225.

Brown Creeper nesting in cypress swamp of southeastern Missouri, **95**, 350-355.

Peninsula of Missouri as a winter home for birds, '96, 216-222.

Bachman's Warbler (Helminthophila bachmani) in Green Co., Arkansas, '96, 264.

Summer home of Bachman's Warbler no longer unknown, '97, 305-309.

Great roosts of Gabberet I. opposite North St. Louis, Mo., '98, 22-27. [Bird protection in Missouri], '98, 106, '99, 69.

wiedii (Cyclorhis), see C. viridis.

- (Pteroglossus), see Pteroglossus. Wiglesworth, L. W., and Meyer, A. B., see Meyer and Wiglesworth.

Wilcox, Timothy Erastus.

Introduced game birds in Oregon and Idaho, '85, 315.

Wilde, Mark Leighton Coleman.

Nesting of Parula Warbler (Compsothlypis americana) in Cape May County, New Jersey, '97, 289-294.

Willard, Samuel L.

List of birds of central New York (rev.), '78, 83.

Willard, Samuel Wells.

Eagles attempting rescue of wounded companion, '81, 122.

Velvet Scoter at Green Bay, Wisconsin, '81, 187.

Migration of our winter birds, '84, 221-223.

Food of Hummingbird (Trochilus colubris), '85, 218.

Occurrence of Chroicocephalus franklini in Wisconsin, '85, 222.

Birds of Brown and Outagamie counties, Wisconsin (rev.), '85, 289.

Evening Grosbeak in Wisconsin, '86, 487.

Willet, see Symphemia semipalmata.

Western, see Symphemia inornata.

Williams, Henry Smith.

Peculiar nest of Baltimore Oriole, '81, 182.

Williams, H. S., and Keyes, C. R., see Keyes and Williams.

Williams, John Bickerton.

The color of certain birds in relation to inheritance, '99, 318-322.

Flicker wintering in Montreal, 1900, 174.

Williams, Robert Statham.

Blue Gray Gnatcatcher and Sanderling in Minnesota, '79, 182.

Notes on some birds of Belt Mountains, Montana, '82, 61-63.

Description of nest of Water Ouzel, **'82**, 118.

White-throated Swift breeding on Belt River, Montana, '82, 122-123. Calliope Hummingbird and Pygmy

Owl in Montana, '83, 59.

Chen rossii east of Rocky Mts. '86, 274.

Upper Missouri River birds, '88, 14-

Spotted eggs of Parus gambeli, '88, 118.

Myadestes townsendi wintering in Montana, '90, 98.

Breeding ranges and songs of three Thrushes in Montana, '90, 292.

Williams, William John Babcock.

Yellow-breasted Chat in Oneida Co., N. Y. '98, 331.

williamsoni (Sphyrapicus), see S. thryroideus.

Williston, Samuel Wendell.

Mocking-bird in western Kansas and Northern Phalarope in southern Wyoming, '83, 240.

Wilson, Alexander.

[Letter to, from John L. Gardiner], **'95**, 359-362.

[Relatives of], '95, 396.

Wilson, A., and Bonaparte, C. L. American Ornithology [edition of

1878] (rev.), '79, 53, Wilson, Bertha L. [Bird protection in Minnesotal, '98, 100. Wilson, Scott Barchard.

Aves hawaiienses (rev.), '92, 63.

Wilson, Sidney Stuart.

Harris's Sparrow in spring dress in autumn, '96, 176.

Additional New Mexican birds, '99, 188.

Wilson, T. J.

Ornithological [remarks] (rev), '78,

Wilson Ornithological Chapter Agassiz Association, '95, 286. wilsoni (Actodromas), see Tringa minutılla.

— (Cymindis), see Regerhinus.

--- (Gallinago), see G. delicata.

—— (Leptodon), see Regerhinus.

- (Merula), see Hylocichla fuscescens.

— (Oceanites), see O. oceanicus.

--- (Oreomyza), see Oreomyza.

– (Phalaropus), see Steganopus tricolor.

- (Procellaria), see Oceanites oceanicus.

- (Ptilorhis), see P. magnifica.

- (Regerhinus), see Regerhinus.

- (Schlegelia), see Schlegelia. --- (Scolopax), see Gallinago delicata.

--- (Sialia), see S. sialis.

--- (Steganopus), see S. tricolor.

– (Sterna), see S. hirundo.

--- (Thalassidroma), see Oceanites oceanicus.

- (Tringa), see T. minutilla.

- (Turdus), see Hylocichla fusces-

Wilsonia (b Sylvania), '80, 95, 183, '84, 229, 230, '85, 372b, '86, 46b, '97, 223b, 224, **'99**, 123,

canadensis (* Canadian Warbler Canada Flycatching Warbler, ^b Myiodioctes, ^c Sylvania, a Myiodioctes bonapartii), Colo. 1900, 298; Conn. '89, 46°; C. R. '90, 337°, '92, 22°; Fla. '97, 247°; g. dist. '95, 283°, '93, 127°; Ind. '82, 20b, '89, 28; Kan. '81, 246b; Ky. '89, 316c; Man. '86, 326°; Mass. '78, 139b, '84, 15b, '87, 269°, '88, 389°, 392°, '89, 41°, 43°, 46°, 104°; Me. '82, 110°; Mich. '85, 65°, '93, 229°; Mo. '95, 115°; N. B. '82, 110°, '89, 119°; N. C. '86, 175°; N. H. '87, 102°, 106°, '88, 151°, 153°; N. S. '95, 90°; N. Y. '78, 53°, '81, 228°. '84, 175^b, 217^b, '89, 332^a, '95, 70°, '96, 179°, *Pa*. '87, 349°, '91, 399°, '92, 132^a, 133^a, 134°, 139°, '93, 42^a, 43°, 46°, '94, 182°, '95, 189°, '96, 285°, 291°, 292°, 296°; P. E. I. '93, 5a, 14c; Que. '82, 235b; S. C. '79, 212^b, '91, 172^c, '94, 27^a; Tenn. '87, 128^c, 132^c; Tex. '82, 10^b, '87, 297^c, '92, 342^c; Va. '86, 160^b, '89, 52^c?; Wis. '83, 67^b, 71^b; W. Va. '98, 137^c.
—mig. '83, 67^b, 71^b, '84, 178^b, '85, 65b, '87, 269c, '94, 27a, 29a; nst. '86, 175°, '87, 349°, '88, 392°, '93, 229°, '94, 182°, '95, 189°, '96, 179°; plm. '78, 60°, song, '84, 217°; syn. '80, 95, 183, '84, 231d, '99, 123; misc. '80, 87^d, '81, 188^b.

microcephala (Small-headed Warbler, b Myiodictes minutus, c Sylvania), Ky. '94, 244c; N. E. '76, 73b, '77, 14b, 46b.—syn. '85, 371c; misc. '81, 167b, '88, 401c.

mitrata (a Hooded Warbler, bMviodioctes, c Sylvania), Ala. '78, 174b; Conn. '77, 21^b, '83, 174^a, '93, 90^a, '99, 360, 1900, 389; Fla. '88, 276^c, '90, 22^c, 314^c, '91, 138, '92, 214^c, '95, 365^c; Ga. '82, 69^a, '83, 38^b, '96, 214^c, Gulf. of Mex. '81, 251^a; g. dist. '93, 133^c; Ill. '76, 42^b, '78, 163^b, 164^b; Ind. '82, 17^b, 20^b, '89, 28^c; La. '80, 136^a, '82, 162^b, '87, 300^a; Mass. '80, 117^b, '90, 407^a, '97, 327^c; Miss. '82, 91^b; Mo. '95, 117^a: N. C. '86, 175^c, '93, 244^c; N. E. '76, 73^b, '77, 16^b, 46^c; N. T. '94, 140^c '98, 272°; N. V. '78. Conn. '77, 21b, '83, 174a, '93, 90a, '99, N. J. '94, 140°, '98, 272°; N. Y. '78, '91, 172°, 332°; Tenn. '86, 317°, '87, 132°; Tex. '82, 10b, '92, 303°, 342°, 1900, 348; Va. '94, 282-291°; W. I. '86, 46°, '93, 341.-hbt. '82, 119°; meas. '82, 120°; mig. '80, 136°, '81, 251°, '89, 139°, '91, 135°, '92, 235°, '99, 275; nst. '79, 116^a, '82, 119^a, '83, 38^b, 174^a, 234^a, '87, 300^a, '93, 209°, 796, 179°; plm. '78, 71°, '79, 116°, '94, 282–291° (figs.); song, '82, 119°, '84, 216°, '87, 132°, 300°; syn. '80, 95, 183, '84, 231, '86, 46°, '99, 123; misc. '83, 177ª, '91, 107ª.

pileolata (* Pileolated Warbler, b Myiodioctes, Sylvania), Alas. '81, 4a, '98, 129c; Aris. '82, 139b, '88, 36c,

'90, 48°; B, C, '93, 23°; Cal. '86, 185°, '89, 223°; Colo. '80, 228b, '83, 159b, '87, 123°; C. R. '90, 337°, '92, 22°; g. dist. '93, 127°; Ida. '98, 19°; Mont. '94, 307°; Ore. '79, 164b, '86, 171°, '88, 362°; Wash. '92, 46°, 357, '93, 23, '97, 180°, 1900, 357.—hbt., song, '80, 228b; meas. '80, 228b, '82, 140b mig. '88, 36°; nst. '80, 228b, '86, 185°, 1900, 357; plm. '79, 40°, 164°, '82, 139°, '93, 23°; syn. '80, 95, '82, 139°, '93, 23°, 292°, '99, 123.

pusilla (* Wilson's or Black-capped Flycatching Warbler, b Myiodioctes, ^c Sylvania), Alas. '80, 35^b, '81, 4^a?, '87, 13°; Arız. '94, 220°; Colo. '81, 88b, '85, 15?, '94, 269°; Conn. '94. 181°; g. dist. '93, 127°; Ia. '95, 124° '95, 235°; Ill. '88, 433°; Ind. '82, 20°, '89, 28°, L. Cal. '95, 142°; Man. '85, 326°; Mass. '87, 269°, '99, 196°; Me. '82, 110°; Mich. '93, 229°, Mo. '79, 142b; Mont. '95, 218c; N. B. '82, 110b; N.F.1900,72c; N.M.'85,330bb, 332^b?, '92, 367°; N. S. '87, 16°, '91, 165°; N. Y. '81, 228^b, '83, 71^b, '84. 217b, '99, 196c; Ont. '88, 323a; P. E. 1. '93, 5^a, 14^c; Que. '82, 235^b; S. C. '91, 172°; S. D. '85, 278^b; Tex. '82, 10^b, '87, 297°, '92, 342°; Wis. '82, 185^b.—hbt. '82, 110^b; mig. '83, 71^b, '87, 269°, 297°, mig. '83, 71^b, '87, 269^c, 297^c, '88, 433^c, '95, 124^c, 132^a, 235^c, '99, 196°; nst. '83, 176°; plm. '83, 236; song, '84, 217°, '99, 196°; syn. '80, 95, '84, 231, '93, 23°, '94, 50°, '99, 123. wilsonia (Ægialitis), see Ægialitis. wilsonianus (Ammodramus), see A. sa-

vanna. --- (Asio), see Asio.

—— (Charadrius), see Ægialitis.

— (Ochthodromus), see Ægialitis.

--- (Otus), see Asio. Winge, Herluf.

Birds at Danish lighthouses, 1885-1897 (rev.), '97, 415-417.

Wintle, Ernest Douglas.

Loggerhead Shrike (Lanius ludovicianus), '84, 193.

Evening Grosbeak at Montreal, '90,

Helminthophila celata at Montreal, '90, 290.

Yellow Palm Warbler (Dendroica palmarum hypochrysea), '91, 396. Birds of Montreal (rev.), '97, 112.

Wisconsin.

Allen, J. A., '80, 48, '85, 289-290. Cherrie, G. K., '96, 79.

Cooke, W. W., '81, 186, '85, 32, 33. '84, 188. Deane, R., '90, 390, '96, 81, '98, 184. Grundtvig, F. L., '83, 65-72.

Hatch, D., '85, 97.

Hobart, S. D., '89, 176.

Hollister, N., '96, 259-260, 341.

Hoy, P. R., '92, 196, 196.

Ingersoll, E, '81, 184. Keeler, C. A., '90, 82, 84.

King, F. H., '82, 185, 186-189.

Kumlien, F., '88, 434-435. Kumlien, L., '88, 325-328, 435. Mead, G. S., '95, 302-303. Nehrling, H., 1900, 294.

Sennett, G. B., '84, 98-100.

Tarrant, W. P., '85, 96.

Widmann, O., '84, 188. Willard, S. W., '81, 122-123, 187. '86, 487, '92, 196.

Wisconsin Academy of Sciences, Arts and Letters, Transactions, titles

(Nos. 2318-2319), '92, 196. Wisconsin Journal of Education, titles

(Nos. 966-967), '85, 373. Wisconsin Natural History Society, titles (No. 2320), '92, 196.

Witchell, Charles A.

Evolution of bird song (rev.), '96. 249.

Wobble, see Plautus impennis.

Wolcott, Robert Henry.

Proceedings of Nebraska Ornithologists' Union (rev.), 1900, 311.

Wolf, Joseph.

Obituary of, '99, 301.

wolfi (Cyanecula), see Cyanecula. wollweberi (Lophophanes), see Parus. - (Parus), see Parus.

Wood, Augustus.

Ulula cinerea in Steuben Co., New York, '88, 110.

Wood, John Claire.

Brief Michigan notes, 1900, 390.

Wood, Norman Asa.

Swainson's Hawk in Michigan, '97, 216.

Wood, William.

[Ornithological collections of], '97, 115.

Obituary of, '85, 391.

Woodchuck, see Melanerpes carolinus. Woodcock, see Philohela minor; also Ceophlœus pileatus.

American, see Philohela minor.

European, see Scolopax rusticola. Wood-grouse, Gray-breasted, see Dendrortyx [griseipectus =] macrouGuerrero, see Dendrortyx [striatus =] macrourus.

Oaxaca, see Dendrortyx [oaxacæ=] macrourus.

Wood-hewer, Broadly-striped, see Picolaptes insignis.

Large-billed, see Dendrornis megarhynchus.

woodhousei (Aphelocoma), see Aphelocoma.

Woodpecker, Alaskan Three-toed, see Picoides alascensis.

Alpine Three-toed, see Picoides dorsalis.

American Three-toed, see Picoides americanus.

Ant-eating, see Melanerpes formicivorus.

Arctic Three-toed, see Picoides arcticus.

Arizona, see Dryobates arizonæ.

Bahaman Hairy, see Dryobates maynardi.

Baird's, see Dryobates bairdi.

Banded, see Picoides dorsalis.

Banded-backed Three-toed, see Picoides americanus.

Batchelder's, see Dryobates homorus. Big Guinea, see Dryobates villosus. Black-backed, see Picoides arcticus. Black-backed Three-toed, see Picoides arcticus.

Black-breasted, see Sphrapicus thyroideus.

Brown-headed, see Sphyrapicus thyroideus.

Cabanis's, see Dryobates hyloscopus. Californian, see Melanerpes bairdi.

Checkered, see Melanerpes carolinus. Chiapas, see Centurus frontalis or

Dryobates sanctorum.

Downy, see Dryobates medianus, pubescens, nelsoni or homorus.

English, see Colaptes auratus or luteus.

Gairdner's, see Dryobates gairdnerii.

Gila, see Melanerpes uropygialis.
Golden-fronted, see Melanerpes aurifrons.

Golden-winged, see Colaptes auratus

or luteus. Hairy, see Dryobates villosus.

Harris's, see Dryobates harrisii or monticola.

Imperial Ivory-billed, see Campephilus imperialis.

Ivory-billed, see Campephilus principalis.

Lewis's, see Melanerpes torquatus.

Little Guinea, see Dryobates medianus.

Maynard's, see Dryobates maynardi.
Mountain Downy, see Dryobates
homorus.

Narrow-fronted, see Melanerpes angustifrons.

Northern Hairy, see Dryobates leucomelas.

Northern Pileated, see Ceophlœus pileatus.

Nelson's Downy, see Dryobates nelsoni.

Nuchal, see Sphyrapicus nuchalis.

Nuttall's, see Dryobates nuttallii.

Pigeon, see Colaptes luteus.

Pileated, see Ceophlœus pileatus.

Radiolated, see Centurus radiolatus. Red, see Chrysocolaptes xanthocephalus.

Red-bellied, see Melanerpes carolinus. Red-cockaded, see Dryobates borealis.

Red-headed, see Melanerpes erythrocephalus.

Red-naped, see Sphyrapicus nuchalis. Red-shafted, see Colaptes cafer.

Rocky Mountain Hairy, see Dryobates monticola.

Saint Lucas, see Dryobates lucasanus. Southern Downy, see Dryobates pubescens.

Southern Hairy, see Dryobates audubonii.

Smoky-breasted, see Centurus fumosus.

Strickland's, see Dryobates arizonæ. Striped-backed, see Picoides dorsalis. Tableland, see Dryobates intermedius. Texan, see Dryobates bairdi.

White-headed, see Xenopicus albolarvatus.

Williamson's, see Sphyrapicus thyroideus.

Yellow-bellied, see Sphyrapicus varius.

Yellow-naped, see Melanerpes aurifrons.

Yellow-shafted, see Colaptes auratus or luteus.

Woodpeckers, see Pici.

Woodruff, Frank Morley.

Raven in Illinois, '96, 83.

Birds reported as rare in Cook Co., Illinois, '96, 179-181.

Lake Michigan bird notes, '97, 227. Lake Michigan notes, '98, 61.

Woodruff, Lewis Bartholomew.

Baird's Sandpiper at New Haven, Connecticut, '90, 89.

Bird notes from Litchfield, Connecticut, '92, 202.

Woodstar, Bahama, see Doricha evelynæ.

Woodwall, see Colaptes auratus or luteus.

Woodworth, Nelly Hart.

Bird notes from St. Albans, Vermont, '95, 311.

Wood-wren, Gray-crowned, see Henicorhina capitalis.

Mexican, see Henicorhina mexicana. **Woolsey**, George.

Worm-eating Warbler (Helmintherus vermivorus) breeding in southern Connecticut, '80, 116.

Capture of Connecticut Warbler (Oporornis agilis) in spring at New Haven, Conn. '80, 117.

Ipswich Sparrow (Passerculus princeps) at New Haven, Conn. '80, 121.

Worcester, Dean Conant, and Bourns, Frank S.

Contributions to Philippine ornithology (rev.), '98, 284.

Preliminary notes on birds and mammals collected by Menage expedition to Philippine Is. (rev.), '95, 173.

worcesteri (Loriculus), see L. hartlaubii.

World's Congress Auxilliary [on Ornithology], Chicago meeting, '93, 386, '94, 89, '95, 317.

wortheni (Spizella), see Spizella. Worthington, Willis Woodford.

Ipswich Sparrow in Georgia, '90, 211.

King Eider (Somateria spectabilis) at Brunswick, Ga. '90, 284.

Golden Eagle at Shelter Island, New York, '91, 113.

Short-eared Owl nesting on Plum Island, New York, '93, 301.

Cape May Warbler at Shelter Island, New York, '93, 303.

Another Harlequin Duck record for Long Island, '96, 78.

Rare birds on eastern Long Island, '99, 85.

Rare record [Xema sabinii] for eastern Long Island, 1900, 63.

wrangeli (Brachyrhamphus), see B. marmoratus.

Wray, Richard Spaulding. Obituary of, '89, 206. Wren, '83, 77.

Alaskan, see Anorthura alascensis. Ashy, see Thryophilus cinereus.

Baird's, see Thryomanes leucogaster.

Berlandier's, see Thryothorus lomitensis.

Bewick's, see Thryomanes bewickii. Black-tailed, see Heleodytes nigricaudatus.

Bryant's Cactus, see Heleodytes bry-

Cactus, see Heleodytes brunneicapillus.

Cahoon's, see Troglodytes cahooni.
California House, see Troglodytes
parkmanii.

Cañon, see Catherpes conspersus.

Carolina, see Thryothorus ludovicianus.

Cerros Island, see Thryomanes cerroensis.

Chancol Rock, see Salpinetes neglectus.

Colima, see Heleodytes occidentalis.

Dotted Cañon, see Catherpes punctulatus.

Florida, see Thryothorus miamensis. Golden-crested, see Regulus satrapa. Guadalupe, see Thryothorus brevicaudus.

Guadalupe Rock, see Salpinctes guadeloupensis.

Guerrero, see Heleodytes rufus. House, see Troglodytes aëdon.

Island, see Thryomanes insularis.

Lomita, see Thryothorus lomitensis.

Long-billed Marsh, see Cistothorus
palustris.

Long-tailed House, see Thryomanes bewickii.

Marian's, see Troglodytes [marianæ =] aztecus.

Marian's Marsh, see Cistothorus marianæ.

Morelos, see Thryothorus grandis. Mountain, see Heleodytes alticolus. Pacific, see Hemiura pacifica.

Parkman's, see Troglodytes parkmanii.

Punctulated, see Catherpes punctulatus.

Rock, see Salpinctes obsoletus.

Ruby-crested, see Regulus calendula. Ruby-crowned, see Regulus calendula. Saint Lucas Cactus, see Heleodytes af-*finis.

San Clemente, see Thryomanes leucophrys. San Nicolas Rock, see Salpinctes [pulverius =] obsoletus. Short-billed Marsh, see Cistothorus stellaris.

Spruce, see Anorthura hiemalis. Tanner's, see Troglodytes tanneri. Tawny-throated. see Troglodytes brunneicollis.

Texas Bewick's, see Thryomanes leucogaster.

Tulé, see Cistothorus paludicola. Vigors's, see Thryothorus spilurus. Water, see Cinclus mexicanus.

Western Bewick's, see Thryomanes leucogaster.

Western House, see Troglodytes aztecus or parkmanii.

Western Marsh, see Cistothorus ple-

Western Winter, see Anorthura pacifica.

White-bellied, see Thryomanes leucogaster.

White-throated, see Catherpes albifrons.

Willow, see Phylloscopus trochilus. Winter, see Anorthura hiemalis. Wood, see Phylloscopus sibilatrix. Worthington's Marsh, see Cistothorus griseus.

Wrens, see Troglodytidæ.

Wren-Tit, see Chamæa fasciata. Pallid, see Chamæa henshawi.

Wright, John Shepard.

Notes on Crow roosts of western Indiana and eastern Illinois (rev.), '99, 91.

Wright, Mabel Osgood.

The friendship of nature (rev.), '94, 314. Bird craft (rev.), '95, 281; 2d ed.

'98, 66.

Wabeno the magician (rev.), 1900,

Wright, M. O., and Coues, E. Citizen bird (rev.), '97, 413.

wrightii (Empidonax), see Empidonax. wuerdemanni (Ardea), see A. occidentalis.

wumizusume (Synthliboramphus), see S. antiquus.

Wyatt, Claude W., and Sharpe, R. B., see Sharpe and Wyatt.

Wyoming.

Bond, F., '89, 193-194, 341, '94, 258-259, **'95**, 309, **'99**, 351. Brackett, A. S., '77, 76.

Coues, E., 1900, 69. Goss, N. S., '84, 18-20. Lakes, A., '81, 48. Merrill, J. C., '81, 203-207. Pickett, W. D., '90, 388.

Shufeldt, R. W., '81, 177-178, '82, 180, '92, 384.

Williston, S. W., '80, 45, '83, 240. wyvilliana (Anas), see Anas.

Xanthocephalus, '86, 222, '88, 413, '93, 111, 131.

xanthocephalus (* Yellow-headed Blackbird, bicterocephalus), Arız. '87, 22, '90, 49, 257, '94, 221^a; B. C. 1900, 106; Cal. '77, 92ª? ['Icterus']. '86, 181, '89, 220, '96, 120; Colo. '79, 94^b, '80, 230^b, '81, 143^b, '83, 193^b, '85, 16^b, 142^b, '88, 112; Conn. '87, 256; Cuba, '86, 222; D. C. '93, 92; g. dist. '93, 134; Ill. '82, 166b; Kan. '85, 112b; Man. '86, 321; Me. '87, 256, '93, 302, '94, 78; Mich. '95, 191 [= Agelaius phœniceus, see 193]; Minn. '80, 15b, '84, 245b; Mo. '79, 145b; Mont. '95, 215; Mo. River, '95, 227°; N. D. '99, 162°; N. E. '76, 73^b; N. M. '92, 364; Ont. '85, 334^b; Ore. '79, 165^b, '88, 262, 362^a; Pa. '99, 312; Que. '81, 246^b, '82, 236^b, '84, 88^a; S. C. '84, 293^b, '85, 192^b; S. D. '85, 282b; Tex. '77, 85a, '82, 166b, '87, 290, '92, 237, 1900, 345.—anat. '87, 266 (fig.), 356 (fig.), '88, 414; hbt. '95, 215; mig. '86, 137"; nst. '88, 262; plm. '76, 22^b (alb.), '83, 177^a, '88, 112; song, '80, 230^b; misc. '82, 117^b, '87, 22, '94, 78 (corr.).

xanthocephalus (Chrysocolaptes), see Chrysocolaptes.

(Xanthocephalus), see cephalus.

xanthochilus (Charadrius), see Eudromias veredus.

xanthogaster (Spinus), see Spinus. xanthogastra (Chrysomitris), see Spi-

xanthogenius (Conurus), see C. pertinax.

Xantholæma, '94,234.

duvauceli, Borneo, syn. '91, 8. intermedia, syn. '92, 184.

xantholæmus (Conurus), see C. perti-

xanthomus (Hyphantes), see Agelaius. - (Icterus), see I. portoricensis.

- (Icterus), see Agelaius.

xanthonotus (Oriolus), see Oriolus. Xanthopygia, '94, 233.

xanthopygus (Myiobius), see Myiobius.

— (Platyrhynchus), see Myiobius.
— (Pycnonotus), see Pycnonotus.
xanthornus (Icterus), see Icterus.
xanthorrhous (Ptilopus), see Ptilopus..
xanthosceles (Merula), see Merula.

Xanthoura, '93, 110, '96, 158. cæruleocephala, Venes. '97, 364.—

cæruleocepnala, Venes. 97, 364. syn. 1900, 28.

cyanodorsalis, g. dist. 1900, 27. galeata, Colom., meas. 1900, 27*. glaucescens, Tex., meas. 1900, 28*. guatemalensis, g. dist, plm. 1900, 29; syn. '90, 192, 1900, 29.

luxuosa (Green Jay), g. dist. '93, 141; Mex. 1900, 28; Tex. '76, 89.—meas. '76, 89; nst. '76, 89.

speciosa, Mex., meas. 1900, 265*. vivida, g. dist., meas. 1900, 28*. yncas, g. dist., meas., plm. 1900,

27.

Xanthura, see Xanthoura. xantusi (Basilinna), see Basilinna. —— (Pyrgisoma), see Pyrgisoma. xavieri (Bleda), see Bleda.

Xema, '78, 186.

sabinii (a Sabine's Gull, b Larus), Alas. '79, 53a, '80, 35, '85, 63; Arctic Ocean, 1900, 310, B. C. 1900, 104; Colo. '79, 114, '85, 18; Engl. '85, 374a; Europe, '77, 107, '80, 66b; g. dist. '93, 123; Greenl. '91, 320 ['Zema'?]; Helg. '91, 300, '95, 340; Ia. '99, 86; Ill. '76, 41, '95, 379; Ireland, '85, 375; Mass. '76, 30, '90, 227; Me. '78, 195; Neb. '96, 245?; N. Y. 1900, 63; Ore. '91, 366 (fossil), '93, 344 (fossil).—fd. 1900, 63; mig. '85, 63.

Xenicidæ, '89, 267.

Xenocichla, see Bleda. Xenopicus, '93, 130.

albolarvatus (a White-headed Woodpecker, b Picus), Cal. '80, 56b, '87, 88, '96, 85, '99, 159a; g. dist. '93, 134; Ida. '97, 354; Ore. '88, 240, 253; Wash. '97, 174.—anat., hbt., plm. '88, 253; fd. '88, 253, '96, 85; meas. '80, 56b, '97, 174, '99, 159a.

Xenopirostris, '94, 58.

Xenopsaris, see Pachyrhamphus. xicotencal (Trochilus), see Basilinna leucotis.

Xiphidiopicus, '86, 376.

percussus, W. I. '86, 376, '92, 272.
—meas., syn. '86, 376; plm. '86, 376, '91. 189.

Xiphocolaptes, '90, 271. albicollis, syn. '92, 175. procurvus, syn. '92, 175.
Xiphorhynchus, '90, 274.
pusillus, C. R. '92, 250.
venezuelensis, Venez. '97, 365.
Xylolepes validus, Borneo, syn. '91, 7.

Y

Yaffle, see Colaptes luteus. yarrelli (Chrysomitris), see Spinus. —— (Motacilla), see M. lugubris. —— (Spinus), see Spinus.

Yellow-bird, see Astragalinus tristis. Summer, see Dendroica æstiva. Yellow-hammer, see Colaptes auratus or

luteus or cafer. European, see Emberiza citrinella.

Yellow-legs, see Totanus flavipes.
Greater, see Totanus melanoleucus.
Lesser, see Totanus flavipes.
Summer, see Totanus flavipes.
Winter, see Totanus melanoleucus.
Yellow-rump, see Dendroica coronata.
Western, see Dendroica auduboni.

Western, see Dendroica auduboni. Yellow-tail, see Gymnostinops montezumæ.

Yellow-throat, Bahama, see Geothlypis
[restricta =] trichas.

Belding's, see Geothlypis beldingi.
Cory's, see Geothlypis coryi.
Florida, see Geothlypis ignota.
Greater, see Geothlypis rostrata.
Maryland, see Geothlypis trichas.
Mirador, see Geothlypis [palpebralis =] ralphi.

Nassau, see Geothlypis rostrata. Northern, see Geothlypis [brachydactyla =] trichas.

Rio Grande, see Geothlypis ralphi. San Blas, see Geothlypis modestus. Southern, see Geothlypis ignota.

Western, see Geothlypis occidentalis. yeltoniensis (Melanocorypha), see Melanocorypha.

yncas (Xanthoura), see Xanthoura. Young, Curtis Clay.

Tringa alpina on Long Island, New York, '93, 78.

Empidonax flaviventris on Long Island, N. Y. '94, 78.

Chats reared by Song Sparrows, '95, 82.

Young, Charles John.

Notes on certain birds observed on voyage from Liverpool to Quebec, '84, 398.

Philadelphia Vireo (Vireo philadelphicus), '98, 191.

Young, Robert T.

Summer birds of the anthracite coal

regions of Pennsylvania, '96, 278-285, '97, 102.

Young Oologist, The (magazine), '85, 115; titles (Nos. 1519-1635), '90,

Young Ornithologist (magazine), '85, 224, '90, 219.

ypecaha (Aramides), see Aramides. Yucatan, Mexico.

Allen, J. A., '86, 268-269, 270, '87, 156, '91, 303.

Berlepsch, H. von, '88, 451, 454-456. Cabot, S., '86, 144.

Gaumer, G. F., '85, 211. Lawrence, G. N., '85, 290, '86, 268. Ridgway, R., '85, 294-295, '86, 269,

'98, 320**.** Stone, W., '92, 195.

yucatanensis (Amazilia), see Amazilia.

— (Cyclorhis), see Cyclorhis.

--- (Icterus), see Icterus. —— (Myiarchus), see Myiarchus.

—— (Myiarchus), see M. mexicanus.

—— (Zenaidura), see Zenaidura. yucatanica (Chætura), see C. gaumeri. Yucker, see Colaptes auratus or luteus. yukonensis (Sayornis), see S. saya.

Yungipicus, '94, 234. kizuki, syn. '94, 170.

seebohmi, syn. '94, 170.

Yunx torquila, plm. '88, 212.

yuracarium (Gymnostinops), see Gymnostinops.

Zamelodia (b Habia), '80, 98, '84, 366-367, '86, 202b, '88, 412b, 440b, '90, 72b, '96, 113b, '97, 39, 41, 130.

ludoviciana (* Rose-breasted Grosbeak, b Guiraca, c Goniaphea, d Habia), Bahamas, '92, 48d; Cal. '98, 190; Colom. 1900, 365; Conn. '92, 302a' '93, 207a; C. R. '90, 334a', '92, 27a'; D. C. '82, 186a', '92, 308a'; Ecuador, '90, 381a'; Fla. '89, 324, '92, 213a'; g. dist. '93, 133a'; Ia. '95, 123a', 213a'; Ia. '95, 123a'; Ia. '95, Ia. '9 2354; Ill. '90, 2434; Ind. '82, 17, 21, '89, 25ª; Jamaica, '93, 179ª; Ky. '89, 3154; Labrador, '96, 159*; Man. '86, 3244; Mass. '84, 8*, '85, 299*, '88, 3894, '89, 454, 1014, '95, 87*; Me. '82, 148; Mich. '92, 240a, '93, 226d; Minn. '84, 245°; Mo. '79, 144°; N. B. '82, 105, 148, '85, 266°; N. C. '86, 99°, 1104, '89, 1224, '94, 3324; N. H. '88, 150a, 152a, 154a, '89, 77a; N. J. '97, 323°; N. S. '85, 266°, '87, 15°, 166', '91, 165°, N. Y. '79, 32°, '81, 230, '85, 151, '89, 191°; O. '89, 201°, '95,

241d; Pa. '92, 138d, '93, 40d, 45d, '96. 292d, 295d; P. E. I. '85, 266a?; R. I. 1900, 77^a; S. C. '85, 192, '90, 410^a, '91, 168^d, '94, 27^a; S. D. '85, 281; Tex. '92, 339d; IV. I. '86, 202d; Wis. '88, 327d.—fd. '97, 421a, '99, 362a; hbt. '89, 1914, '97, 3234; meas. '92, 302ª, mig. '82, 186ª, '88, 327ª, '94, 27^a, 29^a, '95, 123^d, 128^a, 132^a, 235^d, 241^d; nst. '89, 191^d, '97, 323^a; plm. '80, 28° (alb.), '81, 160°, 173°, 180°, '92, 302d, '96, 241a (mlt.), '99, 305-308 (col. pl., mlt.); song, '85, 151, '86, 110^d; syn. '80, 98°, '84, 367^d, '86, 202^d, '97, 41, 130; misc. '83, 177a, 236a, '85, 100a, 1900, 109a.

(a Black-headed melanocephala c Fringilla Grosbeak, ^b Goniaphea, maculata, ⁴ Habia), Ariz. ⁸2, 199, ⁸7, 205⁴, ⁹0, 49⁴, 260⁴; Cal. ⁸5, 100^a, ⁸6, 182^d, ⁹6, 120^d; Colo. ⁸80, 230, ⁸83, 176, 191, ⁸85, 16, 142, ⁹94, 269a, '95, 153a; Cuba, '86, 203a; g. dist. '93, 135^a; Ida. '98, 17; Kan. '85, 112; L. Cal. '95, 141^a; Mont. '94, 306^d, '95, 217^d; Mo. River, '95, 231^a; N. M. '92, 366^d, '98, 310; Ore. '88, 359ª, '77, 92°?; S. D. '85, 281; Tex. '87, 393d; Wash. '97, 178.—anat. '88, 438-444^a (figs.); fd. '87, 205^a; hbt. '80, 230, '85, 99, '87, 205^a; meas. '82, 199; nst. '85, 100a, 142, '98, 17; plm.
'79, 41b, '82, 199, '87, 205a (alb.);
song, '80, 230, '85, 142, '96, 120a; syn.
'80, 98, '84, 367a, '97, 41, 130.

Zanclostomus javanicus, Borneo, syn. **'91**, 11.

Zanthopygia narcissina, mlt. '96, 240. tricolor, mlt. '96, 241.

Zapornia, see Porzana.

Zebrilus pumilus, Braz. '91, 161. Zeitschrift für die gesammte Ornith-

ologie (magazine), '84, 304, '86, 398. Zeledon, José Cástulo.

Catalogue of birds of Costa Rica

(rev.), '85, 370. zeledoni (Cancroma), see Cancroma.

___ (Cyanocorax), see Cyanocorax.

____ (Lophotriccus), see Lophotriccus. ____ (Pittasoma), see Pittasoma.

- (Thryophilus), see Thryophilus. zena (Fringilla), see Euetheia bicolor or

Spindalis zena. - (Phonipara), see Euetheia bicolor. ____ (Spindalis), see S. zena or pretrei.

- (Tanagra), see Spindalis pretrei, zena or nigricephala.

424

zenoides (Tanagra), see Spindalis nigricephala.

Zenæda, see Zenaida.

Zenædura, see Zenaidura.

Zenaida, '77, 64, '84, 141, '87, 113.

bogotensis, '85, 358*, see ruficauda. jessicæ, *Braz.* '89, 172, '91, 162.

maculata, Argent., Urug., hbt. '84, 275.

martinicana, W. I. '80, 169, '87, 114, '91, 48, 48.—meas., plm. '87, 114; syn. '87, 114, '93, 70.

richardsoni, '87, 7*, see zenaida.
rubripes, '85, 357*, see vinaceorufa.

ruficauda (bogotensis), Colom. '85, 358b*; W. I. '85, 291.

spadicea, W. I. '86, 498*, 502, '87,

114.—meas., plm., syn. '87, 114. vinaceo-rufa (brubripes), W. I. '85, 357b*, 291, '87, 115b.—hbt., meas. '85, 357b; syn. '87, 115b.

zenaida (Zenaida Dove, ^b Zenaidura amabilis, ^c richardsoni), Bahamas, '91, 76, 336, 337, 337, 338, 351, 352, 1900, 286; g. dist. '93, 141; Jamaica, '92, 123, '94, 123; W. I. '87, 7°*, 113, 114°, '99, 32b, '90, 375, 375, '91, 47, 47.—hbt. '92, 123; meas.'87, 114; nst.'92, 123, '94, 123; plm. '87, 113, 114°, '92. 123; syn. '87, 113, '93, 70, 70°, '94,

zenaida (Columba), see Zenaida.

—— (Zenaida), see Zenaida.
Zenaidura, '80, 99, 100, '84, 141, '87, 112, '93, 109.

clarionensis, Clarion I. '91, 305, '98, 318.—nst. '98, 318.

graysoni, Socorro I. '98, 316.

macroura (a Mourning or Carolina Dove, b carolinensis), Ala. '79, 12b; Ariz. '82, 53a, '83, 32b, '86, 421, '90, 53, '93, 220*, 1900, 33a; Ark. '82, 93b; Bahamas, '91, 350, 1900, 286; Cal. '86, 92, '87, 329, '89, 221, '90, 297, '98, 234; Colo. '79, 96b, '81, 141b, '83, 197b, '85, 17b, 143b, '87, 121, '93, 267, '95, 153a; Conn. 1900, 389; C. R. '90, 333, '92, 329; Cuba, '92, 272; D. C. '88, 20; Fla. '88, 270, '89, 246, '91, 137, '92, 212, '95, 364; Ga. '83, 41b, '96, 215; Gulf of Mex. '81, 252a; Ia. '84, 293a, '95, 121, 236; Ida. '97, 352; Ind. '82, 21b, '88, 349; Ky. '89, 313; La. '82, 165b, '87, 303a, '92, 204; L. Cal. '95, 137; Man. '86, 153, 329, '93, 49, 50a; Mass. '88, 389, '89, 40a, 44, '97, 228; Mich. '93, '89, 40a, 44, '97, 228; Mich. '93,

223; Minn. '80, 17b, '84, 247b; Miss. '82, 93b; Mo. '79, 147b; Mont. '88, 17^a, '93, 302, '95, 214; N. B. '82, 105b, 1900, 177; N. C. '86, 103, 314; N. E. '76, 73b, 92b, '77, 15b; N. J. '79, 85^b, '94, 136; N. M. '92, 360, '98, 307; N. Y. '79, 37^b, 175^b, '81, 233^b, '82, 188^b, '90, 230; O. '82, 46^b, '95, 242; Ore. '79, 196^b, '86, 164, '88, 145; Pa. '89, 142a, '92, 135, '93, 39, 44, '96, 281; Que. '82, 238b, '83, 245°; S. C. '79, 217°, '90, 36, '99, 198; S. D. '85, 285°; Tenn. '86, 319, '87, 129; Tex. '82, 41°, 174°, '87, 187, '88, 119°, '89, 237, '92, 233, 1900, 341; Va. '86, 161°, '89, 53°; Wash. '82, 227^b, '97, 173, 1900, 243; W. I. '81, 154b, '87, 112; Wis. '82, 188b.fd. '97, 228; hbt. '78, 23°, '79, 12°, '87, 187, '88, 119°; mig. '81, 252°, '82, 774b, 89, 142a, '95, 121, 236, 242, '99, 198; nst. '78, 23a, '79, 12b, '81, 233b, '82, 174b, '83, 41b, 197b, '84, 293a, '87, 187, 190, 264, '88, 20, 349, '89, 53a, '91, 390, '92, 69a, 360, '95, 214; plm. '91, 190 (alb.), '93, 194; song, '86, 319; syn. '85, 371, '87, 112; misc. '82, 21b, 53a, '87, 303a, '90, 82a,

yucatanensis, syn. '84, 96. Zeocephus, '94, 234.

Zerega, Louis Augustus di.

Capture of Fish Crow (Corvus ossifragus) near Seabright, Monmouth Co., New Jersey, '79, 239.

Notes on northern range of Fish Crow (*Corvus ossifragus*), with account of its habits, '80, 205-208.

Capture of Snowy Heron (Garzetta candidissima) on Long Island [N. Y.], '81, 248.

Zoe (magazine), titles (Nos. 2396-2425), '92, 287.

zombœ (Lybius), see Lybius.

zonaris (Acanthyllis), see Hemiprocne.
—— (Chætura), see Hemiprocne.

- (Hemiprocne), see Hemiprocne.

—— (Hirundo), see Hemiprocne. zonata (Dichrozona), see Dichrozona. zonatus (Campylorhynchus), see Heleo-

dytes.
—— (Heleodytes), see Heleodytes.
zonocercus (Buteo), see B. abbreviatus.

zonorhynchus (Larus), see L. argentatus. •

Zonotrichia '84 43 387 '88 440 441

Zonotrichia, '84, 43, 387, '88, 440, 441, 442, '90, 193.

albicollis (* White-throated Sparrow or Peabody-bird), Ala. '79, 9;

Cal. '92, 302, '96, 260, '97, 221; Canada, '82, 113; Colo. '87, 122; Fla. '88, 274, '93, 337, '95, 365; Ga. '82, 95a, '96, 214; G. Br. '80, 72; g. dist. '93, 126; Hud. B. '90, 322; Ia. '95, 122, 236; Ill. '88, 434, '90, 241; Ind. '82, 20, '89, 25; I. T. '84, 335; Ky. '89, 315; La. '82, 162, '87, 302°; Man. '86, 323; Mass. '80, 52, '82, 122, '83, 151a, '84, 12a, 15, '88, 388a, 389, 390, 426, '89, 43°, 101, 183°, '95, 87°, 88, '96, 178, '97, 406; Me. '79, 107, '82, 148, '86, 277°; Mich. '85, 65, '93, 226; Minn. '79, 1532, '97, 223a; Miss. '99, 268; Mo. '79, 144, '96, 217; Mont. '88, 17ª; N. B. '82, 148, '83, 7a, '89, 118; N. C. '86, 101?, 308a, 311a, 314; N. F. 1900, 72; N. H. '83, 13a, '87, 102a, 103a, 105, '88, 149a, 150, 152, 154, '89, 78, '94, 335; '87, 16; N. Y. '78, 53, N. S. '79, 36, '81, 230, '83, 52ª, '84, 175, 331, '86, 443a, '90, 295, '99, 283a; O. '95, 242; Pa. '94, 182ª?; P. E. I. '93, 5ª, 11; Que. '82, 236, '89, 148; S. C. '79, 214, '92, 33^a, '95, 306^a; S. D. '85, 281; Tenn. '86, 318; Tex. '82, 12, '84, 122, '92, 338.-hbt. '84, 331, 335, '93, 11; meas. '83, 79; mig. '84, 175, '85, 65, '88, 434, '92, 33*, '95, 122, 236, 242, '99, 268; nst. '80, 52, '88, 426, '89, 148, '97, 406; plm. '76, 21 (alb.), '78, 121, '83, 46, 78-80 (hyb.), '84, 287a (hyb.), '93, 213 (col. pl., hyb.); song, '84, 12a, 331, '87, 67a, '93, 11; misc. '81, 179a, '82, 113 (corr.), '96, 159. coronata (Golden-crowned Spar-

coronata (Golden-crowned Sparrow, b Emberiza atricapilla), Alas. '81, 5; Cal. '77, 92b?, '86, 182, '89, 221, '96, 260, '98, 235; g. dist. '93, 126; Ore. '79, 165, '86, 168, '88, 358; Wash. '92, 356, '97, 178, 1900, 355.—anat. '88, 440, 442, 444; hbt. '81, 5; meas. '78, 43; nst. '78, 42; song, '92, 356.

gambelii (* Gambel's Sparrow, b nuttalli), Alas. '81, 2*, 5*; Cal. '86, 182, '89, 221, '94, 219; g. dist. '93, 126, '99, 36b; Ore. '86, 168; Wash. '92, 309, 356, '99, 37, 1900, 355.— hbt. '81, 5*; nst. '86, 168, 1900, 355; syn. '80, 106, '89, 333, '90, 65, 96, '99, 36b.

intermedia (* Intermediate or Ridgway's Sparrow), Alas. '85, 63, '87, 12; Aris. '87, 200, '94, 218*, 219; B. C. '92, 310; Cal. '89, 221, '90,

296, '98, 235; Colo. '85, 16, 141, '87, 124; g. dist. '93, 126; Ida. '98, 16; Kan. '84, 100, '86, 114; \(\xi\). Cal. '95, 141; Man. '86, 323; Minn. '79, 153, '93, 290; Mont. '88, 17a', '94, 306, '95, 217; Neb. '89, 333; N. M. '85, 124, '86, 74, '92, 365, '99, 189; N. W. T. 1900, 182?; Ore. '88, 358; Tex. '82, 12, 38, '84, 121, '87, 292; Wash. '81, 128, '82, 227, '92, 45, 356, '97, 178, 1900, 244.—hbt. '85, 141; mig. '85, 63; plm., song, '87, 124; syn. '80, 106, '89, 333, '90, 65, 96, '99, 37.

leucophrys (a White-crowned Sparrow), Ariz. '87, 200, '90, 49, 259; Cal. '78, 66; Colo. '79, 94, '80, 229, '81, 138, '83, 191, '85, 16, 141; Conn. '93, 90a, 207; Cuba, '92, 273; g. dist. '93, 126; Hud. B. '90, 322; Ia. '95, 123; Ill. '80, 30, '88, 434, '90, 241, '95, 395a; Ind. '82, 20, '89, 25; I. T. '84, 335; Ky. '89, 314; La. '99, 266; Man. '86, 323; Mass. '82, 253a, '99, 196a; Me. '76, 95a, '82, 148a; Mich. '85, 65, '93, 226; Mo. '79, 144; Mont. '89, 152a, '95, 217; N. C. '87, 241, '93, 243; N. M. '86, 74, '92, 365; N. Y. '81, 126, 230, '84, 175, 330, '85, 272, '88, 181, '98, 58; O. '95, 241; Ore. '79, 165, '88, 139; Que. '82, 236; S. D. '85, 281; Tex. '82, 12, 38, '87, 292, '92, 338, 1900, 346; Vt. '78, 195, -fd. '99, 355; hbt. '99, 355; mig. '82, 148a, '84, 175, '85, 65, '88, 434, '95, 123, 241, '98, 58, '99, 196a; nst. '78, 195, '80, 229, '81, 138, '83, 238a; plm. '78, 121, '92, 273 (alb.); song, '80, 229, '81, 138, '84, 330, '99, 355; syn. '78, 105, '80, 106, '90, 96.

querula ("Harris's Sparrow), B. C. '93, 16, '95, 76, 182, 305ª, 1900, 107; Colo. '87, 122, '94, 183; g. dist. '84, 332, '93, 126; Ia. '95, 129ª, 236; III. '80, 30, '90, 241, '95, 395; Kan. '79, 144, '94, 215; Man. '86, 323; Minn. '79, 154; Mo. '79, 144, '96, 176; Mont. '89, 150, '95, 217; Mo. River, '95, 226ª, 227ª; S. D. '85, 281; Tex. '82, 38, '87, 291, '92, 338; Wash. '93, 16; Wis. '84, 106.—hbt. '79, 144, '84, 332, '85, 281; meas., nst. '89, 151; mig. '79, 154, '84, 332–337, '95, 129, 236, 237ª; plm. '79, 144 (mlt.), 154, '84, 332, 334, '95, 226ª, '96, 176; song, '79, 144, 154, '84, 332, 335; misc. '90, 82.

whitii, syn. '88, 412. Zoological Society, New York, '97, 344. Zoologische Garten, Der (magazine), '84, 404; titles (Nos. 1063-1068), '86, 477. Zoòlogist, The (magazine), '97, 256; titles (Nos. 979-1002), '85, 373, (Nos. 2426-2451) '92, 289. Zosteropidæ, 1900, 189. Zosterops, '94, 235.
aldabrensis, Aldabra I. '95, 71.
gloriosæ, Gloriosa I. '95, 71.
zosterops (Chloropsis), see Chloropsis.
Zygodactylæ, '81, 75.
Zygodactyli, '85, 212.

ERRATA.

Page 13, column 2, line 47, for zoologisches read zoologischer.

" 16, " 2, " 54, for Torry read Torrey.

" 62, " 1, " 45, for brachyphonus read brachyphorus.

" 64, " 2, " 39, after Petrels insert (rev.).

" 64, " 2, " 40, for Ogilvie-Grant, W. R., read Grant, W.

" 64, " 2, " 41, after Gozo insert (rev.).

" 80, " 2, " 15, for Callipepla read Callipepla.

"110, "2, "42, after plm. insert '87, 109.

" 123, " 2, " 38, after and Rood insert E.


"123, "2, "42, after 240 insert '83, 161-164.

"141, "2, "40, for brachyphonus read brachyphorus.

"197, "2, last line, for gastrer read gaster.

" 202, . " 1, line 47, for semichrasti read sumichrasti.

" 242, " 1, " 8, after 251 add syn. '98, 330.



UNIVERSAL



UNIVERSAL LIBRARY